

# Index

Page numbers in *italic* denote Figures. Page numbers in **bold** denote Tables.

- Abathomphalus mayaroensis* Zone 106  
*Acanthodiscus radiatus* Ammonite Zone 5, 10, 22  
*Ahmullerella octoradiata* 68, 69, 110  
*Albertosaurus* 189  
Alcapa block 50, 51  
algae  
  carotenoids 175  
  steroids 173  
Aliança Formation 159  
alkanes 171, 172, 173, 179–180  
alumina, Paraíba Basin 95–96  
*Ammodiscus siliceus* 8, 10  
amphibole 205, 208, 209  
*Amphidonte* 67  
*Amphizygus brooksii* 69, 110  
*Ancyloceras matheronianum* 39, 41  
*Ancyloceras vandenheckii* 39  
angiosperms 174, 180  
anoxia *see* oceanic anoxic events  
Aptian, OAE-1a 31, 45, 153  
Apuseni Mountains 50, 51  
Araripe Basin 158, 159  
*Archaeoalveolina reicheli* 52  
Arctic  
  Brooks Range 187, 188  
  modern warming 198, 199  
  palaeoclimate, Cretaceous 186, 197–199  
  stable isotopes, palaeoclimate 197–198  
*Arkhangelskiella cymbiformis* 109, 110  
Arobes section, northwest Spain  
  calcareous nannofossils 65–66, 67–71, 76–79  
  fluctuation 72–75  
  preservation and reworking 75–76  
  geological setting 64–65  
  lithostratigraphy and macropaleontology 66–67  
  OAE2 64–79  
  Plateau Phase 77  
  stable isotopes 65, 66, 71, 76–77  
  and diagenesis 71–72  
Audia Nappes 106, 107  
*Axopodorhabdus albianus* 66, 68, 69, 70, 79  
  
*Bacinella* 52, 53  
bacteria  
  aryl isoprenoids 175, 180  
  hopanoids 173–174  
Bakony Mountains 50, 51  
  stable isotope records 56, 57  
Banatic magmatism 53, 203  
Barremian, stable isotope records, palaeoenvironment  
  57–58  
basalt  
  flood 22, 86, 96  
  Hațeg Basin 206, 207, 208  
  Paraíba Basin 97  
Basque-Cantabrian region, organic-rich shale 31  
Beberibe Formation 86, 88  
*Belorusiella textularoides* 8  
Berriasian-Valanginian, stable isotope records 56–57  
Bersek quarry 50  
  stable isotope records 57, 58  
*Biantholithus sparsus* 108, 109, 110  
Bihor nappe system 50  
bioapatite, vertebrate, stable isotopes 186–187,  
  191–194  
biocalcification crisis, Bucegi Mountains 6, 24  
biochronology, Curití section 39, 41  
biotite  
  Hațeg Basin 205, 207, 208, 209  
  Jatobá Basin 162, 163  
bird fossils, Xiagou Formation 145  
*Biscutum constans*  
  Arobes section 66, 69, 70, 73–75, 76, 77, 79  
  Bucegi Mountains 12, 13, 15, 21, 22, 24  
*Biscutum coronum* 69  
*Biscutum ellipticum* 110, 116  
bivalves, Paja Formation 35, 36, 41  
black shale 31  
  Bucegi Mountains 23–24  
  formation 49–50  
  Pădurea Craiului Mountains 55, 58, 59  
  Paja Formation 33, 34, 36, 38–39, 42, 45  
Blid Formation 51, 53, 54  
*Braarudosphaera bigelowii* 69, 78  
  East Carpathians 108, 110, 116–117  
*Braarudosphaera regularis* 12  
Brazil, lacustrine sediments 157–180  
Brezová Group 126  
*Broinsonia enormis* 69  
Brooks Range 187, 188  
  palaeohydrology 195–196  
Bucegi Mountains  
  calcareous nannofossils 12–15, 18–22, 24  
  geochemistry 11, 12, 14  
  geological setting 7–11  
  palaeogeography 8  
  stable isotopes 20  
  composition 15, 17–18  
  preservation 15  
Bucovinian Nappes 106, 107  
*Busnardoites campylotoxus* Ammonite Zone 5, 8, 18  
  
cadalene 174  
Calabianca section, stable isotope records 44  
calcareous nannofossils  
  Arobes section 65–66, 67–71, 76–79  
  fluctuation 72–75  
  preservation and reworking 75–76  
  Bucegi Mountains 8–11, 12–15, 18–22, 24  
  diagenesis 13–15  
  East Carpathians 108–109, 110, 113  
  K-Pg extinction 115–116  
  Gosau Group 127–128  
*Calcicalathina oblongata* 8, 10  
*Calcicalathina oblongata* Zone 5  
  calclutite 38, 42

- calcite  
 East Carpathians 113, 114, 115, 117  
 Pădurea Craiului Mountains 52  
 Paraiba Basin 87, 90  
 Serra Negra well 161, 162, 165
- calcium carbonate  
 Bucegi Mountains 11, 12, 16–17, 20–21, 22, 24  
 Paja Formation 37
- Calculites perennis* 69
- Calpionellites major* Subzone 8
- Calpionellites* Zone 8
- Campanian-Maastrichtian Transition, Paraiba Basin 95, 98–99
- Campylotoxus* zone 56, 57
- Candéas Formation 158, 159
- carbon dioxide, greenhouse conditions 6, 21, 49
- carbon isotopes  
 Arobes section 65, 71, 76–77  
 Bucegi Mountains 12, 14, 15, 16–17, 20  
 Curití section 37, 39, 41–43, 44, 45  
 East Carpathians 111, 112, 115  
 marine/non-marine environments 123–124, 126, 128–138  
 Pădurea Craiului Mountains 54–55, 56, 57–60  
 comparison 56, 57  
 Paraiba Basin 92, 94, 95  
 Serra Negra well sample 167–169, 176–179  
 Xiagou Formation  
 carbonate 146, 147–148, 148, 149, 150, 152–153  
 organic 146, 147–148, 149–154
- carbon-isotope excursion (CIE) 49–50
- Pădurea Craiului Mountains 54–55, 56–57, 58–60
- Valanginian  
 Bucegi Mountains 5–6, 17, 18, 20, 22–23  
 Pădurea Craiului Mountains 56–57  
 Valanginian-Barremian 57–58
- carbonate platforms  
 Bucegi Mountains 7–8, 11  
 drowning, and carbon-isotope excursion (CIE) 6, 21, 22  
 Pădurea Craiului 50–54, 58, 59  
 Selli event 58
- carbonates  
 marine/freshwater  
 diagenesis 137  
 isotope studies 123–138  
 nanofossils 127–128  
 reworking 137–138  
 strontium isotopes 123–124, 138  
 Serra Negra well sample, stable isotopes 175–179  
*see also* calcium carbonate
- Caribbean Colombian Plateau volcanic activity 77
- Caribbean Large Igneous Province 63
- carotenoids 174–175, 177, 180
- Carpathian Mountains *see* East Carpathians; Southern Carpathians; West Carpathians
- Carpathoporella fontis* 52
- Carpathoporella occidentalis* 53
- Cenomanian-Turonian Boundary Event *see* oceanic anoxic events, OAE2
- Central Asturian Depression 64–65  
 biostratigraphy 65
- Ceratolithoides* 109, 110
- cerium anomaly 98, 99, 101
- Changma Basin 144–145  
 Changma bird quarries 144  
 carbonate sampling 145–154  
*Chiastozygus litterarius* 69, 110
- Chicxulub impact crater 85, 86, 105
- Chijinpu Formation 145
- Chijinqiao Formation 145
- chlorite 111, 112, 113, 114, 117 162, 163
- Chlorobiaceae* 175
- Chondrites intricatus* 106, 109
- Cismon section, stable isotope records  
 Aptian 43, 55, 152, 153  
 Barremian 58
- clay  
 Curití section 38–39, 42  
 East Carpathians 106, 108, 113, 115  
 Gosau Group 138  
 Paraiba Basin 87, 95–96  
 Serra Negra well 159–165, 173, 179
- climate change  
 Aptian 55, 58, 59, 153–154  
 Arctic 186, 189, 198–199  
 K-Pg Boundary 86  
 Plenus Cold Event 77  
 Valanginian 21
- clinopyroxene 205, 208, 209
- Colchidites breistofferi* 41, 45
- Colombia *see* Curití section
- Colville Basin 187
- Colville River, dinosaur remains 191, 192, 193, 195
- Conusphaera mexicana* 8
- Coposeni Member 51, 53  
 stable isotope records 57–58
- Corollithion kennedyi* 66, 68, 69, 79
- Crato Formation 158, 159  
 lithology 160, 162  
 stable isotopes 160  
*see also* Serra Negra well
- Cretaceous-Palaeogene boundary 85, 105  
 East Carpathians 106–117  
 Europe 105–106  
 extinctions 85, 86, 101, 105, 108, 115–116, 117  
 meteorite impact 85–86, 90, 96, 101, 105, 115  
 Paraiba Basin 86–101  
 volcanism 86
- Cretarhabdus conicus* 69, 110
- Cretarhabdus striatus* 69, 110
- Cribrocorona gallica* 110
- Cribrophaerella ehrenbergii* 109
- Crioceratites loryi* Ammonite Zone 10
- Criosarasinella furcillata* Ammonite Zone 10, 22
- Crucibiscutum salebrosus* 6, 21
- Curití section, Colombia  
 biochronology 39, 41  
 geology 32–34  
 Paja Formation 35, 36, 37, 38–39  
 palaeoenvironment 41–42  
 pyrolysis 39, 40, 45  
 stable isotope stratigraphy 39, 41–43, 44, 45  
*see also* Paja Formation; Rosablanca Formation
- Cyclagelosphaera deflandrei* 10
- Cyclagelosphaera margerelii*  
 Arobes section 66, 69, 74–75, 76, 77, 79  
 East Carpathians 110, 116

- Cyclagelosphaera rotaclypeata* 69  
 East Carpathians 110, 116  
*Cyclonephelium* 65  
*Cylindralithus nudus* 110  
*Cylindralithus sculptus* 110  
*Cylindralithus serratus* 69, 76  
*Cylindroporella ivanovici* 53  
*Cymatoceras* 10  
*Cytherella fragilis* 8, 10, 15
- Dacia block 50, 51  
 Deccan Traps 86, 189  
 Densuş-Ciula Formation 203–205  
   isotopic composition **205**, 206–209  
*Dervantina filipes* 52  
*Deshayesites forbesi* ammonite zone 31  
 diagenesis  
   Bucegi Mountains 13–15  
   burial 15  
   and isotope fluctuation 71–72, 137  
   Pădurea Craiului Mountains 55  
*Diazomatolithus lehmanii*  
   Arobes section 69  
   Bucegi Mountains 12, 13, 15, 21, 22, 24  
   East Carpathians 110  
 dinosaurs  
   Prince Creek Formation 186, 187  
   ingested water 190–191  
   isotopic composition 191–194  
   palaeoecology 196–197  
   teeth 186, 189–190  
*Discorhabdus rotatorius* 12, 13, 15, 22, 24  
 diterpenoids 174  
 Dobreşti Member 51, 53, 54  
   palaeoenvironment 57  
 dolomite  
   Paja Formation 35, 36, 38  
   Serra Negra well samples 162, 163, 165, 177, 179  
*Dorothia* 6  
*Dromaeosaurus* 189  
   isotopic composition **192**, **195**  
*Dufrenoyia sanctorum-Stoyanowiceras treffryanus* zone  
   41, 43  
*Dunaliella* 175  
*Duvalia dilatata dilatata* 10
- East Carpathians, K-Pg Boundary 106–117  
   calcareous nannofossils 108–109, 110, 113  
   extinction 115–116  
   geological setting 106–107  
   mineralogy, TOC and isotopes **111**, **112**, 113, 114  
 Eastern Cordillera, Colombia 32  
 Ecleja Formation 51, 52, 55  
   CIE 54, 55  
   Selli event 58–59  
*Edmontosaurus* 189  
   isotopic composition 191, **192**, **195**, 196  
*Eiffellithus* 109  
*Eiffellithus eximius* 66, 69, 70–71  
*Eiffellithus parallelus* 110  
*Eiffellithus striatus* 10  
*Eiffellithus turriseiffeli*  
   Arobes section 66, 68, 69, 74–75, 76, 79  
   East Carpathians 110  
*Eiffellithus windii* 8  
*Epicheloniceras* 41, 43  
*Epistomina* 6  
*Eprolithus apertior* 69  
*Eprolithus floralis* 66, 69, 70, 73–75, 76, 77, 79  
*Eprolithus octopetalus* 66, 68, 69, 71, 79  
 europium anomaly 98, 99  
 extinction, K-Pg Boundary 85, 86, 101, 105, 108,  
   115–116, 117  
 Exu Formation 158, 159
- Fallot CIE 50, 55, 56, 59  
 Faraoni CIE 50, 56, 57, 58  
 feldspar  
   Haşeg Basin 205, 208, 209  
   Paraíba Basin 96  
   Serra Negra well 162, 163, 164  
   Varniţa section **112**, 113, 114, 115  
*Flabellites oblongus* 69  
 fractional crystallization, Haşeg Basin 208–209  
 fucoids 106, 109, 114, 115,  
*Fursenkoina* 65  
 gammacerane 175, 177, 180
- Gansu Province, Xiagou Formation, fluvio-lacustrine  
   strata 143–154  
*Gansu yumenensis* 145  
 Gargano Promontory, organic-rich shale 31  
*Gartnerago segmentatum* 110  
*Gaudryella eichenbergi* 10  
 Geat Valley, isotopic composition **205**, 206–208  
 Gerecse Mountains 50, 51  
   stable isotope records 56, **57**, 58  
*Gerhardtia* 39  
 Getic Carbonate Platform 7  
 Getic Nappe 7, 8  
 Gießhübl Formation 124  
 Gießhübl Syncline 124, 125, 126  
   core samples 126, 128  
   isotopes 128–129, **132**, **134**  
   marine/non-marine environment **132**, **134**, 136  
   nannofossils 127, 128  
*Girariarella prismatica* 53  
 Giraudi Zone 45  
 glass microspherules 85–86  
 glendonite carbonite nodules 6  
 Glintzendorf Syncline 123, 125–126  
   core samples 126, 127  
   isotopes 128, 129, **131**, **134**  
   marine/non-marine environment 129–130, **131**, 133,  
   **134**, 135–136  
   nannofossils 127  
 global cooling 6, 154  
 global warming 6, 86, 189, 198–199  
*Globigerinoides blowii* biozone 153  
*Glomospira gaultina* 8  
*Glomospira urgoniana* 53  
 Gosau Group  
   geological setting 124–126  
   marine/non-marine environments, stable isotopes  
   123–124, 128–138  
 Gramame Formation 86, 87, 88, 89  
   geochemistry **91**, **92–94**  
   stable isotopes 95

- greenhouse conditions  
 Aptian 153–154  
 Arctic sediments 186  
 Cretaceous 6, 17–18, 21  
   role of OAEs 49, 59  
 K-Pg Boundary 86
- Griphoporella cretacea* 53
- Grünbach Formation 123, 127  
 nannofossils 128  
 stable isotopes 130
- Grünbach Syncline 123, 125, 126  
 core samples 126, 127  
 isotopes 128, 130, **131–132**, 138  
 marine/non-marine environment **131–132**, 136, 138
- Gugu Breccia 52, 59
- Gura Beliei Formation  
 calcareous nannofossils 108  
 red beds 106, 114–115  
 gymnosperms 174
- Hadrocheilus* cf. *H. costatus* 10
- Hadrosauridae, isotopic composition **192, 195**
- Hangu Formation 106, 109
- Haplophragmoides* 65
- Haplophragmoides* cf. *H. concavus* 8
- Haplophragmoides joukovskiyi* 51
- Haqius circumradiatus* 69
- hardgrounds 9
- Hárskút section, stable isotope records 56–57
- Hațeg Basin  
 fractional crystallization 208–209  
 geological setting 203–205  
 stable isotope composition 205–209
- Hauterivian, stable isotope records 57
- Helenea chiasitia* 68, 69, 70, 76
- Helicolithus trabeculatus* 69
- Helvetoglobotruncana helvetica* zone 70
- Heptemis septemsulcata* 66, 67, 71, 77, 79
- Heteroceras* 39
- Holocryptocanium* cf. *H. barbui* 8, 10
- hopanoids 172, 173–174
- hydrocarbons  
 Jatobá Basin 157, **167–169**, 171–175, 177, 179  
 Vienna Basin 123, 124
- hydrogen isotopes, Hațeg Basin 205–206
- Hypsilophodontidae isotopic composition 191, **192, 195**
- Ichnusella trocholinaeformis* 8
- Ilhas Group 158, 159
- illite, Serra Negra well 162, 163, 165
- impact *see* meteorite impact
- Infiesto Formation 67
- iridium anomaly, K-Pg Boundary 85–86
- Isocrystallithus compactus* 68, 69
- isoprenoids  
 acyclic 171, 173  
 aryl 175, 177, 180
- isotopes *see* stable isotopes
- Itamaracá drill hole 86, 87, 89, 90  
 geochemical composition **91, 92–94**  
 mercury 96, 97  
 silica and alumina 95–96  
 stable isotopes 95
- Itamaracá Formation 86–87, 88, 89  
 stable isotopes 95
- Izvor Formation 106
- Jatobá Basin 157, 158  
 geochemistry 163–179  
 geological setting 159  
 hydrocarbons **167–169**, 171–175  
*see also* Serra Negra well samples
- K-Pg Boundary *see* Cretaceous-Palaeogene Boundary
- Kamptnerius magnificus* 110
- kaolinite, Jatobá Basin 162, 163
- Karakaschicerias biassalense* Ammonite Subzone 5
- Karstenicerias* 39
- Kikak-Tegoseak quarry  
 dinosaur remains 187, 188  
 isotopic composition 191, **192, 193, 195**, 196
- KTB *see* Cretaceous-Palaeogene Boundary
- Kutatissites creutzbergi* 41, 45
- La Cabaña Formation 65, 66, 67
- La Manjaya Formation 67
- lacustrine environment, Xiagou Formation 150–151  
 chemostratigraphy 146–154  
 dating 153–154
- lacustrine sediments, northeastern Brazil 157–180
- Lamellaphthycus didayi* 10
- Large Igneous Provinces, and OAEs 49, 63
- Las Tercias Formation 65, 66, 67
- Lenticulina* 65
- Lenticulina* cf. *L. gaultina* 10
- Lenticulina macrodisca* 8
- Lenticulina ouachensis bartensteini* 10
- Lenticulina ouachensis eichenbergi* 10
- Lenticulina ouachensis ouachensis* 8
- Leupoldina cabri* Zone 31, 153
- limestone  
 Bucegi Mountains 8–11  
 Pădurea Craiului 51–53, 55, 57, 59  
 Paraíba Basin 86–89, **91, 93, 94**  
 Serra Negra well 160, 162, 165, 179
- Liscomb Bonebed  
 dinosaur remains 187, 188, 189  
 isotopic composition 191, **192, 193, 195**, 196
- Lithraphidites acutus* 66, 68, 69, 70, 71, 76, 79
- Lithraphidites carniolensis* 69, 70, 110
- Lithraphidites praequadratus* 110
- Lithraphidites quadratus* 109, 110
- Livello Bonarelli *see* oceanic anoxic events, OAE2
- Lombard Basin  
 CIE 22  
 palaeogeography 8
- Los Santos Formation 33
- Loxolithus armilla* 69
- Maastrichtian  
 East Carpathians 106, 108, **111, 112, 113**, 114, 116, 117  
 Gosau Group 124, 125, 126  
 Hațeg Basin 203–205, 209  
 Paraíba Basin 86–90, 95–96, 98–99  
 Prince Creek Formation 186–187, 189, 197–198

- Macla Nappes 106, 107  
 magmatic processes, Hațeg Basin 208–209  
 magmatism, Pădurea Craiului Mountains 53  
 Maiersdorf Formation 126  
*Manivitella pemmatoidea* 69, 70, 110  
 Maria Farinha Formation 86, 87, 88, 89–90  
   geochemistry **91, 92–94**  
 Marizal Formation 158, 159  
*Markalius inversus* 110  
 marl  
   Arobes section 66, 67  
   Bucegi Mountains 8, 15  
   East Carpathians 106, 109, 113, 114, 115, 117  
   Gosau Group 124, 125, 126, 137  
   Hațeg Basin 205  
   Pădurea Craiului 51, 52, 53, 55, 59, 60  
   Paja Formation 34, 35, 36, 38–39, 42,  
   Paraiba Basin 87, 89, 90, 91, **93, 94**, 96, 100  
   Plenus Marl 67, 77  
   Serra Negra well 162, 164, 171, 175, 179  
*Marthasterites simplex* 69, 71  
 mass extinction *see* extinction, K-Pg Boundary  
 mercury  
   Paraiba Basin 91, **93, 94**, 96–97, 101  
   volcanic source 96  
*Mesorbitolina subconca* 53  
*Mesorbitolina texana* 52, 53  
 meteorite impact, K-Pg Boundary 85–86, 90, 96, 101,  
   105, 115  
 methane, Xiagou Formation 150, 154  
*Metoicoceras geslinianum* 67  
*Micrantholithus hoschulzii* 12  
*Micrantholithus obtusus* 12, 19  
*Micrantholithus speetonensis* 6, 21  
 micrite  
   Paja Formation 35, 36, 38  
   Paraiba Basin 87, 90  
*Microrhabdulus belgicus* 69  
*Microrhabdulus decoratus* 69, 109, 110  
*Micula concava* 110, 116  
*Micula cubiformis* 116  
*Micula decussata* 110, 116  
*Micula murus* 110, 116  
*Micula praemurus* 110, 116  
*Micula prinsii* 108, 109, 110, 113  
*Micula swastica* 110, 116  
*Miliospirella cretacea* 8, 10  
*Miliospirella sardoa* 8, 10  
 mineralogy, quantitative  
   East Carpathians **111, 112**, 113–114  
   Hațeg Basin 205, 206, 208, 209  
 Mogyorósdomb Formation, stable isotope  
   records 56  
 Moldavide Nappe System 106, 107  
*Montiella elitzae* 53  
 Mount Lespezi, Bucegi Mountains 7, 11  
   calcareous nannofossils 12–15, 19  
   CIE 22–24  
   geochemistry 13, **14**  
   lithology and biostratigraphy 8–11  
   stable isotope data 20, 22  
 muscovite **111, 112**, 113, 114, 117, 162  
 Myjava Group 126  
*Mytiloides mytiloides* inoceramid zone 66, 70  
 Nagyarsány Formation 54  
   stable isotope records 56, **57**  
*Nannoconus* 12, 21, 22, 24, 69  
*Nannoconus bucheri* 10  
*Nannoconus cornutus* 10  
*Nannoconus dolomiticus* 10  
*Nannoconus steinmannii* 8  
 nannofossils *see* calcareous nannofossils  
*Nautiloculina bronnmanni* 52  
*Neobiscutum parvulum* 108, 110, 113  
*Neocomites peregrinus* Ammonite Zone 10  
*Neolobites vibrayeanus* 67  
*Neomeris cretacea* 53  
*Neotrocholina* 52  
*Neotrocholina infragranulata* 8, 10, 21  
*Nephrolithus frequens* 110  
*Netrocholina* 51  
 Nierental Formation 124, 126  
 Niveau Fallot black shale 59  
 Northern Calcareous Alps 124–126  
 oceanic anoxic events 49  
   and LIPs 49, 63  
   OAE-1a 31, 45, 49, 54–55, 58–59, 153  
   OAE-1b 49, 54, 59  
   OAE2 49, 63–80  
     Arobes section 64–79  
     Valanginian 5, 17–18, 21, 22, 24, 50  
*Octocyclus reinhardtii* 69  
*Octolithus multiplus* 110  
 Olinda drill hole 86, 87, 89, 90  
   geochemical composition **94**  
   mercury 96, 98  
   silica and alumina 96  
   stable isotopes 95  
 Ontong Java volcanic province 58, 59  
*Orbitolinopsis buccifer* 52  
*Orbitolinopsis cuvillieri* 52  
*Orbitolinopsis pygmaea* 51, 52  
 organic matter production  
   Bucegi Mountains **16–17**, 21, 22–23, 24  
   East Carpathians 115  
   Serra Negra well samples 176–180  
 organic-carbon flux 49  
 Ornithischians, isotopic composition **192, 195**  
 oxygen isotopes  
   Arobes section 65, 66, 71, 76–77  
   and diagenesis 71–72  
   Bucegi Mountains 12, **14, 15, 16–17, 20**  
   Hațeg Basin 205–209  
   marine/non-marine environments 123–124, 126,  
   128–138  
   Pădurea Craiului Mountains 54–55, 56, 59  
   comparison 56, **57**  
   Paraiba Basin **92, 94, 95**  
   Serra Negra well sample **167–169**, 175–176, 179  
   vertebrate teeth 186–187, 190–191, **192**,  
   193–199  
   Xiagou Formation **147–148**, 149, 150–151  
 oxygen minimum zone 21  
 P4 section, Bucegi Mountains 7, 11  
   calcareous nannofossils 12–15, 18  
   CIE 18, 20–21, 23

- P4 section, Bucegi Mountains (*Continued*)  
 geochemistry 13, 14  
 lithology and biostratigraphy 8, 9
- Pachyrhinosaurus* 187, 189  
 isotopic composition 191, 192, 193, 194, 195, 196–197
- Pădurea Craiului Mountains  
 climate change 55, 56  
 palaeogeography 50, 51  
 stable isotope stratigraphy 54–55, 56  
 comparison 56, 57  
 palaeoenvironment 57–58  
 Selli event 58–59
- Paja Formation 32, 33, 38–39  
 ammonites 35  
 biochronology 39, 41  
 black shale 33, 34, 36, 38–39, 45  
 fossils 35, 36, 38–39, 41  
 lithology 35, 37  
 palaeoenvironment 43  
 stable isotope stratigraphy 37, 39, 42–43, 45
- Palaeocene-Eocene Thermal Maximum 49, 186  
 palaeoclimate  
 Prince Creek Formation 189  
 stable isotopes 185–186  
 Arctic 197–199
- palaeoecology, dinosaur, Prince Creek Formation 196–197  
 palaeoenvironment  
 Carpathian-Pannonian region 57–58  
 Curití section 41–42  
 Prince Creek Formation 187, 189
- palaeohydrology 186–187  
 Prince Creek Formation 194–196
- palaeosols 187, 189, 205, 206–208  
*Palorbitolina lenticularis* 51, 52  
*Parachaetetes asvapatii* 53  
*Paracoskinolina* 51  
*Paracypris caerulea* 8, 10, 15
- Paraíba Basin  
 CMT 98–99  
 geochemistry 90–100  
 geological setting 86–90  
 K-Pg Boundary 86–101  
 mercury 91, 93, 94, 96–97  
 rare earth elements 90, 93, 97–100  
 stable isotopes 92, 94, 95  
 stratigraphy 88, 89
- Paranà-Etendeka Large Igneous Province 6, 21, 22, 56
- Pediomys* 189
- Pediomys* Point  
 dinosaur remains 187, 188, 189  
 isotopic composition 191, 192, 193, 195, 196
- Pennrich Fauna 67, 77, 79  
 phosphate, dinosaur teeth 186, 191  
 phosphatization 41, 45  
 phosphorite, Rosablanca Formation 34, 35, 36, 37–38, 41–42, 45  
 phytoplankton, isoprenoids 171, 173
- Pieniny Klippen Belt 50  
 stable isotope records 57
- Piesting Formation 126
- Pietroșița section, Ialomița Valley 106, 107, 108  
 calcareous nannofossils 108  
 K-Pg boundary 115  
 mineralogy, TOC and carbon isotopes 111, 113, 115
- Placozygus fibuliformis* 110
- plagioclase  
 East Carpathians 111, 113  
 Hațeg Basin 205, 207, 208  
 Serra Negra well 162, 163, 164
- Plenus Cold Event 77
- Plenus Marl 67, 77
- Polystrata alba* 53
- Poty Quarry drill hole 86, 87, 89, 90  
 geochemical composition 92–93  
 mercury 96, 97  
 silica and alumina 96  
 stable isotopes 95
- Praebulimina* 65
- Praedorothia praeauteriviana* 8
- Prebetic Range  
 organic-rich shale 31  
 stable isotope records 44
- Prediscosphaera* 66, 74–75, 76, 77  
 East Carpathians 109, 110
- Prediscosphaera columnata* 69, 74
- Prediscosphaera cretacea* 69, 74, 110
- Prediscosphaera ponticula* 69, 74, 110
- Prediscosphaera stoveri* 110
- primary productivity 22, 24, 49, 176–180
- Prince Creek Formation  
 dinosaurs 186  
 palaeoecology 196–197  
 geological setting 187–189  
 palaeoclimate 189  
 palaeoenvironment 187, 189  
 palaeohydrology 194–196
- Prodeshayesites* 39, 41, 45
- productivity, surface-water 49
- Prottes Gosau Group 124–125, 126
- Pseudoactinoporella fragilis* 52
- Pseudobelus* cf. *P. brevis* 10
- Pseudohaploceras* 39
- Pseudolituonella conica* 53
- Pseudonummoloculina aurigerica* 52
- Psilocitharella arguta* 10
- Psilocitharella recta* 10
- Psilocitharella* sp. cf. *P. kochii* 10
- Pulchellia* 39
- Pycnodonte* 67
- pyrite nodules, Paraíba Basin 100
- pyrolysis, Curití section 39, 40, 45
- pyroxene 205, 208, 209
- Qiliana graffini* 145
- Quadrum gartneri* 66, 68, 69, 70, 71, 75, 76, 78–79
- Quadrum intermedium* 66, 69, 70, 71, 79
- quartz  
 Curití section 41, 42  
 East Carpathians 111, 112, 113, 114, 115  
 Hațeg Basin 207  
 Prince Creek Formation 188  
 Serra Negra well 162, 163, 164, 165  
 shocked, Paraíba Basin 85, 90, 96  
 Valea Bobdei Member 51
- Rachitova outcrop, isotopic composition 205, 206–209
- Radiolithus planus* 69

- rare earth elements  
and dolomitization 98  
Paraíba Basin 90, **93**, 97–100
- recovery phase 71, 74, 75, 108, 117,
- recrystallization diagenesis 15
- red detrital formation 53
- Retecapsa angustiforata* 69, 110
- Retecapsa crenulata* 69, 110
- Rhagodiscus achlyostaurion* 69
- Rhagodiscus angustus* 69, 70
- Rhagodiscus asper* 66, 68, 69, 70, 71, 76, 79  
East Carpathians 110
- Rhagodiscus splendens* 69, 70, 110
- rhodochrosite **111**, 113, 115
- Rhynchostreon suborbiculatum* 67
- rhytmmites 87, 96
- Riedelites obliquum* 41, 43
- Rochovica section, stable isotope records 50, 51, 56, **57**,  
58–59
- Romania  
Bucegi Mountains, isotopic signals 6–24  
Pădurea Craiului Mountains, anoxic events  
50–60
- Rosablanca Formation 32, 33, 34, 35, 37, 38  
biochronology 39  
palaeoenvironment 42–43, 45  
sea level rise 42  
stable isotope signal 41–42  
stable isotope stratigraphy 37, 39, 42
- Rosalina* 65
- Rotalipora cushmani* 66, 68, 71, 76, 77, 79
- Rotalipora cushmani* Zone 66, 67, 71, 72,  
76, 78
- Rotalipora greenhornensis* 66, 68, 76
- Rumanollina feifeli* 8, 10, 21
- Runcu Formation 106–107
- Sabaudia auruncensis* 53
- Sabaudia capitata* 51
- Sabaudia minuta* 53
- Salpingoporella* 52
- Salpingoporella anulata* 51
- Salpingoporella katzeri* 51
- Salpingoporella muehlbergii* 52
- sandstone  
East Carpathians 106, 113, 114, 115  
Gosau Group 124, 126, 127, 138  
Hațeg Basin 205  
Pădurea Craiului 52, 53, 59  
Paraíba Basin 86  
Prince Creek Formation 187, 189, 196  
Serra Negra well 160, 162, 163, 164, 175, 179  
Xiagou Formation 145
- sanidine 205, 207
- Sânpetru Formation 203–204, 205
- Santa Rosa Canyon, Mexico, stable isotopes 43
- Santana Group 159
- Santander-Floresta Massif 32
- São Sebastião Formation 158, 159
- Sauroolithes* 189
- Saynoceras verrucosum* Ammonite Zone 5, 6, 8, 10, 18, 21,  
22, 23
- Scaglia Variegata Formation 55
- Schrader Bluff Formation 187
- sea level change  
Barremian, Rosablanca Formation 42  
Ce anomaly 98, 99  
K-Pg Boundary 99  
Valanginian 18, 22, 23–24
- Selli OAE-1a 55, 56, 58–59
- Sentistvánhegy Formation, stable isotope records 56
- Sergi Formation 159
- Serra Negra well samples 158, 159  
bulk geochemical parameters 163–171  
deposition model 178, 179, 180  
geochemistry, organic **166**, 171–179  
lithology 160, 162–163  
stable isotopes **167–169**, 175–179
- sesquiterpenoids 174
- shale  
Serra Negra well 160, 162–163, 165, 178, 179  
*see also* black shale; clay
- shocked quartz 85, 90, 96
- siderite, pedogenic 198  
isotopic composition 191, 194–195, 196, 197
- silica, Paraíba Basin 95–96
- smectite  
East Carpathians **111**, **112**, 113, 114, 115, 117  
Hațeg Basin 205, 207  
Serra Negra well 162, 163, 164, 165, 179
- Sollites lowei* 6, 21
- Someș Series 50, 52
- Șotrile Formation 106
- Southern Carpathians  
Bucegi Mountains  
geological setting 7–11  
Valanginian isotopic signals 11–24  
Hațeg Basin, isotope geochemistry 203–209
- Speetonia colligata* 8, 10
- Spiniferites* 65
- Spirillina* 21, 24
- Spirillina italica* 8
- Spirillina minima* 8, 10
- Spumellaria* 9
- stable isotopes  
Arobes section 65, 66, 71–72, 76–77  
Bucegi Mountains 12, **14**, 15, **16–17**, 20, 22–23  
East Carpathians **111**, **112**, 115  
Hațeg Basin 203–209, 205–209  
indication of palaeoclimate 185–186, 197–199  
influence of diagenesis 71–72, 137  
marine/non-marine environments, Gosau Group  
123–124, 126, 128–138  
Pădurea Craiului Mountains 54–55, 56, **57**, 58–60  
Paja Formation 37, 39, 41–43, 44, 45  
Paraíba Basin **92**, **94**, 95  
Serra Negra well samples **167–169**, 175–179  
vertebrate bioapatite 186–187, 190–191, **192**,  
193–199  
Xiagou Formation 146, **147–148**, 149–154
- Staurolithites crux* 69, 110
- steroids, algae 172, 173
- Stoverius achylosus* 69, 76
- Stoyanowiceras treffryanus* zone 41, 43
- strontium isotopes  
Hațeg Basin 205–209  
marine/non-marine environments 123–124, 127, 128,  
130, **131–133**, 138

- Studienka Gosau Group 126  
   core samples 126, 127  
   isotopes 129, **132–133, 134**  
   marine/non-marine environment **132–133, 134**, 136  
   nanofossils 128  
 Subbetic Range  
   organic-rich shale 31  
   stable isotope records 44  
 Subcarpathian Nappe 106, 107  
 Subpiatră Member 52, 53, 54  
*Subpulichellia* 39  
  
 Tablazo-Magdalen Basin 32–33  
 Tarcau Nappe 106, 107  
 teeth *see* bioapatite, vertebrate  
 Teleajen Nappes 106, 107  
 terpenoids 174, 180  
*Textularia* 65  
*Thoracosphaera*  
   Arobes section 65, 66, 69, 70, 74–75, 77–78, 79  
   East Carpathians 108, 110, 113, 116, 117  
 tillite 6  
*Tirnovella pertransiensis* Ammonite Zone 8  
 Tisza block 50, 51  
 total inorganic carbon (TIC), Curití section 37, 39  
 total organic carbon (TOC)  
   Arobes section 67  
   Curití section 37, 39, 42  
   East Carpathians **111, 112**, 115  
   Serra Negra well 164–165, **166, 170–171, 174**  
   Xiagou Formation **147–148**, 149  
*Toxancycloceras* 39  
*Tranolithus gabalus* 69, 110  
*Tranolithus orionatus* 69  
*Tranolithus phacelosus* 110  
*Tristix palaeofusca* 8  
 triterpenoids 174  
*Troglotella incrustans* 53  
*Troodon* 189  
   isotopic composition 191, **192, 195**  
 tsunamis, K-Pg boundary 115  
*Tubodiscus verena* 8, 10, 20–21  
 tuff  
   Gura Beliei Formation 106  
   Hațeg Basin **205, 206, 207**  
   Liscomb Bonebed 188, 189  
 turbidites, Varnița section 115  
 Turonian, Arobes section 66, 67, 68  
 Tyrannosauridae, isotopic composition 191, **192, 195**  
  
*Vaginulina arguta* 10  
*Vaginulina recta* 10  
 Valanginian  
   Bucegi Mountains, geochemistry 11, 12, **14**  
   carbon-isotope excursion (CIE) 5–6, 18, 56–57  
   Carpathian-Pannonian region 56–57  
   climate 6  
   greenhouse conditions 6  
   oceanic anoxic events 5, 22  
 Valea Bobdei Member 51, 53  
   Selli event 58, 59  
 Valea Măgurii Formation 51–52, 53  
   OAE-1a 54, 55  
   Selli event 58, 59  
  
 Vârciorog Formation 52, 53, 54  
   Fallot CIE 59  
   OAE-1b 54, 55, 59  
 Varnița section 106, 107, 109  
   K-Pg Boundary 115  
   turbidites 115  
   mineralogy, TOC and carbon isotopes **112**,  
   114, 115  
 vertebrates, stable isotopes 186–187  
 Vienna Basin 123  
   geological setting 124–126  
 Villány Mountains 51  
   stable isotope records **57**  
 Vocontian Basin  
   Aptian stable isotope records 43  
   CIE 18  
   Niveau Fallot black shales 59  
   organic-rich shale 31  
   palaeogeography 8  
 volcanism  
   and CIEs 50, 58, 59, 154  
   Bucegi Mountains 6, 17, 21, 22  
   Cretaceous-Palaeogene transition 86  
   and global warming 6, 86  
   mercury 96  
*Voloshinoides* 51  
 Vrancea Nappe 106, 107  
  
 water  
   meteoric  
   diagenesis 15  
   isotopic composition 191, 196–197, 198  
   palaeohydrology 186–187  
*Watznaueria barnesae*  
   Arobes section 66, 69, 70, 73–75, 77  
   Bucegi Mountains 12–13, 14–15, 19  
   East Carpathians 109, 110, 113, 116  
   fluctuation 73–75  
   preservation 75–76  
*Watznaueria biporta* 69  
*Watznaueria manivita* 69  
*Watznaueria ovata* 69, 110  
 Weissert CIE 5, 22, 50, 56  
 West Carpathians, Pădurea Craiului Mountains  
   50, 51  
*Whiteinella archaeocretacea* zone 66, 67, 70, 71, 72,  
   77–78  
  
 Xiagou Formation, fluvio-lacustrine strata 143–154  
   carbon isotopes  
   carbonate 146, 148, 149, 150, 152–153  
   organic 146, 149–150, 152–153  
   carbon/oxygen isotope cross-plots 149, 150, **151**  
   chemostratigraphy 146–154  
   dating and palaeoclimate 153–154  
   geology 145  
   global correlation 151–153  
   local correlation 149–150  
   oxygen isotopes **147–148**, 149, 150–151  
   palaeolimnological interpretation 150–151  
  
 zeolite 198, 206  
*Zeugrhabdotus diplogrammus* 69, 110, 116  
*Zeugrhabdotus elegans* 69, 110, 116



*Zeugrhabdotus embergeri* 69, 70, 110, 116  
*Zeugrhabdotus erectus*  
Arobes section 66, 69, 70, 73–75, 77, 79  
Bucegi Mountains 12, 13, 15, 21, 22, 24  
East Carpathians 110, 116

*Zeugrhabdotus* sp. 19  
Zhonggou Formation 145  
*Zittelina massei* 53  
*Zoophycos* 11, 22, 24  
Zweiersdorf Formation 126