

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- adakite vii, 3, 15–17, 23, 156, 175, 251
distribution in Japan arc 25–26
- adiabatic dT/dP 202
- Aegean arc, magmatism 137–158
analytical techniques 142
differentiation and eruption 155–156
geochemistry 142–146
geological setting 137–140
source and process 146–155
- air-fall deposit 210, 211, **216–218**, 219
- amphibole 153, 156, 270, 271
- Anatahan Felsic Province 237, 251, 252–253
- Andean arc, magma sources 303–330
geochemistry 311–320
magma history **308–309**
tectonic setting 304–311
- andesite and subduction 1–2, 58–59
- andesite from tholeiite 281–300
- andesite, Gulf of California 389, 395–401, 403
- andesite, NE Japan island arc 335–378
- andesitic magma, preferential eruption 257–276
mixing 258–260
mobility 260–261
origin 257, 261–270
recharge filtering 270, 272–274
- andesitic petrogenesis 65, 83–94, 257, 262
element recycling 87–90
fractionation 84–86
geothermometer 90–91
partial melting of arc crust 86–87
slab plumes 91–93
tectonics 93–94
- antecryst 202, 203, 399
aphyric arc melts 162, 172, 173, 175–178, 180
- apatite 140, 142, 150
- Ar/Ar age 190
Mariana crust 240–242, 253
NW Mexico 393, 395
Santa María 210, 211, 212, 219, 223
Strawberry Volcanics 285, 286
- arc crustal growth 7, 57–60
- arc front migration 303, 307, 324–326, 328–330
- arc magmatism 119, 303, 311–320
see also Aegean *and* continental ...
- assimilation fractional paths 86, 109, **154**, 155, 323
equations 112–114
- asthenosphere/lithosphere 362, 366, 371, 377, 401
- attenuation tomography 357
- Ba/La ratio 316–317, 324, 327, 328
- Ba/Nb and Ba/Ta ratio 400
- Ba/Th ratio 147, 152, 329, 330
- back-arc basin, NE Japan 363, 373–377
geotherms 356, 360, 361
late Cenozoic 365–371
magmatic evolution 339–344, 350, 353
opening 336, 342, 358, 371, 377
- back-arc, Maricunga 305, 307–311, 321, 325
- Baja California 390, 393–395, 396
- basalt viii, 2, 5, 8, 65, 369
fractionation 84–86
Gulf of California 395–398, 401
high-TiO₂(Nb) basalt 80
intrusion rate 87
Mariana arc 242–243, 245
to andesite 32
- basaltic andesite viii, 82, 140, 141, 310
fractional crystallization 223, 225
Guatemala 209, 212, 215, 219, 220, 222
Gulf of California 393, 395–398
Oregon 284–286, 288, 293, 296, 297
Papua 121, 123, **124–125**
- batholith 401
- ¹⁰Be isotope 2
- Benioff zone, Andean arc 304, 325, 326, 328
- Bezmyianny volcano 104, **106**
- bimodal volcanism 6, 67, 80, 93, 270
Californian Gulf 393–398, 401, 403
Guatemala 210, 215,
Japan arc 336, 340, 374
Mariana arc 251, 252–253
- boninite vii, 130, **131**
- Bouguer gravity anomaly 338, 354
- buoyancy 92
- Calbuco Volcano **188**, 190, 191
- calc-alkaline composition 123, 243
Oregon 283, 287–297
- calc-alkaline from tholeiite 297
- calc-alkaline magma 6, 7, 281
Aegean arc 146, 157
Andean arc 329
California Gulf 389, 399–401
Guatemala 221, 225
Japan arc 165, 336, 360, 363, 376–378
- calc-alkaline volcanism 31–61, 82, 90
- caldera, East Diamante 238–240, 253
- caldera, NE Japan 338, 340, 345, 347
magmatism 374–376
seismic velocity 350–361
- California *see* Gulf of California
- Callaqui Volcano 186–189
- carbonate, East Diamante 239, 250
- Central Kamchatka Depression 104, 105–109
- Central Mexican Volcanic Belt 33–34
- climatically active volatiles 2, 7, 60
- clinopyroxene composition 123
- Cocos Plate 66, 210, 211
- Columbia River Basalt Group 282, 293
- Comondú Group 390, 392–394, 399–403
cone fracture 375
- continental arc magmatism 137–158
magma differentiation 107–109
magma genesis 105, 109–112
U-series isotope data 103–114
- continental margin 336, 341, 342, 346, 365

- convergence, rate of 66, 93, 94, 156
 convergent margin, andesites 257–260, 274
 Cr/Ni isotope ratio 130, 131
 crust
 assimilation/Kamchatka 107–109, 112
 continental 2, 156, 157
 differentiation 59, 236
 growth, arc magmatism 156–157
 melting, felsic magma 251–252
 residence time 6–7
 stress and crystallization 185–187, 200
 structure 349–355
 thickening/Andes 303, 305, 325, 327–329
 thinning/Baja California 399, 401, 403
 crustal contamination 84–86, 153–155, 156
 mantle sources 321–325
 crustal thickness 5–7, 210, 253, 393, 399
 crust-mantle structure, Japan arc 355–361
 magmatic evolution 336–343
 Quaternary magmatism 360, 361–365
 crystal cargo 166, 168–175, 202–203
 crystal fractionation 130–132, 149–153
 crystal uptake in aphyric melts 161–180, 186
 analytical techniques 162–164
 chemistry 165, **166**, 167
 crystallization rate 103, 107–109, 112, 200
 crystallization, absolute age 187
- D'Entrecasteaux 120, 121
 dacite 161, 253
 Andean arc 305, 307, 310, 317, 327
 California Gulf 392, 400, 401, 403
 dacite, Volcán de Santa María 209–231
 analytical method and samples 211–215
 deep origin 222–228
 debris avalanche and eruption 187, 190, 203
 dehydration 103–104, 109, 110, 112, 131
 delamination 3, 5, 65, 67, 157
 Andean arc 303, 325, 326, 330
 delayed magnetism model 128
 density 353, 354
 andesitic magma 260, 261, 267, 272, 274–275
 depletion 150, 180, 362, 363
 Diamante, submarine volcanoes 237–240
 diapir 3, 65, 92–93, 94, 95
 differentiation 155–156
 disequilibrium textures 162, 165, 179, 186, 203, 258
 domes 155–156
 Andes 305, 307, 310, 327, 329
 Gulf of California 392–394, 396, 399, 401, 403
 Dy/Dy* anomaly 129
 Dy/Yb ratio 84–86, 88, 89, 129
 arc magmatism 143, 156
 dyke 346, 353, 361, 375, 401
 Strawberry Volcanics 286, 289
 dynamic melting model 110–111, 112
 equations 113–114
- earthquake 237
 Japan 350, 354, 355, 357, 361, 375
 electron probe micro-analysis, 168, 210, 214
 equilibration depth 355
 eruptible composition 260, 261
 eruption
 age 189, 289
 centre migration 127
 explosive 210, 253
 filtering 261–270, 272, 275
 mechanisms 155–156
 seismogenic zone 185
 Eu/Eu* anomaly 323
 extension 94, 398–399, 401
- felsic magma, Japan arc 375
 felsic magma, Mariana crust 237, 239–240
 age and storage 249–253
 chemical analysis 242–249
 petrology 243
 Fishcanyon-type ignimbrite 251
 fractional crystallization 5–6
 basalt–andesite 32, 45
 basalt–rhyolite 84–86, 95
 dacite, closed system 222–228, 230–231
 garnet 15, 23–24, 84, 137
 mixed magma 336, 377, 378
 U-series isotopes 109, 112–114
 fractionating and magmatism 137–158
 fractures 203
 Fuego de Colima, volcano 66, 68, 81, 83, 85
- garnet 3, 4, 85, 175, 197
 Aegean arc 156, 157
 Andean arc 324, 325, 328, 329, 330
 mantle melt 31–32, 44–46, 49, 50, 53
 residual 16, 23–24
 Gd ratio 53–54, 294
 geobarometer 153, 270, 271
 geochemical recycling 65, 88, 92–93, 95
 geochemistry 1, 8
 arc magmatism 142–146, 165, **166**
 continental arc magma 104, **106**
 restricted andesitic volcano 262–266, 269
 slab plume 68–79, 82, 83
 geochemistry, along-arc variations 15–27
 analytical methods 17
 magma genesis 23–25
 major elements 17, 20, **21**
 trace elements **20**, 22–23
 geochemistry, high-Mg andesites 123–127
 geochemistry, major elements
 Aegean arc 142–149
 Andean forearc 311–320
 Andean volcanoes 190, 193–196, **198–199**
 Diamante cross-chain 242–249, 250
 Kamchatka 106
 Kyushu arc 17–23
 Mexico, calc-alkaline magmas 33, 36–60
 Mexico, stratovolcano **69–77**, 80–82
 Oregon 283, 286–299
 Papuan arc 123–127
 Santa María 213–231
 geophysics
 density 353, 354
 gravity 338, 339, 354
 see also under seismic
 geothermal gradient 376
 geothermometer (H₂O/Ce) 90–91, 92, 95
 geotherms, NE Japan 355, 356

- glass analysis 259, 260, 262
 gravity anomaly 338, 339, 354
 groundmass analysis 163, 172–176, 178, 179
 chemistry **165–166**
 U and Th 192, 197, **198–199**, 201–203
 groundmass texture 262
 Guespalapa volcanics 35, **36–38**, **40**, **47**
 Gulf Extensional Province 392
 Gulf of California, magmatism 389–403
 geochemistry 391, 395, 396, 400
 geology 394
 tectonomagmatic map 402
 temporal trends 392, 396–399
- ³He/⁴He olivine 32–35, 43, 49, 50
 heavy rare earth elements (HREE) 3–4, 20
 Aegean arc 143, 151
 Andean andesites 196, 314, 329
 Mexico arc 44, 46, 49, 50, 52, 53
 Oregon 289, 293, 294–295
 slab plume 80
 high field strength elements (HFSE)
 Andean andesites 311, 315, 316, 324, 327, 329
 Japan arc 369
 Mexico arc 32, 34, 44, 45, 46, 50
 Oregon 289, 294–295
 slab plume 80, 82, 84, 86, 88, 89
 high-magnesium andesite 117, 157
 analysis and samples 123
 geochemistry 123–127
 geological setting 118–123
 magma and subduction 127–130
 melt 84, 85, 244, 330, 366
 naming 130–131
 petrogenesis 131–132
 slab input 32, 35, 42, 43, 49–52, 59
 high-magnesium basalt 107, 112
 Ho/Lu, arc magmatism 143, 156
 HREE *see* heavy rare earth elements
 hydrothermal activity 236, 253, 375
 hygrometry constraints 162
- igneous protolith **57**, 88, 203, 400
 ignimbrite 307, 310, 313, 329, 392–397
 ilmenite composition **224**
 intra-continental volcanics 281, 295–297, 300
 intra-oceanic arc system 235
 intra-plate magma 80, 86–88, 92–94, 400
 island arc evolution, magmatism 335, 374–377
 isotope analysis *see also* individual elements
 Andean arc 303, 311–325
 slab plume **78–79**, 82
 isotope zoning, granitoids 348
 isotopic variation 366, 367
 Izu–Bonin–Mariana arc 235–254
- Japan (NE) island arc
 basement 343, 348
 chronology 339–340, 342–343
 development 365–374
 geochemistry 363–365
 geophysics 350–355
 tectonics 336, 339, 341, 342
 volcanoes, Miocene–Quaternary 337, 347
- Japan, along-arc variations 15–27, 162–180
 Japan Sea, opening 339, 343, 373
- K–Ar age 190, 395
 Kamchatka lavas 103–104
 Kliuchevskoi volcano *104*, **106**
- La, magma 44–45, 53, 54, 56
 (high-La) basalt 49, 57
 La/Nb ratio 400
 La/Sm ratio 294
 La/Ta ratio 89
 Andean arc 315–316, 324–325,
 327–328
 La/Yb ratio *129*, 131
 Andean arc 313, 323–324, 327–329
- laccolithic reservoir 375
 large ion lithophile elements (LILE)
 Andean andesites 329
 continental arc magma 104
 Japan arc 20
 Mexico arc 32, 34, 44, 45, 86, 88
 Oregon volcanics 289, 294–295
 volcanic arc 124, 132
 Láscar Volcano 186–189
 lava dome and magma mixing 155–156
 light rare earth elements (LREE)
 Aegean arc 156
 Mexico arc 44, 46, 49, 50, 80, 89
 Oregon volcanics 289, 293, 294–295
 lithosphere thickness 366, 367, 369
 lithospheric foundering *see* delamination
 Lonquimay Volcano 186–189
 lutetium in calc-alkaline rocks 50, 51–53, 58
- mafic enclaves 262, 264, 267–269, 273, 276
 mafic melt 5, 7
 mafic recharge 272–273, 274
 magma
 evolution 326, 327–329
 genesis 365, 366, 373
 Kamchatka 105, 107–112
 mobility 272–273
 plumbing system 336, 352–355, 361,
 365, 376
 stalling 155, 179, 325
 storage conditions **263**
 transport rate 7, 103, 109, 112, 178, 202
 magma mixing ix, 130, 155, 246, 247
 antecryst uptake 162, 172, 175, 177, 179
 Comodú ‘arc’ 399, 400, 401
 curve 23, 33
 dacite 221, 225, 230–231
 filtering model 270, 272–276
 Japan arc 377, 378
 Mexico arc 84–86
 proportions 267–268
 U–Th disequilibrium 200
 magnesium *see* high-magnesium
 magnesium number 117
 magnetite 140, 150
 composition **224**, 225
 disequilibrium 197, **198–199**
 exsolution 165

- mantle
 arc magmatism 371–374
 background calculation 50–51, 61
 convection model 371, 373–374
 heterogeneity 357–361
 hybridization 65
 Japan island arc 366–370
 tholeiite source 293, 295–296
- mantle slab in andesite formation 31–61
- mantle wedge 154, 202
 corner flow 359, 361, 371, 376
 forearc 303–304, 323–325, 328–330
 geochemistry 57, 365
 geophysics 353
 Japan arc 25, 175, 178
 Kamchatka 109–112
 Mexico arc 65, 88
 Papuan arc 128, 132
 seismic structure 355–357, 361
- mantle-derived magma 117
- Mariana arc, felsic magma 235–254
- Maricunga Belt arc 304, 305–330
- mass spectrometry 105, 142, 163–164
 Santa María 210, 214–215
- mélange, diapiric 92–93, 95
- melt ascent rate 177, 178, 179
- melt evolution 4–7, 60
- melt inclusions
 andesite 258–260
 dacite 221–222, 214–215, 222, 227, 230
- metasomatism 109–112, 132, 180
 tholeiite 295–296
- meteoric water 202, 203
- Methana, geochemistry/mineralogy 137–158
- Mexican Subduction Zone 66, 91, 94
- Mexican Volcanic Belt *see* Trans Mexican ...
- Mexico, NW 395–398
- Mg/Fe ratio 117
- microlite 153, 269, 273, 276
 plagioclase 175, 176, 180
- middle rare earth elements (MREE)
 Aegean arc magmatism 143, 151, 156
 Mexico 45, 50, 52
 Oregon 289, 293, 294–295
- mid-ocean-ridge basalt (MORB)
 Guatemala 211, 221
 Japan arc 22, 23, 365, 368–370
 Mexico 33, 42–48, 50, 54, 83, 89, 400
 Pacific 126, 127, 130
- mineral clusters/autoliths 122, 128, 129, 130
- Moho 8, 87, 88, 350, 354, 372
- Mont Pelée volcano 263, 268–270, 273
- Mount Hood, andesite study 261–270, 273
- Mount Lamington 120, 121, 128
- Mount St Helens 274
- Mount Unzen volcano 263, 268–270
- MREE *see* middle rare earth elements
- Nazca Plate 303, 304, 305, 325, 326
- Nb/Lu ratio 52
- Nb (high-) arc basalt 34, 35, 50, 56
- Nb/Ta ratio 84, 85, 86, 88, 89, 328
- neodymium [¹⁴³Nd/¹⁴⁴Nd] isotope ratio
 Aegean arc 143, 147, 151, 153, 154, 155
 Andean arc 318, 319, 322, 325, 328–330
 Comondú ‘arc’ 400
 Japan arc 23, 367, 369, 370
 Mexico 33, 45–57, 78–79, 83
 Papuan arc 124–125, 129
 Santa María 213, 215–221, 222
- Nicaragua, U-series interpretation 111
- Nile sediments, isotopic signature 149, 151
- Nisyros, geochemistry/mineralogy 137–158
- O₂ isotope data 214, 215–221, 223
- ocean island basalt (OIB) 34, 80
- oceanic crust 394
- Old Texcal Flow 33, 41, 50, 51, 55
- olivine 46, 59, 117, 141
 composition 122, 123
 crystal cargo origin 176–177
 disequilibrium 197, 198–199
 fractionation 131, 132
 H₂O analysis 163–165, 167, 168, 180
³He/⁴He 32–35, 43, 49, 50
 in slab plumes 84, 88, 90
 zoned 60, 129, 130
- open-system process 294, 295, 297, 399
- Oregon, intra-continental suite 281–300
- Orogenic Andesites and Plate Tectonics* 1981 vii–ix, 1
- oxidation in calc-alkaline magma 281
- oxide chemistry 165, 219–221
- oxygen fugacity 5, 84, 112, 251
 aphyric melts 168, 173–175, 180
 Santa María, dacite 219–221, 224, 225
- ²³¹Pa/²³⁵U isotope ratio 4–5, 103, 105–114
- Pacific Plate 16, 342, 357
 subduction 372, 376
- palaeomagnetism 367, 370–371
- Papuan Volcanic Arc 119, 120–121
 geology and tectonics 118–120
 petrography 121–123
- parent magma 118, 223, 225
 convergent margin 267, 270, 276
- Pb/Ce ratio 152
- Pb/Nd ratio 154
- Pb isotope ratios [^{206–208}Pb/²⁰⁴Pb] 23, 78–79, 86
 Aegean arc 146, 147, 149, 151, 153, 154
 Andean arc 319–320, 323, 328–330
 Papuan arc 127, 129
 Santa María 213, 215–222
- peridotite melt 3–4, 32–33
- petrography 79–80, 165, 192, 196
- phenocryst analysis 214, 245–246, 248
- phenocryst assemblage 122, 258, 377
- Philippine Sea Plate, subduction 16–17, 20–27
- plagioclase 243, 248, 249, 266
 composition 228, 249
 crystal size 265
 disequilibrium 197, 198–199
 hygrometry 90, 162, 168, 175–177, 180
 melt inclusions 219, 221–222, 227, 229
 mixing 267
 zoning 210, 225, 228, 267
- plate convergence rate 111
- Plinian eruption 1902 216–217, 225, 228, 230
- plume 68–82, 84, 86, 88–93, 371

- pluton, subcaldera 375
 Poisson's ratio 353, 354
 Popocatepetl, geochemistry **36, 38, 40, 42**
 porosity 110
 pressure 153, 363
 - andesitic magma **263, 270, 271**
 - crystallization 230
 - felsic magma 251
 - fractionation 65, 84, 85, 88, 131–132
 - garnet stability 24
 - two-pyroxene estimate 168–175, 180
 primary melt vii, 128, 130, 132, 154–155, 161
 primitive magma 154
 - Diamante cross-chain 244, 245, 246
 - Kamchatka 105, 107, 112
 - Papuan arc 118, 128, 130, 132
 primitive mantle 50–52, 369
 - element diagrams 22, 48, 148, 295–297
 pyroxene 167, 219–221, **226**
 - pseudodecompression path 168–175, 178, 180
 - temperature 220, 223
 - zoned 129, 130
 pyroxene model 32, 45, 49, 50, 53, 57–61
 pyroxenite source 2, 112

 quartz-fayalite-magnetite 170, 173, 174, 180

²²⁶Ra/²³⁰Ra isotope ratio 103–114
²²⁶Ra/²³⁰Th isotope ratio 109, 200
 rare earth element (REE) 32, 34, 46, 53, 143
 - Andean andesites 311, 316, 323, 324, 329
 - forward modelling 46–50
 - slab plume 82, 84, 89
 - Strawberry Volcanics 289, 293, 294–295
 - volcanic arc 126, 128, 129
 Rb v. Cr, Mount Hood lavas 266
 Rb variation diagrams 152, 292
 Rb/Ba ratio 249, 250–251
 Rb/Ta ratio 86, 88, 89
 recharge filtering model 270, 272–274
 REE *see* rare earth element 196
 residence times and stress 186, 187, 200
 resorption surface 221, 222
 rhyolite 121
 - Andes 307, 312, 317
 - Comodú 'arc' 392–398, 400, 401
 - Mexico 67, 80, 81, 82, 84–87, 93
 - Oregon 284, 289, 294, **298–299**
 rift, Baja California 391, 394–398, 401–403
 - rift, Japan arc 336, 339–343, 374
 ring fracture 375
 Rivera Plate 66, 82, 83, 88, 89, 93, 94
 rotational history 370–371, 375

 Sangangüey volcano 66, 68, 79, 83, 85–87, 89
 Santa María *see* Volcán de Santa María
 Santorini, geochemistry/mineralogy 137–158
 sea-floor spreading 119–120, 128, 391, 394
 secondary ion mass spectrometry 163–164
 - Santa María 210, 214–215
 sediments, trench 55, **57**
 seismic attenuation profile 321, 325, 328, 329
 seismic structure 355–357, 358, 362
 seismic velocity 350–361, 373

 seismicity 350, 353, 354, 355
 - and degassing 377
 - and eruption 185, 202
 serpentinite 324, 325, 330, 357
 Sierra Madre, volcanism 67, 391–392, 403
 siliceous composition 67, 88
 - of andesite 258, 260
 slab
 - depth contours 35, 66, 162
 - dip and Sr/Y ratio 26
 - fluid input 109, 324–325, 327
 - geometry 327–329
 - rollback 93, 94
 - seismicity 357
 - temperature 90, 91, 92, 93
 slab dehydration, 357, 362, 365
 - timing 103–104, 109, 110, 112
 slab flux 2
 - forward modelling 46–50, 52, 53
 - inverse approach 50–52, 59
 slab melt vii–ix, 46–60, 88, 107, 157
 - Japan arc 16, 22, 23–24, 25
 slab-derived plume 65–103
 slab–mantle processes 3–5
 - andesite genesis 31–61
 - thermal structure 357
 Sm/Yb ratio 314–315, 323–325, 327–329
 Soufrière Hills volcano **263, 268–270**
 source material, arc magmatism 146–155
 spinel 122, 130, 140
 spreading zone, Woodlark 119–120, 128
 Sr/Ba v. Ti plagioclase 265
⁸⁷Sr/⁸⁶Sr isotope ratio 23, 45–57, 68, **78–79, 83**
 - Aegean arc 143, 147, 151, 155
 - Andean arc 317, 318–320, 322–325, 328–330
 - crust–mantle 367, 369
 - Mexico 33, 400
 - Papuan arc 126–127
 - Santa María 213, 215–222
 Sr/Th ratio 109
 Sr/Y ratio 16, 20, 22–26, 88, 249
 - along arc variation 26
 Sr–Nd isotope flux 45–57
 Sr–Nd isotope geochemistry 82–84, 86, 154, 155
 Sr–Nd–Pb in volcanic rocks 17, **20, 83, 152**
 stratovolcano 390
 - Andes 189–190, 305, 307, 310
 - Japan, NE 336, 340, 344–345, 374–376
 - Mexico 67–96
 - Papua 121
 Strawberry Volcanics, Oregon 281–300
 - geochemistry 286–297
 - stratigraphy and age 284–286, 289, 293
 stress field 342–343, 345–346, 353, 372–378
 - Andes, 186–187, 325
 - and magma ascent 186
 subduction 88, 399, 400
 - and andesites 1–3, 58–59
 - and tholeiite 296, 297, 300
 - rate 104, 305, 336
 subduction system, cold 335, 377
 subduction zone magmatism vii, 196
 - delayed 128
 - recycling 86, 87–90, 94
 S-wave reflector 375, 377

- Tanakura Tectonic Line 337, 338, 343, 351, 357, 361, 363
 temperature 168–175, 180
 andesitic magma **263**, 267, 268, 270–273, 276
 calculation 221–222, 223
 crust 350, 360
 felsic magma 251, 254
 mantle 358, 360, 366, 369
 mantle wedge 357–359
 subduction Zone 90–91, 92, 93
 two-pyroxene 247, 249
- Tepic–Zacoalco rift 66–68, 82, 86, 87, 94
 Tequila volcano 66, 68, 79, 81, 83, 85–87, 89
 terranes 322, 343, 348, 363
²³⁰Th–²³⁸U isotope ratio 103–114, 222–223
 Th/La ratio 316–317, 323–324, 329–330
 Th/Lu 52
 Th/Nd ratio 147, 152
 Th/Ta ratio 86, 88
 thermal anomaly 371, 375–376
 thermal subsidence 343, 366, 367, 369
 thermobarometer, two-pyroxene 168, 170
 thermochemical tracer 90–91, 92, 95
 thermometry 219–221
 tholeiite 146, 243, 300, 360, 363, 366–378
 tholeiite v. calc-alkaline composition 288–289
 tholeiitic parent to ‘orogenic’ andesite
 analysis and sampling 281–284
 geochemistry 283, 286–297
- timescale, magmatic processes 103–104, 108
 timing, Andean magmatism 303, 323–327
 TiO₂/Lu 50, 51–53, 58
 Tolbachik volcano 104, **106**
 tonalite, mid crust 237, 251, 253, 254
 trace elements *see also* individual elements
 Aegean arc 146–157
 Comondú ‘arc’ 395, 400, 401
 depleted 43, 46, 49, 51–54, 82, 89, 124
 Diamante cross-chain 249, 250
 incompatible 80, 85, 177, 124, 157
 Japan 17, **18–21**, 22–23
 Mexico **69–77**, 80–82, 88–90
 Mt Hood, Rb v. Cr 266
 Santa María 213–221
 Strawberry Volcanics 288–297
- trace elements, Andean arc 303, 311–320
 trends 320–325, 329–330
 U–Th isotopes 190–192, **194–195**, 196
- trace elements, slab flux 32
 abundances **36–41**
 analytical methods 42–43
 forward modelling 46–50, 52, 53, 54
 incompatible 43–45, 51–54, 57–60
 inverse modelling 50–52, 54
 sampling 34–35, 42
 Sr–Nd isotope flux 45–57
- Trans Mexican Volcanic Belt 35, 65, 66–67
 geochemistry 68–86
 geology 66–68
- ultrabasic cumulates 349
 ultramafic belt, Papua 119
 ultramafic inclusions 122, 128
 underplating 94, 343
 uplift, Jalisco Block 94
 uplift, Papuan arc 127
 uranium-series isotopes 4–5, 6, **106**
 analytical techniques 104–105
 disequilibrium 210
 Kamchatka arc 103–114
 U/Pb isotope ratio 322, 393–395
 U/U isotope ratio 197, 202
 U–Th isotope in stress regimes 185–204
 analytical techniques 190–192
 chemistry 193–197, **198–199**
 equiline diagrams 200–201, 203, 219
 isochron dating 187, 189
 sample selection 186–187
 volcanoes investigated 189–190
- U–Th, Volcán de Santa María 213–214, 217–219, 225, 228, 231
 data/plots **221**, 222, 223
- viscosity 178, 372
 andesitic magma 260–261, 267, 268, 275–276
 volatiles 60, 222, 274, 363, 377
 Volcan Cuatempel 34, **36, 38, 40, 47**
 Volcán de Santa María 209, 212
 geochemistry 213–231
 petrology 210–211
 Volcan Suchiooc 35, **37, 39, 40–41**
 Volcan Tuxtepec 42, 47, 53
 Volcan Yecahuazac 35, **37, 39, 41, 47**
 volcanic age and distance from front 370
 volcanic front migration 339, 340, 373, 376
 volcano, active 121, 137–140, 190
 volcanism, supra-subduction zone 390, 393
 volcano loading 186, 187, 203
 volcanoes, Japan 347, 339–378
 age 370
 Quaternary 16, 337, 338
 stratigraphy 342
 volume, erupted 225, 259, 260, 275
 Japan arc 336, 340, 344, 360, 361, 376–378
- Wadati-Benioff zone 304, 325, 326, 328
 water content 157, 274, 281
 Japan arc 365, 366, 377
 olivine 163–168, 173–177, 180
 Santa María, dacite 210, 222, 230, 231
 slab plumes 88, 90, 91, 93
 within-plate suite 369, 370, 401
- xenocryst 202, 203
 crystal uptake 162, 173, 176–178, 180
- xenolith
 crustal 399, 400
 granitoid 143, 146
 mantle 5, 349
- XRF analysis, whole rock 162–163, 281
- Y and rare earth elements 46–50, 249
- zircon 140, 141, 142, 322
 NW Mexico 393–395, 399, 401
 zoning, crystal 129, 130, 162, 165, 179, 258
 plagioclase 210, 221–222, 225, 227–228, 267
 reverse 273
 Zr–Nb–Y variation 249, 292, 368