

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Abu Zenima Formation *163, 165*  
aeolian depositional systems 3, 12  
aggradation 125, 127  
Ainsa deep-water reservoir analogue 7, 14–15  
Al Khlata Formation 111, *113*  
analogues 1, 3  
    choice of 3, 7, 10  
    reservoir modelling 5–9  
    workflow 7–9  
    *see also* outcrop analogues  
Annera Dhora outcrop *211*  
Annot Sandstone system 248–249  
    flow simulation modelling 249–253  
    forward modelling **251**, 253–267  
    MU5 bed 255, 256–267
- Baddho Dhora outcrop  
    LP-3 channel-lobe complex 204, *205, 206*  
    dynamic modelling 222–227  
    overbank deposits 207–213  
    static modelling 213–215, *216–217, 220, 225*  
    litho-unit simulation 214–215, **218**  
    pseudo-wells and lithofacies 214  
    seismic modelling 222, *224, 225*  
    surface model 214  
    photomosaics 213, *216*  
base-case model, Mitchell River delta 140  
basin fill  
    Annot Sandstone 248–249  
    flow simulation modelling 249–253  
    forward modelling **251**, 253–267  
beach ridges, Mitchell River delta 137, **139**, 142,  
    143–145, 146–150  
Beckwith Plateau *190, 193*  
    sandbodies 196, *197*  
Blackhawk Formation, Utah 4  
    analogue data 6  
    geological setting *190, 192–193*  
    helicopter LiDAR 191–192, *194–195*,  
    196–200  
Bolea outcrop, Pyrenees *11*  
Book Cliffs, Utah 10, *11, 190, 191*, 193, 196  
    sand-body geometry 13  
    surface-based modelling 278–281, 284–285, 286  
boreholes, outcrop-based 233–245  
    benefits 242–243  
    challenges 243–245  
    Huesca fluvial fan 234–236, 245  
    NOMAD project *244*  
    Svalbard clinoforms 242, *244*  
    Tanqua-Karoo fans 236–238, *239, 244–245*  
    Vienna Basin infill 238, 240, *241*  
    Woodford Shale 240, 242, *243*
- Bouma sequences 208, 209, 213  
Bowie Shale Member 60–61, 62, 63  
    recovery factor 79, 80  
breccia, Pab Sandstone turbidites 211, *212*  
Brent Group *11*
- Cameo-Wheeler coal zone 61, 62, 63  
Castlegate Formation *190, 193, 196*  
Central High Atlas *156*  
    *see also* Oukaimeden Formation  
channels  
    bars 77, **139**  
    belts  
        Lourinhã Formation 34, 35, 36, 37, 43–45  
        Wadi Gharif 123–128, 130, 131  
    chute 119–120  
    classification 39, 45–46, 47  
    complexes, amalgamated 64, 65  
        *see also* Pab Sandstone turbidites  
    connectivity 15, 192  
    facies, Mitchell River delta **139**, 142, 143–146, **148**  
    fill 14, 123, 207–209, *210, 211, 229*  
    fluvial 3, 39, 45–46, 47  
    morphology 43–45, 47  
    multi-storey 64, 65, **66, 192**  
    Oukaimeden Formation 155, 165–167  
    single-storey 64, 65, **66**  
    storey facies association 118–122, 123, 125  
    terminology *192*  
    turbidite  
        hydrocarbon reservoirs 203  
        overbank deposits 203  
        Pab Sandstone 207–213  
    Upper Lunde Member 87, 91  
    Wasatch Plateau *194–195, 196–200*  
    Williams Fork Formation 62–65, **66**  
chute channel facies association 119–120  
claystone facies 116–118, *119, 124*  
clinoforms, Svalbard 242, *244*  
Coal Canyon  
    fluvial sandstone bodies 64–65, **66, 71–72**  
    Williams Fork Formation 58, 59, 71–72  
Coal Cliffs, surface-based modelling 281–282, 283  
Coal Ridge coal zone 61, 62, 63  
conceptual geological model 7  
connectivity 3  
    channelized sandbodies 15, 192  
    fluvial sandstone bodies, Williams Fork Formation 3,  
    57, 58, 69–77, **78**  
    Mitchell River delta 141, 142, 146, 149–150  
    Pab Sandstone overbank deposits 209, 211, 213,  
    227–229  
    Wadi Gharif sandstones 126–127, 130

- Consolação sub-basin 31, 32  
 crevasse splays 203–204  
     Baddho Dhora outcrop 207  
     and connectivity 74  
     Mitchell River delta **139**, **142**, 145, **148**  
     Pab Sandstone turbidites 206, 208, 209, 210, 211, 212, 227, 229  
     Upper Lunde Member 91  
     Williams Fork Formation 63, 64, 65, **66**  
 cutin 117
- debris flow, Pab Sandstone turbidites 206, 207, **208**, 211, 212, 213, 227
- deep-water depositional systems 14–15, 247  
     Pab turbidites 204–229  
     Peira Cava sub-basin 248–267
- delta systems  
     facies architecture modelling 281–282, 283  
     mixed influence, Mitchell River, Australia 135–150  
     sand-body geometry 13–14
- depositional environments  
     Gharif Formation 118–122  
     outcrop analogues 12–15  
     *see also* aeolian depositional systems; deep-water depositional systems; fluvial depositional systems; paralic depositional systems; syn-rift depositional system
- digital elevation model 187, 189, 190–191
- Dir Abu Lifa Member, Egypt, mudstone drapes, surface-based modelling 285, 287–288
- drapes  
     and connectivity 15  
     Wadi Gharif 126–127  
     mudstone, surface-based modelling 285, 287–288
- shale  
     Pab Sandstone turbidites 223–224, 226, 227, 229  
     Wadi Gharif 126–127
- Eiriksson Formation 51, 53  
 erosion surface, turbidite deposits 209, 213, 227
- Escanilla Formation 13  
 Esplugafreda Formation 13
- facies architecture  
     analogue data 5–6  
     surface-based modelling 278–282, 284–285, 286  
     LiDAR 155, **157**, 168, 169, 170
- facies associations, and depositional environment, Gharif Formation 118–122
- facies distribution 8–9
- Ferron Sandstone 281–282, 283
- floodplain elements, Upper Lunde Member 91
- floodplain facies association 121–122  
     Mitchell River delta 137, **139**, 142, **148**
- fluid flow *see* modelling, flow simulation
- fluid mechanics, sediment transport and deposition 247–248
- flute marks 209
- fluvial depositional systems 3, 12–13  
     Coal Cliffs, surface-based modelling 281–282, 283  
     fluid flow, heterogeneities 28  
     Mitchell River delta 142, 143, 146  
     Oukaimeden Formation 155, **157**, 165–167, 170, 174  
     Tennecape outcrops 155, **157**, 168, 169, 170  
     Upper Lunde Member 85–107  
     Williams Fork Formation 57–60, 62–63, 64–65  
         static connectivity 57, 58, 69–77
- fluvial-dominated deltas 13–14
- fossil trees, Gharif Formation 119, 128
- fractures, Piceance Basin tight gas sandstones 80
- FWT (fluvial, wave and tide) classification 13
- Ghaba Salt Basin 111, 112, 129
- Gharif Formation, Oman 111–131  
     facies associations  
         channel storey 118–119, 124  
         chute channel 119–120  
         floodplain 121–122  
         inclined heterolithic stratification 120–121  
     geological setting 111–113  
     reservoir modelling 129–130  
     sandstone facies 113–116, 117, 124  
     sequence stratigraphic model 111–113, 114  
     silty claystone facies 116–118, 124  
     static connectivity 126–127, 130  
     *see also* Wadi Gharif outcrop
- Gilbert-Einasleigh River, palaeocurrents 193, 196
- global positioning system (GPS)  
     differential (DGPS) 159, 161  
     outcrop analysis 158  
     Williams Fork Formation 63, 64
- Gocad geomodeller 213
- Google Earth satellite imagery 16  
     Mitchell River delta, Australia 138–139, 140  
     Wax Lake Delta 6
- Grand Hogback 58, 59
- gravel lags 208, 211, 212
- gridding 8, 272, 273  
     surface-based modelling 278, 282–288
- grids  
     Cartesian 282, 284, 285, 286  
     PEBI 282, 284
- Groningen Gas Field, analogues 12
- ground penetrating radar (GPR) 5, 12
- Gulf of Carpentaria, sea-level change 136–137
- Gullfaks Sør Field  
     conceptual model 51  
     geological model 51–53  
     Lourinhã Formation analogue 49–54
- Hammam Faraun Fault Block 156
- Haushi Group 111, 113
- Haushi Limestone 112, 113
- helicopters, laser scanning 186–200
- hemipelagites, Pab Sandstone turbidites 206, 208, 211

- Heresim software 213
- heterogeneity
- Baddho Dhora outcrop 214, 226, 227, 229
  - and fluid flow 27–28, 30–31
    - Lourinhã Formation 34
  - Mitchell River delta 141
  - modelling challenges 2–3, 271
  - surface-based modelling, fluid flow 271, 274–290
  - turbidite channels 203, 212, 213
  - Upper Lunde Member 87, 88
  - Wadi Gharif outcrop 126–128
  - Williams Fork Formation 57
- Huesca fluvial fan 234
- research boreholes 234–236, 245
- Huqf outcrop 111, 112
- hydraulic fracture
- and connectivity 77
  - dynamic simulation 78–79, 80
- Iles Formation 58, 61, 63
- inclined heterolithic stratification 120–121, 123, 124, 125, 126–127, 128, 130–131
- increased oil recovery (IOR), Statfjord Group, outcrop analogues 27–29
- Karumba Basin 136
- Kenilworth Member 278–281
- Khuff carbonates 113
- Korara Shale 204, 206
- lagoon fill, Mitchell River delta **139, 142, 148**
- Laramide Orogeny 58, 62
- laser scanning *see* LiDAR
- levées 203
- Baddho Dhora outcrop 207
  - Mitchell River delta **139, 142, 148**
  - Pab Sandstone turbidites 206, 208, 209, 211, 213, 227
- LiDAR outcrop analysis 4, 5, 9, 16, 154–178, 186
- 3D modelling 169
  - data integration and interpretation 159, 160
  - future developments 177–178
  - geocellular modelling 159, 167, 169
  - helicopter-based 186–200
    - limitations 200
    - potential problems and errors **189**, 190–191
    - processing 187, 189, 190–191
    - texturing 189, 190
    - Wasatch Plateau 187, 188, 194–195, 196–200
  - limitations 185–186
  - Lourinhã Formation 34, 40, 43
  - methodology and workflow 157–161
  - Nukhul half-graben 155, **157**, 158, 160, 161–165, 169–170, 171, 172, **173**
  - Oukaïmeden Formation 155, **157**, 165–167, 169, 170, 174
  - projections 161–162, 163, 165–167
  - stochastic modelling 169–170
  - surface modelling 162–165
- Tennecape outcrops 155, **157**, 167, 168, 169, 170
- uncertainty and upscaling 170
- Williams Fork Formation 63, 64
- Lourinhã Formation 13
- facies association modelling 41, 43–44, 89
  - geology 31, 32, 33
  - lithofacies modelling 34, 41, 42, 43
  - outcrop data capture 31–40, 88
  - statistical analysis 45–48
- Lower Gharif Formation 111, 112
- Lower Pab Sandstone 204, 206
- facies associations 207–208
- Lunde Formation
- multi-scale modelling 85, 88–107
  - see also* Upper Lunde Member
- Lusitanian Basin, Portugal 31, 32
- Mamm Creek Field 58, 59, 60, 62
- reservoir model 65–69
    - dynamic simulation 77–80
    - static connectivity 72–77
- Mancos Shale 58, 63, 190, 192
- MassFLOW-3D software package 250, 252, 253, **254**
- meander-belt sandstone bodies 102–104
- modelling, permeability and porosity 104–107
- megadunes, Pab Sandstone turbidites 208, 211
- Mesaverde Group 58, 59, 62, 63, 88
- mesh
- adaptive, surface-based modelling 288–289
  - digital elevation model 187, 189, 190–191
  - unstructured 285, 287–288
- mid bars, Mitchell River delta **142, 143, 148**
- Middle Gharif Formation 111, 112
- Minas Basin 156
- Mitchell River delta, Australia 135–150, 136
- depositional facies 137–138, **139**, 141, 142–143
  - depositional setting 137
  - geological setting 136–137
  - mapping 138–139, 141, 142–143
  - reservoir modelling 140, 143–146
    - connectivity and volume 141, 142, 146, 149–150
    - methodology workflow 137–140
    - reservoir facies 146–147, 149
    - upscaling 140–141, 143–146, 147–150
  - satellite imagery 138–139, 140
- modelling
- channel morphology 43–45, 47
  - conceptual 7
  - digital elevation 187, 189, 190–191
  - depositional 128–129
  - dynamic 77–80, 222–227,
  - facies association modelling
    - Lourinhã Formation 41, 43–44, 89
    - Pab Sandstone 207–208, 210, 211, 212
    - Upper Lunde Member 88, 89, 102–107

- modelling (*Continued*)
- flow simulation 4, 7, 247–248
    - Annot Sandstone system 249–253
    - Mamm Creek Field 77–80
    - surface-based 271–290
  - forward, process-based **251**, 253–267
  - geocellular 1, 159, 213
    - LiDAR 159, 167, 169
    - outcrop analogues 3
  - geomodelling
    - Gocad 213
    - Gullfaks Sør 51–53
  - heterogeneity 2–3, 271, 274–290
  - lamina scale 88, 89, 91, 98, 100
  - LiDAR 159, 162–165, 167, 169–170
  - lithofacies
    - Lourinhã Formation 34, 41, 42, 43
    - Upper Lunde Member 88, 89, **90**, 91, 96–102
      - upscaling 98, 100–102, *103*
  - multi-point statistics (MPS) 6, 7, 8, 16
  - multi-scale 9
    - Lourinhã Formation 29–31, 41–45
    - Lunde Formation 85, 88–107
  - permeability and porosity 104–107
  - representative element volume 9, 14, 27, 31, 276
    - Upper Lunde Member 88, 89, 106
  - reservoir 1–2, 3, 4
    - analogue data application 5–9
      - challenges 9–12
    - conceptual geological model 7
    - facies distribution 8–9
    - Gharif Formation 129–130
    - gridding 8, 278, 282–288
    - level of geological detail 135–136
    - Mamm Creek Field 63, 65–69
      - dynamic simulation 63, 77–80
      - lithology 69, 70
      - static connectivity 72–77, **78**
    - Mitchell River delta 137–150
    - multiscale 29–31, 41–45
    - Pab Sandstone turbidites 213–215, 219–222
    - process-based forward modelling **251**, 253–267
    - static 8–9, 213–215, 216–217, **218**, 220, 272
    - structural framework 7
    - subsurface 48–54
    - surface-based 271–290
      - adaptive meshing for flow simulation 288–289
      - applications 278–282
        - deltaic parasequence 281–282, 283
        - gridding 278, 282–288
        - methodology 276–278
        - shoreface–shelf 278–281, 284–285, 286
        - unstructured gridding 282–288
      - upscaling 9, 30–31, 135
        - Mitchell River delta 140–141, 143–150
        - workflow 7–9, 30–34, 43–46, 48, 272–274
  - reservoir zone scale 88, 89
  - SBED 96–97
  - seismic 222, 224, 225
  - sequence stratigraphy 111–113, *114*
  - shale 3
  - static 8–9, 272
    - Baddho Dhora 213–215, 216–217, **218**, 220
  - stochastic 169–170
  - streamline 44, 223–224, 226, 227, 228
  - surface-based
    - adaptive mesh 288–289
    - Baddho Dhora 214
    - Book Cliffs 278–281, 284–285, 286
    - clinoforms 279, 281–282
    - Coal Cliffs 281–282, 283
    - drapes 285, 287–288
    - facies architecture 276, 278–282, 284–285, 286
      - LiDAR 155, **157**, 168, 169, 170
    - facies type 276
    - fault surfaces 276
    - Ferron Sandstone 281–282, 283
    - gridding 278, 282–288
    - heterogeneity 271, 274–290
    - LiDAR 162–165
    - lithology 276
      - udstone drapes 285, 287–288
    - parasequences 278–282, 284–285, 286
    - petrophysical properties 9, 274–276, 278
    - rock type 276
    - wave deposits 278–281, 284–285, 286
    - well-test 222–223
  - Morillo Formation 14–15
  - mouth bars 13–14
    - Mitchell River delta **139**, **142**, 143, **148**
  - mud-clast lags 208, *211*, *212*, 215
  - mudstone, bioturbated 117–118, *119*
  - mudstone drapes 285, 287–288
  - Mughal Kot turbidites 204
  - Nansen Formation 51, 53
  - near-well pressure 79
  - net-to-gross figures
    - Wadi Gharif 126, **127**, 128, 130
    - Williams Fork Formation 60, 64–65, 69–70, 72
  - NOMAD project, research borehole *244*
  - Nukhul half-graben, Suez Rift *156*
    - LiDAR and conventional data 3D mapping
      - 155, **157**, *158*, *160*, 161–165, 169–170, *171*, *172*, **173**
  - obliquity 12
  - Ohio Creek Conglomerate 62
  - orthophotography, Williams Fork Formation 63, 64
  - Oukaimeden Formation, Central High Atlas *156*
    - LiDAR and conventional data channel-body geometry
      - 155, **157**, 165–167, 169, 170, *174*
  - outcrop analogues 1, 3
    - 2D v. 3D data 11–12
    - challenges 9–12
    - data collection 9–10

- knowledge base and storage 10–11
  - Lourinhã Formation 31–40
- depositional environments 12–15
- early development and evolution 3–5
- limitations 10
- uncertainty and variability 10, 12
- outcrop analysis
  - helicopter-based 186–200
  - LiDAR 154–178
- outcrop log 39
- overbank deposits, turbidite channels 203
  - Baddho Dhora outcrop 207–213
  - effect on flow 223–224, 227–229
- Pab mountain range, Pakistan 204, 205
- Pab Sandstone turbidite channel complexes 206
  - architecture 208–209, 212
  - facies associations 207–208, 210, 211, 212
  - overbank deposits 207–213
    - connectivity 209, 211, 213, 227–229
    - streamline modelling 223–224, 226, 227, 228
  - regional setting 204–207
  - reservoir model 213–215, 219–222
    - petro-elastic properties 215, **221**
    - water–oil contact 215, 219–220
  - shale draping 223–224, 226, 227, 229
  - well-test modelling 222–223
- palaeobathymetry 248
  - Annot Sandstone 250
- palaeocurrents
  - analogue 193, 196
  - Gharif Formation 113, 122, 123, 125, 131
  - Lourinhã Formation 45
  - Oukaimeden Formation 165, 170
  - Wasatch Plateau 196
- palaeoflow measurement 38
  - Oukaimeden Formation 165, 170
  - Wasatch Plateau 192, 196
- palaeosols 116, 117, 118, 119, 124, 129
- Paonia Shale Member 60, 61, 62, 63
  - recovery factor 79, 80
  - static connectivity 72–77
- paralic depositional systems 13–14
- parasequences
  - deltaic, surface-based modelling 281–282, 283
  - shoreface-shelf, surface-based modelling 278–281, 284–285, 286
- pedification 117
- peds 117
- Peira Cava sub-basin, SE France 249
  - Annot Sandstone
    - flow simulation modelling 248–253
    - forward modelling **251**, 253–267
- permeability 7
  - dynamic simulation 77–78, 79–80
  - Upper Lunde Member 87, 91, 93, 94–96, 104–107
    - lithofacies scale modelling 96, 98–102, 103
  - upscaling 31, 94–96, 272, 274
- petrophysical properties 7
  - distribution 8–9
  - limitations 10
  - modelling 9, 274–276, 278
    - see also* permeability; porosity
- photogrammetry 5, 16
- photomontage, Lourinhã Formation 33, 34, 36, 37, 47
- photomosaics
  - Baddho Dhora outcrop 213, 216
  - Gharif Formation 113, 124
  - limitations 185, 186
  - Williams Fork Formation 63, 64
- Piceance Basin 57
  - stratigraphy 58–62, 63
- point bars 12, 77, 121, 128, 130
  - Mitchell River delta **142**, 143, **148**
- point clouds, LiDAR 5, 166, 167, 168
  - helicopter-based 186, 187, **189**, 190–191
- polygon mapping, Mitchell River Delta 138–139, 140
- porosity 7
  - effective, Williams Fork Formation 69
  - Upper Lunde Member 87, 91–96, 104–107
    - lithofacies scale modelling 96, 98–102, 103
  - upscaling 30, 272, 274
- Praia de Piamogo, Portugal
  - channel morphology 47
  - facies association modelling 41, 43
- Price Coal 62
- production data 3, 6
- qualitative data 5, 6, 7, 8, 9
- quantitative data 5–6, 8
  - Lourinhã Formation 41, 43–46, 48
- QuickBird satellite imagery **157**, 158, 161, 164
- Rahab Shale 111, 113
- Raude Formation 51, 53
- recovery factor, Williams Fork Formation 79, 80
- remote sensing, global 16
- representative element volume (REV)
  - see* modelling, representative element volume
- reservoir modelling *see* modelling, reservoir
- ReservoirStudio modelling tool 102, 104
- rhizoliths 118
- ridges, Mitchell River delta **139**, 142
- Rollins Sandstone Member 58, 61, 62, 63
- Rotliegend reservoirs, analogues 3
- SAFARI analogue database 3–4, 6, 16
- San Rafael Swell 191, 193
- sandbodies
  - architecture, analogue data 6
  - Beckwith Plateau 196, 197
  - Book Cliffs geometry 13
  - channelized 192
  - connectivity 15, 192
  - geometry 11, 13–14
  - multi-storey 64, 65, **66**, 192

- sandbodies (*Continued*)  
 Oukaimeden Formation 155, 165–167  
 single-storey 64, 65, **66**  
 Upper Lunde Member 87, 91  
 Wasatch Plateau 194–195, 196–200
- sandstone bodies  
 Coal Canyon 64–65, **66**, 71–72  
 connectivity 3, 57, 58, 69–77, **78**  
 fluvial  
 Williams Fork Formation 58, 62–63, 64–65, **66**  
 static connectivity 57, 58, 63, 71–77  
 meander belt 102–104
- sandstone facies  
 bioturbated 115–116, *117*  
 gravelly trough cross-stratified 115, *116*, 118  
 planar cross-stratified 115, *116*, 118  
 rippled 115, *116*, 118  
 trough cross-stratified 113–115, *116*, *117*,  
 118, 128
- sediment transport, fluid mechanics 247–248
- seismic data 2, 3, 12, 153, *154*  
*see also* modelling, seismic
- sequence stratigraphy, sand-body geometry 14
- Sevier Orogen 192
- shale  
 drapes  
 Pab Sandstone turbidites 223–224, 226,  
 227, 229  
 Wadi Gharif 126–127  
 intra-sandbody 13  
 modelling 3  
 Rahab Shale 111, *113*
- shallow-marine depositional systems 13–14
- shoreline sand-body geometry 13–14
- shoreline trajectories 14
- sidebars, Mitchell River delta **142**, 143, **148**
- simulation  
 dynamic 63, 77–79, 80  
 flow 4, 7, 247–248  
 Annot Sandstone system 249–253  
 Mamm Creek Field 77–80  
 surface-based 271–290  
 litho-unit 214–215, **218**  
 well test 223
- sinuosity  
 Gharif palaeochannels 125–126  
 Oukaimeden Formation 165–167  
 Upper Lunde Formation 85, 91  
 Williams Fork Formation 60, 64
- Snorre Field 86  
 core data analysis 88, **90**, 91–93  
 multi-scale modelling framework 85, 87–88
- South Canyon coal zone 61, 62, 63
- spill-over lobes, Pab turbidites 207, **208**, 209, 227, 228
- Star Point Formation 188, *190*, 196
- Staffjord Group 30, 49–50  
 Gullfaks Sør Field conceptual model 51  
 Gullfaks Sør Field geological model 51–53
- IOR  
 outcrop analogues 27–29  
 Lourinhã Formation 31–48  
 reservoir continuity prediction 50–51  
 subsurface reservoir modelling 48–54
- stratigraphic surfaces, surfaced-based modelling 276
- streamline modelling 44, 223–224, 226, 227, 228
- Svalbard clinofolds, research borehole 242, *244*
- swales, Mitchell River delta **139**, 142, 145, **148**
- syn-rift depositional system 155, 162, *165*
- Tampen Spur 30  
 connectivity and heterogeneities 28
- Tanqua-Karoo basin-floor fans 10  
 research boreholes 236–238, 239, 244–245
- Tennecape outcrops, Nova Scotia *156*  
 LiDAR and conventional data, sediment facies 155,  
**157**, 167, *168*, 169, 170
- tidal systems  
 Mitchell River delta 137, **139**, 142, 143–147, **148**  
 sand-body geometry 14
- tidal-dominated shorelines 14
- Tórtola fluvial system 13, 131
- training data 7
- triangulation  
 helicopter-based LiDAR 187, **189**, 190, 191  
 TINS 162, 170, *174*
- turbidite channels  
 hydrocarbon reservoirs 203  
 overbank deposits 203  
 Baddho Dhora outcrop 207–213  
 Pab Sandstone 207–213
- turbidite depositional processes 14–15, 247  
 Annot Sandstone 248–249  
 process-based forward modelling **251**, 253–267
- uncertainty 10, 12  
 LiDAR outcrop analysis 170
- Upper Gharif sandstone 111, 113
- Upper Lunde Member 86  
 core data analysis 88, **90**, 91–93  
 depositional element heterogeneity 87  
 facies association modelling 88, 89, 102–107  
 lamina-scale modelling 88, 89, 91, 98, 100  
 lithofacies **90**, 91, 92, 93  
 modelling 88, 89, **90**, 96–102  
 upscaling 98, 100–102, *103*  
 multi-scale modelling 85, 87–88  
 permeability 87  
 representative element volume (REV) 88, 89  
 sedimentary hierarchy 88, 89, **90**  
 thin section analysis 91–93  
 upscaling 88, 93–96, 100–102, *103*, 107
- Upper Pab Sandstone 204, *206*
- upsampling 9, 30–31, 135  
 LiDAR outcrop analysis 170  
 porosity and permeability 272, 274  
 Lunde Formation 88, 93–96, 100–102, *103*, 107

- reservoir modelling, Mitchell River delta 140–141, 143–146, 147–150
- variograms 8, 170, **173**
- Vienna Basin infill, research borehole 238, 240, 241
- Virtual Reality Geological Studio (VRGS) 158, 159, 160, 162, 164, 169, **175**
- Wadi Gharif outcrop 111–131, 123
  - baffles 130, 131
  - connectivity 126–127, 130
  - depositional model 128–129
  - geometry 123, 125–126
  - palaeocurrents 113, 122, 123, 125, 131
  - reservoir architecture 122–123, 124, 129, 130
    - channel storey 122, 123, 125
    - floodplain with channel fill 123
    - IHS 122, 123, 124, 125, 130–131
    - incision surface 122–123
  - reservoir heterogeneity 126–128
    - fluid flow 127–128
  - West Face 114, 124, 127, 131
- Wasatch Formation 59, 62
- Wasatch Plateau outcrop 190, 193
  - helicopter-based LiDAR 187, 188, 191–192
  - channelized sandbodies 194–195, 196–200
  - water, and gas productivity 80
  - wave cut platforms *see* Tennecape outcrops
  - wave deposits
    - Book Cliffs, surface-based modelling 278–281, 284–285, 286
    - Mitchell River delta 137, 142, 143–147
  - wave-dominated shorelines 13
  - Wax Lake Delta, Louisiana
    - analogue data 6
    - sand-body geometry 14
  - well data 2, 5, 153, 154
  - well test simulation 223
  - Western Interior Seaway 192
  - Williams Fork Formation 13
    - fluvial sandstone bodies
      - outcrop data 62–64
      - reservoir modelling 66–69
      - static connectivity 58, 59, 63, 69–77, **78**
      - types 64–65, **66**
    - gas reservoirs 57
    - recovery factor 79, 80
    - stratigraphy 58–62, 63
  - Woodford Shale, research borehole 240, 242, 243
  - Woodside Canyon, outcrop model 4
  - Zoophycos* ichnofacies 208, 209