

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- aboriginal peoples *see* indigenous peoples
- aeolian processes
 - Australia
 - aeolian calcarenite (dunerock) 389, 396–397, 400–401
 - cold climate 201–202
 - Portugal coast transgressive dunes 421–422
 - tropical-subtropical coasts 47
 - South Africa coastal dune systems 353–355, 383–384
 - east coast 376
 - Durban Bluff and Blood Reef 378–380
 - Maputaland Group 376–377
 - summary 380–383
 - southern coast 365–366
 - Alexandria dunefield 370–371
 - dune-hosted palaeontology 374
 - shore-parallel dune cordons 366–368
 - summary 375
 - Tertiary systems 371–373
 - wilderness dunes 368–370
 - west coast
 - dune plumes 355
 - Duinefontyn and False Bay 355–361
 - Tertiary 361–362
 - dune-hosted palaeontology and archaeology 362–364
 - summary 364–365
- aeolianite **39**
- Agulhas Current 354, 365
- Air Force Island 168
 - beach ridges 173
 - thermokarst lakes 181
- Al Dakhirah lagoon (Qatar) 563
 - carbonate sediment study
 - methods of analysis
 - dating 565
 - morphology 565
 - sampling 563–565
 - results
 - high-energy deposits
 - intertidal 568–569
 - sand-spit system 567–568
 - subtidal 565–567
 - supratidal 570–572
 - lateral facies variations 575–576
 - low-energy deposits
 - intertidal 574
 - subtidal 573–574
 - supratidal 574–575
 - palaeoenvironmental reconstruction 576–581
 - evaporites 577, 578
 - flora and fauna 577, 578
 - sedimentary structures 577, 578
 - results discussed 581–585
 - summary 585–586
 - map 566, 568
 - tidal areas 567
- Alabama, palaeohurricane record 493
- Alaska, Gulf of 205
- Alaskan North Slope, arctic coastal zone character 103
- albedo 34
- Aleutian Islands 205
- Alexandria dunefield 370–371, 372
- Amazon–Orinoco coast
 - comparative features 555–556
 - human impact 553–555
 - mud bank morphology 542–550
 - sand bodies 550–553
 - sediment migration 539–542
 - sediment supply 537–539
 - setting 535–537
 - summary for future research 556–557
- amino acid racemization (AAR) dating
 - Pego-Oliva Basin 434–436, 437–438
 - South African dunes 367
- Anchorage (Alaska) 40
- Antarctic coastal zone *see* Arctic and Antarctic coastal zone
- Antarctic coastal zone
 - anthropogenic impact *see* human impact
- Arabian Gulf 562, 562, 565
 - Al Dakhirah lagoon (Qatar) carbonate sediment study
 - methods of analysis
 - dating 565
 - morphology 565
 - sampling 563–565
 - results
 - high-energy deposits
 - intertidal 568–569
 - sand-spit system 567–568
 - subtidal 565–567
 - supratidal 570–572
 - lateral facies variations 575–576
 - low-energy deposits
 - intertidal 574
 - subtidal 573–574
 - supratidal 574–575
 - palaeoenvironmental reconstruction 576–581
 - evaporites 577, 578
 - flora and fauna 577, 578
 - sedimentary structures 577, 578
 - results discussed 581–585
 - summary 585–586
 - map 566, 568
 - setting 563
 - tidal areas 567
- aragonite 566, 568
- archaeology
 - Arctic Canada coast 188, 191–193
 - sea-level indicators 465
 - South Africa 362–364
- Arctic and Antarctic coastal zone
 - characteristics 34–37, **38**, **39**, 40
 - distribution 35
 - flora and fauna 37, **38**

- Arctic Coastal Dynamics Project 103
- Arctic coastal zone 199, 200, 201
- aeolian processes 201–202
 - dune formation 202–205
 - characteristics 103
 - dynamic processes 109–111
 - geomorphological classification 103
 - indigenous peoples, characteristics 82, 83, **83**
 - local knowledge 85
 - mobility 84–85
 - resource use 85–87
 - social networks 87
 - map 104
 - marsh 19
 - rates of change 104–109
 - regional analysis
 - Beaufort Sea coast 114–115
 - East Siberian Sea coast 112–114
 - High Arctic Archipelagos 115–117
 - Canadian Arctic Archipelago 121–124
 - Greenland 120–121
 - Svalbard 117–120
 - Laptev Sea coast 111–112
 - Siberian coast (East) 111
 - summary 124–125
- Arctic Ocean 199, 200
- Arenaria peploides* 206, 207
- Argentina
- Río de la Plata estuary 305–307
 - genetic factors 308
 - hydrodynamics 308–310
 - methods of study
 - dating 308
 - GPR profiles 308
 - sedimentary bodies 307–308
 - results
 - sedimentary environments
 - attached beach ridges 312–313
 - cheniers 315
 - estuarine coastal barrier 310–312
 - Ibicuy sand body 313–315
 - old coastal lagoon 312
 - Paraná delta 315–316
 - small deltas and estuaries 313
 - tidal flats 315
 - results discussed
 - beach ridge strandplain 317–318
 - cheniers 318–319
 - coastal estuarine barrier 316–317
 - Ibicuy sand body 319–323
 - summary, depositional system evolution 323–325
- Tierra del Fuego
- biodiversity 285
 - climate 283
 - glaciation 284–285
 - Isla Grande 281
 - coastal classification
 - beach-ridge strandplains 294–297
 - cliff-lined 286–287
 - rocky 285–286
 - spits 289–294
 - tidal flats 287–289
 - coastal system 297–300
 - summary 300
 - map 282
 - setting 281, 283
 - tectonics 283–284
 - tides and waves 283
- Atkinson Point (Beaufort Sea) 147, 147, 149
- Australia
- S–SW temperate carbonate coast 389–391
 - carbonate sources 391–393
 - depositional environments
 - Holocene deposits 394–395
 - Pleistocene deposits 395–398
 - loess 398–399
 - shelf 393–394
 - diagenesis
 - intertidal 400–401
 - marine 400
 - subaerial 401–402
 - human impacts 402
 - map 390
 - summary 402–403
 - vegetation 399–400
 - tropical mangal coast 25
- back-barrier sediments 407
- Baffin Island 166, 168
- beach ridges 174
 - coastal dunes 202
 - DEW installation 189
- Baffinlands iron ore mine 189
- Barents Sea, coastal erosion rate 105, 105
- barrier dunes (cordons), South Africa 366–368
- barrier islands 11, 12–13, 45
- barriers *see* coastal barriers
- baydzharakhs 111
- beach environments 9–11
- beach ridges 11–12
- beach ridge coasts
 - Arctic Canada 170–176, 194
 - ice effects 177
 - Hudson Bay 41
 - Río de la Plata estuary 312–313, 317–318
 - beach ridge strandplains
 - Great Lakes 217–219
 - palaeohydrography 219, 220
 - Isla Grande (Tierra del Fuego) 294–297
- beachrock 39, 45, 46
- Al Dakhirah lagoon 568, 569
- Beagle Channel 285
- Beaufort Sea
- coastal dunes 202
 - climatic impact 208
 - coastal dynamic processes 114–115
 - coastal erosion rate 105, 105, 106, 107
 - coastal geomorphology 145–149
 - cold-climate high-latitude features 155, 156, 157
 - introduction 136–137
 - seasons 201
 - transgressive processes 150–154
- bedrock coasts
- Arctic Canada 167, 168, 169
 - Palaeozoic 170
 - Precambrian 169–170

- Belize, palaeohurricane record 485, 491, 493
- Benguela upwelling 354, 365
- Bering Sea 205
- Bermuda, palaeohurricane record 485
- bioconstructive organisms 48
- biodiversity *see* fauna *also* flora
- biomarker analysis
 - Pego-Oliva marshland
 - methods 436–437
 - results 440–442
 - results discussed 444–447
 - summary 447–448
- block failure 111, 112
- blowouts 208
- Bol'shoy Lyakhovsky Island
 - coastal erosion rate 107, **108**
 - thermo-terraces 113
- Bolvansky, Cape, coastal erosion rate 107, **108**
- Bonaire (Caribbean Sea)
 - coastal coral clastic landform study
 - methods 511–514
 - results
 - extreme-wave events record
 - in coarse-grained sediments 517–523
 - in fine-grained sediments 514–517
 - results discussed
 - chronology on E facing sites 523
 - chronology on NW facing sites 524–525
 - chronology on SW facing sites 523–524
 - limitations 525–527
 - summary 527–528
 - map 505
 - setting
 - climate and vegetation 508–509
 - coastal landforms 504, 506, 506–507, **510**
 - coral reefs 507–508
 - geology 506
 - hurricanes 509
 - ocean climate 506
 - sea-level history 506
 - settlement history 509, 511
 - tsunamis 509
- Bothnia, Gulf of 205, 208
- Brackley Beach 140, 141
- Bray Island, DEW installation 188
- Brazil
 - Amazon–Orinoco coast
 - comparative features 555–556
 - human impact 553–555
 - mud bank morphology 542–550
 - sand bodies 550–553
 - sediment migration 539–542
 - sediment supply 537–539
 - setting 535–537
 - summary for future research 556–557
 - southern strike-fed sandy coast
 - coastline description
 - Albardão–Estreito 341–343
 - Estrieto–Lagamarzinho 343–344
 - La Coronilla–Albardão 339–341
 - Lagamarzinho–Tramandaí 344–345
 - Tramandaí–Cape Santa Marta 346–348
 - coastline interpretation 348–349
 - human impact 349
 - setting
 - climate 336–337
 - drainage pattern 334
 - geology 333, 335–336
 - geomorphology 335
 - oceanography 336
 - sea-level history 337
 - sediment provenance 337–339
 - tropical coast 25
- Buor Khaya Peninsula 111
- Bykovsky Peninsula, coastal erosion rate 105, 105, 106, 107, **108**
- Bylot Island 121, 122, 204
 - coastal dunes 202
- $\delta^{14}\text{C}$ dating
 - Al Dakhirah lagoon sediments 565
 - Bonaire sediments 512–514
 - Great Lakes beach ridges 219, 225
 - palaeohurricane record 488
 - Río de la Plata estuary 308
- Cable Head 138, 139
- calcrete 395, 396
- caliche 395
- Canada
 - Beaufort Sea
 - coastal dunes 202
 - climatic impact 208
 - coastal dynamic processes 114–115
 - coastal erosion rate 105, 105, 106, 107
 - coastal geomorphology 145–149
 - cold-climate high-latitude features 155, 156, 157
 - introduction 136–137
 - seasons 201
 - transgressive processes 150–154
 - Chignecto Bay
 - muddy tidal flat in cold temperate climate
 - climate and sea-level controls 229–230
 - fieldwork 231
 - methods of analysis 231–232
 - results
 - environmental stresses 232–233
 - human impacts 237, 241
 - infauna and ichnology 235–237, 236, 238, 240
 - sedimentology 233–235, 236, 238, 239, 240
 - wildlife 237
 - map 231
 - post-glacial evolution 230–231
- Canadian Arctic Archipelago
 - arctic coastal zone character 103
 - coastal evolution 121–124, 121, 122, 123, 124
 - erosion rate 105, 105
- Foxe Basin
 - climate 167
 - coastal environments 167–169
 - beach ridge coasts 170–176
 - ice effects 177
 - bedrock coasts
 - Palaeozoic 170, 173
 - Precambrian 169–170
 - intertidal area 177–179
 - tidal flats 179–188
 - geological setting 167

- Canada (*Continued*)
 land use 188–189
 human impact 191–193
 wildlife 189–191
 morphology 165, 166, 167
 oceanography 167
 summary 193–195
 St Lawrence, Gulf of
 coastal geomorphology 137–142
 cold-temperate mid-latitude features 155,
 156, 157
 introduction 133–136
 transgressive processes 142–144
 Cape Breton Island 142
 carbon dioxide record 4
 carbonate sediments 7, 8
 coastal zone characters 39, 44–45, 49
 South Africa 361
 see also Al Dakhirah lagoon; Australia (S-SW);
 Bonaire coral clastics
 Caribbean Sea 483
 Bonaire coastal coral clastic landform study
 methods 511–514
 results
 extreme-wave events record
 in coarse-grained sediments 517–523
 in fine-grained sediments 514–517
 results discussed
 chronology on E facing sites 523
 chronology on NW facing sites 524–525
 chronology on SW facing sites 523–524
 limitations 525–527
 summary 527–528
 map 505
 setting
 climate and vegetation 508–509
 coastal landforms 504, 506, 506–507, **510**
 coral reefs 507–508
 geology 506
 hurricanes 509
 ocean climate 506
 sea-level history 506
 settlement history 509, 511
 tsunamis 509
 hurricane climatology 482
 relation to climate change 491, 493
 Cassino coast 555
 Catalina Point 289–290
 Charles Yorke, Cape 121, 123, 124
 Chauskaya Bay 114
 chemical weathering 34
 cheniers and chenier ridges
 Amazon–Orinoco coast 550–553
 Río de la Plata estuary 315, 318–319
 San Sebastian Bay 289
 chevron ridges 175, 176
 Chignecto Bay (Canada)
 muddy tidal flat in cold temperate climate
 climate and sea-level controls 229–230
 fieldwork 231
 methods of analysis 231–232
 results
 environmental stresses 232–233
 human impacts 237, 241
 infauna and ichnology 235–237, 236, 238, 240
 sedimentology 233–235, 236, 238, 239, 240
 wildlife 237
 map 231
 post-glacial evolution 230–231
 Chile, Tierra del Fuego
 biodiversity 285
 climate 283
 glaciation 284–285
 Isla Grande 281
 coastal classification
 beach-ridge strandplains 294–297
 cliff-lined 286–287
 rocky 285–286
 spits 289–294
 tidal flats 287–289
 coastal system 297–300
 summary 300
 map 282
 setting 281, 283
 tectonics 283–284
 tides and waves 283
 Chukchi Sea 111, 205
 coastal dunes 202
 coastal erosion rate 105, 105
 climate zones 3, 3
 factors in barrier development 274–275
 factors in high-latitude dune morphology 207–209
 climatic optimum 3, 4
 coastal barriers 407
 paraglacial environments 248
 Maine, Gulf of 269–270
 climatic and human impact 274–275
 Kennebec barrier chain 258–261
 Merrimack Embayment barrier system 264–269
 Saco Bay barrier system 262–264
 summary 275–276
 variation in sediment supply 270–272
 early paraglacial period 273
 glacial period 272
 late paraglacial period 273–274
 middle paraglacial period 273
 post-paraglacial period 274
 proglacial period 272–273
 Portugal coastal barrier growth
 methods of analysis
 GPR 410–411
 OSL 411–412
 topography 410
 results
 chronology 416, **418**
 components 412
 facies analyses 412–413
 beach backshore 415
 biotopographical accumulation 413
 foreshore 415–416
 frontal foredune slope 415
 swash bar 416
 transgressive dunes 413–415
 subsurface stratigraphy 416–420
 results discussed 421–423
 setting 409–410
 Río de la Plata estuary 310–312, 316–317
 Southern Brazil 333, 348–349

- Albardão–Estreito 341–343
 Estreito–Lagamarzinho 343–344
 La Coronilla–Albardão 339–341
 Lagamarzinho–Tramandaí 344–345
 Tramandaí–Cape Santa Marta 346–348
- coastal dunes
 high latitude 199
 aeolian processes 201–202
 climatic impact 207–209
 distribution 200
 arctic 202–205
 subarctic 205–207
 environment 199–201
 tropical-subtropical 47
- coastal lagoons 408, 422
- coastal zones
 characteristics
 arctic/antarctic 34–40
 temperate 40–46
 tropical 46–54
 defined 1–2
 dynamics 54–55
 energy distribution 2–4
 environments 7–8
 barrier islands 12–13
 beach ridges 11–12
 beaches 9–11
 shoreface 8–9
 tidal flats 13–15
 wetlands 15–19
 arctic marshes 19
 subarctic marshes 19–22
 subtropic-tropical marshes 22–24
 temperate marshes 22
- global distribution 34
- materials 4–5
 evaporites 7
 fauna 7
 sediments 5
 carbonates 7
 terrigenous 5–6
 vegetation 6–7
 summary 24–26
- Coats Island 166, 189
- cockpits 47
- cold coastal zones *see* arctic coastal zones
- coral reefs 48, 50
 role in extreme-wave event record
 507–508
 methods 511–514
 results
 extreme-wave events record
 in coarse-grained sediments 517–523
 in fine-grained sediments 514–517
 results discussed
 chronology on E facing sites 523
 chronology on NW facing sites 524–525
 chronology on SW facing sites 523–524
 limitations 525–527
 summary 527–528
- cordons *see* barrier dunes
- Cornwallis Island 121, 122
- Covehead Bay 139, 141
¹³⁷Cs dating, palaeohurricane record 488
- dating methods *see* amino acid racemization (AAR);
¹³⁷Cs; ¹⁴C; electron spin resonance (ESR);
 optically stimulated luminescence (OSL);
²¹⁰Pb; U series
- deformation measurement, Mediterranean
 Basin 459–464
- dendrochronology *see* tree ring record
- Disko Bay 54, 121, 121
- Dmitry Laptev Strait 111
- dolomite, Al Dakhirah lagoon 566, 568
- Dorset culture 191, 192, 193
- Duinefontyn dune plume 355–361
- dune calcarenite *see* aeolian calcarenite
- dunerock *see* aeolian calcarenite
- dunes *see* coastal dunes
- Durvillea antarctica* 43, 44
- East Iceland Current 40
- East Siberian Sea, coastal processes 112–114
- El Niño Southern Oscillation (ENSO) 336–337, 489
- El Paramo 290–291, 297
- electron spin resonance (ESR) dating, Bonaire study,
 methods 512
- Elymus mollis* 202, 203, 206, 207
- Ensenada de la Colonia beach-ridge strandplain
 294, 296, 297
- erosion, rate in Arctic 103, 105
- Eskimo cultures 191–193, 195
- Espenberg, Cape 205
- Eve's footprints 362–363
- extreme-wave events (EWE)
 Bonaire coastal study
 methods 511–514
 results
 extreme-wave events record
 in coarse-grained sediments 517–523
 in fine-grained sediments 514–517
 results discussed
 chronology on E facing sites 523
 chronology on NW facing sites 524–525
 chronology on SW facing sites 523–524
 limitations 525–527
 summary 527–528
see also hurricanes *also* tsunamis
- False Bay dune plume 355–361
- fauna of coastal zone 7, 15, 38, 45–46
 arctic 189–191
 temperate 235–237, 240, 285, 288, 339, 344,
 358, 361, 362
 tropical, Al Dakhirah lagoon 577, 578
see also meiobenthos
- fire record, relation to palaeohurricanes 494
- first people *see* indigenous peoples
- fish tanks, as sea-level indicators 465, 466
- flora of coastal zone 6–7, 38, 45–46, 140, 141, 148, 169,
 181, 187, 194, 399–400, 577, 578
Arenaria peploides 206, 207
Elymus mollis 202, 203, 206, 207
 mangroves 22, 24, 25, 47, 48–49, 50, 51, 52, 52,
 547–548
see also marsh characteristics
- Florida, palaeohurricane record 489, 493
- Florida Bay 555

- Foley Island *168*
 beach ridges *173*
 footprints *362–364, 374, 376*
 foraminifera, palaeoenvironmental reconstruction
439–440, 444–446
 forced regression, defined *132*
 foredunes *208*
 fossils, palaeoenvironmental reconstruction
438–440
- Foxe Basin (Canada)
 climate *167*
 coastal environments *167–169*
 beach ridge coasts *170–176*
 ice effects *177*
 bedrock coasts
 Palaeozoic *170, 173*
 Precambrian *169–170*
 intertidal area *177–179*
 tidal flats *179–188*
 geological setting *167*
 land use *188–189*
 human impact *191–193*
 wildlife *189–191*
 morphology *165, 166, 167*
 oceanography *167*
 summary *193–195*
- Franz Josef Land *103*
- French Guiana *see* Amazon–Orinoco coast
- Fundy, Bay of *see* Chignecto Bay
- Fury and Hecla Strait *165, 166, 167, 169*
- geodetic deformation, Mediterranean Basin
459–464
- Georgia, palaeohurricane record *491*
- Gibraltar Strait *455*
- Glacier Bay *54*
- glacio-isostatic uplift *54*
- global positioning system (GPS)
 use in Mediterranean deformation measurement
459–454
- Great Lakes *see* Laurentian Great Lakes
- Great Plain of the Koukdjuak *166, 169, 174, 176*
 intertidal areas *178*
 thermokarst lakes *181, 183, 183*
 tidal flats *181, 184, 186, 186, 187, 187*
 wildlife *189, 191*
- Great Whale River *207*
- Greenland
 arctic coastal zone character *103*
 coastal erosion rate *105, 105*
 coastal evolution *120–121, 121*
- Griffith Island *121, 122, 124*
- ground penetrating radar (GPR)
 Portugal coast *410–411*
 Río de la Plata estuary *308, 311, 315*
- Gulf Stream *40*
- Guyana *see* Amazon–Orinoco coast
- gypsum, Al Dakhirah lagoon *574, 575*
- Herschel Island *135*
 coastal erosion rate *106, 107, 108*
 dynamic processes *110*
Honkenya peploides *206*
 Hooper Formation *150*
- Hudson Bay *205, 206, 206, 208*
 beach ridges *41*
 plant species *20*
- Hudson Strait *166, 167*
- human impact in coastal zone
 Amazon–Orinoco coast *553–555*
 Arctic Canada coast *191–193*
 Australia (S-SW) carbonate coast *402*
 Bonaire *509–511*
 cold temperate Canada *237, 241*
 Maine, Gulf of, barrier development *274–275*
 Southern Brazil coast *349*
 Tierra del Fuego *299–300*
- Huron, Lake *215, 216, 217*
- hurricane activity *53, 481–482, 504, 509*
 formation *482*
 intensity *482–483*
 palaeotempestology
 dating *487–488*
 legacy *494–495*
 relation to climate change
 centennial scale *493*
 decadal scale *493–494*
 millennial scale *491–492*
 sediment transport modelling *490–491*
 site selection *486–487*
 statistics *488–490*
 proxies *485*
 sedimentary record *483, 484*
 simulations *483*
see also extreme-wave events
- hyena fossils, South Africa *364*
- Iberian Peninsula *see* Pego-Oliva Basin
- Ibicuy sand body *313–315, 319–323*
- ice
 impact on beach ridges *177*
 impact of *3–4*
- ice cliff *35*
- ice complex *110*
- ice-foot process *37*
- iceberg roll *121*
- ichnology
 Al Dakhirah lagoon *574*
 Fundy, Bay of *235–237*
 tidal flats *15*
- Igloolik Island *168*
 beach ridges *172–173, 174*
- indigenous peoples *79–80*
 coastal zone adaptations *82*
 adaptive responses compared *95–97*
 arctic *82, 83, 83*
 local knowledge *85*
 mobility *84–85*
 resource use *85–87*
 social networks *87*
- temperate *87*
 local knowledge *88–89*
 mobility *87–88*
 resource use *89–90*
 social networks *90*
- tropical *90–91*
 local knowledge *92–93*
 mobility *91–92*

- resource use 93–94
 - social networks 94–95
- relation to coast 80–82
- Indonesia, mud coasts 555
- infauna
 - Fundy, Bay of 235–237, 240
 - San Sebastian Bay 288
- intertidal areas
 - Arabian Gulf 568–569, 574
 - Arctic Canada 18, 177–179
 - diagenesis 400–401
 - meiobenthos **63**
- Inuit culture 192, 193
- Isipingo Formation 377, 378
- Isla Grande *see under* Tierra del Fuego
- isostatic uplift 4

- Jaba coast 555
- Jacobshavn Isbrae 54
- James Bay 18, 175, 176, 205
 - plant species 20

- kaolinite 6
- Kara Sea, coastal erosion rate 105, 105
- karst 47
- Kendall Formation 150
- Kennebec barrier chain 258–261
- Kerala coast 555
- Kidluit Formation 150
- Kittigazuit Formation 150
- Kolguev Island, coastal erosion rate 107, **108**
- Kosi Bay Formation 377, 378
- Kugmallit Bay 146, 147, 149, 150–151
- Kuro-Shio 40
- KwaMbanambi Formation 377, 378

- Labrador Current 40
- lagoons
 - Portugal 407–408
 - Río de la Plata estuary 312
- land use
 - Arctic Canada coast 188–189
 - human impact 191–193
 - wildlife 189–191
- landslide-triggered events 121
- Langebaan fossil human 362–363
- Laptev Sea coast
 - erosion rate 105, 105, 106, 107, **108**
 - geomorphodynamics 111–112
- Laurentian Great Lakes
 - beach ridges 217–219
 - history, postglacial 215–217
 - map 214
 - outlet changes 222–223
 - outlet palaeohydrograph 221–222
 - outlet patterns 223
 - setting 213–215
 - strandplain analysis 223–225
 - strandplain chronology 225–226
 - strandplain palaeohydrograph 219, 220
- Leeuwin Current 390
- Lena Delta 40, 111
- Little Ice Age 3
- Liverpool Bay 135, 145

- Lofoten Island 205
- Lomas Bay, tidal flats 287, 297
- Lowther Island 121, 122, 124

- Mackenzie Delta 135, 145–146
 - coastal erosion rate 106, 107, **108**
- macrofauna, defined 59
- Magellan Strait 285, 286
- Maine, Gulf of
 - barrier development
 - climatic and human impact 274–275
 - Kennebec barrier 258–261
 - Merrimack Embayment 264–269
 - Saco Bay 262–264
 - summary 275–276
 - glaciation history 251–252
 - physiography **250**
 - relative sea-level change 252–253
 - sediment patterns **254, 255**
 - sediment redistribution
 - glaciogenic 253, 256–257
 - modern 258
 - riverine 257–258
 - setting 249–250
 - stratigraphic sections 256
 - structural controls 251
- Malyi Lyakhovsky Island, coastal erosion rate 107, **108**
- Mamontov Klyk, Cape 111
- mangals 15, 17, 24
- mangroves 22, 24, 25, 47, 48–49, 50, 51, 52, 52, 547–548
- Mansel Island 166, 175
- Maputaland Group 376–377, 378
- marine transgression, defined 132
- Marre–Sale, coastal erosion rate 107, **108**
- marsh characteristics 15–17
 - arctic coastal zone 37
 - arctic marshes 19
 - subarctic marshes 19–22
 - subtropical-tropical marshes 22, 24
 - saltmarsh 257, 258
 - temperate marshes 22
- Mattawa highstands 215, 216
- Mediterranean Basin
 - structure and sea-level study
 - palaeo-sea-level indicators 464–468
 - setting 453–455
 - geodetics 459–464
 - geodynamics 456–459
 - geology 455–456
 - tectonic map 454
 - tsunami evidence 468–470
 - uplift-subsidence sea-level summary 470–473
- Mediterranean Sea 429–430
 - calcareous algae 44
 - Pego-Oliva Basin 430–433
 - methods of study
 - AAR dating 434–436
 - biomarker analysis 436–437
 - coring 433–434
 - results
 - biomarkers 440–442
 - chronology 437–438

- Mediterranean Sea (*Continued*)
 fossil content 438–440
 lithology 438
 results discussed 442–444
 palaeoenvironmental reconstruction 444–447
 summary 447–448
- meiobenthos
 abundance **63**
 characteristics 61
 defined 59, 60
 distribution
 latitudinal 66–69
 sediment type 61–62
 fossil indicators 73
 indicators of environmental change 72–73
 predation effects 66
 role in sediment
 processes 70–72
 stability effects 69–70
 summary 73–74
 trophic levels 64
 zonation
 horizontal 62, 64–65
 vertical 65–66
- meiofauna, defined 59
- Mekong Delta 555
- Melville Peninsula 189
- Merrimack Embayment barrier system 264–269
- Messinian Salinity Crisis 7, 455
- Mexico, Gulf of
 coastal geology 483
 hurricane climatology 482–483
 legacy 494
 relation to climate change 491, 493
- Michigan, Lake 216, 217
- microbial mats, Al Dakhirah lagoon 574, 575
- mogotes 47
- mud coasts 194, 533–534
 Amazon–Orinoco coast 534, 535–537
 comparative features 555–556
 human impact 553–555
 mud supply 537–539
 mud-bank migration 539–542
 mud-bank morphology 542–550
 summary for future research 556–557
- Muostakh Island, coastal erosion rate *107*, **108**
- Nanaga Formation 371, 373
- native peoples *see* indigenous peoples
- nebkha 202, 203, 203, 205, 207
- New Jersey, palaeohurricane record 491
- New Siberian Archipelago 113
- New York, palaeohurricane record 491
- Nipissing lake phase 216, 216
- North American Great Lakes *see* Laurentian Great Lakes
- North Atlantic Current 40
- North Atlantic Oscillation (NAO) 489
- Novaya Zemlya, arctic coastal zone character 103
- Nunivak Island 203
- $\delta^{18}\text{O}$ anomalies, palaeohurricane record 485
- Ontario, Lake 216
- optically stimulated luminescence (OSL) dating
 Great Lakes beach ridges 219, 225
- palaeohurricane record 488
- Portugal coast 411–412, 416
- Río de la Plata estuary 308
- South African dunes 355, 367, 369, 372, 374, 375
- Orby Head 138, *139*
- Orinoco River *see* Amazon–Orinoco coast
- ostracoda, palaeoenvironmental reconstruction
 438–439, 444–446
- overwash record, palaeohurricanes 485–486, 487
- Oyogos Yar, coastal erosion rate 105, 106,
107, **108**
- Oyster Pond (Mass), palaeohurricanes 485
- palaeohurricanes *see* hurricane activity
- palaeohydrography
 Laurentian Great Lakes 219–222
 outlet history 222–224
- palaeontology, Pleistocene, South Africa 364, 374
- palaeosols and pedogenesis 359, 360, 361
- palaeotempestology *see* hurricane activity
- Papua coast 25, 555
- parabolic dunes 208
- paraglacial coasts
 characteristics 248
 defined 37, 247
- Paraná River 305–306
- ^{210}Pb dating, palaeohurricane record 488
- Pechora Sea, coastal dunes 202
- Pego-Oliva Basin (Spain)
 methods of study
 AAR dating 434–436
 biomarker analysis 436–437
 coring 433–434
 results
 biomarkers 440–442
 chronology 437–438
 fossil content 438–440
 lithology 438
 results discussed 442–444
 palaeoenvironmental reconstruction 444–447
 setting 430–431
 geomorphology 432–433
 groundwater 433
 tectonics 431–432
 summary 447–448
- Pelotas Basin 335, 348
- periglacial conditions 194–195, 199
- permafrost 37, 110, 177, 199
 Beaufort Sea coast 115
 Eastern Siberia 11
 Foxe Basin 177
 Greenland 121
 High Arctic Archipelagos 116
 Laptev Sea coast 111
 Svalbard 120
- Pesyakov Island, coastal dunes 202
- physical weathering 34
- Pigots Point 138, *139*, *140*
- plants *see* flora
- Platense* stage 310
- Point Deroche 138, *139*, 140
- polar coastal zones *see* arctic coastal zones
- polynyas 189
- Popper spit 292, 294, 295

- Portugal
 coastal barrier growth
 methods of analysis
 GPR 410–411
 OSL 411–412
 topography 410
 results
 chronology 416, **418**
 components 412
 facies analyses 412–413
 beach backshore 415
 biotopographical accumulation 413
 foreshore 415–416
 frontal foredune slope 415
 swash bar 416
 transgressive dunes 413–415
 subsurface stratigraphy 416–420
 results discussed 421–423
 setting 409–410
- Pre-Dorset culture 191, **193**
- Prince Charles Island *168*
 beach ridges 173
 intertidal areas 178
 thermokarst lakes 181, *185*
 tidal flats *180*
 wildlife 189, *190*
- Prince Edward Island
 coastal geomorphology 137–142
 cold-temperate mid-latitude features 155,
 156, 157
 north coast environmental setting 133–134, *134*,
 135–136
 transgressive processes 142–143
- Prince Patrick Island 205
- Puerto Rico, palaeohurricane record 488, 488–489,
 489, 490
- Purari coast 555
- Qatar Peninsula 562–563, *564*
 Al Dakhirah lagoon carbonate sediment study
 methods of analysis
 dating 565
 morphology 565
 sampling 563–565
 results
 high-energy deposits
 intertidal 568–569
 sand-spit system 567–568
 subtidal 565–567
 supratidal 570–572
 lateral facies variations 575–576
 low-energy deposits
 intertidal 574
 subtidal 573–574
 supratidal 574–575
 palaeoenvironmental reconstruction
 576–581
 evaporites *577, 578*
 flora and fauna *577, 578*
 sedimentary structures *577, 578*
 results discussed 581–585
 summary 585–586
 map *566, 568*
 tidal areas *567*
- radiocarbon *see* $\delta^{14}\text{C}$
- Recherche Archipelago 391
 relative sea level (RSL), defined 131
 Resolute 122, 124
 Rhode Island, palaeohurricane record 491
 Richards Island (East and West) *135, 145, 146, 147*,
 150–151, *150*
 coastal erosion rate *107, 108*
- Río Chico Embayment 291–292, *293, 294*
- Río de la Plata estuary 305–307
 genetic factors 308
 hydrodynamics 308–310
 methods of study
 dating 308
 GPR profiles 308
 sedimentary bodies 307–308
- results
 sedimentary environments
 attached beach ridges 312–313
 cheniers 315
 estuarine coastal barrier 310–312
 Ibicuy sand body 313–315
 old coastal lagoon 312
 Paraná delta 315–316
 small deltas and estuaries 313
 tidal flats 315
 results discussed
 beach ridge strandplain 317–318
 cheniers 318–319
 coastal estuarine barrier 316–317
 Ibicuy sand body 319–323
 summary, depositional system evolution 323–325
- Río Grande do Sul (Brazil)
 coastline description
 Albardão–Estreito 341–343
 Estrieto–Lagamarzinho 343–344
 La Coronilla–Albardão 339–341
 Lagamarzinho–Tramandaí 344–345
 Tramandaí–Cape Santa Marta 346–348
 coastline interpretation 348–349
 human impact 349
 setting
 climate 336–337
 drainage pattern *334*
 geology 333, 335–336
 geomorphology *335*
 oceanography 336
 sea-level history 337
 sediment provenance 337–339
- Roche Bay Magnetite Project 189
- Rottneft Island 54
- Rottneft Shelf 389, 391
- Rowley Island *168*
 beach ridges *176*
 DEW installation 188
 intertidal areas 178
 tidal flats 179, 181, *182*
 wildlife 189
- Russia, NE European, arctic coastal zone character 103
- Rustico Bay *139, 141, 143, 146*
- Saco Bay barrier system 262–264
- St Lawrence, Gulf of coastal geomorphology 137–142
 cold-temperate mid-latitude features 155, 156, 157

- St Lawrence, Gulf of coastal geomorphology
 (*Continued*)
 introduction 133–136
 transgressive processes 142–144
- St Peter's Bay 139, 141
- Saldanha man 364
- salt weathering 34, 48
- saltation 202
- San Sebastian Bay
 beach-ridge strandplain 294, 297
 tidal flats 287–289
- Savage Harbour 139, 141
- sea grass 50, 51
- sea ice 35–37
 role of 155–157
- sea level, relation to glaciation 132
- sea-level indicators, Mediterranean 464–468
- seismicity and strain, Mediterranean Basin 456–459
- Sermilik Fjord 120
- Severnaya Zemlya, arctic coastal zone character 103, 111
- Seward Peninsula 205
- Shark Bay 389
- Shelagskogo, Cape 114
- Shirokostan Peninsula 111
- Shishmaref barrier islands 205
- shore platforms, Mediterranean 464
- shoreface environment 8–9
- shorelines, last interglacial 465, 467
- Shpindler, Cape, coastal erosion rate 107, **108**
- Sibayi Formation 377, 378, 380
- Siberia, East coast
 erosion rate 105, 105
 geomorphodynamics 111
- Sierra Leone, mud coast 555
- sinkholes 47
- Siursuak Peninsula 167, 168, 169, 170
- soil profiles, Arctic Canada coast 170, 171, **172**, 178, 179, 185, 186, 195
- Sólheimasandur 205
- South Africa
 coastal dune systems 353–355, 383–384
 east coast 376
 Durban Bluff and Blood Reef 378–380
 Maputaland Group 376–377
 summary 380–383
 southern coast 365–366
 Alexandria dunefield 370–371
 dune-hosted palaeontology 374
 shore-parallel dune cordons 366–368
 summary 375
 Tertiary systems 371–373
 wilderness dunes 368–370
 west coast
 dune plumes 355
 Duinefontyn and False Bay 355–361
 Tertiary 361–362
 dune-hosted palaeontology and archaeology 362–364
 summary 364–365
- South Atlantic Anticyclone (SAA) 354, 355, 383
- Southampton Island 166, 189
- Spain, Pego-Oliva Basin
 methods of study
 AAR dating 434–436
 biomarker analysis 436–437
 coring 433–434
 results
 biomarkers 440–442
 chronology 437–438
 fossil content 438–440
 lithology 438
 results discussed 442–444
 palaeoenvironmental reconstruction 444–447
 setting 430–431
 geomorphology 432–433
 groundwater 433
 tectonics 431–432
 summary 447–448
- speleothem record, palaeohurricanes 485
- Spicer Island 189
- spits
 Isla Grande (Tierra del Fuego)
 Catalina Point 289–290
 El Paramo 290–291, 292
 Popper 292, 294
 Rio Chico 291–292, 293
- Spitsbergen, coastal features 117, 118, 119, 120
- Stanhope, Cape 138, 139
- Stanley lowstand 215, 216
- Still Bay
 dune cordons 366–367, 368, 369
 palaeontology 374
- storm events
 arctic 37
see also extreme-wave events *also* hurricane activity
also tsunamis
- strandplains
 Isla Grande (Tierra del Fuego) 294–297
 Laurentian Great Lakes
 palaeohydrography 219, 220, 221–223
 shoreline history 217–219
 interpretation 223–226
 Río de la Plata estuary 317–318
- subaerial unconformity 132
- subarctic coastal zone
 aeolian processes 205
 dune formation 205–207
- subarctic marsh 19–22
- sublimation 202
- subtropical marsh 22, 24
- Superior, Lake 216, 217
- Surinam *see* Amazon–Orinoco coast
- Svalbard
 arctic coastal zone character 103
 coastal erosion rate 105, 105
 coastal evolution 117, 117, 119–120
- tafoni 46, 48
- Taimyr Peninsula 111
- temperate coastal zone
 characteristics **38**, **39**, 40–41
 cool 41–44
 intermediate 44
 warm 44–46
- flora and fauna 44–46
- indigenous people, characteristics 87
 local knowledge 88–89
 mobility 87–88

- resource use 89–90
- social networks 90
- temperate marsh 22
- temperature optimum 3
- Teshkepuk Lake, coastal erosion rate 106
- Texas, palaeohurricane record 490, 493
- thaw slumps 110
- thermal abrasion 110
- thermal denudation 110
- thermal erosion 110
- thermo-abrasion 36, 37
- thermo-cirques 110
- thermo-terraces 110, 111, 113
- thermokarst 111, 113, 203
 - lakes 181–188, 204
- Thule culture 191–193
- Tibjak Point 147, 147
- tidal flats 13–14, 16, 17
 - arctic 14–15
 - Arctic Canada 179–181
 - thaw lakes 181–188
 - cold temperate, Chignecto Bay
 - climate and sea-level controls 229–230
 - fieldwork 231
 - methods of analysis 231–232
 - results
 - environmental stresses 232–233
 - human impacts 237, 241
 - infauna and ichnology 235–237, 236, 238, 240
 - sedimentology 233–235, 236, 238, 239, 240
 - wildlife 237
 - map 231
 - post-glacial evolution 230–231
 - fauna 15
 - Isla Grande (Tierra del Fuego) 287–289
 - temperate 44
 - tidal notch, Mediterranean 464
 - tide activity, Río de la Plata estuary 308–309
 - tide dominated environment
 - Al Dakhirah lagoon
 - intertidal 574
 - subtidal 573–574
 - supratidal 574–575
 - Tierra del Fuego
 - biodiversity 285
 - climate 283
 - glaciation 284–285
 - Isla Grande 281
 - coastal classification
 - beach-ridge strandplains 294–297
 - cliff-lined 286–287
 - rocky 285–286
 - spits 289–294
 - tidal flats 287–289
 - coastal system 297–300
 - summary 300
 - map 282
 - setting 281, 283
 - tectonics 283–284
 - tides and waves 283
 - titanium record in sediment 488
 - Tracadie Bay 139, 141, 144, 144
 - trackways, human 362–363
 - transgression (marine)
 - coastal outcomes 131–133
 - Beaufort Sea 150–154
 - St Lawrence, Gulf of 142–144
 - transgressive unconformity 132, 157
 - tree line, arctic 200
 - tree ring record, palaeohurricanes 485
 - tribal peoples *see* indigenous peoples
 - tropical coast zone
 - characteristics 46–47
 - alternating dry-humid 51–52
 - dry desert 47–51
 - humid inner-tropical 52–54
 - indigenous people, characteristics 90–91
 - local knowledge 92–93
 - mobility 91–92
 - resource use 93–94
 - social networks 94–95
 - marsh 22, 24
 - tropical cyclones 43, 51, 53
 - see also* hurricanes
 - tsunamis 286, 504, 509
 - Mediterranean Basin 468–470
 - sediment transport modelling 490
 - Tuktoyaktuk Island 147, 148
 - Tuktoyaktuk Peninsula 135, 145, 146, 147, 147, 149, 150–151, 203, 204, 204, 208
 - coastal erosion rate 107, 108, 114
 - Tyrrel Sea 206
 - U-series dating, Bonaire 513–514
 - Umkelwane Formation 377
 - unconformities 132
 - Prince Edward Island 142–143
 - Uruguay River 306–307
 - USA
 - North Atlantic coastal geology 483
 - North Atlantic hurricane activity 481, 482, 483
 - legacy 494
 - proxies 485
 - relation to climate change 491, 493
 - sediment transport modelling 490–491
 - statistics 489
 - see also* Maine, Gulf of *also* Mexico, Gulf of
 - Varandei, coastal dunes 202
 - Varanger Peninsula 205
 - vegetation *see* flora
 - Venezuela *see* Amazon–Orinoco coast
 - Wankoe Formation 373
 - washover fans, Al Dakhirah lagoon 572
 - wave activity
 - arctic 37, 39
 - Chignecto Bay 232
 - Río de la Plata estuary 308
 - Southern Brazil 336
 - wave generation, Greenland 121
 - wave-dominated environment
 - Al Dakhirah lagoon
 - intertidal 568–569
 - sand spit 567–568, 570, 571
 - subtidal 565–567, 569
 - supratidal 570–572

- weathering 6, 6, 34
- West Spitsbergen Current 120
- Wilderness Embayment, dune cordons 368–370
- wildlife of coastal zone 7, 15, **38**, 45–46
 - Arctic Canada coast 189–191
 - cold-temperate Canada 237
 - Tierra del Fuego 285
 - see also* flora
- wind
 - effects in cold regions 201–202
 - effects in warm regions 355, 358, 359
 - see also* aeolian processes
- wind surge, Río de la Plata estuary 309–310
- XRD, Bonaire coral fragments **514**
- Yamal Peninsula, coastal erosion rate 105, 106
- Yedoma 110
- Yukon coast 135, 145
 - coastal processes 112, 113
- Yukon Territory, arctic coastal zone character 103
- Zackenber Bay 120
- zone and zonality
 - defined 33–34
 - dynamics 54–55
 - see also* coastal zones