

Index

Page numbers in *italic* denote Figures. Page numbers in **bold** denote Tables.

- Aalst, use of Lede stone 33
Aberdeen (Scotland), defined by its stone 1
acid rain 83
aesthetics as factor in stone choice 7
Afflighem stone 32
Alberese limestone 79–80, 81
alkyl-alkoxy silane 147
alveolization 79, 86, 87, 159
 Lecce stone 144, 145, 145
 Lede stone 34, 35
 Pietra Gentile 60, 61
Angkor (Cambodia) 159
 surface recession rates 157, **158**
Antwerp, use of Lede stone 32
aplite 104
Apuan marble 87
Ardingly Sandstone **124**, 126, 130, 133
Arenisca Floresta stone 37
Arezzo 75
Ashdown Sandstone **124**
ashlar (cladding) 7, 33, 83, 102–103, 132, 133, 135
 Pietra Serena 77
 sandstone disintegration study in Massif
 Central 159–161
 methods 162–164
 results 164–168
 results discussed 169–171
Athens (Greece), building damage by pollution 2
Augustinian Convent (Brindisi) 48–49, 52, 62, **63**
Azul Bateig 37, 38, **39**, 40, 41, **41**, 42
- Balegem stone 32, 33
ballast stone **125**
Banc de roche 19
Banc de Saint-Leu limestone 18, 19, 19
 experimental testing for restoration
 methods 20–21
 results 21–28
Banc franc 19, 19
Bangor Slate Quarry 116
Bargate Stone **124**, **125**
basic igneous rocks, Cornish building
 stone 100–102
bastarda 140
Bath Stone **125**
Beachy Head Lighthouse 108
Bedruthan Formation 115
Beer Stone **125**
Belgium *see* Lede stone
Bembridge Limestone **125**, 132
Bentheimer sandstone 36
bianca 140, **142**
Binthead Stone **125**, 135
biological colonization and biofilms 12, 83,
 86, 129, 130, 144
 Lecce stone 147, 151
 Lede stone 34, 35
 Pietra Gentile 60
- Bishop Rock Lighthouse 108
Blackfriars Bridge (London) 108
blistering 35
blue elvan 100, 109
blue stone 2
Blueheart **124**
Bodmin Moor Granite 106, 108
Bognor Rock **124**, 131
Bonchurch Stone **125**
Boscastle Formation 116
Bracklesham Group 133
Bracklesham Stone **124**
Breccia of Agnano 82
Breccia of Caprona 82–83
Breda, use of Lede stone 32
bricks of Tuscany, from Pliocene clays 86–87
Brindisi
 buildings surveyed 48–49, **50**, **51**, 52, 52
 quarries surveyed 48, 49
Bruges, use of Lede stone 32
Brussels, use of Lede stone 32
Brussels stone 32, 36, 38
Bude Formation 117
Burano anhydrites 73
Burlington House, Piccadilly 108
- Caen Stone **125**, 127, 132, 135
calc-flinta 117
Calcaire Grossier 37, **125**
Calcare Cavernoso 81–82
Calcare Massiccio 73
calcarenite *see* Pietra Gentile
calcareous tufa
 Tuscany 81
 West Sussex **124**
calcimetry, Pietra Gentile 53, 57, **58**
Camborne 113
Canterbury Cathedral 101, 122, 127
capillary absorption coefficient, Belgian
 building stone **41**
capillary water uptake 145
 methods of testing 20–21
 results 24, **25**, 26
Caranna Limestone Formation 48, 55
Carbean quarry 96, 107
carbonate building stones
 Tuscany 79–83
 see also Pietra Gentile (calcarenite)
carbonatized ultrabasic intrusives 101
Carmine 144, 148, **150**, 151
Carn Grey 96, 108
Carnmenellis granite 107, 107
Carnsew Quarry and Granite 107, 107, 117
Carovigno, buildings surveyed **50**
Carrara 87, 87
Carrara Marble **125**
Carstone **124**
Carthage 85

- carving, role in decay 146
 Casciana Terme 83
 Castallack Quarry 96, 106
 Castiglione 75
 Castle-an-Dinas Quarry 96, 106
 Cataclews Stone 94, 95, 99, 100
 Cathedral Quarry 96, 108
 Cefalù 85
 Ceglie, buildings surveyed **50, 51**
 Ceglie Messapica, buildings surveyed **50**
 cement, problems of use 175
 Certaldo 86
 Cervarola-Falterona Unit 75
 Chalk **124, 131**
 Charlestown 101
 Charlwood Marble **124, 131**
 Cheesewring Granite 96, 108
 chemical composition
 Massif Central sandstones 163, 166, **168**
 Pietra Gentile 57, **58**
 Chemilly, St Denys' church
 experiment to monitor conservation work 159–161
 methods 162–164
 results 164–168
 results discussed 169–171
 chert, Lower Greensand 122
 cherts, Cornish 117
 Cherty limestone 73
 Chichester 125–126
 Chichester Cathedral 122, 130, 132, 135
 Chichester Greensand **124**
 Chilmark Stone **125**
 chlorides, as decay cause 145
 Christchurch Cathedral (New Zealand) 101
 Chysauster 95
 Cisternino, buildings surveyed **50, 51**
 cladding *see* ashlar
 clay mineral swelling damage 146
 cleaning, effect on surface recession 159
 Clerecía Church (Salamanca) 15
 Colcerrow quarry 96, 107
 compactness, Pietra Gentile 53, 57, **59**
 compressive strength, Belgian building stone **41, 42**
 conglomerate, opal-cemented (Salamanca Sandstone) 7,
 8–9, 8, 13, 13
 compared with Villamayor Sandstone 8
 quarry distribution 11
 conservation issues
 experience with Lecce stone 139–140
 monitoring 148–153
 treatments 146–148
 French Massif Central
 monitoring 159–161
 methods 162–164
 results 164–168
 results discussed 169–171
 consolidation, surface treatment for 147
 contact sponge test 164, 166, 168, 170
 Cornish hedges 96, 97
 Cornwall
 building stone use
 igneous
 elvans 108–113
 granite 102–108
 ultrabasic rocks 100–102
 veinstones 113
 sedimentary
 limestones 117
 sandrock 117–118
 sandstones 116–117
 slates 114–118
 geological history 97–100
 granite distribution 98
 heritage quarries 96
 history of stone use 94–95
 stone source quarries 96
 variety of building stone 94
 Cortona 75
 Coulandon stone 162, 166
 Coulmier-le-Sec limestone 37, 38, **39, 40, 41, 41, 42**
 Courville stone 17, 19, 21
 Crackington Formation 116
 Cuckfield Stone **124, 126, 130, 132**
 cucuzzara 140, **142**
 Culm Basin 99

 Dartnough Group 97, 114
 De Lank Quarry 96, 108
 decay
 experiment to measure in Massif
 Central 159–161
 methods 162–164
 results 164–168
 results discussed 169–171
 factors affecting 144–146
 morphologies 12, 60–62, 63, 65, 76–78, 79
 rates 157, **158, 159**
 deferruginization 105
 Delabole slate 94, 95, 115
 Dender stone 32
 density testing, Belgian building stone **41**
 deterioration patterns (pathologies) 12,
 60–62, 63, 65
 Pietra Panchina 78, 79
 Pietra Serena 76–77
 Pietraforte 77–78
 dimension stone 33, 95–96
 disaggregation 60, 61
Ditrupa limestone 21, 22, 23, **25, 26, 37**
Ditrupa strangulata 37, 38
 dolce 140, **142**
 dolerite 100, 102
 Domesday Book, quarry record **130**
 Doulting Stone **125**
 driving rain tests *see* water penetration
 Duporth Stone 101
 dura 140, **142**
 Durlston Formation 131, 132

 Ebro Basin, surface recession rates **158**
 economics, as a limiting factor in stone use 2
 Eddystone Lighthouse 108
 efflorescence 86
 Elba granite 84–85
 elvan 94, 95, 96, 99, 108–109
 form 109–110
 genesis 109
 occurrence 111–113

- petrology 111
- working 110
- energy-dispersive spectrometry (EDS) 53
- Entroquite Formation 37
- environmental scanning electron microscopy (ESEM) 53, 61
- erosion 60, 61, 90
- ethyl silicate 147
- Euville limestone 17, 36, 37, 38, 39, 40, 41, 41, 42
- exfoliation 77, 78, 83

- Falmouth 113
 - surface recession rates **158**
- Fasano, buildings surveyed **50, 51**
- Featherbed Stone 135
- Featherstone **125**
- Ferricrete **124**
- fieldstone 32
- Fiesole 75
- Fiorentino 75
- Firestone **125**
- firing of bricks 86–87
- Fishbourne Roman Palace 123, 125–126, 132, 133
- flagstone 122
- flaking 35, 86, 87, 165
- flexural strength, Belgian building stone **41**
- flint **124**, 130–131
- Florence 75, 77, 79, 83, 87, 88, 88, 89
- flucan 106
- foliation 103
- Fontenoille sandstone 37, 39, 40–41, 40, 41, 41, 43
- foraminifera, Lede stone 38
 - Leccese stone 139
- Fort Perch Rock, surface recession rates **158**
- Fowey 107, 108, 112, 113
 - surface recession rates **158**
- fracturing 60, 61
- France *see* Massif Central *also* Reims
- Fucecchio 86

- gabbro 102
- gaggina 140, **142**
- gap filling 148, 151, **151**
- geochemistry
 - Massif Central sandstones 163, 166, **168**
 - Pietra Gentile 57, **58**
- geographical information system (GIS), use
 - in surface recession monitoring 162
- Ghent, use of Lede stone 32, 32–33, 33, 34
- Giglio Castello 85
- Giglio granite 85
- glauconite 38
- Global Heritage Stone Resource 8
- Gobertange stone 32, 33, 36, 36, 38, 39, 40, 41, 41, 42, 43, 43, 44
- Golden City 8
- Grade 102
- Gramscatho Basin 97
- granites
 - Aberdeen 1
 - Channel Islands **125**
 - Cornwall 95, 96, 98, 99, 102–108
 - batholith geophysics 103
 - composition 103–104
 - contribution to local economy 94
 - emplacement 104–105
 - jointing 106
 - metamorphic aureole 104
 - quarrying 106–108
 - weathering 105–106
- Elba 84–85
- Salamanca
 - Los Santos Granite 9, 11–13, 13, 15
 - Martinamor Granite (Piedra Pajarilla) 7, 9–11, 12, 13, 15, 15–16
 - quarry distribution 11
 - Villavieja Granite 12
- Greensand 126
- greenstone 95, 96, 97, 100
- greisening 104, 111
- Grey City 1
- Gritty Chalk **124**
- grounders 96
- grout, effects of 188
- gypsum 88, 145
 - as pollution product 34, 61, 63, 66

- halite 145
- hardness measurement 164, 166, **169**, 170
- Harwich Formation Stone **124**
- Hastings Sandstone 122
- head 100
- Helston 100
- heritage quarries, Cornwall 96
- hornfels 104
- Horsham Flagstone 131
- Horsham Stone 122, **124**
- Horsham Stone Slate 121, 124, 127, 130, 131
- Houndgate Stone **124**
- Hounds Stone **124**
- Houtem stone 32
- Hurdwick Stone 102
- hyaloclastite 102
- Hythe Formation 129, **130**
- Hythe Formation Chert **124**
- Hythe Formation Sandstone 122, **124**, 125, 127, 129, 130, 133

- inductively coupled plasma (ICP) spectrometry, use in
 - surface recession monitoring 163, 166
- ion chromatography, Pietra Gentile 53, 63, **63**
- Italy *see* Pietra Gentile *also* Leccese stone *also* Tuscany

- jointing, Cornish granite 106

- kaolinization 105, 111
 - Cornish granite 96, 99, 104
- killas 95
 - metamorphism 104
- King Arthur's Hall, Tintagel 94
- Kit Hill Granite 96, 108
- Kyushu Bridge, surface recession rates **158**

- Lambourdes et Vergel  18, 19, 19
 - experimental testing
 - methods 20–21
 - results 21–28

- Landewednack 102
 Latera volcano 85
 Launceston 101
 Lavant Stone 124, **124**, 130
 Lecce Duomo 148, **150**, 151, 152
 evaluating conservation work 144, 145
 Lecce stone 139
 conservation treatments 146–148
 monitoring 148–149, 149, **150**, 151–153
 decay problems 144–146
 geological setting 140
 petrographic description 141–143
 physical properties 142–143, **142**
 stone varieties 140
 use in buildings 143–144
 leccisu 140
 Lede Formation 32, 36
 Lede stone
 appearance 33
 geological setting 32
 historical use 32–33
 petrography 38, **39**
 petrophysical properties 41, **41**, 42
 selection of replacement stone 34–37
 lichen, as decay agent 144–145, 145
 light detection and ranging (LiDAR), use in
 surface recession monitoring 162,
 163, 165, **167**
 Ligurid units 75
 lime mortar, importance of 175
 lime putty render 187
 limestones as building stones
 Belgium 35, 37, 38, **39**, 40, 41, **41**, 42, 44
 Cornwall 117
 France (Lutetian) 17, 18, 19, 21, 22,
 23, **25**, 26, 28
 Italy 48, 55, 73, 79–82
 West Sussex **124**, **125**, 132
Limnea limestone 21
 Lizard Complex 102
 Lizard ophiolite 97
 Lizard serpentine 94, 97, 102
 mineralogical varieties 102
 ornament manufacture 102
 Locorotondo, buildings surveyed **50**, **51**
 loess, Cornish 100
 London Bridge 107
 London Clay Cement Stone **124**
 London Clay Formation 131
 London Embankment 106
 Los Santos Granite 9, 11–13, 13, 15
 quarry distribution 11
 Lost City of Stone 1
 Lower Tunbridge Wells Sandstone
 122, 123
 Lucca 83, 87
 lumachelles 33
 luxullianite 94, 104, 105, 107–108
 Luxulyan 96, 107

 Macigno 75
 Macigno Formation 75, 77
Maertia omaliusi 37
 Maiolica 75

 Malicorne, St Prejet's church
 experiment to monitor conservation work 159–161
 methods 162–164
 results 164–168
 results discussed 169–171
 Malmstone **124**, 126, 129, **130**
 Malta stone 145
 manganese oxides 79–80
 marbles
 as decorative stone 87–88
 Italian
 Montagnola Senese 88–89
 Monte Pisano 87–88
 use by Romans 2
 weathering problems 88
 Martina Franca, buildings surveyed **50**, **51**
 Martinamor Tourmaline Granite (Piedra Pajarilla) 7,
 9–11, 13, 15, 15–16
 quarry distribution 11
 texture 12
 masonry wall construction in relation
 to water penetration 178
 experiment to test
 methods 178–181
 results 181–189
 Massa Marittima 81, 89
 Massangis limestone 17, 37, 38, **39**,
 40, 41, **41**, 42, 44
 Massif Central (France)
 geological setting 161–162
 map 159
 monitoring conservation work 159–161
 methods 162–164
 results 164–168
 results discussed 169–171
 mazzara 140
 Meadfoot Group 99, 114
 Menabilly House 114
 mercury porosimetry 20, 24, 53
 microscopy *see* optical microscopy
 Midhurst Stone 133
 minestone 94, 95, 99, 113
 Mixon Stone **124**, 128, 133–135
 molaria **130**
 Monopoli, buildings surveyed **51**
 Monreale 85
 Montagnola Senese 82
 Monte Morello Formation 80
 Monte Serra Quartzite Formation 83
 Montemarano 81
 Montepulciano 81
 Monteriggioni 82
 Monterrey Palace (Salamanca) 15
 Monterrubio Formation 9
 moorstone 94, 95, 100, 102, 106, 107
 mortar and repointing effects, Massif Central
 sandstone churches 159–161,
 166, 169–170
 mundic blocks 114

 Napoli 85
 nera 140
 Nettleson **125**
 New Cathedral (Salamanca) 8, 11, 15

- New Mexico rock carvings, surface
recession rates 157, **158**
- Newham 94
- Newham elvan 112, 113
- Newlyn 100
- Newquay 101
- nitrate, as decay problem 145
- Noto stone 145
- Notre-Dame of Reims Cathedral 17–18
restoration stone experimental testing
methods 20–21
results 21–28
- Noyant banc franc **39**, 40, 40, 41, **41**, 43
- Nummulites laevigatus* 37, 38
- Nummulites variolarius* 38
- Odontaspis elegans* 37
- Old Cathedral (Salamanca) 13
- Oolithe Blanche Formation 37
- Oolithe vacuolaire Formation 37
- opal-cemented conglomerate (Salamanca
Sandstone) 7, 8–9, 8, 13, 13
compared with Villamayor Sandstone 9
quarry distribution 11
- optical microscopy
Belgian building stone 40
Pietra Gentile 53, 57, 61
sandstones of Massif Central 168, 169
- Orange 85
- Ostia 85
- Ostuni, buildings surveyed **50**, **51**
- Oudenaarde, use of Lede stone 33
- overcoat effect in masonry 176, 178, 189
- Oxford Museum of Natural History 94
- Padstow 99, 100
- Palazzo Personé 144
- Palazzolo stone 140
- Palermo 85
- Paludina Limestone **124**
- patina, Lede stone 33
- Pavia 85
- pegmatite 104
- Penrice House 111
- Pentewan Stone 94, 95, 109, 109, 111
- Penzance 102, 106
- Petra (Jordan)
defined by its stone 1
surface recession rates 157, **158**, 159
- petrified tuff 79
- petrographic studies
Belgian building stone 38, **39**, 40, 41
Massif Central sandstone decay 163
Pietra Gentile 53, 56–57
- petrophysical studies, Belgian
building stone 41
- Petworth Stone 130, 133
- physical characteristics, factor in stone choice 7
- Piedra Pajarilla 7–8, 13, 15
surface texture 12
see also Martinamor Tourmaline Granite
- Piedra Tosca 8
- Pienza 81
- Pietraforte 77–78
- Pietra Gentile (calcarenite) 140
Brindisi province quarries 48, 49, 55
lithologies 56
regional setting 47–48
building survey **50**, **51**
compressive strength 48
laboratory characterization,
building sample selection 48–49, 52
methods 52–53
results
deterioration patterns 60–62
geological context 55
petrography 56–57
petrophysics 57–59
results discussed 62–66
- Pietra Leccese *see* Lecce stone
- Pietra Paesina 79–80
- Pietra Panchina of Livorno 78–79
- Pietra Panchina of Volterra 78
- Pietra Serena 75–77
- piromafo 140, 141, **142**
- Pisa 79, 81, 82, 82, 83, 84, 85, 87, 88
- Pitigliano 86
- Plaza Mayor (Salamanca) 15
- Pliocene sandstone 79
- Plymouth Breakwater 107
- Polkanuggo Quarry 106
- pollution damage 2, 34, 79
- Poltesco 102
- Polyphant Stone 94, 95, 101, 101
porosity testing
Belgian building stone 41, 42
Lecce stone 142, 143
- Lutetian limestone
methods 20
results 24, **25**, 26, 27
Pietra Gentile 53, 57, 62
- Porphyry Hall 107, 108, 112, 113
- Porthpean 111
- Portico dell'Immacolata (Brindisi) 49, 52, 52, 61, **63**
- Portland Stone **125**
- Portscatho Formation 114, 116
- Posidonia marl 73
- Prince of Wales Quarry 115
- Princess Diana Memorial (London) 108
- Pulborough Sandrock **124**
- Pulborough Stone 130, 133, 134
- Purbeck Marble 122, **125**, 131, 132
- Purbeck Stone **125**
- pyroclastics as building material 85–86
- Quarr Stone 121, 123, 125, **125**, 127, 129, 132, 135
- Quarry Flint **124**
- quartzites of Monte Pisano 83–84
- quern-stone 125, **130**, 133
- radiolarian chert 117
- rain penetration 175
experiment to test masonry
methods 178–181
results 181–189
mechanisms 176–178
- Ranocchiaia 89
- Rapolano 81

- Ravello 85
 Ravenna 85
 Reading Formation Ironstone **124**
 recession rates *see* surface recession rates
 Redruth 113
 Reffroy limestone 35
 Reigate Stone **125**
 Reims
 Lutetian building stones 18–20
 Lutetian stratigraphy 19
 Notre-Dame of Reims Cathedral 17–18
 restoration stone experimental testing
 methods 20–21
 results 21–28
 setting 17
 render, effects of 187, 188
 repointing effects *see* mortar
 Rhaetavícula limestone 73
 Risa 85
 Roche Rock 104, *105*
 Rojo Sayago 12, *14*, 15
 Roman Bridge (Salamanca) 13
 Rome 85
 Romery limestone 17
 Rosario 148, **150**, 151, 152
 evaluating conservation work 144, *145*
 Rose City 1
 Roseland Breccia Formation 117
 Rosso Ammonitico 83
 Rosso di Monterantoli 89–90
 Rosso Sugame 89–90
 rounding 35
 Ruan Minor 102
 Rude Stone 8
- St Austell 100, 106, 111, 112
 St Austell Granite 99, 103, 107, 108
 St German's tuff 102
 St Issey Stone 114
 St Paul's Cathedral 108
 St Stephen's Stone 104, 108
 Saint-Maximin limestone 17, 21, 28, 35,
 37, 39, **39**, 40, 41, **41**, 42–43
 Saint-Pierre Aigle limestone 17, 35, 37, 38,
 39, 40, 41, **41**, 42, 43
 Salamanca Sandstone *see* opal-cemented
 conglomerate
 Salamanca (Spain)
 early stone use 7
 Los Santos Granite 11–13
 Martinamor Granite (Piedra Pajarilla) 9–11
 opal-cemented conglomerate 8–9
 Villamayor Sandstone 8
 Villavieja Granite 12
 historic buildings 13, 15
 Salamanca University 15
 Salisbury Cathedral 122
 salt crystallization damage 64, 146
 salt extraction 147
 salt susceptibility index 27, **27**
 salt weathering 157, 159
 Saltash Formation 102, 115
 San Gimignano 79, 81
 San Louis stone 37, 38, **39**, 40, **41**, 42, *43*
- San Matteo 148, **150**, 151, 152
 evaluating conservation work 144
 San Miniato 86
 sandrock
 Cornwall 100, 117–118, *117*
 West Sussex **124**
 sandstones as building materials
 Belgium *see* Lede Stone
 Cornwall 116–117
 Italy
 Tuscany 75–79
 Massif Central decay studies 159–161
 experiments to measure
 methods 162–164
 results 164–168
 results discussed 169–171
 factors affecting 144–146
 morphologies 12, 60–62, 63, 65, 76–78, 79
 rates 157, **158**, 159
 Spain
 Piedra Pajarilla (Salamanca) 7, 8, 8, 13, *13*, 15
 West Sussex 122, **124**, 125, *126*, *127*, 129, 130,
 132–133
 Santa Chiara 148, **150**
 evaluating conservation work 144
 Santa Croce Church *147*
 conservation treatments 146–148
 monitoring 148–153
 evaluating conservation work 144, 145
 Sant'Elisabetta 149, **150**, 151, 152, *153*
 Santi Nicolò e Cataldo 149, **150**, 151, 152, *153*
 Sant'Irene 148, **150**, 151
 evaluating conservation work 144, 145
 saponara 140, **142**
 sarsen stone 2, **124**
 Sassetta 83
 Sassorosso 83
 saturation coefficient, Belgian building stone **41**, 42
 Saturation Index, Pietra Gentile 53, 57, **59**, 62, 64
 Savonnières limestone 17, 21, 22, 28, 36,
 37, 38, **39**, 40, 41, **41**, 42, 44
 scaling 12, 35, 60, *61*, 63, 79, 83, 86, 164–165
 Schorl rock 104
 Selsey Formation 133
 serpentine 89, 89
 Lizard 94, 97, 102
 mineralogical varieties 102
 ornament manufacture 102
 Sheffield Quarry 96, 106
 Shell House (Casa de las Conchas, Salamanca) 13, 15
 ships' ballast stone **125**
 Siena 79, 81, 86, 89
 silcrete 114
 Siracusa 85
 slate
 Cornwall 95, 96, 114–116
 South Devon **125**
 slickensides 106
 soluble salt analysis, Pietra Gentile 53
 Pietra Leccese 140
 Souvigny, St Mark's church
 experiment to monitor conservation
 work 159–161
 methods 162–164

- results 164–168
 - results discussed 169–171
- Spain *see* Salamanca
- spalling 12, 90
- Spoletto 85
- Staddon Grit Formation 99
- Staddon Grits 117
- Stafford Castle 157
 - surface recession rates **158**
- Stammerham Quarry 122
- stent 104
- Stonehenge (England) 2
- sulphates as decay problem 145
- sulphation 83, 88
- sulphur dioxide as pollution threat 34, 65, 66
- surface recession rates 157, **158**, 159
 - experiment to measure in Massif Central 159–161
 - methods 162–164
 - results 164–168
 - results discussed 169–171
- Sussex Marble 121, 122, **124**, 131

- talc stones 100
- Tàrrega limestone 37
- Temple Church 122
- thermal expansion, marble 88
- Tilgate Stone 122, **124**
- Tintagel 112
- Tintagel greenstone 95, 101
- Tintagel slate 95
- Tintagel Volcanic Formation 101
- tool marking 163, 165
- topazfels 113
- Torquay Limestone **125**
- Touchstone **125**
- tourmalinization 104, 111
- Tournais Marble **125**
- Tower Bridge (London) 94, 108
- transport
 - as a limiting factor for stone use 2, 7, 8, 95, 100, 127
 - role in use of Lede stone 32
- travertine
 - Italy 80–81
 - West Sussex **124**
- Tredinnick Sandstone 116
- Tredorn Slate Formation 115, 116
- Treffry Viaduct 107
- Tregarden quarry 96, 107
- Tregonning Hill 99
- Tregonning-Godolphin granite 96, 106–107
- Tremore elvan 111, 112, 112
- Tremore Porphyry 94
- Trevillet Quarry 115
- Trevose Slate Formation 115
- Trewarthenick House 117
- Truro 101, 101, 107, 108, 109, 113, 117
 - Coinage Hall 97
- tuff as building material 85–86
- Tunbridge Wells Sandstone **124**, 126, 130, 132–133
- turbiditic sandstone 77
- Turritella imbricata* 38
- Tuscan chert 75
- Tuscan metamorphic units 73
- Tuscan Nappe 73

- Tuscan scaglia 75
- Tuscany
 - building stones 71, 73, 75
 - bricks 86–87
 - carbonatic lithotypes 79–83
 - decorative materials 87–90
 - granite 84–85
 - pyroclastics 85–86
 - quartzites 83–84
 - sandstones 75–79
 - geological setting 71, 73
 - map 72
 - tectonic setting 74

- ultrabasic igneous rocks, Cornish building stone 100–102
- ultrasonic velocity, Belgian building stone **41**, 42

- Varicoloured Shales Formation 89
- Vaugnerite 9, 15
- veining 104
- Venice (Italy), damage by pollution 2
- Ventnor Stone **125**, 132
- Verde di Prato 89
- Verruca Formation 83–84
- Villamayor Sandstone 7, 8, 8, 13, 13, 15
 - compared with Salamanca Sandstone 9
 - quarry distribution 11
- Villavieja Granite 12
- volcaniclastic rocks, Cornwall 101–102
- Volterra 78, 81

- Warleggan 113
- water absorption coefficient
 - contact sponge test 164, 166, 168, 170
 - Lecce stone 143, 143, 152, 153
 - Pietra Gentile 53, 57, **59**, 64
- water penetration 175
 - experiment to test masonry
 - methods 178–181
 - results 181–189
 - mechanisms 176–178
- Weald Clay Formation 131
- Weald Clay Sandstone **124**
- Wealden building stone 122
 - recession rates 157, **158**
- Wealden Group 132
- Wealden Sandstone **124**
- weathering 129
 - Cornish granite 96, 105–106
 - marble 88
- West Sussex
 - building stones 123, **124**, **125**
 - historical uses 125–128
 - identification 128–130
 - important stones
 - Hythe Formation Sandstone 133
 - Mixon Stone 133–135
 - Quarr Stone 135
 - Tunbridge Wells Sandstone 132–133
 - imported stone 132
 - local stone 130–132
- Westminster Abbey 122
- Westminster Palace 127

Weston super Mare, surface recession
rates **158**
Wheal Budnick elvan 110
whinstone 122
White Chalk Group 130
white quartz stone 113–114
Wild Duck 113
Wolf Rock Lighthouse 106

X-ray diffraction (XRD), Pietra Gentile 53, 57, 61
X-ray fluorescence (XRF), Pietra Gentile 53
xenoliths 104
York Flagstone 128
York Minster 122
Zierikzee, use of Lede stone 32