

# Index

Page numbers in *italic* denote figures, page numbers in **bold** denote tables.

- Abas gneiss terrane 110  
Abqaiq 394  
Abu Ghirab Field 397  
Abu Hadriya 394  
Abu Mahara Group 2, 3, **280**, 411  
accretion 372  
    Marbat Hills 107, 125  
    Saih Hatat 298–299  
*Achatina* sp. 93–106  
adakites 248  
Adam foothills 15, 42  
aeolian features 12, 26, 31, 40  
Afar 2, 25, 60, 86  
Afghan block 371  
African Plate 62, 361–363  
African tropical snails  
    Oligocene uplift 93–105  
Afrin valley 63–65  
ages, Jurassic crust 32  
    K-Ar dating 73–77, 173  
    Neoproterozoic 109–127  
    Oman Ophiolite 247  
    *see also* K-Ar, U-Pb  
Ain Hindi 30  
Ak Khod 325–328, 335–338  
Akhdar Group 3, 11  
Abaid 36  
Al Ain 36, 214  
Al Ajaiz 156, 161  
Al Aridh Group 129–134  
Al Ashkirah lamphrophyre dykes 12,  
    40, 58  
Al Asimah 161  
Al Asseelah beach  
    Warah Formation, volcanic pipe 40  
Al Ayn 130, 144  
Al Bashair Formation 3  
Al Batain Plains 58  
Al Bayda island arc terrane  
    108–109, 110  
Al Hajar Mountains 2  
Al Hajar village 19  
Al Halaniyat Islands 40  
Al Haramon Mountain 63  
Al Hasakeh lava cone 76–77  
Al Hasikiyah Islands 40  
Al Hoti cave (38) 35, 37  
Al Hugf Group 11, *see also* Hugf  
Al Jebel Al Akhdar 40  
Al Jil Formation 11  
Al Jobah granodiorite basement 2, 30  
Al Khawd Formation 325  
Al Khlata  
    glacial deposits 12, 14, 31,  
    279–293  
Al Khlata Formation 3, 14, 279–293,  
    389, 411  
Al Khod 325–328, 329–330  
Al Mafid 108  
Al Mahfid gneiss terrane 108–110  
Al Mukulla 108–109  
Al Mukulla arc 108  
Al Noor Formation 3  
Al Quibliyah Islands 40  
Al Rub Al Khali *see* Rub Al Khali  
Al Sawda Islands 40  
Al-Ghab depression 63–65  
Al-Hajar range 9, 11  
Al-Hasakeh 77  
Al-Hotta-ain-Sereit Formation 304,  
    306, 318  
Al-Mafid gneiss terrane 108, 110  
Al-Malikiyah 76  
Aleppo Plateau 63–65, 74–75  
algae 30, 304, 309, 390  
alkaline basalts 34–35,  
    61–65, 170  
    Masirah island 32  
    Palmyride fold belt 61–65  
    to subalkaline, Syria 61–88  
alkaline ultramafic granulites 35  
allanite 249  
Alley Unit 179, 229–230  
    subduction 213  
alluvial fans  
    dolomitization 343–360  
    Qalah Formation 325–340  
Alpine Orogeny 371, 375–376  
Alwa Formation  
    Ammonicito Rosso facies 39  
    Hallsatt facies 39  
Amal Field 31, 398  
Amdeh Formation  
    calc-phengite schists 18, 282–291,  
    328, 335–338  
Amguden unconformity  
Amib is 367  
Amin Formation 3, 411  
*Ammonicito Rosso* facies 40  
    Alwa Formation 39  
amphibolite  
    metamorphism timing 40  
amphibolite dykes  
    and metamorphism timing 40,  
    110–111  
amphibolite facies 1, 12, 14–15, 39,  
    155–173  
amphibolite granulite facies 35  
amphibolites  
    hydrous fluids 155–175, 177–194,  
    195–212  
An-N'ala axis 367  
Andam Group 3  
Angudan compression 3, 419  
anhydrate cap  
    Qarn Sahmah 31  
anhydrite 146–150, 394–395,  
    399–400  
    cement 389  
anisotrophic Arabia-Zagros  
    lithostratographic zones 45–60  
anisotropy  
    plate boundary 2, 4, 45–60  
ankaramites 35  
anorthitic component increase 195,  
    200–211  
Ara Group 3, **288**, 411  
    salt 25, 30, 36, 373–374, 377,  
    389–390  
Arab Formation 377, 394–395  
Arabia Zone 25  
Arabia-Eurasia margin  
    extension-compression 87–88  
Arabian accreted terranes 58  
Arabian Canal sample **346**  
Arabian Continent Ras al  
    Hamra 26  
Arabian Gulf 403, *see also* Gulf of  
    Arabia  
Arabian margin basement  
    partial melting 34  
Arabian Plate 61–65, 303, 361–363,  
    366–372, 379  
    Australian palynomorphs  
    288–289  
    magma genesis 4, 61–91  
Arabian Shield **109**, 372, 373,  
    377, 401  
Arabian-Eurasia  
    plate boundary 45–60, 61–65  
Arabian-Nubian Shield 52  
Arabian-Zagros Basins 372–379,  
    396–404  
arc stage  
    Oman Ophiolite 177–193  
Archaean crust 247–260  
Araej Formation 377, 393, 395  
aridity 373–374, 377  
Arkbarah Formation 293  
Aruma Group 3, 13, 325–328  
As Judi 156  
As Sifah eclogite 12, 17–18,  
    22–23, 156  
Ash Shab gorge  
    limestone dome/ophiolite  
    12, 39  
Asimah Window 165–166  
Asinah area 164  
Asjudi  
    ophilitic melange 36, 133  
    thrust sheets, limestone, ophiolite  
    melange 12, 36, 130–133,  
    135–136, 139–146  
Asjudi half window 144

- Asmari Limestone Formation 354, 374, **382**, 380, 399–404  
 asphalt 393  
 Asraq Basin 367  
 Asselah pipe 40  
 Aswad Ophiolite block 138  
 Athel/U Formation 3  
 Awali Field 260, 397  
 Awaz Sandstone 395–398  
 Azraq Basin 367
- Bab Field 402**  
 backscattered electron study 197–214  
 bacteria 389  
 Badr Field 397  
 Bahrain 395  
 Ba'id exotics 12, 39  
 Ba'id Formation 11, 39  
 Bandar Jissah  
 limestone fossils 12, 37–38  
 Bandar Khuyran  
 shear zones 12, 38  
 banded mafic samples 230–232  
 Banded Ultramafic Unit  
 Sumeini Group 130–141, 159, 161–162  
 Bander Rawdah beach  
 ophiolite pillar 38  
 Bani Hmimid granulites 35  
 Banyas 74  
 Bar al-Hikman sabkha 12, 32  
 Barakat Formation 3  
 barchan dunes  
 Ramlat Fasad 34  
 Barik Formation 3  
 Barzaman Formation, conglomerates  
 5, 343–360  
 Distal 344–347, 349–352  
 Distal Facies A 344–347, 349–352  
 Hajar Mountains 343–358  
 Medial 344–347  
 Proximal 345–348  
 Proximal, Facies B 348  
 Proximal, Facies C 351–353
- basal beds  
 Barzaman Formation 348  
 basal shear zone mylonites 230  
 basanite 58, 81  
 Base Cenozoic Unconformity 3  
 Base Juassic Unconformity 3  
 basement **368**, 372, 373, 376–379  
 pre-Permian 13, 17, 32, 39, **109**, 409–411
- basin-filling  
 Lower Cretaceous 303–324, 377  
 Batain Plains 58  
 Batin, coast 1–2, 12, 37  
 copper mineralization 13  
 melange 4  
 Batinah coast 13, 326  
 Bekaa Valley depression 62–63  
 Benioff Zone 15  
 Berri Field 394
- bilad Seeit 16  
 Bilah 20  
 Bilitis thrust 371  
 biotite gneisses 111–113, 116–17, 119–121  
 Birba Formation 3  
 bird migration 33–35  
 Bitlis-Poturge 372  
 Bitlis-Zagros fault zone 61–65  
 bituminous shales 396  
 block faulting 298  
 blueschists 18, 38  
 boninite lavas 4, 177–193, 229–231  
 Wadi Bidi 177, 180, 188–190  
*Boswellia sacra* 33–34  
 boulder beds 296, 298  
 Buah anticline 12, 28  
 Buah Formation 3, 30, **280**, 390  
 Buhka village 20  
 Bul Hanine 395  
 Buraimi 25, 130, 144  
 Burdigalian 372–374  
 Burgan Formation 396, 397–400  
 Busia Unconformity 3  
 Butmah Field 392
- cabonite intrusion 40  
 calc-alkaline  
 Sadh complex 125  
 calc-phengite schists 19–20, 22–23  
 calc-silicate marble 35  
 calcarenites 396  
 calcite in altered serpentinite 349, 352–353  
 calcium  
 in silicate diagenesis 356–357  
*Canis lupus* 17, 33  
 cap dolomites 30  
 Hasheer Member 304, 307, 311–319  
 Cap Rocks 381, 397–403, 404  
*Capra ibex* 33  
 carbon capture and storage by  
 mineralization *see* CCSM  
 carbon sequestration 1, 5, 343–360  
 carbonate platform 373–374, 376–378, 395–398  
 carbonate tuffs 12, 40  
 carbonates 269–271  
 fault geometries 447–460  
 faulting geometries 457–460  
 rafts in salt 31  
 structural styles 5, 16, 409–455  
 carbonatite 12, 40  
 Carboniferous, Late  
 Qishn Formation 5, 303–323  
*Caretta caretta* 33  
 Carlsburg Ridge 260  
 Cat Island 38  
 cathodoluminescence study  
 195–212  
 CCSM 343–360  
 cementation  
 diagenesis 349–355
- Cemetery Bay  
 mantle sequence 37–38  
 Cenozoic structures  
 reactivated transpressional 404  
 Central Arabian Arch 367  
 Central Arabian Graben 367  
 central Makram  
 strike-slip 57  
 Central Oman High domain  
 reservoirs 2, 419–421, 437–440  
 Central Oman Mountains, Geoparks  
 9–33, 12  
 Central Saudi Arabia 377  
 Chaetodon dialeucos 37  
 Chaman fault-zone 46  
*Chelonia mydas* 9  
 chert  
 Qahalal Formation 5, 15, 333  
 cherts  
 radiolarian 170  
 Sidr Formation 21–22, 25, 133  
 chromite  
 diagenesis 355  
 ores 35, 263–266  
 chromite deposits  
 structural control 263–275  
 chromite spinel 229–246  
 chromite-aluminium ratio 274–275  
 chromites and melt transfer  
 harzburgite 5, 15, 37, 263–277  
 chromitic pods  
 melt sources 263–264, 274  
 clast composition  
 Qahlah Formation 335–338  
 coastal variation  
 Qishm Formation 303–323  
 coesite 18, 36  
 colour-banding snails 101–104  
 compression 40, 411–412  
 conglomerates  
 Barzaman Formation 343–360  
 Qishn Formation 303–323  
 Qahlah Formation 5, 325–341  
 Qahlah Formation after obduction  
 5, 325–341  
 conjugate faults 434–437  
 constraints  
 Oman Ophiolite 177–193  
 continent-continent collision 18  
 continental crust  
 trace elements 259  
 copper mineralization 13  
 corals 37  
 Cretaceous, Late, conglomerates  
 Qahlah Formation 1, 5, 325–341  
 Cretaceous, Lower, Na Nayid Formation, Qish Formation  
 303–323  
 crust, HASV 61–62, *see also*  
 continental  
 crust-mantle 33, 57  
 section Batinah plain 37  
 crustal contamination  
 Syrian basalts 77–80

- crustal evolution, ages 107–127  
   and mantle 5, 247–248  
   composition 247–261  
 crustal extension 33  
 Cryogenian Basement 2–4,  
   107–127  
 cyclic sea-levels  
   Qishn Formation 319–322  
 Cyrogenian magmatic protolith age  
   105, 119
- Dalqut 305  
 Dammam Formation 3, 32, 143, 345,  
   377, 394  
 Darsayt  
   Palaeogene limestones over eroded  
   ophiolite 12, 37–38  
 Dawkah well 34  
 Daymaniat Islands underwater  
   reserve 9  
 Dead Sea Fault System 62–65  
 Dezful Embayment 399  
 Deir Az-Zor 76  
 Delphinus delphis 17  
 depletion 155–156  
 detached regime 346–347  
 detachment layer  
   Nahr Umr 449  
 Dhahaban Formation 3  
 Dhalqut Formation 304–305, 307  
 Dhera Formation 11  
 Dhofar 1–2, 409  
   Plateau 93–106  
   Qishn Formation 303–323  
 Dhurma Formation 3, 377, 393  
 Dhulaima Formation 3, 11  
 diagenesis  
   harzburgites 343–360  
 diamictites 283–297  
 diapiric rise, wehrlites 226–227  
 Dibab sinkhole karst 12, 38–39  
 Dibba Zone 19, 58, 129, 345  
 digenesis, Barzaman Formation  
   343–360  
   temperature 355  
 dir-Al-Gore 63  
 dissolution  
   magnesium silicates 343–360, 398  
 Diyab Formation 377, 394  
 dolomite  
   cementation 349–359  
   hollow 349–355  
   Triassic fields 392–395  
 dolomite layer  
   Qarn Sahmah 31  
 dolomites  
   Hinna Member 316–319  
 dolomitization 349–360, 394–395  
 drifting north 373–374, 377  
 dropstones 28  
 Drouz zone 62–65  
 drowned coast 39  
 Dubai Canal excavation 346–347  
 Dugong dugong 33
- dunes 24, 29–30, 34–35, *see also*  
   barchan dunes  
 dunites 14–15, 35, *see also*  
   harzburgites, ultramafics  
 Duqm rock garden 12, 32  
 dykes  
   banded Fizz block 230  
   sheeted 13, 12, 14, 39–40  
   Wadi Hamiliya 248–259
- Early Devonian Unconformity 3  
 East Pacific rise 1  
 East Sheba Ridge 260  
 Eastern arc terranes 108, 110, 125  
 Eastern Flank 2  
 Eastern Makran  
   oceanic mantle 45–59  
 Eastern Oman Ophiolite Complex 2  
   echinoids 398–399  
   eclogite 2, 12, 17–20, 23, 38  
   Ediacaran 2–3, 31, **280**  
   elements, Syrian basalts, major  
     69–10, 72–88  
     trace 68, 70–72, 73–88  
   emplacement,  
     ophiolite 35, 155  
   en-echelon faults 434–437  
   Eo-Cambrian Salt Basin  
   Euphrates faults zone 63–65, 77, 81  
   evaporate–carbonate cycles 31  
   evaporites 366, 384, 400–405  
   evolution  
     initial arc magmetism 177–193  
     Neoproterozoic ages, Marbat  
       107–127  
     Sadh 107–127  
     Qishn Formation, Lower Cretaceous  
       303–334  
   exotic limestones 20–21, 25  
   extension  
     Eastern Makram 45  
     salt 36  
     Syrian basalts 86–88  
   extension and accretion  
   Precambrian 409–411  
   extension shear zones  
     high temperature 199–211  
   extension-compression  
   Syrian basalts 86–88  
   extensional faulting 369–413
- facies variation 405  
 Fahal Island wildlife 37  
 Fahud Fault 434–437  
 Fahud Salt Basin 2, 24, 36,  
   38, 399  
   domain 31, 429–435, 441–444  
 Fahud-1 well 25  
 Fanja 325–328, 332–413,  
   334–339  
 Fara Formation **280**  
 Fars Formation, 28 378  
   Lower 345, 357, 399–412  
 Fartaq High 304–305
- Fasad well 35  
 fault geometries  
   carbonates 5, 447–460  
 faults, comjugate 434–437  
   en-echelon 434–437  
   integrated models 447–460  
 faults reactivation 150  
 felsic veins  
   Marbat Hills 111, 113–117,  
   119–122  
 Fins beach 38, 39  
 Fiqa Formation 3, 11, 25–26,  
   139–142, 326, 345, 440  
   lithostratigraphy 377, 411  
 fish fossils 309  
 Fizz block, gabbro  
   partial melting 195–210, 213  
   harzburgite 138–139, 229–246  
   HRH  
     lithospheric mantle, melt flux  
       229–246  
     lherzolites 230  
     lithospheric mantle, melt flux,  
       HRH zone 229–246  
     mylonites 230  
     werhlite intrusions 213–228  
 fluid migration 4–5, 13, 195–210,  
   263–277  
 fluids  
   in ultramafics 355  
 fluids, water-rich,  
   and oceanic gabrro 195–210  
 fold thrust  
   Jebel Rais 12, 37  
   Jebel Rustun 12, 37  
 fold-belts  
   en echelon 378  
 fold-thrusts  
   Ara-Hormuz 12, 36  
 folding  
   Hawasina Window 21–22  
 footwall collapse 150  
 foraminifera  
   Qishn Formation 308–315,  
   309–314, 317, 318–417  
 Foreland Basin 129–153, 325–339,  
   343–358  
 Fort Jalali 38  
 fossiliferous, exotics 38  
   limestones,  
   Wadi Amdeh 294–295  
 fractional crystallization  
   Syrian basalts 77–110  
 fractionation  
   subduction zone 156, 186–210  
 frankincense 34  
 Fujairah leucogranite dykes 35  
 Fusht complex tonalite 108–109
- gabbro  
   layered 14,  
   oceanic water-rich fluids migration  
   195–212  
   *see also* olivine gabbro

- gabbro-sheeted dykes  
water-rich fluid migration  
195–212
- gabbro-trondhjemitic  
U-Pb 11, 156
- gabbro  
and fluids, water-rich 13, 195–210
- Gachsaran Formation 345, 378,  
399–412
- Galilah Formation 22
- Garra barreimiae* 37
- gas 260, 390, 399, 405  
Khuff Formation 389
- gas injection 398
- gas and oil (representative ) reserves  
364–367
- gastropods 21
- Gazella gazella* 18
- Gebel Formation 95
- geochemical sequestration, carbon  
343–360
- geochemical typing, oil, reservoirs  
382, 390–401  
sources 380–381, 380–390
- geoconservation 4, 9–44
- geodes 353
- Geoparks, proposed 4, 17–40
- SSSIs 35–40  
World Heritage Sites 11–17
- Geotimes unit  
pillow lavas VI 13, 14–15, 155,  
179, 188, 213
- Gevanim Formation 393
- Ghaba Salt Basin 2, 12, 25, 31,  
143–150, 281–282,  
298–299
- Ghaba Salt domain  
reservoirs 420–426, 441–444
- Ghadir Manqil Formation 3, 280–281
- Ghalilah Formation 20
- Ghar Formation 399
- Gharif Formation 3, 14, 30, 280,  
290–293, 411
- Ghashnah-Sanqah Thrust Sheet 149
- Ghawar Field 394
- Ghubrah Formation 280
- Ghudun Formation 3
- Ghudun High 409
- Ghudun-Khasfah High 2
- Ghul 14
- glacial sedimentation 5, 14–15, 279,  
301, *see also* Al Khlata and  
Qishn Formations
- glaciation 26, 28, 363–370
- Golan-Galilee basalts 77
- Gondwana supercontinent 303,  
366–372, 379
- Gondwanan ice-sheets query 298
- grain boundaries  
plagioclase 195–210
- grainstones 312–314, 317–319, 393,  
396, 398
- granite gneiss 110–112, 116–117,  
119–121
- granite-pegmatite dyke 109
- granulites 4, 35, 155, 165–168  
garnet clinopyroxene 6, 155–175
- Green Pool locality,  
Wadi Tayyin metamorphic sole 12,  
39, 49, 159–173
- greenschist  
overprinting amphibolites  
159–173
- greenschist facies 1, 4, 15, 33–36, 37,  
155–175
- Gubbat Hashish 32
- Gulaialah Formation 377
- Gulf of Aden 93–106, 361–365,  
369–372
- Gulf of Aqaba 361
- Guwayza Formation 11, 21, 32
- guyot
- Triassic seamount 20
- gypsum  
northern mountains 146–150
- Habshan (clastic) Formation 3, 11,  
378, 396, 434
- Hadash Formation 3, 280
- Hadbin leucocratic tonalite 109
- Hadhramaut Group 3
- Hafit Anticline 35, 58
- Hagab thrust 16, 21–22
- Hagil Window 16, 21
- Ha'il-Rutbah Arch 400
- Haima 2, 25, 31
- Haima Supergroup 31, 280, 282,  
377, 438
- Hajar Mountains, Barzaman  
Formation 343–360, 409  
digenesis samples 244
- Hajar Supergroup 130–132, 137,  
327–328
- Hajir Formation 280, 297
- Halal Formation  
lithostratigraphy 377
- halite *see* salt, evaporites
- Hall-Jauf Arch 367
- Hallstatt facies 49
- Haluf 93–94, 94
- Hamra Ad Dun Range 26
- Hamrat Duru Group  
continental rise 129  
imbricated pelagic limestones 21,  
131–36, 144–147  
nappe 131–36, 139, 143–150  
sub-ophillite metamorphic sole  
35, 139
- Hanifa Formation 3, 11, 377,  
395–396
- Haq al Quwasim  
clastic glacial inlier 296, 297
- Haradh Formation 3
- Harat Ash Sham volcanics *see* HASV
- Harshiyat Formation 305
- harzburgite 343–345, 355–358
- harzburgite, highly refractory *see*  
HRH
- harzburgite-dunite-plagioclase  
werhlite,  
Wadi Barghah 213–228
- harzburgites 12, 14–15, 21, 37–38  
chromites and melt transfer 12, 36,  
263–277
- mantle  
Fizh block 229–246
- harzburgites-dunite sequence  
metamorphic sole 155
- Hasheer Member, carbonates 304,  
307, 311–320
- Hasirah Formation 3
- HASV 61–88  
Moho 61
- Hatat Formation 280, 328
- Hatta half window 133–139,  
141–150
- Haudramaut Arch 367, 376, 378
- Haushi Group 2, 280, 377,  
398, 434
- Haushi-Hygf Arch 304
- Hawasima Ocean 129
- Hawasina  
nappes 2 thrust sheets 15, 25, 36,  
40, 129–134
- Hawasina Basin  
stratigraphy 11, 129–142
- Hawasina complex 19, 325–328
- Hawasina Window  
folding 12, 21–22, 37, 133–139,  
141–144, 156, 161
- Hawf 305
- Haybi  
half window 133–139
- Haybi complex 11, 129, 131–132,  
131–133, 143–150
- Haybi thrust sheet 13–15, 21, 24, 35,  
156, 158–160, 168–169,  
missing 40
- Haybi Volcanics 11, 16, 35
- Hayim Formation 280
- Hayl Al Ghafar village 248
- Haylat Quwasim 281
- Hayma Group 11
- Haymilyah area 213–214
- heavy oil 25, 30, 387, 397–399, 404
- Helmand block 45–59
- Hemitragus jayakari* reserve 13
- Hercynian Unconformity 3,  
368–369, 376
- Hess Deep  
Galapagos 274
- heterogeneity  
Syrian basalts 77–80
- high temperature granulites 35
- highly refractory harzburgite zone *see*  
HRH
- Hilti Massif 269
- Hinna Member, carbonate 305,  
309–311, 318–320
- Hirji Formation 328
- Hith Formation 377, 394, 399–400
- Hjar Supergroup 328

- Hofuf Formation  
lithostratigraphy 377
- Homs 74, 88
- Hormuz Salt Basin 366–369, 409
- Hormuz-Ara salt 31, 366
- hornblende gabbro  
Sadh complex 111, 113–17,  
119–22
- hornblende gneisses 110–113
- HRH zone  
Fizh block, melting 229–246
- Huqf-Haushi axis **402**
- Huqf  
rudist reefs 4, 27, 30–31
- Huqf Arch 367
- Huqf boulder beds 296–297
- Huqf escarpment  
alkaline laccoliths 3, 12, 28, 30
- Huqf Supergroup **280**–282, 377,  
390, 409
- Huwer-Fayyas Thrust Sheet 149
- Hyaena hyaena* 320
- hydrocarbon reservoirs  
structural styles 5, 409–455
- hydrous fluids, chromite 271–273
- IA 229–230
- Ibra region 1–4, 13, 130, 331–330,  
335–340
- Idd el Shargi 395, 397
- iddingsite-olivine 77
- Idhen **346**–347
- imbrication 146, 159–164
- Indian plate 303
- Infracambrian system 366–369
- initial arc magmatism  
evolution 177–193
- integrated models  
faults 447–460
- Interior Fold Belt 375–376
- Interior Sag 370–375
- intermediate gneisses  
Sadh complex 111, 113–117,  
119–122
- International Ocean Drilling  
Project 13
- interstitial orthopyroxene 199–200
- inversion method, Pn-velocity 45–60
- Iran, Central microplate, lithography  
cold stable 46–58
- Iran salt 363
- ironstone 285–286, 290, 290–293
- Island Arc *see* IA
- isoclinal folds 169
- isotopic data  
Neoproterozoic 107–27
- Izhara Formation 377
- Izu-Bonin-Mariana Forearc 177
- Ja'alan 327
- Jabal Al Machta 74
- Jabal Al-Saidah 74
- Jabal Dahq O'Tin 307
- Jabal Qamar 304
- Jabal Quimah 138
- Jabel Al Arab mountains 62–63
- jacupirangite 35
- jadeite 163, 207
- Jafnyan Formation 330
- Jafr Basin 367
- Jalan faults 58
- Jambur Field 397
- Jauf to Saq 377
- Jawl-Marib Graben 367
- Jazirat Muscat 37–38
- Jebel Hafit 14
- Jebel Akhbar 326
- Jebel Al Qamar and Rakhyut:  
Mughsayl seacliffs (29)  
15, 34
- Jebel Al-Akhdar 4, 9, 37, 156  
WHS GeoPark 12–15, 17–23, 40
- Jebel Ali 345
- Jebel Awaynah 131, 142
- Jebel Fahud  
anticline 14, 25–26, 29
- Jebel Ghawi 134
- Jebel Ghawil exotics 14, 27, 36, 144
- Jebel Hafit fold and anticline 14, 36,  
140, 144
- Jebel Hagab 22
- Jebel Ja'alan 327
- Jebel Ja'alan basement 40  
Haushi-Huqf uplift 11–12, 40
- Jebel Ja'alan gneisses 2, 30, 107
- Jebel Jizzi 144
- Jebel Khubayb 144
- Jebel Kwar exotics 12, 21–22, 23
- Jebel Madmar 16–17
- Jebel Malaqat 144
- Jebel Mawq  
fold thrust 12, 37
- Jebel Milh  
Hawasina Window 12, 22,  
25, 149
- Jebel Misfah 19, 25
- Jebel Misht 12, 20–21
- Jebel Nakhil  
culmination 326–329, 336–338
- Jebel Qamar 305
- Jebel Qumayrah, Asjudi 16, 36,  
143–150
- Jebel Rais  
deep fold thrust 12, 37
- Jebel Rastun  
fold thrust 12, 36
- Jebel Rawdah 138–139, 326–327
- Jebel Safra 150
- Jebel Saiwan 30  
rudist reef 30
- Jebel Saiwan, Haqf reef 2, 30–31
- Jebel Sanham  
Palaeogene limestones 13, 13,  
33, 304
- Jebel Shams 13, 15, 17
- Jebel Sumeini 4, 129–136, 143–150
- Jebel Sumeini north 12, 24, 27
- Jebel Tuwaig 401
- Jebel Wahrah 150
- Jebel Wasa 134
- Jebel Wasia Formation 11
- Jeble Qara 305
- Jeza-Qamar basin 303–324
- Jilh Formation 3, 377, 393
- Jissa 35
- Jubailah Formation 3, 11, 377, 393
- Jufa 304
- Juffa complex 108, 108–110,  
124–125
- Juzor Al Hallarkyyat 2
- K–Ar dating  
ages 73–75  
methods 64–73
- Khabbaz 397
- kaersutite ultrabasics 35
- Kafron village 74
- Kahmah Group 5, 13, *see also*  
Thamama Group
- Kal'at Markab 74
- Karim Formation 3
- karst 38
- Kazkdumi Formation 396
- Kedreh **346**
- Kenya 102–103
- Khadrafi Member 305
- Khafji Formation 396
- Khafji-Safaniya Formation  
lithostratigraphy 377
- Kharaib Formation 3, 13, 305  
faulting 377, 452
- khareef* wind 33–34, 40
- Kharfot Formation  
304–305, 307
- Kharus Formation **280**, 328
- Khawr Rawri estuary 34
- Khida terrane 108, 110, 125
- Khufai Formation 30, **280**, 389
- Khuff Formation 3, 13, 262, **280**,  
377, 411  
and seals 399–401
- Khulan Formation 291
- Khurais 394
- Khursaniyah 394
- Khawr Ash Sharm 17, 22
- Khawr Ghubb 16
- Khawr Habalayn 16
- kimberlites 12, 39
- Kirkuk Group 398
- Kopah Dagh 46, 50
- Kufai Limestone  
Semail Ophiolite GeoPark  
11–13, 32
- Kuhfai Dome 12, 28
- Kuhfai Formation 3
- Kumzar village 20
- Kuria Muria (Al Halaniyat) Isles  
12, 40
- Kurra Chime 392–393
- Kuwait 305
- Kwar Group 129–134
- kyanite 164–168, 170

- Laffan Formation  
lithostratigraphy 377
- lamprophyre dykes, Boumethra-Al  
Ashkirah 12, 39  
Marbat Hills, greenschist 110
- Lasail unit  
pillow lavas 13, 155–156
- Last Glacial Maximum 31
- lateral migration 384, petroleum 5,  
361–409
- laterite 331, 335, 338
- Lau back-arc spreading centre  
177, 188
- lavas, pillow 15  
timing 186, 188, 190
- layered gabbros  
Wadi Barghah 215–216
- layered sheets 14
- Leckhwair Formation 11, 305
- Leger granite 109, 125
- Lekhwair, Formation (clastic) 3,  
377, 396  
High domain, structure 434–437,  
441–444
- Lekhwair Area 2
- leucogranite dykes 35, 110
- Levant Fracture System 379
- lherzolites  
Fizh block 230–231
- light oil 388, 404
- limestones  
reservoir modelling 447–458
- Limicolaria* 93–106
- lithostratigraphy,  
Oman 3, 14
- lithofacies  
Qahlah Formation 328–335
- lithology  
Qishn Formation carbonates  
310–319
- lithosphere-aesthenosphere  
and variance 268–275  
boundary Syria 61–65
- lithospheric decompression,  
HASV 85–88
- lithostratigraphic zones  
anisotropic Arabia-Zagros  
45–60
- Loftuisa*-bearing limestone 331–332,  
334, 336
- Lower Cretaceous, basin-filling  
303–324  
ophiolite 11
- Lut block  
overriding 3–59, 4, 45–59, 260
- LV2 lavas 178–180, 182–193
- Mabrouk Formation 3
- Machta Al-hello 15
- Madhah granulite sole 12, 35
- Madruj 15
- mafic crustal sources 254–5,  
257–258
- Mafraq Formation 3, 11
- magma ascent pathways *see* Sumeini  
Window
- magma genesis, Arabian Plate 61–91  
Syrian basalts 86–88
- magmatism  
and subduction 6–7, 129–53,  
155–75, 247–60  
initial arc evolution 177–93  
MTZ-VI 213–28  
Oman Ophiolite 4, 155–75,  
177–93
- magnesium enrichment 247–60
- magnesium silicates  
dissolution 343–58
- Magrin Sag 369–73, 374
- Mahall Formation 11
- Mahall laeucocratic Gnt-Bt gneisses  
108–109, 111, 123–125
- Mahatta Humaid Group 3
- Mahra region 304
- Mahwis 411
- Mai'adin Formation 280–281
- Majlis al-Jinn cave 2, 12, 21, 26
- Makarem High domain  
structure 426–429, 441–444
- Makhazinas 281
- Makhibyiah  
shear zone dykes 266–275
- Makran, *see also* Eastern, Western  
Makran  
subduction zone 4, 45–60
- Makulla Formation 305, 318
- Manifa zone 394
- Manta birostris* 17
- mantle  
composition sources 254–259  
crystal evolution 5, 12, 45–60,  
247–262  
upper 4, 45–60  
upwelling 214
- mantle and crust 35
- mantle harzburgites 36
- mantle lithology  
velocity,  
and temperature 45–60
- mantle plumes 62
- mantle remelting theory 213
- mantle rheology 46–59
- mantle velocities  
Eastern Makran 45–60  
Western Makran 45–60
- Maqsad diapir 264–266
- Maradi Fault 58, 434–437
- Marbat  
granodiorite 108–109, 110,  
116–120, 123–127  
Neoproterozoic evolution 2, 12, 40,  
108–128  
palaeohigh carbonates 5, 39,  
303–324
- Marbat Hills  
evolution ages 108–128
- Marbat palaeohigh basin margin  
303–324
- Marbat plains Proterozoic basement  
and coastal marine 15, 34,  
40, 304–307, 378
- Marbat region nappe  
*see also* Salalah area
- Marble Mountain 158, 162
- Margan Field 397
- Margin Sag (3) 374
- Margin-interior Sag (4) 374, 377
- Mariana 177, 189
- Ma'rib-Hajar Basin 304
- marls 344
- Marmul Field 397
- Marrat An Numan 74
- Marrat Formation 377, 393
- Masafi region 157
- Masila Basin 318
- Masirah Bay Formation 3, 280
- Masirah Island Ophiolite 2, 12, 32
- Masirah Transfer Fault 362
- Masirah Trough 2, 304
- Matbat Formation 132, 133
- maturation variation 380
- Mauddud Formation 397–398  
lithostratigraphy 377
- Mawat ophiolite 397
- Mediterranean rifting 368–369
- Megalodon* sp. 35
- melange  
ophiolite base 36
- melt depletion  
obduction 5, 229–246
- melt transfer  
harzburgite 5, 263–278
- melting  
flux 195–210, 229–246  
oceanic mantle 229–246  
tholeiitic-boninitic 179, 189–190  
lithospheric mantle, HRH, Fizh  
block 229–246  
north and Central Oman 57–59  
partial 4, 11, 195–210
- Mercolli locations 108, 109
- Mesozoic compressive structures  
411, 412
- meta-basic eclogite basalt sills *see* As  
Sifah
- meta-chert 161–162
- metamorphic sole 1, 15,  
129–131, 230  
and obduction processes 155–173  
temperatures 163–173
- metamorphism, retrogressive  
159–164  
timing, amphibolite 40
- metasomatized garnet peridotite  
mantle source 81
- metasomatism in ascent 40
- metasomatic fluids 158–173
- Mid-Ocean Ridge *see* MOR
- Mid-Ocean-Ridge Basalt 213
- migration, oil 376–400, 401, 404  
petroleum 5, 361–408
- Minjur Formation 3, 377

- Miocene collisions 62  
 Miqrat/Mahwis Formation 3  
 Mirbat 2  
 Mirbat Group 306  
 Misfar Group 3, 13, 395  
 Mishrif Formation lithostratigraphy 377, 398  
 Mistal Formation 328  
 Moho 14, 36, 155, 229–230  
   HASV 61  
 Moho Transition Zone, Wadi Barghah 213–225, *see also* MTZ  
 MOIB 155  
 molluscs, non-marine and upift 93–106  
 MOR 263–278, *see also* Mid-Ocean Ridge  
 Mqam Formation 11  
 MTZ chromites 263–278  
 MTZ-VI magmatism 213–228  
 Muaydin Formation 328  
 Muhayil granite 110  
 Murbat Group 304, 306  
 Murray Fault Zone 46–56, 258  
 Musandam  
   Hajar supergroup 130  
 Musandam Peninsula, WHS, Geopark and Marine Park 2, 4, 12–13, 15–16, 19–20, 40, 50–54, 156  
 Muscat Island 2, 12, 38  
 Muscat-Ibra transect 1–2  
 Muti Formation 11, 327  
 mylonites 15  
   Fizh block 230  
   Wadi Zabin 230–232  
 Nabitah 108  
 Nafun Group 3, 434–437  
 Nahr Umr Formation 3, 305, 377, 396–397, 400, 411, 449–452  
   oil seeps 28  
 Najd Fault System 363, 364–368, 376  
 Nakhl-Rustaq block 37  
 nappe stacking 2, 129–132, 325–328, 373  
 nappes 2, 36, 40  
   Semail 4, 325–338  
 Natih Formation 3, 14, 25, 305, 377, 398, 411, 447–456, 458  
 Natih Uma Formation  
   faults 3, 11, 16  
 Nayid Formation  
   shelf edge limestones 11, 21, 37, 132  
 Neo-Tethys Ocean 45, 379  
 Neogene  
   alkaline and subalkaline basalts, Syria 68–73  
 Neogene Sediments 345  
 Neoproterozoic, ages, evolution 107–127  
   diachronous collision Africa-Nubian shield 107, 110  
   evolution, Marbat 107–127  
   isotopic data 107–127  
   Marbat Hills ages 107–127  
   rhyolitic volcanics 31  
 Neotethys  
   rift shoulder 279–310  
 Neotethys Ocean 303, 366, 368–371, 379  
   subduction 45–58, 62  
 Nimr Field 399  
 Nimr Group 3, 31, 411  
 Nizwa 130  
 nodules  
   cauliflower 352, 353  
 North Haudramout Arch 304, 318  
 Northern Arabian Plate  
   tectonic styles 61–91  
 Northern Iraq and Iran 384  
 Northern Oman Mountains, Foreland and wedge 139–150  
   structure 129–153  
 Nubian Shield 108  
 Nubian–Arabian Shield 379  
 obduction 369, 371–372  
   melt depletion 5, 35, 229–246  
   harzburgites 5, 35, 229–246, 263–277  
   Oman Ophiolite 4, 129–153  
   Semail Ophiolite 129–132, 170, 325–341  
 obduction processes  
   metamorphic sole 4, 17–21, 35, 155–175  
 ocean islands ultrabasics 36  
 oceanic crust, new 367  
 oceanic lithosphere  
   Eastern Makran 57–59  
 oceanic mantle  
   flux melting 229–246  
 Ohawar Axis 367  
 oil  
   *see also* heavy oil, light oil  
 oil and gas fields (representative)  
   reserves 363–366  
 oil migration 387–399  
 oil quality, reservoirs 390–399  
 PrePermian 390–392  
 Triassic 392–392  
 Jurassic 393–395  
 Cretaceous 395–398  
 Tertiary 398–399  
 oil-fields  
   distribution and characteristics 379–384  
 Oligocene, Late  
   Red Sea Rift 61  
   Unconformity 3  
   uplift African non-marine snails 93–106  
 olivine gabbro melting  
   water-rich fluids 4, 195–212  
 olivines  
   Fo levels, wehrlites 226  
 olvine-clinopyroxene peridotite *see* wehrlite  
 Oman exotics 12, 20–21  
 Oman Mountains 367  
   Geoparks 12, 16–34  
 Oman Ophiolite, age 11, arc stage 2, 177–193  
   emplacement 57, 213–228  
   section 14, 35–36  
   *see also* Fizh block partial melting, wehrlitic intrusion, harzburgite, plagiogranites, chromites, Semail Ophiolite  
 Oman Region 377  
 opening, Red Sea 61, 93–106  
 ophiolite  
   emplacement 36  
   exposures 31–35  
   Pn velocities maps 46–56  
   section Wadi Abiad 36–37  
 ophiolites  
   erosion and deposition 343–360  
   obduction processes 57, 155–175  
 ophiolitic melange  
   Asjudi 36  
 Orbitolina 397–399  
 orbitolinids, Qishn Formation 308–310, 312–315, 318  
 Ornach-Nal fault zone 46  
 orthopyroxenite 230  
*Oryz leucoryx* reserve 9, 40  
 overprinting 246  
 Owen Fracture Zone 361–362, 367  
 Pabdeh Basin 129–132, 377, 399  
 packstones 312–314, 317–319, 393, 395, 396–398  
 pahoehoe LV2 lavas 178–181  
 Palaeogene  
   molluscs 22, 93–106  
   volcanism and mantle anisotropy 45–60  
 Palaeothethys carbonates 370  
 Palaeozoic structures  
   salt down-load and rifting 411  
 paleo-ridge axis variability, partial melting 229  
 palaeohigh carbonates  
   Marbat 5, 303–323  
 Palmyride fold belt 61–65, 88  
   inverted rift 62, 63–64  
 palygorskite/sepiolite mudstone 351–358  
 palynomorphs  
   Australian 288–291  
   Permo-Carboniferous 280, 282–297  
*Panthera pardus* 11, 17, 33

- paragenesis  
late, in amphiboles 195–212
- partial melting  
chromitic pods 263–277  
crustal evolution 254–255,  
256–258  
Fizh block and TTG 195–212  
initial arc 177–193  
oceanic spreading centre gabbro  
195–210  
paleo-ridge axis variability 229  
Syria 61, 80–86, 88
- pelagic sediments 15
- peloidal–oolitic packstone  
393–395, 398
- peridotite, garnet and spinel 26,  
230–243
- peridotites-gabbro 14, 35,  
157–161, 213
- Permian  
Gharif Sandstone 292, 293  
Late 20, 46, 159, 294, 370, 371,  
388, 389  
Khuff Formation **280**, 392, 389,  
391
- Permian Limestone,  
Wadi Barr Kharus,  
Sayq Formation 13–15
- Permian, Middle,  
unconformity 13, 17
- Permian sheet carbonates 13
- Permo-Triassic, Saih Hatat Bowl  
18, 23
- petroleum systems 5, 361–407  
petrology 4, 177–273  
PGE 230  
*Phaethon aethereus* 37  
*Pila* freshwater sp. 93–106  
pillow lavas 13, 33  
initial arc, LV2 178, 179–190  
Lasail unit 13, 155–6, 170
- plagioclase  
grain boundaries 195–210  
secondary Sr ratio 201–210
- plagiogranites  
Oman Ophilitite 4, 247–261
- plate boundaries 155, 379  
anomalies 55, 56–59  
Arabian-Eurasia 45–60
- plate separation  
rate 62
- platinum group of elements  
*see* PGE
- Pn velocity anomaly 2, 4, 45–60
- polo chromite 36, 36
- porosity and permeability 393–399  
*passim*
- porphyroclastic microstructures 230
- post obduction 325–340
- post-obduction uplift  
deposition 325–340
- post-uplift Zagros orogeny 325–341,  
343–360
- Precambrian structures 409–411
- pressure  
granulites 165–168
- prophyroclastic structure 230  
*Prosopis cineraria* 28  
*Pseudoglessula* 93–106
- Qahlah Formation 5, 143, 325–339  
clast composition 336–336  
depositional troughs 335–344,  
338–340  
lithofacies 328–335
- Qahlat Formation 143
- Qalhat 314, 325, 335–336, 336–338
- Qamar Group 305
- Qantab village 38
- Qarat al Milh: Qarat Kibrit salt domes  
12, 31
- Qarat Kibrit, salt domes 12, 31
- Qarn Alam field 30
- Qarn Mahatta Humaid  
mesa and cuesta 31
- Qarn Sahmah  
boulder beds 296–298  
salt dome 2, 30–31, 281, 282
- Qasion Mountain 63
- Qatar 282, 377
- Qatar-Fars Arch 367
- Qishn Formation and sea levels 321  
biostratigraphy 321  
coastal variation 303–324  
conglomerates and carbonates  
303–324  
Dhofar 5, 303–324
- Qishn-Kharfot unconformity 321
- Qitqawt Formation 304–305
- Qualhat 327
- Qualhat fault 56, 107
- Quara Mountains 2
- quartzite boudins 161–62, 168
- Quasaro depression 65
- Quiescent Period 373, 376
- Qulat al-Hosen 73
- Qulqula ophiolite 397
- Qumayrah Group 11, 36,  
143–150
- Quriat 37
- Radhuma Formation 406
- radiolarian spores 179, 373
- Rahab Shale, varves 282
- Rakhyut 305
- Ramlat Barik, Rub al Khali National  
Park, dunes 12, 30, 31
- Ramlat Fasad and Wadi Mitam,  
Dhofar barchan dunes  
13, 35
- ramp 376, 457
- Ras Ruways 26
- Rare Earth elements patterns 75
- Ras al Hamra 26, 37
- Ras al Jinz 9
- Ras al Khaimah 18
- Ras Hallah 22, 23
- Ras Jibsch 26
- Ras Jibsh ophiolite 12, 32
- Ras Jinz 40
- Ras Madrasah  
headland basement 32  
ophiolite 32, 32
- Ras Masirah ophiolite 12, 32
- Ras Sharwayn 304
- Rawdah 325, 326, 327
- Rayda Formation 1, 3, 377
- Red Sea  
opening 44, 61–88, 93–106,  
361–363, 371–372
- REE content  
plagiogranites 248, 251–260
- reef fossils 38
- Reefal limestone 17, 32, 395
- reserves **363–366**
- reservoir modelling 5, 447–460  
limestones 447–458
- Reservoir Rocks **382**, 390–399, 404
- reservoirs  
Central Oman High domain  
419–421  
Ghaba salt domain 421–426  
in Oman, structural styles 409–445
- Rhinodon typus* 16
- rhyolites 32
- ridge-spreading 4–5, 15, 32,  
129–446, 213, 263–275
- Risha Basin 367
- Rodina  
break-up 107, 127
- rotational tectonics 86–108
- Rub-Al-Khali Basin 24, 31–32,  
34–35, 304, 364, 401
- rudists 4, 21, 29, 30, 375, 396–398
- rudstones 309, 309, 321
- Rumailia Formation  
lithostratigraphy 377
- Rus Formation 3, 345, 377
- Rusayl 325–326, 331–342, 335–338
- Rutbah uplift 62
- Sabkha, Umm al-Sammim 28,  
*see also* Bar al-Hikman
- Sadh 304, 305  
calc-alkaline gneiss complex  
107–114, 116–117,  
120–127
- Safaniyah Formation 397
- Safiq Formation 394
- Safiq Group 3
- Saharonim Formation 394
- Sahmah Formation 3
- Sahtan 'bowl' 15, 19
- Sahtan Group 3, 13
- Saih Hatat 17–20, 23, 281, 297, 325,  
326  
dome, 326, 327–328
- Saih Nihayda field 31
- Saih Rawl Field 394
- Saiq Formation 11, 17–18, **280**–291
- Saiq Plateau 14
- Saiwan 26, 28



- Salahi (Hilti) mantle section  
213–228, 230
- Salakh Arch 326
- Salalah 2, 305
- Salil Formation 3, 11, 378
- salinity in diagenesis 356
- Salmah Formation 3
- Salmah Plateau caves 21
- salt, domain structures 30–34,  
412–419, 421–430
- Palaeozoic rifting and  
structures 411
- structures 400–404  
*see also* evaporites
- salt-dome province 31, 401
- Samham Formation 308–309
- Samoan mantle plume 177
- Sanandaj Sirjan microplate, cold  
stability 45–59
- sandbox integrated fault models  
447–460
- Sarfait Member 305
- Sarvak Formation 396
- Say'un Massila Basin 304
- sea levels 371, 376
- Qishn Formation 318–322
- sea-floor spreading 370–372
- seals *see* Cap Rocks
- seamounts 15
- sedimentary and Hydrocarbon  
systems 5, 279–462
- Semail Ophiolite 155–175
- emplacement 36, 325
- foreland basin 325–338
- structure 129–153
- WHS 2, 4, 10–13, 16, 25, 37, 39  
*see also* Oman Ophiolite
- Semail thrust plane 14, 25, 37,  
133–137, 138, 158,  
159–173
- sequestration, carbon in ultramafics 1,  
343–360
- serpentine 231
- serpentinite matrix 36, 130–133
- serpentinization 1, 343–360
- Shaat dyke 110, 125
- Shab Nakhad 281
- Shabon Member 305–309, 318,  
319, 321
- lithofacies Lf-S1–5,  
304–307, 308
- Shabwa Graben 364
- shamal 31
- Shammar Shale 437
- Sharwayn Formation 304–305
- shear zone
- Wadi Ramjmi 230–231,  
268–269
- Wadi Zabin 230–231
- shear zones
- mantle 266–268
- sheath folds 18, 23–25
- sheet flows
- lobate 179–180, 181, 190
- sheeted dykes
- and water-rich fluid migration  
195–212
- complex 13–14, 15, 32–41, 215
- shelf carbonates 385–400, 405
- Jebel Ja'alan 14, 40
- missing 146
- Musandaum 15–16, 17, 20
- Wadi Mu'aydeem 14, 15
- shelf slope
- stratigraphy 11, 373
- shelf stability 370–372, 401
- Shiba Ridge 367
- Shilaif Formation
- lithostratigraphy 377
- Shinas 12
- Shisur 34
- Shiyah gorge 157–162
- Shu'aiba Formation (clastic) 5, 13,  
305, 313, 377
- structures 398–400, 411, 434,  
435–437, 449, 450–454
- Shuram Formation 5, 30, 280
- Shuwaymyah 305
- Sidr Formation 132
- Sidh banded gneises 109
- Sid'r Formation 13, 143
- Sifah eclogites 3
- Siji 346
- silica geodes 34
- silicified serpentine 347–349
- SIMS (secondary ion mass  
spectrometry) 107
- Sint syncline peridotites 21
- Simsima Formation 3, 21, 305, 336,  
337–338, 345, 377
- Sistan suture zone 45–59
- Sites of Special Scientific Interest  
35–40
- Sith Nihayda Formation 3
- Saiwan well site 28
- Skolithos 294
- smectite 349
- snails 22, 27, 93–106
- non-marine species 104
- Snake Canyon 15,  
*see also* Wadi Bimmah
- Sohar 3, 12
- source rocks 379, 380, 384–390, 404
- South Oman Salt Basin 2, 281–290,  
397–400, domain, struc-  
tures 410, 412–419, 435
- South Oman Sedimentary Basin 304
- southern Oman Mountains
- Geoparks 15
- spinel, chromite *see* chromite spinel,  
variance 230, 266–71
- sponges 38
- spreading axis-subduction/ridge  
debate 229–230
- spreading centres
- grain boundaries 195–212
- spreading ridge
- fore-arc basalt 177–9, 187–190
- spreading surfaces 156
- spreading-compressing  
tectonic inversion 226–227
- stacking thrust sheets 130–134
- Stenella longirostris* 37
- Straits of Hormuz 16, 22
- stratigraphy
- Hawasina Basin 13
- Haybi Tranch 13
- Shelf Slope 11
- stress regimes 434
- striated glacial pavement 30
- strike-slip faults 57, 62, 377,  
434–437
- stringers 392
- stromatolites 27, 31, 32
- structural control
- chromite deposits 263–274
- structural styles
- carbonate rocks 5, 409–455
- reservoirs in Oman 409–445
- structure
- Fahud Salt Basin domain  
429–434, 435
- Lekhwair High domain 434–437
- Makarem high domain 426–429
- metamorphic sole 14, 129–153
- northern Oman Mountains  
129–153
- structures
- accretion 409–411
- subduction 4–5, 21, 129–153,  
155–175, 247–260, 370
- Alley unit 213
- and magmatism 4–5, 129–153,  
155–175, 247–260
- and spreading axis/ridge debate  
229–230
- Eastern Makran 57–59
- Semail Ophiolite 129–153,  
155–175
- Wadi Bidi LV2 wedge 179–180,  
188–190
- subduction zone
- fractionation 156
- Sudair Formation 3, 378
- Sulayy Formation 378
- sulphur 35, 390
- Sumeinah (Aruma) basin 129–134
- Sumeini Group 11, 21, 129–134
- Sumeini half window 133–135,  
138–139
- Sumeini Window
- Banded Ultramafic Unit 130,  
131–141, 159, 161–162
- metamorphic sole 14, 24, 27, 34,  
129–153, 155–162
- Sumeniah anticline 58, 134–139
- Sumer Fault 149
- Sumer-Milh Thrust Sheet 149
- Suneinah (Aruma) foreland basin 139
- supersaturation 356–358
- supra-subduction 4, 15,  
155–175, 263

- Sur 39, 58, 321–328  
 surface area in diagenesis 356  
 suture lines  
   anomalies 46–56  
 Syria  
   tectonics 61–88  
 Syrian Arc 63  
 Syrian basalts  
   crustal contamination 77–80  
   extension 86–88  
   fractional crystallization  
     77–79, 80  
   heterogeneity 77–10  
   partial melting 80–86  
   tectonic controls 86–88  
 Syrian graben and basin 367
- Tabuk Basin 367, 400  
 Tabut Formation 305  
 Taqa Formation 3  
 Taqah 305, *see also* Wadi Darbat  
 tar 392  
 Taurus-Zagros Crush Zone 6, 361,  
   367, 369, 370–371  
 Tawi Atair sinkhole birds  
   blind fish 13, 34  
 Tawny Dolomite 280  
 Tayin valley, floods 39  
 tectonic  
   controls Syrian basalts 86–88  
   inversion, precession-spreading  
     226–227  
   setting, tial arc constraints  
     177–193  
   styles, northern Arabian Plate  
     61–91  
 tectonics 2, 4, 45–175  
 Tel Kaokab 76  
 temperature  
   digenesis ultramafics 355  
   metamorphic sole 163–173  
   shearing 199  
 terrane boundaries 58  
 terrestrial fossils 333  
 Tethyan ocean 371, 373–377  
   island below Semail Ophiolite  
     20, 36  
 3D fault models 447–460  
 Thamama Group 139, 396, *see also*  
   Kahmah Group  
 Thammama and Shu'aiba  
   Formations 20  
 Thammama Formation 305  
 Thaytiniti 93  
 thrombolites 31  
 thrust slices 371  
 thrust stack 129–153  
 thrusts  
   Musandam 20  
 Thuqbah 214–226  
 tills 30  
 tilting  
   Tertiary 16  
 Tithonian Unconformity 3
- Tiwi village 39  
 tomography inversion and anomalies  
   49–55  
 Tonalite Group 109–110  
 Tonalite-Trondhjemite-Granodiorite  
   *see* TTG  
 Tonga Ridge 177, 188  
 trace elements  
   continental crust 259  
 transition  
   gabbro-sheeted dykes, fluid  
     migration 195–210  
 transpressional faults 58, 62  
   reactivated, Cenozoic 411, 412  
 transtensional regime 434–437  
 Traps 397, 400–404  
 travertine veins 356  
 tree trunks  
   Permian 28, 30  
 Trench 15, 20  
 Triassic fields  
   dolomite 392–393  
 trondhjemites 195  
   U-Pb dating 11, 15, 156–157  
*Tropidophera* sp. 93–105  
 TTG 247–248  
 Turonian Unconformity 3  
*Turstopis truncatus* 37  
 Tuwaig Mountains 3, 377
- U-Pb zircon, ages, initial arc 179  
   dating 11, 12, 17, 39, 40  
   Marbat Hills 107–127  
   metamorphic sole 169–173  
 UAE 377  
   carbon dioxide sequestration  
     343–360  
 Ubar lost city 35  
 ultramafic hydration 343–360  
 ultramafics 28, 35  
 Umbaranf Member 305  
 Umm al-Sammim sabkha 12, 25  
 Umm er Radhuma Formation 3, 25,  
   143, 377  
   aquifer 28, 29  
 Umr Group 129–134  
 Unayzah Formation 377  
 Unayzah glacio-fluvial 297–298  
 Unconformities 3, 21, 139, 143, 144,  
   320–322, 411  
 United Arab Emirates *see* UAE  
 unsaturated vadose 354–355  
 Uwainat Member 395  
 upper mantle 13  
 Uthmaniyah Field 394
- V/Ni 380  
 V1 lavas 178, 225  
 V2 lavas 178, 180–185, 213, 225  
 V3 188–190, 213  
 volcanics  
   Haybi OIB 11  
 volcanism, alkaline  
   north Oman 57–59  
   evolution of initial arc 177–193  
   Oman Ophiolite 11, 177–193
- wackestones 312–313, 314, 317, 390  
 Wadi Abiad  
   ophiolite section 37  
 Wadi Ahin 13–14, 16, 36  
 Wadi Ajiran 136  
 Wadi Abyad 36–37  
 Wadi al Arabiyin  
   clastics 281, 294, 295  
 Wadi al Ayn 19, 25  
 Wadi al Fay 138  
 Wadi Al Jizzi 21–22, 16, 43–44  
 Wadi Al Khlata glacial deposits 14,  
   28, 30  
 Wadi Amdeh 279, 281, 293–297  
 Wadi Andan 26–27  
 Wadi ath Thuqbah 189  
 Wadi Bani Awf 15–16, 17  
 Wadi Bani Khalid 22, 428  
 Wadi Bani Kharus 15  
 Wadi Bani Umayri 28  
 Wadi Barghah  
   harzburgite-dunite-plagioclase  
     wehrlite 213–228  
 Wadi Barghah to Salahi  
   wehrlitic intrusions 213–228  
 Wadi Barr Kharus  
   Sayq Formation  
 Wadi Bidi  
   magnetism and volcanism 4,  
     177–193  
 Wadi Bimmah 14, *see also* Snake  
   Canyon  
 Wadi Daiqa 279–299  
 Wadi Darbat 93–105  
   non-marine molluscs 93–105  
 Wadi Darbat travertine waterfall  
   birds 13, 34  
 Wadi Daykah shelf carbonates 39  
 Wadi Fatah 147  
 Wadi Hajir 15  
 Wadi Halfayn 28  
 Wadi Hamiliya  
   dykes 249–259  
 Wadi Hatta 129–132, 135, 136  
 Wadi Hedk 15  
 Wadi Hilti 178, 179  
 Wadi Jizzi 4, 13, 16, 36, 189  
 Wadi Khubayb 129–132,  
   134–135  
 Wadi Ma'aidin 279, 281  
 Wadi Makhibiyah shear zone diapirs  
   and dykes 267–268  
 Wadi Mayh sheath folds 4, 12, 20,  
   23–24  
 Wadi Mijlas 281, 297  
 Wadi Milh 149  
 Wadi Mistal 13, 17  
 Wadi Mitan 34, 34  
 Wadi Mu'aydeem  
   shelf carbonates 12–15  
 Wadi Nakhr 13, 17

- Wadi Rajimi 195–210  
 ophiolite 35, 12, 36, 264–273  
 shear zone 230–231
- Wadi Rum 21
- Wadi Sahtan 13, 15
- Wadi Salahi 13, 35, 213–226
- Wadi Sarhan 63, 65
- Wadi Serin 11, 40
- Wadi Shiyah 134
- Wadi Shukayah 147
- Wadi Shuram giant stromatolites  
 12, 27
- Wadi Shuwaymiyah 13, 32
- Wadi Siderat 143, 147
- Wadi Tanuf 13, 17
- Wadi Tayyin 11, 155–175,  
 265–266  
 metamorphic sole, Green Pool 12,  
 39, 49, 157, 159–173
- Wadi Umayri 28
- Wadi Wasa 134
- Wadi Zabin  
 mylonites 228  
 shear zone 230–232
- Wadi-Lisail Salt Centre 149
- Wadis Sumer 149
- Wafra Field 398
- Wahiba sands 23–25
- Wahiba Sands (Al Sharquiya Sands)  
 12, 23, 26–28, 29
- Wahrah Formation 11, 39  
 Al Asseelah Beach pipe 39
- Wasia Group 3, 25, 139, 305, 377
- water-rich fluids  
 olivine gabbro melting 4, 195–210
- water-rich fluids migration  
 oceanic gabbro 195–210
- water-rich gabbro reaction 195–197
- wehrlitic intrusions  
 Wadi Barghah to Salahi 4–5,  
 14–15, 35, 37, 213–228  
 composition 216–225  
 depletion 225–227  
 diapir 225–227
- Western arc terranes 108, 110
- Western Deformation Front 4,  
 434–437
- Western Makran  
 hot mantle collision 57
- western margin 4, 61–91, 93–105
- whaleback 35
- wild life 9, 11, 17, 33–37
- Wiyah Basin 367, 400
- World Heritage Sites 9–16, 40
- xenoliths 61
- Yalooni Oryz reserve 9, 40
- Yamama Formation 396
- Yamama Formation 377
- Yankul Exotics 11
- Yasab 15
- Yemeni-Ethiopian flood basalt  
 plateau 61–63
- Yibal 24
- Yiti 37
- Zagros collision zones 4,  
 45–60, 129, 150,  
 366–371
- Zagros Fold Belt 36, 398–404
- Zagros orogeny 15, 325–341,  
 343–360, 361–367,  
 369–372
- Zalumah Formation 93–105
- Zendan Fault 362
- zircon analysis  
 Marbat Hills 107–127, *see also*  
 ages, U-Pb
- Zubair Shales 396
- Zulla Formation 11, 21, 26
- Zuluf Field 369