

Index

Page numbers in *italic* denote Figures. Page numbers in **bold** denote Tables.

- Abad Formation 84
Adelaide Fold and Thrust Belt 53, 54, 55
Adelaidean sediments 54, 55, 60, 61–62
Adelaidean unconformity 64
Alborán Basin 93
Alhama de Murcia Fault 79, 80, 94, 95
Alice Springs Orogeny 55, 56, 73
Alpujárride nappe 81, 82, 83
 displacement 93
amphibole, ⁴⁰Ar–³⁹Ar dating 85
Anayet Basin 101
 dykes 104–105
 geochemistry 105, **105**, 107
 U–Pb zircon SHRIMP dating 101, 103, 106, 107–109, 110
 geology 103–105
 Grey Unit 103, 108
 inversion tectonics 109–110
 Lower Red Unit 103, 108
 magmatism 103–105, 110
 Transition Unit 103, 108
 Upper Red Unit 103–104, 108
Andes *see* Central Andes; Precordillera, Andean
annealing, post-deformational 215
 numerical modelling 216
 halite 216, 218–229
 in situ experiments 224–226
 neighbourhood size 221, 223, 224
 parameter tests 219–224
 results 221–223
 relative activity of dislocations 220–221, 222
 rotation axis 221, 222, 224, 226
 types of dislocations 219–220
apatite, dating, Mt Painter inlier 59–60, 66–68, **69**, 73
Appin Quartzite 146, 147
 cathodoluminescence 148, 150, **151**, 152, 154, 161–162
 EPMA 151, 153–154, 156–157, 159, 160
 geospeedometry 155–160
 LA-ICP-MS 148, 150–151, **153**, 154, 160
 sampling 148
 SEM BSE Z-contrast imaging 148, 149, **150**
 titanium-in-quartz geothermometry 148–162
 ⁴⁰Ar–³⁹Ar dating, Cabo de Gata volcanic terrain 85, **86**, **87–89**, 90–91, 92
Azagador Formation 83, 84

Badules Unit 40, 48, 50
Ballachulish Igneous Complex
 aureole
 thermal conditions 146–147
 thermal modelling 156–160
 contact metamorphism 147
 geology 146, 147
 titanium-in-quartz geothermometry 148–162
 see also Appin Quartzite
Benquerencia, NW Spain, foliation refraction patterns 29, 31, 33

Betic Cordilleras 79
 internal zone 80, 81
Betic Movement Zone 81, 93, 95
biotite, Mt Painter inlier 58, 60
Brèche Rouge de Carboneras 92
breccia
 Carboneras Fault Zone 92
 Mt Painter inlier 56–57, 59
British Empire Granite 54, 55, 57, 65, 73
 thermochronology 66, **69**, **70–71**
buckle folds
 finite-element simulations 22–35
 comparison with natural folds 29–35
 divergent fan in matrix 23–25, 35
 method and model setup 22–23
 power-law viscous rheology 28–29, 34
 results 23–29
 strain orientation quantification 25–27
 varying viscosity ratios 27–28, 34
 Mt Painter inlier 60

Cabo de Gata volcanic terrain 79, 81
 age determination 85–86, 90–93
 ⁴⁰Ar–³⁹Ar dating 85, **86**, **87–89**, 90–91, 92
calcite
 intracrystalline plasticity
 Solnhofen limestone 168–185
 seismic wave propagation 173
 natural tectonites, crystallographic preferred orientation 181, 183
Caledonian Orogeny 146
Cándana Group 29
Cantabrian Zone 39, 40, 50
Carboneras Fault Zone 79–96
 age determination of volcanics 85–86, 90–93
 ⁴⁰Ar–³⁹Ar dating 85, **86**, **87–89**, 90–91, 92
 fault cores 84–85
 geology 81–85
 movement constraints 92–93
 subduction 94, 95
cathodoluminescence, Appin Quartzite 148, 150, **151**, 152, 154, 161–162
Cauterets-Panticosa batholith 102
 geology 103
Central Andes, cross-strike structures 113–124
Central Precordillera 114, 115
Cerro Negro de Iglesia 115, 117, 120
Cerveruela Fault 40, 45
Coulthard Suite 54, 55, 57
Crevillente Fault 80, 94, 95, 96
critical resolved shear stress (CRSS) 190, 206
cross-strike structures 113
 Andean Precordillera 114–124
 evolution 123–124
 and Miocene magmatism 120, 122–123
crystallite, slip 167–168
crystallization, latent heat of 133, 134

- crystallographic preferred orientation (CPO) 1, 4,
167–168, 190
effect of strain geometry 167–168, 181, 183
natural calcite tectonites 181, 183
Solnhofen limestone 170–171, 173, 174, 175, 185
and finite strain 177, 180
strain distribution 173–177
- Cuculí Formation 114, 116
- Curnamona Province 54, 55, 73
- dacite, Miocene
Pampa de Hualilán 114, 116, 117, 118
kinematic analysis 117–119
- Datos Thrust 40, 41, 43, 45, 46, 48–49, 50
- décollements, Herrera Unit 45, 48, 50
- deformation, recovery from 215–229
- Delamerian Orogeny 55
Mt Painter inlier 53, 56, 73
- diffusion with cooling
rutile-quartz interaction 155–156
modelling 156–160
- dilatation *see* shear zones, dilatational
- diopside-titanite veins
Mt Painter inlier 54
thermochronology 68, 69, 72, 73
- dislocation climb 218, 227, 228
- dislocation creep 210
- dislocation glide 190, 208–209, 227, 228, 229
- dislocation movement
long-range interaction between 216
post-deformational annealing 216, 218
conceptual model 218, 227–229
- dislocation separation 218, 229
- dislocations, primary and secondary 218
- displacement vectors 8–9
- duplex systems 39
Herrera Unit 45, 48, 49, 50
- dykes
andesitic
Cabo de Gato 81, 82, 83, 84, 86, 93
age 92
- diabase
Anayet Basin 101, 103, 104–105, 104
geochemistry 105, 105, 107
U-Pb SHRIMP dating 106, 107–109, 110
- diamictite
Mt Painter inlier 54, 56, 57, 58, 59
thermochronology 67, 69, 70–71, 73
Elba Island 131, 139
- earthquakes, Trans-Alborán shear zone 80
- Elba Island
geological setting 130–131
Monte Capanne pluton 129–141
tectonostratigraphic complexes 130–131
- electron back-scattered diffraction 190
Grt-Sil-Bt gneiss 192–193
post-deformational annealing 215–216, 217, 219
Solnhofen limestone 171, 174, 176, 177, 178, 179
- electron probe microanalysis (EPMA), Appin Quartzite
151, 153–154, 156–157, 159, 160
- Elle modelling platform 218, 219
- Eromanga Basin 54, 59, 68, 72, 73
- exhumation, Mt Painter inlier 64–68, 72–73
- extension
and magmatism
Carboneras Fault Zone 94
Elba 129, 131
- factorization 7
- fans *see* foliation fans
- fault gouges, Carboneras Fault Zone 84–85, 92, 93
- faulting
extensional, Trans-Alborán Fault System 80, 81
low angle normal, Monte Capanne pluton 139, 140
oblique-slip, Northern Flinders Ranges 55
transpressional, Carboneras Fault Zone 79, 84
- Feos Formation 84
- finite-element simulations
buckle folds 22–35
comparison with natural folds 29–35
convergent fan in folding layer 25
divergent fan in matrix 23–25, 35
method and model setup 22–23
power-law viscous rheology 28–29, 34
results 23–29
strain orientation quantification 25–27
varying viscosity ratios 27–28, 34
- fold axial planes 22, 25, 26, 35
Benquerencia outcrop 31, 33
natural and numerical data comparison 32
Portizuelo outcrops 30, 31, 32
- Fold Geometry Toolbox 35
- folding 1, 2
crustal-scale, Mt Painter inlier 53–74
Herrera Unit 43, 44, 49
Large Amplitude Folding theory 22
see also buckle folds
- foliation, as strain indicator 35
- foliation fans 21–22
convergent fans in folding layer 22, 24, 25
divergent fans in matrix 22, 23–25, 35
foliation refraction patterns 21–35
Benquerencia, NW Spain 29, 31, 33
natural folds 29–31
numerical folds 22–29
comparison with natural folds 32–35
Portizuelo, NW Spain 29–31, 32
- Fortuna Basin 94
- Foz-Tapia Anticline 29
- Frontal Cordillera 114, 115
- Gawler Craton 54, 55, 73
- geospeedometry, Appin Quartzite 155–160
- geothermometry
titanium-in-quartz 145–146
Appin Quartzite 148–162
- gneiss, Grt-Sil-Bt
crystallography and microstructure 198–199,
200–204
electron back-scattered diffraction 192–193
microstructure and phase relationships 193–196
mineral chemistry 196, 197, 198
sillimanite deformation mechanisms 190
thermobarometry 191–192, 198, 199
- goethite
Mt Painter inlier 56, 59
dating 59–60, 67, 69, 72

- grain boundaries 1, 3–4
 grain boundary migration 208–209
 grain boundary sliding 190, 208–210
 granite,
 Ballachulish Igneous Complex 146
 Mt Painter inlier 54, 55, 56, 57, 65
 granodiorite, Mt Painter inlier 54, 55, 56
 Great Glen Fault 146
 Gualilán Group 114, 116
- halite
 post-deformation recovery
 annealing experiments 216, 218–226
 conceptual model 226–229
 Hamilton Fault 54, 61–62, 72
 He dating *see* U-Th/He dating
 Herrera Thrust System 45, 47
 Herrera Unit, NE Spain 40–41
 deformation phases 49, 50
 folded Variscan thrusts 39–50
 macrostructure 41–43
 Lower Structural Level 43, 45
 mesostructure 43, 44, 45
 relationship with other Variscan areas 49–50
 stratigraphy 41
 tectonic evolution 47–49
 Upper Structural Level 45
 horst and graben, Mt Painter inlier 55, 59, 61–62, 72
 Hualilán, Argentina 114
 brittle-ductile shear zones 117–119, 122
 kinematic analysis 117–119
 magnetometry 119–120
 lithomagnetic domains 119–120, 121, 122
 magnetic lineaments 120, 121, 122
 source parameter imaging 119, 120, 122–123
 structure 115–117
 tectonic fabric analysis 114–117, 120, 122
 hydrothermal alteration, Mt Painter inlier 57–59, 73
- Iberian Chain
 folded Variscan thrusts 39–50
 geological setting 40–41, 42
 internal processes 1
- Jarque Thrust 40
 Jebha Fault 79, 95
 Jubilee Fault 54, 61–62, 72
- klippe, Herrera Unit 42–43, 45, 49
- La Serrata, uplift 92
 LA-ICP-MS, Appin Quartzite 148, 150–151, 153, 154, 160
 laccoliths, Elba Island 131
 Lachlan Fold Belt 56, 73
 Large Amplitude Folding theory 22
 lattice distortion, halite 216
 low-angle boundaries, halite, post-deformational
 annealing 216, 217, 218, 226, 227, 229
 Luarca Slates 29
- magmatism 2–3
 Anayet Basin 103–105, 110
- Elba Island
 and extensional tectonics 129, 131, 139, 140
 rheological model 134–139
 thermal model 132–134, 135
 Miocene, and cross-strike structures 120, 122–123
 Mt Painter inlier 54, 55–57
 magnetometry, Hualilán, Argentina 119–120
 Maláguide unit 85–86, 91
 mantle upwelling, Carboneras Fault Zone 93
 Marloes Sands, SW Wales, shear zone strain analysis
 12, 13–15, 16, 17–18
 Messinian, Carboneras Fault Zone
 movement constraints 92, 96
 sediments 84
 metamorphism
 Ballachulish Igneous Complex 147
 rutile-quartz diffusion 155–156
 Mt Painter inlier 62
 see also Appin Quartzite; Monte Capanne pluton, host
 rock metamorphism
 metapelite, Grt-Sil-Bt gneiss, sillimanite deformation
 mechanisms 189–210
 metasomatism, Mt Painter inlier 56–57
 mica schist, Carboneras Fault Zone 84–85, 92
 microstructure
 and post-deformational annealing 216–229
 and rheology 1, 3–4
 Midi d'Ossau volcanic complex 101, 102, 103, 110
 migmatite, Paralana Hot Springs 58, 60
 Miocene *see* dacite, Miocene, Pampa de Hualilán;
 magmatism, Miocene; Monte
 Capanne pluton
 Mohr's circle
 strain analysis 10–11, 17
 Marloes Sands 13, 14
 Mondoñedo nappe 29
 Monte Capanne Fault 131, 140
 Monte Capanne pluton 129, 131, 132, 141
 contact aureole 132, 139
 host rock metamorphism 132, 139
 rheological model 134–139
 tectonic evolution 139–141
 thermal model 132–134, 135
 monzogranite, Monte Capanne pluton 131, 132
 Moolawatana Suite 54, 55, 57
 Mt Gee Sinter 54, 58, 59, 65, 72
 thermochronology 67–68, 69, 70–71, 73
 Mt Oliphant Graben System 62, 68, 72
 phyllite 58, 63, 72
 Mt Painter inlier
 crustal-scale folding 53–74
 deformation history and reconstruction
 Mesoproterozoic 60–61
 Neoproterozoic 61–62
 Palaeozoic Era 62–64
 exhumation 64–68, 72–73
 geology 54, 55–59
 geothermal gradient 55, 56
 Palaeozoic magmatism and hydrothermal alteration
 55–59
 Proterozoic eon 55
 thermochronology 66–68, 69–71, 73
 mullite, slip systems 191, 192

- Narcea antiform 50
 Nekor Fault 79, 95
 Nevado-Filábride metamorphic rocks 81, 82, 83, 84, 85
 movement constraints 93
 Nimonic rig 171
 Northern Appenines 130–131
 Northern Flinders Ranges
 crustal-scale deformation 53, 73
 geology 54, 55–59
 Norwest Fault System 54, 55
- olivine, intracrystalline plasticity 167
 Ollo de Sapo Domain 50
 omphacite, intracrystalline plasticity 167
 Orano dykes 131, 140
 orogenic belts, deformation and tectonic structures 1, 2
- Palaeozoic, folding, Mt Painter inlier 53–74
 Palomares Fault 79, 80, 94, 95
 Pampa de Hualilán 114, 116
 cross-strike structures 120, 122
 Pampean flat-slab segment 113
 cross-strike structures 113–114
 geology 114, 115
 Pangaea 101
 Paralana Fault *sensu stricto* 62, 63
 Paralana Fault System 54, 55, 62, 63, 64, 72
 Paralana Hot Springs 54, 58, 60, 73
 parasitic folds 22
 passive line markers
 shear strain 9–10, 18–19
 algebraic solution 10, 13–14, 15–17, 18
 graphical solution 11–13
 Marloes Sands 13–15, 18
 Mohr circle solution 10–11
 Paterson rig 171
 pegmatites, Mt Painter inlier 54, 55, 56, 57, 58
 Peruvian flat-slab sector 113
 phyllites, Mt Painter inlier 58, 63, 72
 Pie de Palo Norte lineament 123
 plagioclase, intracrystalline plasticity 167
 plasticity, intracrystalline 167–168
 Solnhofen limestone 168–185
 experimental apparatus and procedure 171–173
 seismic properties 172–173, 177, 179, 183–185
 Pliocene sediments, Carboneras Fault Zone 84
 Portizuelo, NW Spain
 foliation refraction patterns 29–31
 fold axial planes 30, 32
 Porto Azzurro pluton 131, 139, 141
 position gradients tensor 8
 Precordillera, Andean 114, 115
 cross-strike structures 113–124
 tectonic fabric analysis 114–117, 120, 122
 pure shear 7
 Pyrenean Axial Zone 102
 geology 103–105
 Pyrenees
 Anayet Basin 101–110, 102
 Stephanian-Permian basins 101, 102
 Variscan Orogeny 103
- quartz *see* titanium-in-quartz geothermometry
 quartzite *see* Appin Quartzite
- Radium Creek Group 54, 55, 57
 ramps, oblique
 Herrera Unit 45, 47, 49
 Paralana Fault System 72
 recovery
 post-deformation 215–229
 conceptual model 226–229, 229–231
 halite experiments 216, 218–226
 recrystallization, post-deformation 215
 rheology
 metapelites, sillimanite deformation 189–210
 Monte Capanne pluton 129, 134–139
 power-law viscous 28–29
 roll-back subduction 94, 95
 rutile
 titanium-in-quartz geothermometry 145–146
 Appin Quartzite 153, 155, 160–161
- Sallent, Anayet Basin 101–110, 102
 geology 103–105
 Salvador Formation 82, 83, 84, 92
 San Juan Formation 114, 116
 SEM BSE Z-contrast imaging, Appin Quartzite
 148, 149, 150
 serpentinite, Monte Capanne pluton 137–138
 Serravallian-Tortonian
 Carboneras Fault Zone
 movement constraints 93
 sediments 82, 83, 84
 shale, Herrera Unit 41, 43, 45, 47, 49
 shear strain
 passive line markers 9–10, 18–19
 analysis 10–19
 see also pure shear; simple shear
 shear zones 1, 2
 brittle-ductile 117–119, 122, 123
 dilatational, strain analysis 7–19
 Marloes Sands, SW Wales 12, 13–15, 17–18
 Sierra Cabrera, uplift 84
 Sierra de la Invernada Formation 114, 116
 Sierra de la Mina 116–117
 Sierra Nevada-Sierra de Los Filabres metamorphic
 complex 93
 Sierras Pampeanas 114, 115
 sillimanite
 crystal structure 191, 192
 intracrystalline orientation 198–199,
 200–204
 metapelite rheology 189–210
 Mt Painter inlier 60
 slip systems 191, 192, 204–210
 simple shear 7, 8, 18
 slip planes, crystallite 167–168
 slip systems 190, 192
 post-deformation, halite 217–218
 sillimanite 204–207
 deformation mechanisms 207–209
 effect of grain orientation 209–210
 Solnhofen limestone
 crystallographic preferred orientation 173
 comparison with previous studies 179, 181
 EBSD 171, 174, 176, 177, 178, 179
 and finite strain 177, 180
 strain distribution 173–177

- plastic deformation 168–185
 - axisymmetric extension 173–174
 - axisymmetric shortening 175, 177, 178, 179, 182
 - direct shear 174–175, 176, 179, 182
 - experimental apparatus and procedure 171–173
 - seismic properties 172–173, 177, 179, 183–185
 - torsion test 174, 182
- source parameter imaging 119, 120, 122–123
- Stephanian-Permian
 - Pyrenean basins 101, 102, 103
 - inversion tectonics 101, 109–110
 - see also* Anayet Basin
- strain 1
 - finite
 - and boundary conditions 7–9
 - and CPO, Solnhofen limestone 177, 180
 - quantification 25–27
 - foliation as indicator of 35
 - quantification 1, 2, 25–27
 - strain analysis
 - passive line markers
 - algebraic solution 10, 13–14, 15–17, 18
 - graphical solution 11–13, 14
 - Marloes Sands 13–15, 17–18
 - Mohr circle solution 10–11, 13, 14, 17
- subduction, Carboneras Fault Zone 94, 95
- Talacasto lineament 123
- tectonites, natural calcite, CPO patterns 181, 183
- thermobarometry, Grt-Sil-Bt gneiss 191–192
- thermochronology, Mt Painter inlier 66–68, 69–71, 73
- thrusts
 - folded, Herrera Unit, NE Spain 39–50
 - emplacement 47–49
 - piggy-back 48
- titanite, FT analysis, Mt Painter inlier 59–60, 69, 72, 73
- titanium-in-quartz geothermometry 145–146
 - Appin Quartzite 148–162
- Tortonian
 - Carboneras Fault Zone
 - movement constraints 92–93, 96
 - sediments 82, 83, 84
- Trans-Alborán shear zone 79, 80
 - earthquakes 80
 - extensional faulting 80, 81, 94, 96
- Tucunuco Formation 114, 116
- Tummalik, Grt-Sil-Bt gneiss 190
- Tuscan Magmatic Province 129, 130, 132
- U-Pb SHRIMP dating, Anayet Basin 101, 103, 106, 107–109
- U-Th/He dating, Mt Painter Inlier 59–60, 66–72, 73
- Variscan Orogen
 - Herrera Unit
 - folded thrusts 39–50, 40
 - relationship with other areas 49–50
- Variscan Orogeny, Pyrenees 103
- volcanism
 - Cabo de Gata 81, 82
 - age determination 85–86, 90–93
 - ⁴⁰Ar-³⁹Ar dating 85, 86, 87–89, 90–91, 92
 - movement constraints 92–93
- Western Asturian-Leonese Zone (WALZ) 30, 39, 40, 50
 - foliation refraction patterns 29–35
- Western Caunterets pluton 102
- Yankaninna Anticline 54, 55, 57, 60–61, 62–64, 72
 - exhumation 64, 68, 73
- Yesares Formation 84
- zircon
 - U-Pb SHRIMP dating, Anayet Basin dykes 101, 103, 106, 107–109
 - U-Th/He dating, Mt Painter inlier 59–60, 67–68, 69
- Zuccale Fault 131, 140