

Index

Page numbers in *italic* denote Figures. Page numbers in **bold** denote Tables.

- Abanico extensional basin 2, 4, 68, 70, 71, 72, 420
basin width analogue modelling 4, 84, 95, 99
Abanico Formation 39, 40, 71, 163
accommodation systems tracts 226, 227, 228, 234, 235, 237
accretionary prism, Choapa Metamorphic Complex 20–21, 25
Aconcagua fold and thrust belt 18, 41, 69, 70, 72, 96, 97–98
deformation 74, 76
out-of-sequence structures 99–100
Aconcagua mountain 3, 40, 348, 349
landslides 7, 331, 332, 333, 346–365
as source of hummocky deposits 360–362
TCN ³⁶Cl dating 363
aeolian deposits, Frontal Cordillera piedmont 299, 302–303
Aetostreon 206, 207, 209, 212
aggradation 226, 227, 234, 326
cycles, Frontal Cordillera piedmont 296–300
Agrio fold and thrust belt 215, 216
Agrio Formation 133, 134, 147–148, 203, 205–213, 206
ammonoids 205, 206–211
stratigraphy 33, 205–211
Agua de la Mula Member 133, 134, 205, 211, 213
Agua de los Burros Fault 424, 435
Agua Dulce Metaturbidites 21, 23–24
Agua Las Muñeras Creek 248, 254, 255, 261
Agua Salada Volcanic Complex 32
Airy-Keiskanen compensation model 170, 171, 176, 177, 193
Ajial Formation 31
Alfalfal debris flow 338
Algarrobal Formation 27, 34
Algarroballo Pediplain 426, 428, 429, 430, 431–433
geochronology **434**, 435, 436–437
incision 440
uplift 438–439
alluvial fans 5, 38, 249, 274, 278, 279
Frontal Cordillera piedmont 296–300, 302–304
see also Regional Aggradational Plain (RAP)
Almacenes lateral moraine 354, 355
Alojamiento Fault 273, 274, 275, 277
Alto del Tigre High 28, 32
Alto Tunuyán basin 72–73, 74, 75
Altos de Hualmapu Formation 31, 33
Altos de Talinay Plutonic Complex 29
Alvarado depocentre 32
Amarillo rockslide 334, **335**, 336
ammonoids, Agrio Formation 205, 206–211
Amphidonte 206, 207, 208, 209
analogue modelling
basin width and tectonic inversion 84–87
comparison with natural basins 95–102
results 87–95
Anchayuyo fault 69, 75, 319, 321–322
seismic potential 321–322
Andacollo Group 132, 133, 134
Andean margin
kinematic model 67–68
thermomechanical model 65, 67
Andean Orogen
development 1, 3
deformation 1, 3, 4
tectonic and surface processes 1, 3
elevation 3
geodynamics and evolution 3–5
tectonic cycles 13–43
uplift and erosion 7–8
Andean tectonic cycle 14, 29–43
Cretaceous 32–36
early period 30–35
Jurassic 29–32
late period 35–43
andesite
Agrio Formation 205, 206, 207, 209, 210
Chachahuén Group 214
Neuquén Basin 161, 162
Angualasto Group 20, 22, 23
apatite
fission track dating 40, 71, 396, 438
(U–Th)/He thermochronology 40, 75, 387–397
Ar/Ar age
Abanico Formation 71
Barreal-Las Peñas Deformation Zone 277, 279, 286
Doña Ana Group 110
Neogene pediplains 431, 432, **434**, 437
Río La Sal Formation 111
Valle del Cura Formation 111, 113, 115–117
Arboles megalandslide 334
arc magmatism
Andean tectonic cycle 30, 31, 40–43, 42
Gondwanian tectonic cycles 21–22
retroarc 22
basin deposits 22–23
western Sierras Pampeanas 19, 20
Argentina, central western
geographical features 369–370
seismicity 369, 371–380, 372
ground effects 377, 379
historical records 373, **374–375**, 376, 377
seismic hazard 370, 379
tectonic setting 370–371
Arqueros Formation 32, 33, 34
Arrayán Formation 21, 23, 24
Arroyo Anchayuyo, alluvial fans 296, 297
Arroyo del Zancarrón 115, 116
Arroyo Guanaco Zonzo 117, 120
Arroyo Malo Formation 32
Arroyo Yaucha, fill terraces 299, 303, 304
Asociación Piroclástica Pumícea (APP) 285, 296, 297, **298**, 300, 304, 305, 315
Atacama Gravels 423
Auquílco Formation 31, 32, 33
Austral Basin, U–Pb zircon dating 149

- avalanches *see* rock avalanche deposits
 Avilé Member lowstand wedge 205
 U–Pb zircon dating 147–148
 Azufre-Torta surface 437
- backarc basins
 Andean tectonic cycle 4, 30, 31, 34–35
 inversion 69, 71
 Bajada del Agrio Group 37, 133, 134
 Baños Colorados creek thrust section 248, **252**, 259, 273, 274, 278
 Baños del Flaco Formation 31, 35
 Barrancas Anticline 320
 1985 earthquake **375**, 376, 377
 Barrancas-Lunlunta fault, seismic potential 322
 Barreal Block 280, 281
 Barreal Fault 274, 279, 280
 Barreal-Las Peñas Deformation Zone 5, 269, 271, 273, 274–284
 earthquakes 282
 fault scarps 279
 Late Cenozoic kinematics 275–276
 Late Cenozoic tectonics ages 276–282
 palaeoseismological records 278–282
 Quaternary deformation and relief construction 282–284
 Quaternary faults 272, 274–275
 structural highs 283–284
 uplift 283
 Barreal-Uspallata Basin 268, 270, 272
 basins
 pre-Andean tectonic cycle 3, 26–29
 see also backarc basins; forearc basin deposits;
 piggyback basins; retroarc basin deposits
¹⁰Be age determination 40, 278, 279, 286, 315
 pediplains 433, **434**, 437
¹⁰Be concentration, catchment erosion rates 403, 405, 407, **412**
- Beazley Basin, vertical gravity gradient 191
 Bermejo Basin 26, 28, 178, 239
 rigidity 196
 vertical gravity gradient 191
 Boca Lebu Formation 37
 Bolivian Orocline 16
 Bouguer anomaly 169, 194, 195, 196
 effect of Andean root 190–191, 196
 flat slab transition zone 170, 171–172, 173
 inverse flexure modelling 186, 187, 188, 189
 Brownish-red Clastic Unit 37
- ¹⁴C dating
 Barreal-Las Peñas Deformation Zone 281, **282**, 286
 Horcones valley deposits 363
 Cabeceras Creek 273, 279, 280, 281
 Cabeza de Toro megalandslide 334, **335**
 Cacheuta Basin 72–73, 74
 Cacheuta Formation 28–29
 Cachiuyuyo Pediplain 426, 428, 430, 431, 433
 geochronology **434**, 436
 uplift 439–440
 Cajón de Troncoso beds 31
 Cajón Las Leñas alluvial cone deposits 161
 Caleta Horcón Formation 38
 Caleu pluton 36
- Cambrian
 Famatinian tectonic cycle 17
 Pampean tectonic cycle 14, 15
 Campanario Formation 40
 Cañon del Atuel landslide 339
 Cantarito Gravels 437
 Capdeville Anticline 273
 Caracol basin 228, 230, 237
 Caracol Range, uplift 239, 241
 carbonates, Cuyo Precordillera 17, 19
 Carboniferous, Gondwanian tectonic cycles 22–23, 24, 25
 Carri Lauquen Lake failure 340
 Carrizalito Tonalite 17
 Casleo Formation 279–282
 Caucete 1941 earthquake 373, **375**
 Caucete 1977 earthquake 373, **375**, 377, 379
 Caucete Group 19
 Cavilolén unit 31
 Cenozoic
 Andean tectonic cycle 36–43
 Barreal-Las Peñas Deformation Zone
 kinematics 275–276
 tectonic ages 276–282
 Central Depression 15, 16, 38, 70, 73, 76
 geological setting 65
 Cerrilladas Pedemontanas thrust belt 269, 270, 272, 311, 314
 geological setting 65, 296
 Cerro Calera Formation 31
 Cerro Corrales 205, 208, 209
 comparison with Agrio Formation 211, 213
 Cerro de la Tatora Formation 17
 Cerro de las Cabras Formation 28–29
 Cerro El Salto megalandslide 334, **335**
 Cerro Manantial Fault 273, 274, 275, 278, 279, 284
 Cerro Mesón Alto pluton 73, 75
 Cerro Salinas Anticline 277
 Cerro Salinas-Montecito thrust system 246, 247
 Cerros Colorados frontal range 255, 259, 260
 Cesco Formation 279, 283
 Chacay Melehue Formation 133, 134
 Chacayal thrust system 66, 69, 70
 Chachahuén Groups 214
 Chachahuén volcanic complex 206, 213–214
 deformation and uplift 215–217
 Early Cretaceous deposits 203, 205–213
 structural setting 214–215
 magma components 214
 tectonic setting 204–205
 Chalet fault 299, 300, 320
 Chanic Orogeny 4, 14, 17, 25
 deformation 20, 23
 Chanic unconformity 17
 Chihuidos High 215, 216
 Chileña terrane 14, 20
 Choapa Metamorphic Complex, accretionary prism 20–21, 25
 Choiyoi Group 22, 24, 25, 132, 133, 134, 146, 331
 thermochronometry 389–397
 uplift 385–387
 Choiyoi Magmatic Province 29
 Chos-Malal fold and thrust belt 18
 Chupasangral fault 317

- ³⁶Cl, TCN dating 336–337, 347, 349, 351–354, 357, 359, 360, 363–364
- climate
 control on erosion and uplift 401–415
 and landscape evolution 420–421
 and landslides 337–338, 345
- Coastal Batholith 23, 24, 25
- Coastal Cordillera 1, 2, 15, 16, 70
 crustal thickening 423
 geological setting 64–65, 329, 330, 331, 424, 425
 gravity anomaly 191
 influence of precipitation 440–441
 pediplains 426, 427, 428, 429–442
 structure 68, 70
 topography and geomorphology 421, 422, 425, 427
 mapping 427
 uplift 8, 74, 76–77, 439–440
- Cobquecura pluton 29
- Cogotí superunit 36
- Colangüil batholith 22
- Colimapu Formation 35, 161, 163, 164
- Colohuincul Complex 133, 141
- Concepción Group 37
- Confluencia Formation 38, 421, 425, 433, 439, 440
- conoids 223, 232, 233
- continental breakup 14
- Contreras Formation 71, 74
- Coquimbo Formation 38, 421, 425, 430, 438, 439
- coquina 206–209, 210, 211, 213
- Cordillera de la Brea 111, 113, 118
- Cordillera de la Ortiga 110, 111, 113, 117, 121, 122
- Cordillera del Viento 132, 133, 141, 142
 depocentre 32
- Cordillera del Viento Formation 133, 134
- Córdoba terrane 15, 17
- Cordón de Barda Negra 259
- Cordón del Plata piedmont 315, 316, 317
- Cordón del Plata rock avalanches 337, 338
- Corredores Pediplain 426, 428, 429, 430, 431, 432
 elevation 439
 geochronology 434, 435–436
- Cortaderas megalandslide 6, 334, 335, 338
- Costa de Araujo 1920 earthquake 373, 375, 377, 378, 379
- Cretaceous
 Andean tectonic cycle 32–36
 Early
 Neuquén Basin north-eastern margin 203–217
 Neuquén Basin north-western margin 155–164
 Neuquén Basin sediments, dating 146–148, 149
 Late, Neuquén Basin north-western margin 163–164
- Cretaceous-Paleocene, Maipo-Tunuyán transect, deformation 69
- Crioceratites* 206, 207, 208, 209
- Crioceratites diamantensis* 162, 208, 209, 210, 212, 213
- Cristo Redentor rotational slide 335, 336
- crust
 elastic thickness 170, 183–184, 192–196
 flexural rigidity 183, 197
- Cuartitos Unit, faulting 98, 100, 101
- Cucullaea gabrielis* 208, 209
- Cuesta del Tambolar 19
- Cuesta del Viento Formation 228, 231
 piggyback basin
 evolution 239–241
 sedimentation 237–239, 238, 242
- Cumbre surface 437
- Cura-Mallín Formation 39–40
- Curanilahue Formation 37
- Curepto-Bio Bio-Temuco basin 26, 27
- Cuyania terrane 14, 20, 167–168, 175, 176
- Cuyo Basin 26, 27, 28, 69, 268, 271, 273, 295
- Cuyo Group 32, 133, 134
- Cuyo Precordillera 17, 19
- dams, sedimentary 230–232, 233, 234, 236, 237, 279
- debuitting, and landslides 338, 339
- deformation
 deep crustal 64
 conceptual models 64
 Maipo-Tunuyán transect 69, 71–77
 kinematic model 67–68
 thermomechanical modelling 65, 67
 Famatinian tectonic cycle 19–20
 Quaternary retro-wedges 267–287
 Quaternary thrust fronts 245–263
- Del Cerro Negro de Capiz fault, seismic potential 322
- Del Peral Anticline 317–319
- Del Peral fault, seismic potential 321
- Del Totoral fault, seismic potential 321
- density models 168–179
 2D models 174–176
- depocentres
 Andean tectonic cycle 29, 32, 168
 pre-Andean tectonic cycle 27, 28, 29
- Devonian, Famatinian tectonic cycle 17, 20
- Diaguita Phase deformation 277–278, 284
- Diamante deformation zone *see* Los Alamitos-Papagayos-Diamante Deformation Zone
- Diamante stage 300
- 'Dioritas Gnésicas de Cartagena' 29
- Dolores Creek 279–281, 282
- Domeyko Depression 421, 422, 423, 425
 pediplains 427, 431, 433
- Domeyko Gravels 421, 423, 428, 430, 431, 435, 437, 438–439, 440
- Domeyko Range 16, 423
- Doña Ana Formation 109, 110
- Doña Ana Group 100
 structural setting 117, 127–128
 volcanism 109, 110, 125–127
 geochemistry 119, 122–125, 124, 126
- Early Chachahuén Group 214
- earthquakes 5, 64, 76
 Caucete (1941) 373, 375, 377, 378
 central western Argentina 369, 371–380, 372
 ground effects 377, 379
 historical records 373, 374–375, 376, 377
 Costa de Araujo (1920) 373, 375, 377, 378, 379
 Frontal Cordillera retro-wedge 320–322, 323
 Great Argentinean Earthquake (1894) 369
 La Laja (1944) 373, 375, 378, 379
 La Rinconada (1952) 373, 375
 and landslides 338–339

- earthquakes (*Continued*)
- Mendoza (1861) 279, 282, 372, 373, **374**, 376
 - Panquehua (1917) 282, 373, **375**
 - San Juan (1894) 373, **374**, 377, 378
 - Uspallata (1927) 373, **375**, 377, 379
 - Villa Atuel (1929) 373, **375**, 377, 378
- Eastern Coastal Cordillera 425, 426, 432
- pediplains 431, 436, 438–439
 - uplift 441
- Eastern Cordillera 16
- Eastern Frontal Cordillera 423, 425, 426, 432
- pediplains 427, 437
- Eastern Precordillera thrust system 271, 278–279
- EGM2008 gravity field model 184, 185, 189–190, 196, 197, 198
- El Abuelo-Mario Ardito rock avalanche 331, **335**, 336, 360
- see also* Quebrada Mario Ardito rock avalanche
- El Chape Fault 424, 435
- El Cóndor-Las Peñas section 248, **252**, 255–257
- El Culenar Beds 33
- El Diablo fault 39, 40, 96, 99–100
- El Freno Formation 32
- El Infiernillo Creek 248, 254
- El Jarillal Creek 248, 252–253, 254
- El Niño Southern Oscillation, and landslides 338, 339
- El Quereo-Los Molles Basin 26, 27
- El Ratón Formation 23
- El Salto Fault 285, 316, 317
- seismic potential 321
- El Sauce unit 31
- El Teniente porphyry deposit 39, 40, 75–76
- El Teniente Volcanic Complex 71, 73, 75
- El Tigre Fault 279
- El Totoral Formation **298**, 299, 300
- El Tránsito Metamorphic Complex 22
- El Volcán plutonic unit 25
- El Zampal Formation 297, 297, **298**, 299–300, 302, 303–304, 306, 315
- elastic thickness 170, 183–184, 192–197
- Elqui plutonic complex 21, 25, 29
- Elqui valley 21–22, 32
- Eocene, Andean tectonic cycle 36–37
- Eocene-Early Miocene, Maipo-Tunuyán transect, extension 69, 71
- Eriophyla* 208, 209
- Erizo lake failure 339–340
- erosion 7–8
- decadal/millennial rate 406–409, 411, 413–415
 - geological features 409–410
 - vegetation 407
 - response time 401–402
 - role of climate 401–415
- Escabroso Formation 100, 109, 110, 125–126
- geochemistry 119, 122–125, **124**, 126
- Escondida Creek 248, 259, 273, 274, 276, 278
- Estero Cristales Beds 37
- Esteros Marques landslide 334, **335**
- extension, Maipo-Tunuyán transect 4, 69, 71
- Famatinian tectonic cycle 14, 17, 19–20, 270
- fanglomerates
- Frontal Cordillera piedmont 296–300
 - Las Peñas-Las Higueras range 247, 249, 260
- Farellones Formation 38, 39, 71, 74
- Farellones volcanic arc 71, 72
- faulting
- Cuartitos Unit 98, 100, 101
 - and landslides 338–339
 - Norte Chico Region 98, 100, 101
 - Quaternary 5, 371
 - Barreal-Las Peñas Deformation Zone 274–275
- faults, blind 5, 371
- fissures, seismic 377, 378
- flat-slab subduction segment 2, 15, 16, 268
- Andean tectonic cycle 40–43
 - collision with Juan Fernández Ridge 183, 184, 185
 - lithospheric characteristics 193
 - normal subduction transition zone
 - crustal discontinuities 167–179
 - density model 168–179
 - 2D models 174–176
 - isostatic gravity anomaly 170–172, 176–178
 - decompensative 172, 174, 177, 178
 - Tilt method 173–174, 175, 178
- flexural rigidity 183
- inverse modelling 186–188
- flexural strength 185–186
- floodplains 234–235
- fluvial terrace incision 302–304, 306
- fluvio-aeolian deposits 5, 38, 42, 296, 299
- fold-thrust belts 4, 39, 41
- forearc basin deposits
- Andean 32–34
 - Gondwanan 21
- Forearc Precordillera 16
- Foreland 2, 40–43
- Frontal Cordillera 1, 2, 16
- Andean tectonic cycle 40
 - crustal thickening 423
 - elevation 3
 - Famatinian tectonic cycle 17, 19
 - geological setting 65, 330, 331, 424
 - granitoid batholith 24
 - influence of precipitation 440–441
 - megalandslides 332–333
 - piedmont 293–306
 - drainage pattern 300–302
 - Quaternary sediments
 - aggradational cycles 296–300, 299
 - compositional signature 304–305
 - and palaeoenvironment 302–305
 - piedmont morphotectonics 300–302
 - pyroclastic deposits 300
 - stratigraphy and geomorphology 296–302
- retro-wedge 311–324
- structure 68–69, 70, 109
- topography 423, 424, 425
- topography and geomorphology 425, 427
- mapping 427
- uplift 383–397
- and deformation 441
 - and erosion 7–8, 75–76, 305–306
 - geomorphic evidence 396
 - (U–Th)/He thermochronometry 384, 386–397
 - see also* Eastern Frontal Cordillera; Western Frontal Cordillera
- Frontera-Deidad surface 437

- geohazards *see* earthquakes; landslides; rock avalanche deposits; seismic hazard
- Gervilella* 209
- Gervillaria alator* 207, 209
- GOCE gravimetric satellite data 184, 185, 189–190, 196, 197, 198
- Gondwana, assembly 14
- Gondwanan Orogenic Cycle 4
- Gondwanan tectonic evolution 24–25
- Gondwanian tectonic cycle 14, 20–25
- northern segment 20–23
- southern segment 23–25
- granitoids
- Andean tectonic cycle 31, 34, 36
- Famatinian 19
- Frontal Cordillera 24
- Gondwanian 22, 24
- pre-Andean tectonic cycle 29
- gravimetric satellite data, GOCE 184
- gravity
- inversion 186
- measurement 168–170
- vertical field gradient 183, 188, 194, 195, 196
- models 185, 189–191
- EGM2008 184, 185, 189
- GOCE data 184, 185, 189
- gravity anomaly 183, 197–198
- correction 169–170
- decompensative 172, 174, 177, 178
- isostatic 170–171, 176–178
- decompensative 172, 174, 177, 178
- Tilt method 173–174, 175, 178
- see also* Bouguer anomaly
- Great Argentinean Earthquake (1894) 369
- groundwater, effect of earthquakes 379
- Guanaco Sonso Formation 21–22
- Guaraco Norte Formation 133, 134, 142
- Guarguaraz Complex 17
- gypsum
- Andean tectonic cycle 35
- landslides 332
- Hamulinites?* 208, 209, 212
- Hauterivian, Neuquén Basin
- lowstand wedge 146–148
- palaeogeography 162
- Hoplitocrioceras gentilii* 206, 209, 210, 211
- Horcones Inferior glacier 354, 361
- surges 365
- Horcones River valley 348, 349
- hummocky deposits 354, 355, 356, 357, 360–362
- mineralogy 349, 350–351, 354–355, 357
- moraines 355, 356, 357
- rock avalanche deposits 331, 332, 335, 336, 346–365
- confluence with Las Cuevas valley 356, 357
- Confluencia 354–355
- TCN dating 349, 351–354, 362–364
- temporal distribution 364–365
- Horqueta Formation 31, 32, 156
- Huaco River, megafan 232, 236
- Huarpes depression 295
- Huentelauquén Formation 21, 22, 25
- Huincul High 132, 141, 145, 146
- Hurtado Formation 21
- Ibáñez Formation, U–Pb zircon dating 149
- Illapel Plutonic Complex 36
- Incaic Orogeny 14, 36, 37, 423
- Incaic Range 420, 432
- and location of pediplains 437–438
- incised valleys 226, 227, 229–230, 234, 236, 237
- Infiernillo fault 66, 68, 74
- inversion *see* backarc basins, inversion; gravity, inversion; tectonic inversion
- Jaboncillo Anticline 317–319
- Jáchal River area
- megafan 232, 236
- Quaternary piggyback basins, sediments 228–237, 242
- Jarillal Fault 273, 274, 275
- Jocoli Basin 168
- density modelling 174–176, 178
- rigidity 196
- vertical gravity gradient 191
- Juan Fernández Ridge 15
- collision with Chilean margin 183, 184, 185, 277
- Moho 191–193, 195
- and Nazca Plate subduction 193–196, 419
- subduction 184–185
- vertical gravity gradient 189–196
- Juncal Formation 35
- Jurassic
- Andean tectonic cycle 29–32, 33
- pre-Andean tectonic cycle 27
- Upper, Neuquén Basin sediments 131–150, 132
- U–Pb zircon dating 132, 135, 137, 139–141
- Jurassic-Cretaceous boundary, Neuquén Basin sediments 149–150
- K–Ar age
- Barreal-Las Peñas Deformation Zone 277
- Valle del Cura Formation 110, 111, 112, 116
- K–T Orogeny 14, 36
- Kimmeridgian
- lowstand wedge 146–148
- Neuquén Basin, north-western margin 156, 158
- knickpoints 390, 391
- La Aguadita fault 317
- seismic potential 321
- La Cal fault 246, 248, 273, 279
- La Carrera Fault system 284, 285, 315–317
- La Cueva Formation 38
- La Engorda landslide deposits 332, 333, 335, 337
- La Estacada Formation 298, 299
- La Gloria pluton 75
- La Invernada Formation 297, 298, 314
- La Laja 1944 earthquake 373, 375, 378, 379
- La Lajuela Formation 32, 33
- La Manga Creek 316–317
- La Manga Formation 32, 33, 133, 134
- La Obra pluton 39, 71, 72, 74
- La Ollita Formation 111
- La Pilona Formation 43, 314
- La Ramada basin 26, 27, 32
- La Ramada fold and thrust belt 18, 95–97
- out-of-sequence structures 99
- La Rinconada 1952 earthquake 373, 375

- La Silla Pediplain 426, 428, 429, 430, 431, 432
 geochronology 434, 435, 436, 437
 and Incaic Range 438
 uplift 438–439
- La Titora Fault 423, 424, 437
- La Tranca Basin 228, 229, 230, 237
 Miocene piggyback basin 237–241
- La Travesía Depression 296
- La Ventana fault, seismic potential 322
- Laguna gabbro 29
- Laguna Verde unit 31
- Lagunillas Formation 31, 33, 35
 U–Pb zircon dating 149
- Laja lahar 38
- Lanalhue lineament 23, 24, 25
- landscape evolution
 Neogene 7–8, 419–442
 drainage area as control 440
- landslides 5, 6, 7, 329
³⁶Cl TCN dating 351–354
 climate or seismic triggering 7
 dating 345–347
 misinterpretation as glacial landforms 329, 331–332,
 346–347
 seismic 377
see also megalandslides; rock avalanche deposits
- Lapa Formation 133, 134
- Las Arpas rock avalanche 335, 338
- Las Breas Formation 27
- Las Chacras-Los Guanacos thrust section 248, 250–252,
 252, 253
- Las Chilcas Formation 34, 36
- Las Cuevas River valley 348, 349
 rock avalanche 6, 330, 331, 336, 337, 338, 346–365
³⁶Cl TCN dating 351–354, 352–353, 362–364
 temporal distribution 364–365
- Las Higueras thrust system 246, 247, 248, 249,
 258, 279
- Las Hualtatas megalandslide 334, 335
- Las Lagunitas Formation 17
- Las Llaretas, faulting 98
- Las Melosas 1958 earthquake 6, 76, 338, 339
- Las Peñas Fault 275
- Las Peñas Thrust System 5, 246, 247, 248, 249–263
 bedrock control 260–262
 Quaternary activity 249–259
 scarp evolution 260
 shortening rates 259–260
 thrust activity 261–262
 thrust splays 260
- Las Peñas-Baños Colorados creeks thrust section 248, 252,
 257–259
- Las Peñas-Las Higueras range 245, 246, 247, 248
 geology and tectonics 247–249
 Las Peñas thrust system 249–263
- Las Tunas Formation 297–299, 306, 314–315
- Late Chachahuén Group 214
- Lautaro Formation, faulting 100
- Licancheo Formation 38
- Limache unit 31
- liquefaction 5, 7, 377, 378
- Liquiñe-Ofqui Fault Zone 16
- lithosphere, thermomechanical model 65, 67
- lithosphere-asthenosphere boundary 67
- Lliu Lliu unit 31
- Lo Prado forearc basin 30, 32–34
- Lo Prado Formation 32, 33, 34
- Lo Prado magmatic arc 32, 34
- Lo Valdés Formation 35, 158, 160, 161, 162
- Lo Valle Formation 36, 37
- Loma Huinganal megalandslide 334, 335
- Lomas Bayas High 276, 281, 283
- Lomas de Jocolí 259, 274, 276
- Lomas del Inca Anticline 273, 277, 279, 280, 281,
 282, 283
- Lomas del Inca Formation 277
- Lomas del Jaboncillo 302
- Lomitas Negras High 276, 277
- Los Alamitos Formation 298
- Los Alamitos-Papagayos-Diamante Deformation Zone
 269, 271, 273, 285–286
- Los Bañitos pyroclastic flow 115
- Los Guanacos-El Cóndor creeks thrust section 248,
 252–255
- Los Loros Creek 248, 250, 253
- Los Marquis rock avalanche 338
- Los Mesones Formation 296, 297, 298, 314
- Los Molles Formation 30, 33
- Los Patillos Formation 32
- Los Pelambres Formation 35
- Los Rios surface 437
- Los Tilos sequence 27
- Lotena Group 32, 33, 133, 134, 135
- lowstand wedges, Neuquén Basin 5, 131, 146–148
- Macul rockslide 334, 335
- Main Cordillera *see* Principal Cordillera
- main décollement 66, 67, 68, 71, 74, 75, 76
- Maipo Basin, landslide deposits 332
- Maipo drainage 155, 156
- Maipo Orocline 16, 38
- Maipo stage 300
- Maipo-Tunuyán transect 64–77
 Early Miocene 71, 72, 74
 Eocene-Early Miocene extensional event 69,
 71, 72
 geological setting 64–65, 66
 kinematic model 67–77
 Late Cretaceous-Paleocene deformation 69, 72
 Late Early Miocene 72, 74
 Late Miocene 73, 75
 Middle Miocene 72–73, 74–75
 Pliocene 73, 75–76
 Quaternary 73, 76
 structure 68–69
 thermomechanical model 65, 67
- Malargüe fold and thrust belt 18, 96, 215, 216
- Malargüe Formation 37
- Malargüe rift deposits 27
- MAP-GAC project 329
- Mariño Formation 27, 42, 256, 257, 258, 260, 314
- Mario Ardito *see* El Abuelo-Mario Ardito
 rock avalanche
- Marmolejo volcano 66, 68
- MASH zone 71, 72–73
- Matahuaico Formation 22
- Maule 2010 earthquake 5, 339, 370
- megafans 232, 236, 242

- megalandslides 3, 6, 7, 329–341
 causes and triggering 337–339
 as geological hazards 339–340
 inventory map 332–333, 334
 palaeomegalandslides chronology 333–337
 see also landslides; rock avalanche deposits
 Melipilla fault 68
 Mendoza 1861 earthquake 279, 282, 372, 373, 374, 376
 Mendoza Group 133, 134, 146
 Mendoza Province 294, 295
 Mendoza River valley, landslides 6, 7, 330, 331, 334
 Mendoza-Neuquén backarc basin 30, 32, 34–35
 see also Neuquén Basin
 Mercedes Basin
 rigidity 196
 vertical gravity gradient 191
 Meseta del Guadal 320
 Méson Alto-El Yeso rock avalanche 332, 333, 335, 337, 338, 339
 metamorphism
 Famatinian tectonic cycle 17, 19–20
 Gondwanian tectonic cycle 21, 23, 25
 pre-Andean tectonic cycle 29
 Millahue unit 29
 Millongue Formation 37
Mimachlamys 207, 209, 210
 Miocene
 Andean tectonic cycle 38–40
 Early
 Maipo-Tunuyán transect 71, 72, 74
 Río La Sal Formation 111
 Late, Maipo-Tunuyán transect 73, 75
 Middle, Maipo-Tunuyán transect 72–73, 74–75
 piggyback basin sedimentation 237–241
 Mogotes Formation 249, 255, 259, 277–278, 314, 316
 Moho
 depth 193, 194, 195, 196
 flat slab transition zone 170–171, 176–177, 186–188
 inverse flexure modelling 186–188, 189
 Juan Fernández Ridge path 191–193
 Nazca Plate subduction 193
 Montecito anticline 255, 257, 260
 Morado valley, landslide deposits 332
 Mostazal Formation 34
 mud flows 377
 Mulichinco Formation 33, 133, 134
Myoconcha transatlantica 208, 209

 Nacientes del Bio Bío Formation 31
 Nacientes del Teno Formation 31, 33
 Naranjo Block 274
 Navidad Basin 72–73, 74
 Navidad Formation 38, 71, 75
 Nazca Plate subduction 1, 3, 68, 183, 246, 267, 370, 419, 420
 age of plate 193
 flat slab transition zone, density model 168–179
 and Juan Fernández Ridge 193, 419
 vertical gravity gradient 189–190
 Negro rockslide 334, 335, 336
Neocomiceramus curacoensis 206, 208, 209, 210, 212

 Neogene
 deformation 276–277
 landscape evolution 419–442
 drainage area as control 440
 pediplains 421–442
 Neuquén Basin 2, 4–5, 28, 30, 32
 geological setting and stratigraphy 132–137
 basement 133, 134
 lowstand wedges 146–148
 north-eastern margin, Early Cretaceous, Chachahuén 203–217
 north-western margin 155–164
 Kimmeridgian 156, 158
 Late Cretaceous 163–164
 Tithonian-Hauterivian 157, 158, 160–163
 tectonic evolution 133, 146
 Upper Jurassic sediments 131–150, 132
 provenance studies 135, 139, 141–148
 U–Pb zircon dating 132, 135, 137, 139–150
 see also Mendoza-Neuquén backarc basin
 Neuquén Group 33, 37, 133, 134, 205
 Nieves Negras depocentre 32, 155
 Nieves Negras Formation 31
 Ñireco Formation 133, 134
 Norte Chico Region
 faulting 98, 100, 101
 Tertiary stratigraphy 114

 ocean-island basalts 17, 205, 214
 Oclöyic Orogeny 14, 17
 deformation 20
 O'Higgins seamount 184, 189
 Ojo de Agua thrust 208, 211, 214
Olcostephanus 162
Olenellus trilobites 17
 Oligocene, Andean tectonic cycles 38, 39
 Oligocene-Early Miocene
 Río La Sal Formation sedimentation 111
 Valle del Cura Formation
 structural setting 117, 127–128
 volcanism 111, 113, 115, 125–126
 geochemistry 118–119, 121–125, 126, 127
 ophiolites, Famatinian 17, 19
 Ordovician, Famatinian tectonic cycle 17, 19–20
 oroclinal 84
 orogens, curved, structural change 83–84
 Ouachita embayment 20
 Ovalle Pediplain 430, 433, 440
 geochronology 434, 436, 437
 uplift 440, 441

 Pachimoco Basin 228, 231, 235
 palaeomegalandslides 329
 chronology 333–337
 palaeosol, Frontal Cordillera piedmont 302, 303
 Palauco depocentre 32
 Palauco Formation 43
 Palomares fault system 70
 Palomares ramp 72–73, 74, 75
 Pampa de Los Avestruces Granite 17
 Pampa de los Burros Anticline 276, 277, 281, 283
 Pampa de los Burros Shear Zone 274, 275, 277
 Pampa Seca Basin 273, 274, 275
 Pampa Tril anticline 214, 215

- Pampean flat-slab *see* flat-slab subduction segment
 Pampean Orogeny 14
 Pampean Ranges *see* Sierras Pampeanas
 Pampean tectonic cycle 14, 15, 17
 Pampia terrane 14, 17, 167, 175, 176
 Pan de Azúcar Formation 30
 Pangea, breakup 14
 Panquehua 1917 earthquake 282, 373, **375**
 Papagayos deformation zone *see* Los Alamitos-Papagayos-Diamante Deformation Zone
 parched basins 223
 Parraguire landslide **335**, 338, 339
 partial retention zone, exhumation 386, 388, 389, 392, 394–396
 Patagual-El Venado unit 23, 29
 Payenia volcanic province 18, 42, 43, 204, 205, 207
 mantle source 205
 palaeoflat-slab subduction 43
 Payún Matrú caldera 43, 205, 207
 Pederal thrust system 246, 247
 pediments 228, 230, 235, 316, 427
 pediplains 426, 427, 428, 430
 age of formation and incision 433–437
 location with respect to Incaic Range 437–438
 tectonic v. erosional control 440–441
 Pehuenche Orogeny 14, 36, 39
 Peñasco Block 273, 274, 275
 Penitentes moraine/rock avalanche deposit 331, 336, 359–360, 362
 Peñuelas unit 31
 Permian, Gondwanian tectonic cycle 21–22
 Peruvian Orogeny 14, 30, 35, 36, 37
 Pichidangui Formation 27
 Pie de Palo Complex 19
 vertical gravity gradient 191
 piedmont systems 223, 224, 226, 227, 228, 249, 255, 283
 Frontal Cordillera, Quaternary 293–306
 see also Frontal Cordillera, piedmont
 Piedra Santa Formation 133, 134, 141
 piggyback basins 4, 221, 223, 241–242
 accommodation systems tracts 226, 227, 228, 234, 235, 237
 aggradation 226, 227, 234, 236
 Miocene, La Tranca 237–241, 242
 modelling 226, 227, 228
 Quaternary Precordillera 228–237, 242
 accommodation stages 235–237
 incised valleys 229–230, 236, 237
 Jáchal River Valley 231, 232–235
 sedimentary dams 230–232, 233, 234, 236, 237
 sedimentary dynamics 223–226
 A/S ratio 225, 235–237
 Pilmatué member 205, 211, 213
 Pilpilco Formation 37
 Pinna 207, 209
 Pliocene, Maipo-Tunuyán transect 73, 75–76
 Pocuro fault 96, 100
 porphyry Cu–Mo ore deposits 14, 39, 75–76
 Portillo fault system 69, 70, 76
 Portillo landslide deposits 332, 333, **335**, 337
 Potrerillos depocentre 27
 Potrerillos Formation 28–29
 Potrero Alto Beds 38
 Potrero Alto landslide deposits 332
 pre-Andean tectonic cycle 14, 25–29
 pre-Cuyo cycle 132, 133, 134, 141, 146
 precipitation
 and erosion 401, 402–403
 and landscape evolution 420–421, 422, 440–441
 Southeast Pacific anticyclone (SEP) 420
 Precordillera 1, 2, 16, 168, 222, 330, 331
 elevation 3
 gravity anomaly 191
 Moho depth 193, 196
 piedmont associations 224
 Quaternary deformation 284
 Quaternary piggyback basins 228–242
 Quaternary thrust systems 246, 247, 269, 270, 271, 272
 Principal Cordillera 1, 2, 15, 16, 38–40
 geological setting 65, 330, 331
 gravity anomaly 190–191
 megalandslides 332–333
 Moho depth 193, 196
 seismicity 76
 structure 68, 70
 uplift 74
 Profeta Formation 30
Pterotrigonia coihuicoensis 208, 209
Ptychomya koeneni 208, 209
 Pucalume Formation 32, 34
 Pudahuel-Machalí Ignimbrite 38, 300
 Puente del Inca 336
 Puerto Oscuro unit 31
 Puesto Araya Formation 32
 Puesto Uno Formation 277
 Punta de Vacas moraine 357
 Pupio Fault 424, 435
 pyroclastic deposits *see* Asociación Piroclástica Pumícea
 Quaternary
 deformation, Central Andean retro-wedge 267–287
 Frontal Cordillera piedmont 293–306
 Maipo-Tunuyán transect 73, 76
 piggyback basins 228–237, 242
 tectonics 5
 thrust fronts 245–263
 Quebrada Blanca rock avalanche 6, 332, **335**, 336
 Quebrada Choros Pediplain 428, 436
 Quebrada del Sapo Formation 134, 135, 136, 145, 149
 Quebrada Mal Paso Beds 21
 Quebrada Mario Arditto rock avalanche 364
 see also El Abuelo-Mario Arditto rock avalanche
 Quebrada Marquesa Formation 32, 33
 Quebrada Seca megalandslide 334, **335**
 Quiriquina Formation 37
 ramps 66, 67, 69, 74
 Palomares 72–73, 74, 75
 Western Cordillera 66, 71, 74, 75
 Yeguas Muertas 72–73, 74, 75

- Rancho de Lata Formation 32
 Rapel Formation 38
 Rayoso Formation 33, 205, 209
 red beds, Neuquén Basin 162, 163, 164
 Regional Aggradational Plain (RAP) 302–303
 Remoredo Formation 133, 134
 retro-wedges
 Central Andes
 Quaternary deformation 267–287, 268, 269
 distribution patterns 269, 271–273
 mechanical anisotropies 270, 271, 272–273
 morphotectonic units 269, 271
 tectonic framework 270–271
 Frontal Cordillera 311–324
 Neogene synorogenic strata 314
 Neopalaeozoic sediments 313–314
 Plio-Quaternary alluvial sediments 313, 314–315
 Quaternary tectonics 315–320
 seismic potential 320–322, 323
 tectonic setting 315
 Triassic-Palaeogene sediments 313, 314
 uplift 322–324
 retroarc basin deposits 22–23, 30
 rhyolites 17
 ridge push 63
 Riedl shears 274, 276
 rifting, pre-Andean tectonic cycle 27, 28
 Rincón Blanco 29
 Rinconada 1952 earthquake 373, 375, 377
 Río Atuel-La Valenciana depocentre 32
 Río Blanco fault 316, 317
 Río Blanco Formation 28
 Río Colina Formation 31
 Río Damas Formation 31, 33, 35, 135, 156, 158
 Río de La Plata Craton, collision 15, 17
 Río de Los Pozos Formation 255, 314, 320
 Río del Cobre depocentre 32
 Río La Sal Formation, Oligocene-early Miocene sedimentation 111, 114, 117, 121
 Río Mendoza
 apatite (U–Th)/He analysis 392, 393, 394–397
 topographic analysis 390–391, 392
 Río Mendoza Formation 28–29
 Río Mendoza-Tupungato Deformation Zone 269, 271, 273
 Quaternary deformation 284–285
 Río Tascadero Formation 32, 35
 Río Tunuyán
 apatite (U–Th)/He analysis 392, 393, 394–397
 topographic analysis 390–391, 392
 Riquiliponche-Las Chacras thrust section 248, 250, 252
 Rivadavia Fault 424, 425
 Robinson Crusoe Island 184, 189, 191
 rock avalanche deposits 329
 ³⁶Cl TCN dating 351–354
 Horcones River valley 331, 332, 336, 346–365
 Rodeo-Iglesia Basin 222, 228
 Rodinia breakup 14
 Salar Depressions 16
 Saldeño Formation 37
 Salinas Basin
 density modelling 175, 178
 rigidity 196
 vertical gravity gradient 191
 Salto del Soldado landslide 332, 333, 335, 337
 San Bartolo Fault 284
 San Bartolo half graben 278, 284
 San Félix Fault 423, 424, 437
 San Gabriel pluton 39, 73, 75
 San José Formation 35
 San Juan 1894 earthquake 373, 374, 377, 378
 San Juan 1944 earthquake 373, 375, 377, 378
 San Juan 1952 earthquake 373, 375, 377
 San Nicolás rock avalanche 335, 338
 San Pedro Ridge 4, 174, 178
 San Rafael Block 3, 18, 268, 269, 270, 272
 San Rafael Orogeny 4, 14, 22, 25
 San Ramón Fault 5, 39, 66, 68–69, 74, 96, 100
 sand volcanoes 377, 378, 379
 Santa Barbara System 16
 Santa Clara Block 273, 274, 275, 279
 Santa Elena Member 31
 Santa Juana Formation 23, 29
 satellite basins 223
 sediment discharge 403, 404
 seismic hazard, central western Argentina 5, 370, 379
 seismicity
 central western Argentina 369, 371–380, 372
 ground effects 377, 379
 historical records 373, 374–375, 376, 377
 interplate 371
 intraplate 5, 371–372
 seismic hazard 5, 370, 379
 and landslides 338–339
 Principal Cordillera 76
 Sierra Azul depocentre 32
 Sierra de Ansilita Fault 274, 275
 Sierra de Chachahuén *see* Chachahuén volcanic complex
 Sierra de las Peñas 272, 274
 Sierra de Pie de Palo 18, 19, 168
 Sierra de Reyes depocentre 32
 Sierras Pampeanas 1, 2, 16, 16, 268, 270
 elastic thickness 196
 elevation 3
 Moho depth 193–196
 Pampean tectonic cycle 15
 see also Western Sierras Pampeanas
 slab pull 63
 Somún Curá Massif 132, 143, 145
 South American Plate 3, 68, 183, 184
 Southeast Pacific anticyclone (SEP) 420
 Southern Precordillera morphotectonic subunit 268, 269, 271, 272, 273
 palaeoseismological records 278–282
 Quaternary deformation 284
 uplift 277
 Southern Volcanic Zone 40, 205
 spilites, Volcán valley 160
Spitidiscus shale 206, 208, 209, 211
 spring waters 377, 378, 379
 stream profile analysis 390–391, 392
 Subandean Systems 16

- subduction
 Andean tectonic cycle 30, 43
 driving forces 63–64
 Famatinian tectonic cycle 19, 20
 flat-slab subduction segment transition zone, crustal discontinuities 167–179
 Juan Fernández Ridge 184–185
 pre-Andean 25–26
- Tarapacá Basin, U–Pb zircon dating 149
- tectonic cycles 13–43
 Andean 14, 29–43
 Famatinian 14, 17, 19–20
 Gondwanian 14, 20–25
 Pampean 14, 15, 17
 pre-Andean 14, 25–29
- tectonic inversion 83, 117, 204–205
 and basin width, analogue modelling 84–87
 comparison with natural basins 95–102
 results 87–95
- Teno lahar 38
- terrain cracks, seismic 377, 378, 379
- terrestrial cosmogenic nuclide (TCN) dating
 349, 351–354, 362–364
see also ³⁶Cl, TCN dating
- Thalassinoides* 209, 209, 210, 211
- thermochronometry *see* U–Th/He thermochronometry
- thrust fault scarps 300–301
- thrust systems, Quaternary 245–263
- thrust-top basins 223
- Tilito Formation 100, 109, 110, 117, 120, 125–126
 geochemistry 119, 122–125, 124, 126, 127
- Tilt method, gravity anomaly enhancement 173–174, 175, 178
- Tinguiririca lahar 38
- Tithonian, Neuquén Basin
 palaeogeography 155, 157
 sediments 149–150
- Tithonian-Hauterivian, Neuquén Basin, north-western margin 157, 158, 160–163
- Tobas Angostura Formation 277, 314
- Tobas La Higuera unit 314
- Tobas Multicolores Formation 111
- Tolosa rock avalanches 335, 336, 337–338, 349, 355
 dating 364
- Tordillo Formation 5, 31, 34, 131, 140, 158
 depocentres and depositional systems 135, 136
 geology 133, 135, 138
 provenance studies 135, 139, 141–148
 stratigraphy 134, 136, 159
 U–Pb zircon dating 132, 135, 137, 139–150
- Tranquilla unit 29
- transference systems 223, 224–225, 226, 227, 234, 236–237
- transgressive-regressive deposits 27, 30, 31, 37
- Trapa-Trapa Formation 40
- travertine, Horcones River valley 357
- Tres Cruces Formation 27
- Tres Esquina Formation 32
- Triassic
 Andean tectonic cycle 32
 Gondwanian tectonic cycles 21, 23, 24
 pre-Andean tectonic cycle 25–29
- Trihuco Formation 37
- Tubul Formation 38
- Tunuyán Basin 268, 270
- Tunuyán Depression 294, 295–296, 298, 300, 301
- Tunuyán lineament 4, 174, 178
- U–Pb zircon dating
 Farellones Formation 71
 Neogene pediplains 429, 431, 432, 434, 438
 Neuquén Basin sediments 132, 134, 135, 137, 139–150
- U–Th/He thermochronometry 7, 384, 386–397
- uplift 37, 383
 Barreal-Las Peñas Deformation Zone 283
 and erosion 401–415
 Miocene 7–8, 74, 75, 441–442
 Frontal Cordillera, U–Th/He thermochronometry 383–397
 Southern Precordillera morphotectonic subunit 277
- Uspallata 1927 earthquake 373, 375, 377, 379
- Uspallata Group 27, 28
- Vaca Muerta Formation 33, 133, 134, 135, 136, 149
- Valle de Uco piedmont 293, 294–296
- Valle del Cura 110
 geology 110, 112–113
 Oligocene-Early Miocene
 structural setting 117, 120, 121, 122, 127–128
 volcanism 111, 113, 115
 stratigraphy 109–110, 114
 volcanism 111, 113, 115, 125–126
 geochemistry 118–119, 121–125, 126, 127
- Valle del Cura Formation 111, 113, 115, 116, 117, 118, 119, 122–128
- Valle Extenso del Campo Bajo 294, 295, 298, 300
- Valle Grande Formation 31
- Vallecitos beds 17, 20
- Vallenar Orocline 420
- vegetation
 effect on erosion rate 407
 as indicator of palaeoclimate 420–421
- Veta Negra Formation 33, 34
- Vicuña Fault 424, 425, 431
- Villa Atuel (1929), earthquakes 373, 375, 377, 378
- Villa Atuel-Las Malvinas 1929 earthquake 373, 375, 377, 378
- Villavicencio Formation 27
- Viñita Formation 36
- Virgatosphinctes andesensis* 160
- Vizcachas Group 214
- Vizcacheras Basin 278, 284
- Volcán valley 155, 156, 160, 163
- volcanism
 Doña Ana Group 109, 110
 subduction-related 29, 31–35, 39–40, 41, 43
 Valle del Cura Formation 111, 113, 115
- Weavericeras vacaense* 206, 208, 209, 211
- wedge-top depozone 223, 237
- wells, seismic 377
- Western Coastal Cordillera 38, 425, 426, 432
 pediplains 436
 uplift 441

- Western Cordillera ramp *16, 66, 71, 74, 75*
Western Frontal Cordillera *423, 426, 432*
 pediplains *427*
Western Sierras Pampeanas
 calc-alkaline magmatic arc *19, 20*
 Cretaceous rifting *168*
 Cuyana terrane *168*
 elastic thickness *196*
 Famatinian tectonic cycle *19*
- Yalguaraz Deformation Zone *283, 284*
Yeguas Muertas depocentre *32*
Yeguas Muertas ramp *72–73,*
 74, 75
 ‘Yeso Principal’ *31, 33*
 ‘Yeso Secundario’ *35*
Yeso valley *155, 156, 161*
Zanja Honda basin *228, 230, 237*