

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Abitibi greenstone belt, Sigma gold deposit
72–73
- acidity, and gold solubility 33, 34, 42, 43–46
- Ada Tepe gold prospect 208, 209, 212
- $^{40}\text{Ar}/^{39}\text{Ar}$ dating 225
- ore formation 226
- adularia, Stremtsi gold prospect 212, 215,
216, 220
- $^{40}\text{Ar}/^{39}\text{Ar}$ dating 217, 219, 224, 225–226
- albite 93–94
- Alpine Fault 232, 234
- alteration *see* hydrothermal alteration
- Anderson Ridge Fault 105
- andesite
- Javorie stratovolcano 195, 196
- Kremnické Vrchy Mountains 187, 188, 189
- Anelis Intrusive Suite 122, 124
- antimony
- association with gold 48–49, 57
- Kremnica gold deposit 188, 190, 191
- apatite
- Louis Lake Batholith 106, 107, 116
- salinity determination 110
- sulphate content 110–111
- aplite, Louis Lake Batholith 105, 106, 108
- aqueous chemistry 10–13
- historical background 10, 13–14, **15–18**
- HKF thermodynamic model 19–20, **22**
- $^{40}\text{Ar}/^{39}\text{Ar}$ dating, Stremtsi gold prospect 217, 219,
224, 225–226
- arsenic, association with gold 47–48
- experimentation 57
- arsenopyrite 48
- Cachoeira deposit 133
- El-Sid gold deposit 156–157, **159**
- Pestarena deposit 74
- Wattle Gully deposit 75
- auric gold 10–13
- Aurizona Group 121, 122, 123
- aurous gold 10–13
- Austroalpine-Penninic orogenic wedge 74
- Bajo de la Alumbrera Cu-Au-Mo porphyry
deposit 52
- barite, Stremtsi gold prospect 213, 217
- fluid inclusions 217, **218**, 220
- sulphur isotopes 217, **221**
- Berezovskoye gold deposit, Central Urals 72
- fluid inclusion analysis **73**, 75, 76, **77**, **78**, **80**, 81,
83, 87
- previous studies **73**, 75
- Biely Vrch porphyry gold deposit 177, 179,
195–200
- fluid inclusions, analysis 196–198
- genetic model 199–200
- LA-ICP-MS data 198
- magmatic fluids 199–200, 201
- stable isotope data 198–199
- Bingham Cu-Au-Mo porphyry deposit 52
- bismuth, association with gold 48–49, 57
- bleaching, Sigma gold deposit 73, 89
- Boa Esperança gold deposit 129, 130
- Boca Nova Nepheline Syenite 122, 124
- boiling 45–46, 53–54
- evidence from fluid inclusions 90–91, 96–97
- Kremnica gold deposit 190, 191, 192, 194
- Rozália epithermal Au-Ag deposit 184
- Stremtsi gold prospect 220, 221, 224
- Born electrostatic equation 19, 46
- boudinage, quartz 154, 155, 168
- breccia
- Central Slovakia Volcanic Field 178, 196
- Kanowna-Red Hill gold deposit 74
- Kremnica gold deposit 190
- Stremtsi gold prospect 215, 216
- Butte Cu-Au-Mo porphyry deposit 52
- Cachoeira gold deposit 124, 125, **126**, 127,
128, 133
- hydrothermal alteration 131, 134
- ore fluid properties **136**, 139
- timing of gold mineralization 133
- Cantão Granodiorite 122, 123
- Canterbury, New Zealand
- crustal thickness modelling **235**, 236–237
- gold mineralization 238
- Caramujinho Microtonalite 122, 124
- carbon dioxide
- fluid inclusions 1–2
- and gold solubility 45–47, 57
- carbon isotope studies
- Central Slovakia Volcanic Field 180,
186, 193
- El-Sid gold deposit 152, 166–167

- carbon isotope studies (*Continued*)
 Gurupi Belt **136**, 139
 Stremtsi gold prospect 215–216, 218–219, 221, **222**, 223
- Carissa Lode 103, 104
- Carlin-type deposits 1
 analysis 56
 arsenian pyrites 47, 54
 carbon dioxide 45
 Kremnické Vrch Mountains 178, 187
- Carpathian arc 178
- Central Rhodope massif, Bulgaria 209, 210, 211
 exhumation 211
 Pb-Zn-Ag ore deposits 211
- Central Slovakia Volcanic Field
 fluid inclusion analysis 178, 180, 183–184
 geological setting 178, 179
 gold deposits 177–201
 microthermometry 178, 180, 183–184, 188, 190–191
 mineralogy 180
 stable isotope analysis 180
see also Biely Vrch porphyry gold deposit;
 Kremnica epithermal Au-Ag deposit;
 Rozália epithermal Au-Ag deposit
- Čertov Vrch palaeo-hot spring system 189, 190, 191, **194**, 195
- chalcopyrite, Louis Lake Batholith 106–107
- Chega Tudo Formation 122, 124, 125, **126**
- Chega Tudo gold deposit **126**, 127, 128
 hydrothermal alteration 131, 134
 ore fluid properties **136**, 137, 138
- chloride complexes 14
 optimization and thermodynamic properties 20, **22**
- chlorite, Gurupi Belt 131, 132
- Cipoeiro gold deposit 124, 125, **126**, 127, 128
 hydrothermal alteration 124, 132, 135
 ore fluid properties **136**, 139
 stable isotope studies **136**, 139, 141
- clay minerals
 Biely Vrch gold deposit 196, 198–199
 Kremnica gold deposit 190, 194–195
- Colima volcano, Mexico, vapour condensates 27
- colloform gold 49
- colloids, gold transport 49
- cooling, and gold solubility 52–53
- coordination geometry 10–12
- copper
 Louis Lake Batholith 105, 116–117, 118
 sulphur, and vapour partitioning 31
- dawsonite 2
- decompression, and gold solubility 53, 96–97
- deformation
 Eastern Desert 149–151, 154, 168
 Southern Alps, and permeability modelling **235**, 238, 240–241
- dicyanide 13
- diorite, Sigma and Lamaque gold deposits 73
- Dokhan Volcanics 148
- dolomite, Stremtsi gold prospect 213–215, 216, **218**
 C, O and Sr isotopes 218–219, 221, **222**, 223
 fluid inclusions 220
- dykes
 lamprophyre, El-Sid gold deposit 149, 152
 Louis Lake Batholith 105, 106, 108
 porphyritic
 Berezovskoye gold deposit 72
 Sigma gold deposit 72–73
 rhyolite, Kremnica gold deposit 187, 188, 189, 190
- earthquakes, effect on gold-quartz vein formation 53
- Eastern Desert, Egypt
 El-Sid gold deposit 147–172
 geological setting 148–149
 structural setting 149–151
- Eastern Goldfield Province *see* Kanowna-Red Hill gold deposit
- Eastern Rhodopes *see* Tertiary Eastern Rhodope massif, Bulgaria
- El-Sid gold deposit, Egypt 147–172
 fluid inclusions 158–164, 168–170
 geological setting 148–149
 gold lodes 168
 gold transport 168
 microthermometry 151–152, 160–164
 mining 147–148, 153
 ore bodies 152–154
 ore mineralogy and paragenesis 156–158
 P-T-oxygen fugacity 170–171
 Raman spectroscopy 152, 160–164
 stable isotope studies 152, 164–167, 168
- electronic structure 10
- enrichment 33–34, 54
- entrapment
 El-Sid gold deposit 168–170
 LLB 114–115
- epithermal deposits 1
 analysis 56
 Central Slovakia Volcanic Field 177, 180–187
 Cu-Zn-Pb, gold enrichment 53

- fluid composition 2
- fluid mixing 55
- gold transportation 41
- phase separation 54
- Tertiary Eastern Rhodope massif, Bulgaria 208–227
- exhumation, Central Rhodope massif 211, 226
- exsolution, LLB 115–116
- fault-hosted gold deposits
 - El-Sid gold deposit 149–151, 168
 - Kremnica gold deposit 187–189
 - Wattle Gully 74–75
- fault-valve model 97
- Fawakhir granite intrusion 147, 148–150, 167–168
 - extensional tectonics 149–151, 168
- Fitzroy Fault 74
- FLAC^{3D} 236
- flash vapourization model 53, 97
- fluid acidity, and vapour-liquid partitioning 33
- fluid flow, modelling 238, 240–241, 248
- fluid inclusions
 - analysis 56, 76–98
 - Berezovskoye **73**, 75, 76, **77**, **78**, 81, **83**, 87
 - Biely Vrch porphyry gold deposit 196–198
 - Central Slovakia 178, 180, 183–184
 - El-Sid gold deposit 158–164
 - Gurupi Belt **136**, 137–141
 - Kanowna-Red Hill **73**, 75, 76, **77**, **78**, **80**, **83**, 87
 - Kremnica gold deposit 190–192
 - Louis Lake Batholith 105–118, 111–115, 116
 - Pestarena **73**, 76, **77**, **78**, **80**, 81, **83**, 86, 87
 - Sigma 75–76, **77**, **78**, 81, 87, 88, 89, 90, 91, 92
 - Stremtsi gold prospect 215, 217, **218**, 220
 - Wattle Gully **73**, 75–76, **77**, **78**, 81, **83**, 87, 91, 92
 - composition 1–2
- INAA 2
- LA-ICP-MS 2, 56, 71, 81–85, 87–89, 113
- orogenic gold deposits 71, **73**, 75–98
 - analysis 76–98
 - aqueous **73**, 75, 86, 89–90
 - aqueous-carbonic **73**, 75, 86
 - carbon dioxide-rich **73**, 75–76, 86
 - fluid mineral equilibria 85–86, 93–96
 - gold preprecipitation model 96–97
 - microthermometry 77–78, **80**, 86–87, 88
 - ore fluid composition 91–93, 137–138
 - ore fluid properties 93–96, 138–139
 - post-entrapment modification 76, 91
 - previous studies **73**, 75–76
 - Raman spectroscopy 78–79, 81, 87
 - spindle stage determinations 81
 - porphyry Cu-Au-Mo deposits 50–52
 - fluid mineral equilibria, orogenic fluid inclusions 85–86, 93–96
 - fluid mixing, and gold solubility 55
 - fluid-phase controls, gold ore formation 52–55
 - fluid-rock interaction, and gold solubility 54–55
 - fracture networks 71
 - fumaroles, vapour-phase transport 26–28
- galena
 - El-Sid gold deposit 158
 - Stremtsi gold prospect 217
- Gibbs free energy 19, 20, 21
- Gindalbie Formation 73
- gold-only hydrothermal deposits 1
- gold-rich deposits *see* epithermal deposits; porphyry deposits
- graben
 - Javorie stratovolcano 195
 - Kremnické Vrchy Mountains 187
 - see also* half-graben
- granitic intrusions 147
 - El-Sid gold deposit 148, 167–168
- granodiorite, El-Sid gold deposit 149
- graphite
 - and gold deposition 248–249
 - shear zone deposition, modelling **235**, 243
 - shear zone enhancement, modelling **235**, 243–245, 248
- greenschist metamorphism, El-Sid gold deposit 148
- greenstone belts, orogenic gold deposits 103
- greywacke
 - numerical modelling **235**, 237
 - see also* metagreywacke
- Gurupi Belt, Brazil 121–143, 122
 - evolution 140, 142
 - geology 123–124
 - gold resources 121, 122, **123**
 - metamorphism 124–125
 - orogenic gold deposits 124–143
 - deformation 124, 125, 129
 - fluid-structural model 142–143
 - gold siting 129, 133
 - gold transport and deposition 141
 - host rocks 124–129, 130
 - hydrothermal alteration 129, 131–132, 134
 - metamorphism 135, 139, 140
 - mineralization style 125, 127, 129, 131
 - mineralization timing 132–133, 135

- Gurupi Belt, Brazil (*Continued*)
 ore fluid
 composition **136**, 137–138
 properties **136**, 138–139
 sources 139, 141
 tectonic setting *140*, 142
 Gurupi Group 124, 135
- half-graben, Rhodope Massif 211
 Hammamat Sediments 148, 149–150
 haplobasalt, gold solubility 34, **36**
 haplogranite, gold solubility **36**, **38**
 Hissar Tepe gold mine *212*, 213, *214*
 HKF thermodynamic model 19–20, **22**
 hornblende, Louis Lake Batholith,
 geothermobarometry 108–109
 horst, Kremnické Vrch Mountains 187, 194
 hot-spring mineralization 190, 191
 Hyde-Macraes Shear Zone 234
 numerical modelling 242–243
 hydrocarbons, as medium for gold transport 49
 hydrogen isotope studies
 Biely Vrch gold deposit 198–199
 Central Slovakia Volcanic Field 180, 185,
 192–193
 hydrogen sulphide, and gold solubility *34*, 42–43,
 53, 55
 hydrogen sulphide complexes 14, 23–25
 optimization and thermodynamic properties
 20–21, **22**, 23
 hydrothermal alteration
 Berezovskoye deposit 72
 Biely Vrch gold deposit 196
 Gurupi Belt 129, 131–132
 Kanowna-Red Hill gold deposit 74
 Kremnica gold deposit 189–192, 194–195
 Pestarena gold deposit 74
 Sigma gold deposit 73, 89
 Stremtsi gold prospect 213–215
 Wattle Gully deposit 75
 hydrothermal fluids
 aqueous 89–90
 aqueous-carbonic **136**, 137–139
 chemistry 9–13
 gold solubility 34–35
 gold-only deposits 1
 meteoric water mixing 55, 200, 221, 225
 ore fluid composition 1, 91–93, **136**, 137–138
 ore fluid properties 93–96, **136**, 138–139
 thermodynamic model 19–20
 vein networks 71
 volume constraints 97
- hydroxide complexes 14
 optimization and thermodynamic
 properties **22**, 23
- Igarapé de Areia Formation *122*, 124, 125, **126**,
127, *130*
 mineralization 133
 Igarapé Grande Metatonalite *122*, 123
 iron oxidation 39
 Itapeva Complex *122*, 123, 124
- Javorie stratovolcano *177*, 178, *179*, 195
 Biely Vrch gold deposit 195–200
 Jonasa Granodiorite *122*, 123
- Kanowna-Red Hill gold deposit, Yilgarn Craton
 73–74
 fluid inclusion analysis **77**, **78**, **80**, **83**, 87
 previous studies **73**, 75, 76
 kaolinite, Kremnica gold deposit 190, 193, 194
 Kardjali shear zone *209*, 211, 226
 Katarína veins *188*, *189*, 190, *191*, **194**
 Kirchberg vein *187*, *188*, *189*, 190, *191*, **194**
 Kremnica epithermal Au-Ag deposit *177*,
179, 187–195, 201
 erosion 194
 fluid inclusion data 190–192
 genetic model 194–195
 hydrothermal system *188*
 microthermometry *188*, 190–192
 mineralization 190
 salinity 191, *192*, 194
 stable isotope studies *191*, 192–193, 194
 vein systems 187–195
 Kremnické Vrch Mountains *177*, 178, *179*
 gold mineralization 187–195
 Kremnica epithermal Au-Ag deposit *177*, *179*,
 187–195
 Krížne veins *188*, *189*, 190, *191*, **194**
 Kudryavy volcano, vapour condensates 27
- La Fossa volcano, Italy, vapour condensates 27
 LA-ICP-MS
 Biely Vrch porphyry gold deposit 198
 Louis Lake Batholith 113
 orogenic fluid inclusions 2, 50, 56, 71, 81–85,
 87–89
 Lachlan Fold Belt 74
 Lamaque gold deposit, Abitibi greenstone
 belt 72, 73
 Larder Lake-Cadillac fault zone 72
 ligands 10–13, 25–26, 40, 46

- Louis Lake Batholith 105
 fluid inclusions
 analysis 111–115
 characteristics 111, 113
 entrapment conditions 114–115
 fluid solutes 113–114
 geochemistry 105–106, 108
 geothermobarometry 108–109
 historical studies 105–106
 intrusion and crystallization 105
 microthermometry 111
 mineral chemistry 108
 oxidation state 109
 petrography 106–108, 111
 salinity 109–110
 similarity to magmatic systems 116
 sulphate content of apatite 110–111
 sulphide- and fluid-phase exsolution 115–116
 transport of ore fluids 116–117
 low-salinity fluids 1–2
- Macraes gold deposit 231, 232, 234
 mineralization style 234
- Madan shear zone 211
- magma, Central Slovakia Volcanic Field 178, 200, 201
- magmatic fluids
 gold speciation and solubility 33–40
 experimental anhydrous systems 34, **36**
 experimental hydrous systems 34–35, **36–39**, 38
 natural systems 33–34, **36**
 preconcentration and mobilization 39–40
- magnetite, Louis Lake Batholith 106, 107, 108–109, 116, 117
- Mandiocal target, hydrothermal alteration 131, 134
- Marlborough Fault Zone 232, 234
- Menderes Massif, Turkey, extensional tectonics 226
- metagreywacke
 South Pass Greenstone Belt 104
 Southern Alps 233, 234, 238
see also greywacke
- metalloids, association with gold 48–49
 experimentation 57
- metamorphism
 Gurupi Belt 124–125, 139, 140
 Pestarena deposit 74
 Rhodope Massif 210–211
- meteoric water, mixing 55, 200, 221, 225
- mica, Gurupi Belt 131, 132–133
- microthermometry
 Central Slovakia Volcanic Field 178, 180, 183–184, 188, 190–191
 El-Sid gold deposit 151–152, 160–164
 Kremnica gold deposit 188, 190–192
 LLB 111
 orogenic fluid inclusions 77–78, **80**, 86–87, 88
 Stremtsi gold prospect 215, 217
- Mina Nova Sul gold deposit **126**, 129
- Mina Velha target 131, 132
- Miners Delight Formation 104
- Mississippi Valley-type deposits, fluid mixing 55
- modelling 57–58
 South Island, New Zealand, orogenic gold deposits 231, 234–246
- molasse basins, Eastern Desert 149–150
- Mole Granite, Australia, copper concentration 31
- Monte Rosa nappe 74
- Montes Áureos gold deposit 125, **126**, 127
 ore fluid properties **136**, 137, 139
- monzo-syenogranite, Fawakhir granite intrusion 148–149, 150, 167
- monzodiorite, Fawakhir granite intrusion 148–149, 150, 167
- Morococha Cu-Zn-Pb epithermal deposit 52
- mylonitic foliation 150
- Najd Fault System 149, 168
- nappes
 El-Sid gold deposit 148, 149
 Monte Rosa 74
- New Zealand *see* South Island, New Zealand
- Ney Peixoto Granite 122, 124
- oil *see* hydrocarbons
- ophiolites, El-Sid gold deposit 148–149, 151
- OptimB computer code 19, 20
- ore fluids
 composition 91–93, 137–138
 metamorphic, Gurupi Belt 135
 origin 103, 139, 141
 properties 93–96, **136**, 138–139
- ore formation, fluid-phase controls 52–55
- orogenic gold deposits 1, 71
 gold precipitation 96–97
 greenstone belts 103
 Gurupi Belt 124–143
 fluid-structural model 142–143
 gold siting 129, 133

- orogenic gold deposits (*Continued*)
 gold transport and deposition 141
 host rocks 124–129, 130
 hydrothermal alteration 129,
 131–132, 134
 metamorphism 135, 139, 140
 mineralization styles 129, 131
 mineralization timing 132–133, 135
 ore fluid
 composition 137–138
 properties **136**, 138–139
 sources 139, 141
 structural setting 124
 tectonic setting 140, 142
 hydrothermal fluids 1
 numerical modelling 231
 South Island, New Zealand 231, 233, 234
 mineralization styles 234
 numerical modelling 234–246
 see also South Island, New Zealand, orogenic
 gold deposits
 South Pass Greenstone Belt 103
 Otago Schist belt 231, 232, 233–234
 crustal thickness modelling **235**, 236–237
 gold mineralization 237–238
 uplift 234
 oxidation, and gold solubility 34, 43
 oxidation states 10–13
 oxygen fugacity
 El-Sid gold deposit 170–171
 Gurupi Belt ore fluids **136**, 138
 Louis Lake Batholith 109
 oxygen isotope studies
 Biely Vrch gold deposit 198–199
 Central Slovakia Volcanic Field 180, 184–185,
 191, 192–193
 El-Sid gold deposit 152, 165, **167**, 168
 Gurupi Belt **136**, 139
 Stremtsi gold prospect 215–216, 218–219, 221,
 222, 223

 Pacific-Australian plate boundary 232, 234
 pegmatites, Louis Lake Batholith 105, 106
 permeability, deformation-induced, modelling **235**,
 238, 240–241, 248
 Pestarena gold deposit, Monte Rosa Alps 74
 fluid inclusion analysis **77**, **78**, **80**, 81, **83**,
 86, 87
 previous studies **73**, 76
 phase separation 90–91
 and gold solubility 53–54
 Pipira gold deposit **126**, 129

 polysulphide complexes 25–26, 57, 96
 pore-pressure, mid-crustal, modelling **235**,
 238, 239
 porphyry deposits 1
 Biely Vrch gold deposit 196–200
 Cu-Au-Mo
 carbon dioxide 45
 gold enrichment 33, 53
 natural gold concentration, comparison with
 thermodynamic prediction 50–52
 fluid composition 2
 gold transportation 41, 52–53
 phase separation 54
 post-entrapment modification 76, 91
 precipitation
 orogenic deposits 96–97
 porphyry systems 53
 see also solubility
 pressure, and gold solubility 32,
 41–42, 53
 Pretos gold deposit **126**
 pyrite
 arsenian 47–48
 El-Sid gold deposit 156–157
 Gurupi Belt 132, 133
 Kanowna-Red Hill gold deposit 74, **77**
 Kremnica gold deposit 187–189
 Pestarena gold deposit 74, **77**
 Stremtsi gold prospect 214, 215
 sulphur isotopes 217
 pyrrhotite, El-Sid gold deposit 156, 157

 quartz veins
 Berezovskoye deposit 72, **77**
 Biely Vrch gold deposit 196–197
 El-Sid gold deposit 147, 150, 152–158, 168–170
 Gurupi Belt 128, 129, 130, 131–132,
 133, 134
 inhomogeneous shear zone, numerical modelling
 235, 245–246, 247
 Kanowna-Red Hill deposit 74, **77**, **78**
 Kremnica gold deposit 187–193
 Louis Lake Batholith 105
 Pestarena deposit 74, **77**, **78**
 Rozália epithermal Au-Ag deposit 181, 182
 Sigma deposit 72–73, **77**, **78**, 79
 Stremtsi gold prospect 215, 216
 Wattle Gully deposit 74–75, **77**, **78**

 Raman spectroscopy 56, 57
 El-Sid gold deposit 152, 160–164
 orogenic fluid inclusions 78–79, 81, 87

- Red Hill gold deposit *see* Kanowna-Red Hill gold deposit
- redox potential, and gold solubility 34, 43
- rheology, South Island, New Zealand 246–248
- Rhodope Massif *see* Central Rhodope massif, Bulgaria; Tertiary Eastern Rhodope massif, Bulgaria
- Rhyacian Orogen 123, 124
- rhyolite, Kremnica gold deposit 187, 188, 189, 194–195
- Rosino gold prospect 208, 209, 212
⁴⁰Ar/³⁹Ar dating 225
 ore formation 226
- Rozália epithermal Au-Ag deposit 177, 179, 180–187, 201
 fluid inclusion data 183–184
 genetic model 186–187
 mineralization 180–183
 stable isotope data 184–186
- salinity 1
 and gold solubility 32, 42, 50, 51
 Kremnica gold deposit 191, 192
 Louis Lake Batholith 109–110
- São Luíz cratonic fragment 121, 122, 123, 135, 140
- Schindler-Teich vein 187, 188, 189, 190, 191, **194**
- Schrämen vein 187
- seawater, mixing with meteoric water 55
- selenium, association with gold 48–49, 57
- Sequeiro gold prospect 130
- sericite, Gurupi Belt 132
- serpentinite, El-Sid gold deposit 148, 151, 154
- Serrinha gold deposit 125, **126**, 127, 128, 133
 hydrothermal alteration 131–132, 134
 ore fluid properties **136**, 137, 138
- Shartash Pluton 72
- shear zones
 inhomogeneous rocks, numerical modelling **235**, 241–243
 Kardjali 209
 Sigma deposit 72, 73
 South Pass Greenstone Belt 103, 104
 Tentugal 124
- Sigma gold deposit, Abitibi greenstone belt 72–73
 fluid inclusion analysis **77**, **78**, **79**, **80**, 81, **83**, 87, 88, 89, 90, 91, 92
 previous studies **73**, 75–76
 ore fluid properties and gold solubility 93–96
 tourmaline 72, 73, **77**, 79, 89, 93–94, 97
- silicate glass, gold concentration 33
- silicate melts, gold concentration 33, 35
- silicic melts, Cu-Zn massive sulphide ores, gold concentration 33
- sills, porphyry, Rozália epithermal Au-Ag deposit 181, 182, 186
- silver, El-Sid gold deposit 158
- slickensides, Fawakhir granite intrusion 150, 168
- solubility 9–10, 14, **15–18**
 dominant reactions 40–41
 effect of acidity 33, 34, 42, 43–46
 effect of arsenic 47–48, 57
 effect of carbon dioxide 45–47, 57
 effect of fluid mixing 55
 effect of fluid-rock interaction 54–55
 effect of hydrogen sulphide 34, 42–43, 50, 51–52, 53, 55
 effect of oxygen fugacity 34, 43
 effect of phase separation 54
 effect of pressure 32, 41–42, 53
 effect of redox potential 34, 43
 effect of salinity 32, 42, 50, 51
 effect of sulphur dioxide
 breakdown 43–45
 effect of temperature 32, 41, 50, 51–53
 experimentation 57
 modelling 57–58
 solvation control in vapour 28–29, 46–47
 solvation, control on solubility in vapour 28–29, 46–47
- South Island, New Zealand
 geological setting 233–234
 orogenic gold deposits 231, 233, 234
 mineralization styles 234
 numerical modelling 231, 234–246
 crustal thickness and strength **235**, 236–238
 deposition of graphite in shear **235**, 243
 graphite enhancement of shear **235**, 243–245
 mid-crustal permeability **235**, 238, 240–241
 mid-crustal high pore pressure **235**, 238, 239
 shear zones rock types **235**, 241–243
 vein formation in shear zone **235**, 245–246
- South Pass Greenstone Belt, Wyoming 103, 104–105
 copper mineralization 105
 gold mineralization 104
- Southern Alps 231, 232
 geological and tectonic setting 233–234
 gold deposits 234

- speciation 10–23
 effect of salinity 42
 effect of temperature 41, 53
 experimentation 57
 modelling 57–58
 sulphur 34, 43, 53
- spindle stage determination, orogenic fluid inclusions 81
- Štiavnica stratovolcano 177, 178, 179, 181
 gold mineralization 180–187
 Rozália epithermal Au-Ag deposit 177, 179, 180–187
- stibnite, Kremnica gold deposit 189, 190, 191
- stratovolcanoes
 Central Slovakia Volcanic Field 177, 178, 179
see also Kremnické Vrchy Mountains; Štiavnica stratovolcano
- Stremtsi gold prospect 208, 209
 $^{40}\text{Ar}/^{39}\text{Ar}$ dating 217, 219, 224
 fluid inclusion studies 215, 217, **218**, 220
 fluid modelling 220–225
 geological setting 212–213, 214
 microthermometry 215, 217
 mineralization 212, 213–215
 barite base-metal zone 212, 213–215, 216, **218**
 silicified gold-enriched zone 212, 213–215, 216
 mining and exploration 213
 ore formation 220–225, 226–227
 stable isotope studies 215–216, 217, 218–219, 221, **222**, 225
- strontium isotope studies, Stremtsi gold prospect 216–217, 218, 219, **222**, 223–224
- Šturec vein 187, 188, 189, 190, 191, **194**
- Sukari intrusion 168
- sulphate reduction 39
- sulphide liquids, gold concentration 35, 40, 53
- sulphides
 Kremnica gold deposit 187–188, 190
 Stremtsi gold prospect 217, **221**
- sulphite 26
- sulphur
 in fluid inclusions, analysis 56
 reduced, and gold solubility 34, 42–43, 50, 51–52
 speciation 23–26, 53
 and vapour-liquid partitioning 31–33
 sulphur dioxide breakdown, and Au solubility 43–45
 sulphur dioxide complexes 26
 sulphur fugacity, El-Sid gold deposit 157, 159
 sulphur isotope studies
 Biely Vrch gold deposit 199
 El-Sid gold deposit 152, 164, **165**, **166**
 Gurupi Belt **136**, 141
 Stremtsi gold prospect 215, 217, 220, **221**, 225
- Sverdlovsk tectonic zone 72
- tellurium
 association with gold 48–49, 57
 El-Sid gold deposit 158
- temperature, and gold solubility 32, 41, 50, 51–53
- Tentugal shear zone 124
- Tertiary Eastern Rhodope massif, Bulgaria 208–227
 geological setting 208–211
 ore deposits 210, 211–212, 220–227
 link with Tethyan plate tectonics 226–227
- Tethyan plate tectonics 226–227
- thermodynamic model
 gold concentration, comparison with porphyry Cu-Au-Mo deposits 50–52
 HKF 19–20, **22**
- thiosulphate complexes 25–26
- Timbozal Monzogranite 122, 124
- titanite, Louis Lake Batholith 106, 107
- tonalite
 Gurupi Belt 124, 125, **126**, 127, 132, 135
 Lamaque gold deposit 73
- tourmaline, Sigma gold deposit 72, 73, **77**, 79, 89, 93–94, 97
- Tracuateua Intrusive Suite 122, 123
- transportation 10
 in aqueous fluids, controlling parameters 40–55
 colloidal 49
 effect of cooling 52–53
 hydrocarbons as medium 49
 vapour-phase 26–29
- trisulphur species 26, 57
- Tromaí Intrusive Suite 122, 123, 124, 125, **126**, 132
- turbidites, Wattle Gully deposit 74, 75
- Ubinzal Gabbro 122, 125, 127, 130
- Vanzone anticline 74
- vapour-liquid partitioning 29–33, 96
 effect of sulphur 31–33
 fluid acidity 33
 fluid-density control 29–30, 96
 magmatic conditions 30–31

- vapour-phase transport 26–29
 - thermodynamic modelling 27
- vein networks 71
 - Berezovskoye gold deposit 72, **77**
 - Biely Vrch gold deposit 196–197
 - El-Sid gold deposit 147, 150, 152–158
 - Gurupi Belt 128, 129, 130, 131, 132, 133, 134
 - Kanowna-Red Hill gold deposit 74, **77**
 - Kremnica gold deposit 187–195
 - erosion 194
 - Pestarena gold deposit 74, **77**
 - Sigma gold deposit 72–73, **77**, 79
 - Wattle Gully gold deposit 74–75, **77**
- volcanic gas, vapour-phase transport 26–28
- volcanoes *see* stratovolcanoes
- Volle Henne veins 188, 189, 190, 191, **194**
- water pressure, control on metal solubility 28
- Wattle Gully gold deposit, Lachlan Fold Belt 74–75
 - fluid inclusion analysis **77**, **78**, **80**, 81, **83**, 87, 91
 - previous studies **73**, 75–76
- Wind River Range, Wyoming 104, 105
- Yunoe epithermal deposit, fluid mixing 55
- Žiar tectonic depression 187