

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- A Strategic Vision for UK e-Infrastructure* (BIS 2011)  
17–18, 23
- adaptive management 173
- ADCIRC **21**, 26
- agent based models 202, 203, 205, 207–210, 211
- Alberta  
water resource management 195–197  
Water Resources Management Model 196
- ANOVA test 130–132, **140**, **141**
- anthropomorphism 168
- ArcGIS 71, 72, 76, 82, 84, 86
- architecture *see* software architecture
- Arizona, groundwater management 190–195
- ARMA (auto-regressive-moving-average) methods 42
- artificial intelligence 22, 26, 30, 31
- artificial neural network (ANN) models 42, 222, 223, 226, 227  
multilayer perceptron (MLP) 223–224
- ASCII grids 77–78, 79, 82, 86, 240
- Äspö HRL, nuclear waste disposal, radionuclide mobilization 163
- Atlantic Intracoastal Waterway *see* Waccamaw-Atlantic Intracoastal Waterway study area
- atmosphere–ocean global climate models (AOGCMs) 119  
downscaling 119–120, 122, 129, 130
- Bayesian statistical framework 257, 263
- BCF6 flow package 78–79
- behavioural biogeosciences 176, 178
- BGS GW groundwater model 12
- bias 161–162, 164, 166–172, 177  
anthropomorphic 168  
confirmation 170  
creeping normality 169  
disciplinary 169–170  
dominant stature 170  
man v. nature 168  
managed expectations 170  
single species 168–169  
steady-state 168  
temporal insensitivity 167–168  
visible is credible 169
- Big Data paradigm 222, 245–252, 246
- bioenergetics models  
fish 101–103, 127–128  
pallid sturgeon 102–116, 126–137  
diet and growth 107, 113, 128  
fish weight 110, 112  
model evaluation 109–110  
multi-model uncertainty 129–137  
parameters 103, **104–105**, 106, 109, 115  
proportional consumption/length 106–107, 109  
respiration/swimming speed 107–109, 128  
results 110, 111  
river velocity 111, 112, 114–115, 128  
and temperature 126–127, 128–129, 139  
stochasticity 102, 109, 111, 115–116, 126–127  
Wisconsin model 101
- BIS (Department for Business Innovation and Skills) **21**, 23
- Black Swans, high impact/low probability events 162, 166, 167
- British Geological Survey  
3D geological models 7, 8, 9  
integration 11, 15, 16
- Environmental Modelling Platform 8–16  
components 8, 9  
data management and quality 11  
future of integrated modelling 14–15  
Glasgow integrated modelling 14  
heterogeneity and uncertainty 11  
research community 11  
scoping study 7, 8  
semantics and ontology 10–11  
software 9–10  
standards 8–9  
Thames integrated model 11, 12–14
- mobile device applications 15  
model fusion 7–16  
OpenMI 9–10, 13  
scoping study 7, 8
- Buckeye, groundwater management 190, 191, 193
- calibration tools 241
- Canadian Global Climate Model (CGCM) 121, 122, **123**, 133–134, 135
- Canadian Regional Climate Model (CRCM) 121, 122, **123**, 133–134, 135
- carbon dioxide sequestration 8
- Catalogue of Life 239
- catastrophe models 89–91  
model fusion 92–96  
experimental zone 95
- CellML 241
- Cellular Automata Urban Growth Model 205, 211–213, 214, 215, 216
- Central Arizona Project 185, 194–195
- Centre for Ecology and Hydrology Analytical Services  
Thesaurus (CAST) 239
- Chesapeake Bay IEM watershed models 169
- Chesapeake Community Modeling Program (CCMP) **21**, 26
- choice, and decision making 166–167
- chronostratigraphy, geological map fusion  
151, 153–154

- climate change
  - impact on salinity intrusion 221, 222, 223, 225
  - impact on water management 184–189, 192, 194–195
  - models, linkage with groundwater models 8
- Climate Change Science Program (CCSP) 119
- climate models
  - AOGCMs 119
    - uncertainty 120–121
  - downsizing, global to regional 122, **123**
  - linkage 1, 119
  - regional (RCMs) 122, **123**
    - downscaling to river 124–126, 128–129, 130
- closed systems 39
- cloud computing 246, 247–248
- coastal communities
  - ecological/societal systems 221, 222
    - Waccamaw–AIW study area 222–233
- coastal system modelling 24, 35
- code documentation 48
- cognition 167
  - perception 169
- Colorado River 185, 190, 191, 192
- Colorado River Basin 185
  - climate–population dynamics 186
  - water management 186–189, 191, 192–195, 197
- Common Component Architecture (CCA) **21**, 25, 31
- Community Climate System Model (CCSM) 121, 122, **123**, 133–134, 135, 229
- Community Hydrologic Modeling Platform (CHyMP) **21**, 26
- community interactions
  - in IEM 174
  - scientists and policy makers 184
- community modelling systems 36
- Community Surface Dynamic Modeling System (CSDMS) 1, 20, **21**, 22, 25, 26, 31, 36, 249, 251
- complexity, in IEM 27, 173
- complexity paradox 27
- component standardization 240
- component-based modelling framework 10, 24, 36, 240
- computing, high performance 1, 2
- condition tree concept 262, 263
- confirmation bias 170
- Conover squared rank test 130–131
- consistency, spatial, in geological map fusion 149
- constancy 163–164
- Continuous System Modelling Program (CSMP) 240
- cooperative modelling 174
- Coupled Human and Natural Systems (CHANS) 164
- CSML 43
- CUAHSI **21**, 22, **45**
- data
  - levels of abstraction 22
  - measured and modelled 42, 43
    - and models 42–43
    - storage and access 15
- data assimilation 43
- data integration, geological 3D and groundwater flow
  - modelling 71–86
- data mining 42–43, 222
- data-driven modelling 42
- datasets, management, BGS 11
- decision making
  - and choice 166–167
    - under uncertainty 183, 187, 189, 197
- decision support system (DSS) 225
  - PRISM-2 225, 226
- Declarative Modelling approach 241
- Deepwater Horizon oil spill 23
- Deficit and Constant Loss method 125
- Delft-FEWS software 56, 59, 60, 66
- DEM
  - groundwater catastrophe modelling 94, 96
    - GS13D modelling 75, 76
- demand surge 91
- deterministic modelling 42
- Digital Geospatial Model Project 15
- disasters *see* natural hazards
- disciplinary bias 169–170
- dominant stature bias 170
- downscaling 240
  - AOGCMs 119–120
    - global to regional climate models 122, **123**, 129, 130
    - regional to river-level hydrological and temperature models 124–126, 128–129, 130
- DyDOC\_lite 240
- dynamic modelling 240, 241
- e-infrastructure 17–18, **21**, **23**
- Earth System Modelling Framework **21**, 26, 36
- EarthCube initiative **21**, 23
- East Hampshire Chichester Chalk groundwater model 57, 58
- East Midlands Yorkshire groundwater model 57, 58
- ECHO-G model, climate projection 229, 231–233
- ecosystem models
  - improvement 238–242
    - quantity definition 238
- education, in IEM 173–174
- Environment Agency
  - centralized modelling platform 55–56
  - groundwater modelling 56
  - hardware 56
  - IGARF 56
  - National Flood Forecasting System 56
  - National Groundwater Modelling System 56–68
  - recharge modelling 59
- Environmental Modelling Platform 7, 8–16
  - data management and quality 11
  - future of integrated modelling 15
  - Glasgow integrated modelling 14
  - heterogeneity and uncertainty 11
  - research community 11
  - scoping study 8
  - semantics and ontology 10–11

- software 9–10
- standards 8–9
- Thames integrated model 11, 12–14
  - linkages 13
- environmental systems, modelling 35–36
- Environmental Systems Research Institute (ESRI) **21**, 28
- EPA Frames *see* Framework for Risk Analysis ...
- EPSRC **21**, 23
- European Center atmospheric GCM (ECHAM4) 229
- European Union, OpenMI *see* OpenMI
- evapotranspiration data 59, 60–61, 94
- Experimental Climate Prediction Center Regional Spectral Model (ECPC) *121*, 122, **123**, 133–134, *135*
- experimental zone 95
- eye of reality frame 171–173
  
- Feature Manipulation Engine (FME) 72
- FEFLOW<sup>®</sup> groundwater flow model 44, 71, 84–85
  - integration with GMS GSI3D 82–86
    - Patamäki/Luikonlahti case study 72, 80, 82–85, 86
- FEMWATER 78
- fish, bioenergetics models 101–103
- flooding
  - catastrophe modelling, fusion model 93
  - insurance losses 92
  - interpretation of uncertainty 259, 260–261, 262–263
- FluidEarth 46–47
  - communities 47
  - integration with OpenMI 93
  - Pipistrelle 13, 46, 47, 93, 94, 95
  - SDK 1, 13, 26, 46, 47, 93
- Foresight Future Flooding project 35
- FORTRAN 35, 57, 190
  - see also* Hydrologic Simulation Program-FORTRAN watershed model
- forward modelling, integration with inverse modelling 162
- Framework for Risk Analysis in Multi-media Environmental Systems (FRAMES)
  - FRAMES-1 25, 31
  - FRAMES-2 25
  - FRAMES-3MRA 1–2, **21**, 25, 249
- fuzzy inference systems 164, 212, 214
  
- General Vertical Section (GVS), GSI3D modelling 75, 76, 77
- Geographical Information Systems (GIS) **21**, 22
  - tools 241
- Geography Markup Language 150
- geological 3D models 7, 8, 15, 16
  - integration with groundwater flow models 71–86
- geological map fusion
  - OneGeology-Europe/INSPIRE 147, 148–149, 150–159
    - chronostratigraphy 151, 153–154
    - geological structures 155
    - lithology 154–155
  - geological structures, in geological map fusion 155
- Geophysical Fluid Dynamics Laboratory Climate Model (GFDL) *121*, 122, **123**, 133–134, *135*, 229
- GeoSciML 151–155, 158–159
  - concepts 150
  - data vocabulary standard 9, 150
    - UML *151*, *152–153*, *154*, 155, 159
- Glasgow, BGS integrated modelling study 14
- global circulation models 223, 229
- GLUE methodology 263, 264
- graphical user interfaces (GUIs) 23, 59, 204, 205, 206
- GRASS **21**, 26
- Ground Penetrating Radar (GPR), GSI3D
  - modelling 72, 75, 76
- ‘Groundhog’ application 15
- groundwater flow models, integration with geological models 71–86
- Groundwater Modeling Systems (GMS) 59, 71, 78–80, *81*, 82
  - flow packages 78–79
  - integration with FEFLOW<sup>®</sup> GSI3D 82–86
    - Patamäki/Luikonlahti case study 78–80
- groundwater modelling
  - Glasgow integrated modelling study 14
  - linkage with climate change models 8
  - linkage with river models 10
  - NGMS 56–68
  - Thames integrated model 12
- Groundwater Vistas 59
- groupthink 176
- GSFLOW **21**, 24
- GSI3D modelling 71, 75
  - integration with GMS FEFLOW<sup>®</sup> 82–86
    - Patamäki/Luikonlahti case study 75–78
    - data export 77–78
  
- Hadley Centre Climate Model 2.0 (HADCM) *121*, 122, **123**, 133–134, *135*
- Hadley Regional Climate Model 3.0 (HRM3) *121*, 122, **123**, 133–134, *135*
- Hamburg Primitive Equation Ocean GCM (HOPE-G) 229
- hazard clustering 91
- HEC-HMS runoff model 124–129, 130, 138–139
- heterogeneity, model-scale 11
- heuristics, human 164, 166, 167, 170–171, 177
- hierarchies, in geological maps 148, 149, 155, 159
- HUF flow package 78–79
- human activities, IEM 164
- human preconceptions
  - biases 167–172
  - constancy and simplicity 162–164
- Hurricane Andrew 1992 89
- Hurricane Georges 1998 89
- Hurricane Katrina 2005 89
- hurricanes 89, 91
- hydraulic modeling
  - Abbott’s five generations 37, **38**
  - paradigm evolution 38–39

- hydro-sociology 183–184
- Hydrologic Simulation Program-FORTRAN (HSPF) **21**, 24
  - watershed model 227, 228, 229, 231–233
- hydrological-societal interaction 183–197, 201–202, 221
- hydrological-temperature model 124–126
  - validation relative to bioenergetics 128–129
- hydrology models
  - downscaling 124–126
  - linkage 1
  - uncertainty 120–121
  - Thames integrated model 12–14
- ICMS 240
- ICSU **21**
- IGARF 56
- IHM **21**, 24
- InformaTEC vision 245–252, 246
  - components 246–250
    - cloud computing 246, 247–248
    - environmental sensors 246–247, 250, 252
    - IEM 249–250
    - semantic interoperability 246, 248–249, 250
  - delivery 250–252
- information technology 35
- INSPIRE 43, 147–148
  - in geological map fusion 158–159
    - UML 148, 150, 151, 152–153, 154, 156–157, 159
  - Implementing Rules 148, 158
  - Thematic Working Groups 158
- insurance industry models 1, 2
  - catastrophe models 90–91, 92
  - natural hazards 89
  - Solvency II regulations 91–92
- integrated environmental modelling
  - applications 23
  - artificial intelligence 26
  - availability of 28–29
  - background 20, 22–24
  - collaboration 31
  - community 27
  - complexity 27, 173
  - components 20, **41**
  - consolidation 49
  - controlled vocabularies 26
  - gaps 26–27
  - global challenges for 18–19
  - human biases 167–172
  - human challenges of 173–177
  - implementation 27–32
  - integration to fusion 37–51
  - international meetings 22
  - IT science 20
  - marketing 31–32
  - modelling science 20, 22
  - nature of 164
  - need for 17, 165
  - ontologies *see* ontology
  - organizational level 22–23
  - paradigm evolution 40–42
  - processing 164–165
  - R&D programme 30–31
  - raising awareness of 28
  - recent developments 24–26
  - Roadmap 17–18, 22, 27
  - science-society interface 235–243
  - semantics *see* semantics
  - simplification 166–167
  - skills base and training 30
  - standards 29–30
  - state of the art 24–27
  - strategy 27
  - stress test 27
  - tools 20, **41**, 49–50, 239–241
  - uses 165–166
    - verification, validation and understanding 50
- ‘integronsters’ 22, 24
- Intensification Mechanism 213
- interdisciplinary processes 1
- Intermediate Disturbance Hypothesis 176
- interoperability 2, 29, 43, 44
  - GeoSciML 158
  - semantic 24, 25, 246, 248–249, 250, 252
- Interoperability Working Group (IWG) 149–150
- inverse modelling, integration with forward modelling 162
- iPhone applications, BGS 15
- ISCMEM **21**, 22
- ISO, metadata standards (ISO 19115) 1, 9, 40, 43
- Kinematic-Wave Routing method 125
- knowledge, ‘eye of reality’ frame 171–173
- knowledge gaps, use of modelling 162, 166
- knowledge management, systemic 37–42
- Kruskal–Wallis ANOVA 130–132, **140**, **141**
- Lake Mead stress test 193–195
- Land Ocean Interaction Study (LOIS) **21**, 24
- language
  - interdisciplinary 1, 11, 24
  - see also* interoperability, semantic; Universal Modeling Language
- legacy models 24, 35
- linked models 1, 7–8, 9–10, 35, 36, 42
  - TIM 12–13
- lithology, in geological map fusion 154–155
- losses, natural hazards 89, 91, 97
- LPF flow package 78–79
- Luikonlahti mine
  - FEFLOW<sup>®</sup> groundwater flow model 80, 82–85, 86
  - GMS 78–80
  - groundwater contamination 72, 74, 75
  - GSI3D modelling 75–78
- MABSWEC model 94, 96
- man v. nature bias 168

- management of expectations 170
- mapping
  - computerized, development 19
  - digital, development 19–20
- MapWindow **21**, 26
- Marlborough and Berkshire Downs groundwater catastrophe model 93–95
- Mars Climate Orbiter, failure of quantity definition 238
- MathML 241
- MATLAB™ 241
- MCRouter river model 12, 125
- mediated modelling 174
- Mesoscale Meteorological Model (MM5) *121*, 122, **123**, 133–134, *135*
- metabolism modelling 201, 202
- metadata
  - enhanced 48
  - standardization 1, 9, 11, 26, 30, 43, 48, 239, 240
- Middle Rio Grande Basin, cooperative modelling 174
- MIKE-SHE 36, 71
- Missouri River
  - pallid sturgeon, uncertainty in climate models 120–141
  - pallid sturgeon bioenergetics model 102–116, *103*
- Missouri River Basin, hydrological and temperature models 124–126, 128–129
- MODAEM 78
- model delivery 15
- model fusion 37, 47–48, 235–243
  - British Geological Survey 7–16
  - catastrophe modelling 92–96
  - dynamic models 240, *241*
  - geological 3D and groundwater flow modelling 71–86
  - NGMS 66, 68
  - open access 48
  - uncertainty cascades 255–264
- modelling components 24–25
- modelling systems 35–36
- MODFLOW **21**, 24, 56–57, 78, 79
  - integration with GSI3D GMS 72, 79–80
  - NGMS 56–57, 59–60
  - integration with 4R 60–66, 68
- multi-model ensemble method 120, 122
- multi-perils 91
- multilayer perceptron (MLP) 223–224
- Murrumbidgee River Basin, socio-hydrology 184
- Muskingum–Cunge streamflow routing method 12, 125
- Myrtle Beach 222
  
- N14C 240
- NARCCAP, climate model downscaling *121*, 122, **123**
- National 3D Geological Model of the UK, BGS 11
- National Flood Forecasting System 56
- National Groundwater Modelling System 56–68
  - MODFLOW 56–57, 59–60
  - integration with 4R 60–66, 68
  - recharge modelling 56, 59–62
  - regional models and aquifers 57
  - scenarios 58–59, 62–63, 66
  - use in Environment Agency 58–59
  - Wessex Basin rainfall/recharge model 62–66, 67
- natural hazards 89
- catastrophe models 90–91
  - models 90
- NEON program 247
- NERC **21**
  - IEM strategy 15
  - InformaTEC 245–252
  - see also* InformaTEC vision
- NERC PURE Research and Knowledge Exchange programme 90
- NetCDF 43, 240
- NETLOGO 213
- Northern East Anglian Chalk groundwater model 57
- NSF **21**, 23
- numerical modelling
  - code structure 35–37
  - deterministic 42
  - development 37–51
    - Abbott's five generations 37, **38**
  
- OASIS-LMF 2
- Object Modeling System (OMS) 20, **21**, 25, 31
- object-oriented languages 35
- objectivity 177
- OneGeology-Europe spatial dataset 147, 150–151, 153, 156, 158
  - map fusion 150–159
    - chronostratigraphy 151, 153–154
    - geological structures 155
    - lithology 154–155
- ontology 1, 10, 11, 22, 26, 30, 48, 238–239
- Open Geospatial Consortium (OGC) standards 9, **21**, 25, 29, 30, 40, 95, 147
- Open Modelling Interface *see* OpenMI
- open science 48
- open systems 39
  - standards 40
- OpenMI 1, 7, 8–10, 13, 20, **21**, 25, 29, 36, 43, 240, 249
  - experimental zone 95
  - integration with FluidEarth 93
  - model linkage 44
  - roles and responsibilities 44–45
- OpenMI 2.0 44
- OpenMI LIFE 43
- OpenMI standard 43–45
- OpenWEB *see* FluidEarth
  
- paradigm evolution 37, 38
  - forming stage 38, 40
  - hydraulic modelling 38–39, 40
  - IEM 40–42
  - norming stage 38, 39, 40
  - performing stage 38, 39, 40
  - proliferating stage 38, 40
- paradigm shifts 37, 39
- Paradise Valley, water management 190, *191*, 192, *193*

- Parallel Climate Model (PCM) 229
- parsimony 236
- Patamäki groundwater reservoir 72, 73
- FEFLOW® groundwater flow model 80, 82–85, 86
- GMS 78–80, 81, 82
- GSi3D modelling 75–78
- Pawleys Island specific conductance gauge 222, 228, 229, 230, 231, 232, 233
- Pee Dee River Basin 222, 224
- ECHO-HSPF climate projection 231–233
- salinity intrusion, PRISM-2 DSS 225, 226–227, 230–233
- watershed model 223, 227–229
- perceptions 172
- perturbed physics ensemble method 120
- PEST (Model-Independent Parameter Estimation and Uncertainty Analysis) 80, 85
- Phoenix, Arizona
- groundwater 190–192, 193
- water management 192, 193
- Pinal Creek Basin, groundwater modelling 162–163
- Pipistrelle 13, 46, 47, 93, 94, 95
- plug and play interoperability 23, 44, 45
- catastrophe model 90, 95
- PoolParty 239
- pre-paradigm stage 37–38
- hydraulic modelling 38, 40
- preconception, assuming constancy 163–164
- prediction 235–236
- predictive modelling 8, 235–243
- improving accuracy 236–237
- interaction with stakeholders 237, 242
- tools for integrating models 239–241
- tools for statistical analysis/calibration 241
- tools for visualization 241–242
- Prendergast, Maurice (1858-1924), *Ponte della Paglia* 174, 175
- Priestley–Taylor potential evapotranspiration method 125
- PRISM (Programme for Integrated Earth System Modelling) 36
- PRISM-2 decision support system 225, 226–227
- sea-level rise simulation 230–231
- PRMS watershed model 21, 24
- rainfall data, NGMS 59, 60–61
- rasters, GSi3D/FEFLOW\* integration 82–83, 84
- recharge models
- 4R 56, 60
- integration with MODFLOW 60–66, 68
- NGMS 56, 59–62
- ZOODRM 12
- recursive algorithms 42
- Red Teaming 27, 176, 177
- Regional Climate Model 3.0 (RCM3) 121, 122, 123, 133–134, 135
- regression models 236
- resource description format 11
- Resource Description Framework (RDF) 239
- River Clyde 14
- river models, MCRouter 12, 125
- RTC (Real Time Control) Tools 44, 45
- salinity intrusion
- Waccamaw–AIW 222–223
- models 223–227, 231–233
- PRISM-2 DSS 225, 226–227
- Salt River 185
- water management 190, 191, 192
- Saskatchewan River Basin 187
- climate–population dynamics 186
- water management 186–189, 196–197
- Scaphirhynchus albus* see sturgeon, pallid
- Scheldt River Basin, water management integrated modelling 9
- science–society interface, IEM 235–243
- scoping study, BGS 7, 8
- Scottsdale, water management 190, 191, 192, 193
- SEAMLESS project 1, 26
- Semantic Web 10–11
- semantics 1, 10–11, 24, 159, 238–239, 242
- interoperability 30, 149, 246, 248–249, 250, 252
- shared knowledge bases 49
- Simile™ 241
- Simple Knowledge Organization System (SKOS) 239, 249
- Simple Script Wrapper 44, 45
- simplicity, in IEM 173
- simplification, in IEM 166–167, 168–169, 171, 173
- Simulink™ 241
- SME 240
- SNTemp model 125–126, 127, 128–129, 130, 139
- SOBEK hydraulic model 44
- socio-economic models, linkage to scientific systems 7
- socio-hydrology 183–184
- see also hydrological–societal interaction
- socio-technical toolkit
- urban water systems 202–217
- component integration 213
- software architecture, open 39
- Software-as-a-service 37, 49
- soil moisture deficit 94
- Solvency II regulations 91–92
- SourceForge project 46
- spatial modelling 239–240
- 3D 147, 240
- species names standardization 239
- specific conductance 22, 223, 224, 226, 230
- see also Pawleys Island specific conductance gauge; salinity intrusion

- specific dynamic action 106, 109, 128
- stakeholders
- concern about environmental risk 1
  - involvement of 27, 37, 38
  - requirements of 8, 27, 38
  - and research community 11, 237, 242, 255
- standardization 1, 23, 29–30, 40, **41**
- data structure 43
- standards
- BGS 8–9
  - see also* ISO; Open Geospatial Consortium; OpenMI
- State Allocation Algorithm 213
- stationarity 186–187
- statistical analysis tools 241
- steady-state bias 168
- Stella™ 241
- stochasticity
- bioenergetics models 102, 109, 111, 115–116, 126–127
  - uncertainty in multiple climate models 120
- sturgeon, pallid
- bioenergetics model 102–116, 126–137
  - diet and growth 107, 113–114
  - fish weight 110, *112*
  - multi-model uncertainty 129–137
  - proportional consumption and length **104, 105**, 106–107, 109, 111, 128
  - respiration and swimming speed 107–109
  - river velocity 111, *112*, 114–115
  - river velocity and temperature 126–127, 128–129, 139
  - specific dynamic action 106, 109, 128
  - see also* bioenergetics models, pallid sturgeon
  - life-history and river management 102
  - Pallid Sturgeon Recovery Plan 136
  - uncertainty in climate models 120–141
- subjectivity 171
- Subsurface Viewer 71, 75
- Summit on Integrated Environmental Modelling 2010, Washington 22
- super models 36
- supply chain disruption 91
- Surpac 71
- surprise, in uncertainty estimation 259
- SWAN wave model 45
- SWAT land surface model **21**, 24
- system dynamics approach 202, *203*, 210–211
- systemic knowledge management 37–40
- IEM 40–42
- Tarsier 240
- TELEMAC-2D flow model 45
- Temperature Index 125
- Thames Basin
- integrated groundwater model, linkages 13, 27
  - integrated groundwater model (TIM) 11, 12–14
- Thematic Working Groups, INSPIRE 158
- triangulated irregular networks (TINs) 78, 79, 81, 86
- triple storage 239
- ultra thin clients 56
- uncertainty 172
- aleatory 255, 256, 258
  - in climate models 120
  - condition tree concept 262, 263
  - decision making under 183, 187, 189, 197
  - epistemic 255, 256, 257, 258–259, 263, 264
  - hydrological modelling 256
  - interpretation of 259, *260–261*, 262–263
  - Knightian 256
  - in model chains 1, 22
  - in model fusion 255–264
    - critical questions 263–264  - in multi-dimensional models 11
  - multi-model 129–130
  - quantification 8
  - surprises 259
  - in water resource management 186–188
- uncertainty cascade 120, 255–264
- UncertWeb 1, **45**
- Uniform Resource Locator (URL) 239
- Universal Modeling Language 148, 150, *151, 152–153, 154, 156–157, 159*
- unknowns 31, 171–172, 177, 256
- UPW flow package 78–79
- Urban Growth Algorithm 213
- Urban Growth Model, cellular automata 205, 211–213, *214, 215, 216*
- Urban Water Agent Based Modelling Platform (UWABM) 207–210, *211, 213, 214, 216*
- Urban Water Optioneering Tool (UWOT) 202–207, *211, 213, 214, 216*
- external water system model 205–207
  - internal water system model 203–205, 210
- Urban Water System Dynamic Environment (UWSDE) 210–211, 213, 215, *216*
- urban water systems 201–202
- socio-technical toolbox 202–217, *203*
  - component integration 213
- US EPA **21**, 22, 25
- USACE **21**, 22, 25, 103
- USGS **21**, 22
- variability, in water resource management 186–187
- Vensim™ 241
- Verde River *185*
- water management 190, *191*, 192
- Virtual Physiological Human (VPH) 2, **21**, 23
- vision 169
- visualization tools 241–242
- vocabularies, controlled 1, 11, 22, 24, 26, 149, 155, 159, 249
- VSD 240

- vulnerability
  - groundwater, Phoenix, Arizona 190–192, 193
  - salinity intrusion 222, 223
  - to natural hazards 91, 97
- Waccamaw-Atlantic Intracoastal Waterway study
  - area 222–233, 224
  - artificial neural network (ANN) models 223–224, 226, 227
  - decision support system 225
  - ECHO-HSPF climate prediction 231–233
  - PRISM-2 DSS 225, 226–227
    - sea-level rise simulation 230–231
    - salinity intrusion models 223–227, 230–233
  - water abstraction, NGMS 63, 64–65, 66, 68
  - Water Framework Directive 9, 29, 43, 249
    - model fusion 257
    - whole catchment modelling 35
  - water management, effect of climate change 184–189, 192
  - water resource management 184–197
    - IEM 189–197
- WaterML 29
- watershed models 223
  - Hydrologic Simulation Program-FORTRAN (HSPF) 227, 228, 229
- WaterSim 5.0 190, 191, 192
- Weather Research and Forecast Model 3.0 (WRF) 121, 122, 123, 133–134, 135
- Wessex Basin groundwater model 57, 62
  - rainfall/recharge scenarios 62–66
- windstorm Kyrill 2007, losses 91
- windstorm Lothar 1999, hazard clustering 91
- windstorm Martin 1999, hazard clustering 91
- windstorms 91
- Wisconsin model 101
- World Wide Web Consortium, standards 40
- wrapping 45
- XDMF 43
- ZOODRM recharge model 12, 94
- ZOOMQ3D groundwater model 12, 94