

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- adakitic inclusions 5
 - Aeolian Arc 144, 145
 - Albești Granite 20, 21
 - almandine, Bughița Albeștilor common eclogite 31
 - alteration, metasomatic 19
 - eclogite 20–55
 - Ambrym volcano, Hg/SO₂ ratio **270**, 278, 279
 - amphibole
 - Bughea Complex 22, **23**, 24, 26
 - Bughița Albeștilor common eclogite 29, 30, 31, **34**, 35
 - andesite, crystal-rich
 - gas-trapping 8
 - Soufrière Hills 124
 - andesite-mafic enclaves 96
 - Soufrière Hills Volcano 97
 - magnetite-bubble aggregates 97–98, 99, 115–116
 - origin 116–117
 - statistical analysis 98, 100–101, 111–115
 - synthetic point patterns 101, 102–107, 108, 109
 - ‘andesitic water’ 237, 245–246
 - ⁴⁰Ar/³⁶Ar ratio, volcanic gases 253
 - arc magma 2
 - composition 4–5, 53
 - differentiation and ascent 5–8, 9
 - eruption triggering 8–9
 - interaction with hydrothermal systems 9–10, 219–234
 - ponding depth 5, 6, 7, 8
 - water 10, 95, 237–238
 - arc magmatism, subduction zone 1, 2
 - arc volcanoes 239
 - Cl/H₂O ratio 238–239, 245, 246–257
 - D/H ratio 237, 238, 242, 245, 246–257
 - gold-copper porphyry deposits 10, 71–72
 - high-temperature gases
 - chemistry 238–239, **240–241**, 242–245
 - isotopic composition **240–241**, 245–257
 - Arenal volcano, Hg/SO₂ ratio 275, 276, 279
 - Asama volcano, Hg/SO₂ ratio **270**, 274, 276, 278, 279
 - Aso volcano 264, 265
 - Hg emissions 268–269, **270**
 - flux 277
 - Hg/SO₂ ratio 274, 276, 277, 278
 - assimilation and fractional crystallization (AFC), TVZ 72
 - atoll garnets, Bughea Complex eclogite 25–27, 28
 - Augustine volcano
 - gases 251–252
 - magmatic end-member 255
 - Ba/Y ratio, Taupo Volcanic Zone **86**, 87, 88
 - Baja California eclogite 42, 46, 48
 - barrosite, Bughița Albeștilor common eclogite 30
 - basalt
 - Daisen volcanic complex, olivine 221–234
 - composition 223–224
 - Mengameyama, olivine 221, 222–234
 - composition 222–224
 - Stromboli volcano 151–168
 - Bezymianny volcano, gases 238, **240**, 249
 - Bishop Tuff rhyolite, magnetite-bubble aggregates 96
 - bromine 1, 2, 4, 10
 - bubble nucleation 8, 10, 95–96
 - bubble-crystal aggregates 8
 - magnetite *see* magnetite-bubble aggregates
 - Bughea complex 20, 21
 - eclogite 21, 22, **23**, 24–25, 42–53
 - fluid-rock interaction 25–27, 53–55
 - matrix rock 25, **40**, 42–53
 - petrology 20, 22–25
 - Bughița Albeștilor common eclogite 21
 - fluid-rock interaction 27, 29–42, 53–55
 - mineral assemblages 29–31
 - mineral chemistry 31
 - quantitative thermobarometry 31, 35, 38–39, 41, 42
 - whole rock geochemistry **40**, 42
 - Calabrian Arc 144
 - Călușu Complex 20, 21
 - Căpitanu Complex 20, 21
 - carbon, devolatilization 4
 - see also* CO₂
 - carbon budget 10
 - carbon cycle 2, 3
 - Chilean subduction zone 59, 60
 - fluids and seismic velocity 61–69
 - lithosphere-asthenosphere boundary 66
 - mantle hydration 5, 66, 68–69
 - mantle low velocity zone 66
 - Rayleigh wave phase velocity
 - Argentina 61, 63–64, 65, 66, 68
 - Central Valley 61, 63–64, 65, 66, 68
 - Coastal Range 61, 63–64, 65, 66, 68
 - Volcanic Arc 61, 63–64, 65, 66, 67
 - shear-wave velocity models 62–66
 - crust 66–67
 - Moho 67, 68
 - upper mantle 67–69
- chlorine 1, 2
 - devolatilization 4, 9, 10
 - high-temperature arc volcanics 237
 - magmatic end-members 255–257
 - solubility 79–83, 85
- Stromboli volcano 151
- TVZ 76, 79–83, 85
- volcanic gases 255
- Cl/H₂O ratio 238–239, 245, 246–257
- clinopyroxene
 - Bughița Albeștilor common eclogite 30, 31, **33**, 38
 - Râul Târgului eclogite 26, 27
 - Stromboli basalts **153**, 154, **160**, **161**
 - thermobarometry 152, 155, **156**, 158
 - Valea Hotarului eclogite 25, 26
- clinozoisite 35
- CO₂
 - arc magma 2
 - Merapi 201, 210–211
 - outgassing 3
 - Pelagatos 182, 184, **185–188**, 189, 192, 193, 196
 - Stromboli volcano 151

- CO₂ (*Continued*)
 subducting slab 2, 3, 9–10
 TVZ 76, 77, 78, 81, 83, 84
- coesite 22
- Colima volcano
 gases 241, 248–249
 Hg/SO₂ ratio 276, 277
 magmatic end-member 255
- continuous wavelet analysis, SO₂ emission 127–129, 130
- D/H ratio, volcanic gases 237, 238, 242, 245, 246–257
- Daisen volcanic complex 220, 221
 basalt 221–234
 composition 223–224
 olivine 221, 222, 223, 224, 227
 alteration 227–234
- degassing
 decompression-induced 5–6, 9
 extrusive domes 240, 248–249
 Kudryavy-type 246–248
 melt ascent 5–6
 melt inclusions 71
 Stromboli 9
 and volcanic eruption 71
 Soufrière Hills volcano
 deformation and pressure changes 134–137
 periodicity 124, 125, 126, 129–131
- dehydration, subducting slabs 1, 2
- devolatilization 3–4
- disequilibrium, subduction zone volcanics 5, 201, 219–221
- dome-collapse
 Merapi volcano 199, 201, 202
 Soufrière Hills volcano 124, 134
- earthquakes
 Chilean subduction zone 61, 62, 63, 66
 absolute velocity 66
 LET 66, 67–68
- eclogite
 Bughea Complex 4, 5, 20, 21, 22, 23, 24, 42, 43–44, 45, 46–50
 atoll garnets 25–27
 Cr-rich 20, 21, 23, 24, 42, 43–44, 45
 MORB composition 42, 46–47, 49, 50, 53
 VHP 21, 22, 23, 24, 42, 53
 vuggy cavities 25, 26
 Bughița Albeștilor 21, 27, 29–42
- electron probe microanalysis
 Honshu volcanics 222, 225, 232, 234
 Taupo Volcanic Zone 75
- epidote, Bughița Albeștilor common eclogite 37, 38
- epithermal deposits, exsolution 71–72
- Erebus volcano
 gases 243, 254
 Hg/SO₂ ratio 276, 277, 279
- Erta Ale volcano, gases 241, 243, 252, 254, 255
- eruption triggering 8–9, 10
see also subduction zone, fluids, and volcanic activity
- exsolution 8, 9
 disparities in TVZ rhyolites 79–86
 magmatic-hydrothermal systems 71–72
- fall deposits, Taupo Volcanic Zone, melt inclusion
 analysis 73, 75–78
- fluid-rock interaction
 Bughea subduction-accretion complex 25–27
 Bughița Albeștilor common eclogite 27, 29–42
- fluids, subduction zones
 role in volcanic activity 59, 60, 62, 68–69, 87
 and seismic velocity 60
- fluorine
 Merapi volcanics 213–214
 solubility 81, 82, 84
 Stromboli volcano 151
 subducting slab 2, 3, 4
- fore-arc, mantle 1, 2
- Fourier transform infrared spectroscopy, Taupo
 Volcanic Zone 75–76
- Franciscan Complex 19, 42, 46, 48, 52, 54
- fumaroles
 Hg emission 266–281
 high-temperature 246–257
 basaltic arc volcanoes 252
 extrusive domes 248–249
 hot spot and rift settings 252–254
 small volcanic islands 249–252
- garnet
 Bughea Complex 22, 24, 42, 45, 53
 Râul Târgului eclogites 25–27, 28
 Bughița Albeștilor common eclogite 29–31, 32, 35, 38
 ‘gas puffing’, Stromboli volcano 144
- gas sparging 10
- geothermal fields
 Hg emissions 269–272
 flux 280
- gold-copper porphyry deposits 10, 71–72
- Gorely volcano 264–265
 gases 240, 243, 252, 253
 Hg emissions 268, 269, 270
 flux 277
 Hg/SO₂ ratio 274, 276, 278
- groundwater, SO₂ scrubbing 131, 134
- Gunung Merapi *see* Merapi volcano
- H₂O
 arc magma 1, 2
 variability 6, 8
 devolatilization 4, 9
 Merapi volcano 213
 Pelagatos volcano 182, 183–184, 185–188, 189, 192, 193, 196
 SO₂ scrubbing 131–134
 subducting slab 3, 4, 53
 TVZ 76, 77, 81, 83, 84
see also water
- H₂S, Stromboli volcano 151
- Halemaumau crater, gases 253
- halogen cycle 2, 10
- Hawai Halema volcano, Hg/SO₂ ratio 274
- HCl 2, 3
- heavy metals, volcanic gases 263
- HFSE (high field strength elements) 5, 42, 46–47, 53
- Hg/S ratio
 volcanic emissions 273–277
see also mercury, gaseous elemental
- Honshu 220
 hydrothermal alteration of olivine 9, 222–234

- hotspot volcanoes, gas composition **241**, 252–253
 humidity, SO₂ scrubbing 131–134
 hydrothermal systems
 and ascending arc melts 9–10, 219–234
 volatile release 72
 hydrous fluxing 8
- Iezer Complex 20, 21
 ignimbrites, TVZ, melt inclusion analysis 73, **74**, 75–78
 iodine 1, 4
- Japan, subduction zones, volcanic gases **240**,
 247–249, **256**
- Kaingaroa eruption, melt inclusion analysis **74**,
 75, **77**, 82, 84, **86**
- Kali Gendol 200, 202
- Kamchatka-Kuril subduction zones, volcanic gases 238,
240, 246–249, **256**
- Kapenga Caldera 73
- Kendil surge area 200
- Kilauea volcano
 gases **241**, 253, 254, **270**
 Hg/SO₂ ratio **270**, 275, 276, 279
- Kinahrejo surge area 200
- Klyuchevskoy volcano
 gases **240**, 252, 253
 magmatic end-member 255
- Kudryavy volcano
 gases **240**, 246–248, 256
 magmatic end-member 254
- Kuju-Iwoyama volcano, gases **240**, 247
- kyanite, Bughița Albeștilor common eclogite
23, 29–31, 35, **37**, 38
- Lalu Granite 20, 21
- Lanín volcano 60
- Las Hornillas geothermal system 265–266
 Hg emissions 269–272, 273
 flux 280
 Hg/SO₂ ratio 274, 275–276, 278
- Las Pailas geothermal system 265–266
 Hg detection 266–267
 Hg emissions 269–272, 273
 flux 280
 Hg/SO₂ ratio 274, 275–276, 278
- Leaota Massif
 metamorphic melange complex
 eclogite alteration 4, 5, 20, 53–55
 geological setting 20, 21
- Lerești Complex 20, 21
- LILE (large ion lithophile elements) 4, 5
 Bughea complex eclogites 46, 50, 53, 55
 mélange complex 19
- Liquiñe-Ofqui Fault Zone 59–60
- lithium exsolution, Merapi volcano 9, 201, 209,
 210, 211, 214
- Llaima volcano, slab-derived fluids 68–69
- local earthquake tomography (LET) 61–62,
 66, 67–68
- mafic magma, interaction with andesite 95
 and fluid mechanics 117–118
 magnetite-bubble aggregates 97–119
- mafic melt recharge 8
- magnetite-bubble aggregates 8, 95–96
 andesite-mafic enclaves 8, 96, 97–98, 99, 115–116
 effect on fluid mechanics 117–118
 magnetite and vesicle size distribution 108, 110, 111
 origin 116–117
 statistical analysis 98, 100–101, 111–115
 synthetic point patterns 101, 102–107, 108, 109
- Soufrière Hills Volcano 97, 115–116
- Mamaku eruption, melt inclusion composition **74**,
 76, **77**, 82, 83, **86**
- mantle, low velocity zone, Chilean subduction zone 66
- mantle wedge hydration 1, 5
 Chilean subduction zone 5, 66, 68–69
- Masaya volcano
 gas composition **243**
 Hg/SO₂ ratio **270**, 271, 274, 276, 279
- Mauna Loa volcano, gases 253
- mélange complexes 19
- melt composition 4–5
- melt extraction 1
- melt inclusions
 Pelagatos monogenetic volcano 9
 Stromboli, degassing 9
 Taupo Volcanic Zone 73, **74**, 75–78, **86**, 87, 88–89
- Mengameyama volcano 220, 221
 basalts 221–234
 composition 222–224
 olivine 221, 222, 224, 225, 226, 227
- Merapi volcano, 2010 eruption 199–215, 200, 202
 calc-silicate xenoliths 201, 214
 CO₂ 201, 210–211
 crystallization during magma ascent 211, 213–214
 dome-collapse 199, 201, 202
 effect of volatiles 201–202
 gas composition **240**
 H₂O 213
 lithium exsolution 9, 201, 209, 210, 211, 214
 magma-carbonate reaction 201
 PDCs 199, 200, 201–202
 carbonates 209, 211, 212, 214–215
 degassing 213
 groundmass glass composition 205–206, 207
 groundmass microlite composition 205, 206,
 210, 213
 lapilli groundmass textures 210
 phenocryst rim composition 206, 208, 209, 211
 sample analysis 202–203, 204, **205**
- mercury, gaseous elemental
 geothermal fields, flux estimate 280
 global emission 280–281
 volcanic sources 10, 263–281
 detection 266–267
 flux estimate 267, 277–279
- metagabbronorites, Bughea Complex 22, **23**,
 24–25, 42–50
- metal deposits 10, 71–72
- metamorphism, subduction zone 20–55
- mica, white, Bughița Albeștilor common eclogite 22, 23,
 30, 31, **36**, 50, 52–53
- Michoacán-Guanajuato volcanic field 180
- Miyakejima volcano
 gas composition **243**
 Hg/SO₂ ratio **270**, 274, 276, 278

- Mocha-Villarrica Fault Zone 60, 69
- Moho
 Chilean subduction zone 62, 67, 68
 Stromboli 144, 145
 temperature variation 7
- Mount Etna 265
 CO₂ flux 10
 Hg emissions 268, **269**, **270**
 flux 277
 Hg/SO₂ ratio 274, 276, **277**, 279
 high-temperature gases **241**, **243**, 252, 265
- Mount Hood, Hg/SO₂ ratio **277**
- Mount Nakadake, gases 264
- Mount St Helens
 Hg/SO₂ ratio 275, 276, 277, 279
 volcanic gases **241**, 256
- Mount Shasta, Hg/SO₂ ratio **277**
- muscovite, Bughea Complex **52**, 53
- Mutnovsky volcano 265
 gases **240**, 247, 265
 Hg emissions 269, **270**
 flux 277
 Hg/SO₂ ratio 274, 276, 277, 278
 magmatic end-member 254
- Na, volcanic gases 256, 257
- Nazca Plate 59, 60
 fluids 59
- Neostromboli 145, 146
- Nyiragongo volcano
 gases **243**, 254
 Hg/SO₂ ratio **270**, 274, 276, 278, 279
- Ohakuri Volcanic Centre 73
 melt inclusion composition **74**, 76, 87
 slab-derived fluids 88–89
 volatile variation 80, 81, 82, 83–85
 volatiles and trace elements 76, **77**, 78, **86**, 87
- Okataina Volcanic Centre 72, 73, **74**
 slab-derived fluids 88–89
 volatiles and trace elements 76, **77**, 78, 87
- olivine
 Daisen basalts 221, 223, 224, 227–234
 hydrothermal alteration 9, 227, 230–234
 Mengameyama basalts 221, 222, 224, 225, 226, 227
 Pelagatos monogenetic volcano inclusions 181–196
 Stromboli basalts 151–152, **153**, 154, **161**
 geothermometers 152, 155, **156**, **169–170**
- omphacite 22, **23**, 24, 35, 38
- Oninomi basalt, olivine 227, 228
- Oruanui eruption, melt inclusions **74**, 76, **77**, 78, 81, 82, 84, 85, **86**
- outgassing, volcanic 3, 95
- Paleostromboli 145, 146
- paragonite, Bughița Albeștilor common eclogite **22**, **23**, 24, 29, 30, 35, 38
- Pelagatos monogenetic volcano 179–196
 eruption style 180–181, 193, 196
 internal plumbing system 193
 magma evolution 189, 191, 194
 magmatic system modelling 192–193, 195
 melt inclusion analysis 9, 181–189
 electron microprobe 184
 infrared spectroscopy 182–184
 olivine and magma composition 184, 189
 volatiles 184, **185–188**, 189, 190, 192
 saturation and entrapment pressure **185–188**, 189, 191, 193
- phengite 22, **23**, 24, 26–27, 29, 31, 35, 38
- plagioclase, Stromboli basalts 152, **153**, 154, 155
- Poás volcano
 fumaroles 265
 Hg emissions 267, 268, **269**, **270**
 gas composition **241**
 Hg detection 266–267
 Hg emissions, flux 277
 Hg/SO₂ ratio 273–274, 275, 276, 277
- poikiloblasts, Bughița Albeștilor common eclogite 29, 30–31, 35
- ponding depth, arc magma 5, 6, 7, 8
- Popocatepetl stratovolcano 180
- porphyry deposits, exsolution 10, 71–72
- Puerto Rico Trench *see* Samana–Puerto Rico Trench
- pumice, golden, Stromboli 146, 148–149, **150**, 156, 157, 159, **169–170**
- Pu'u-O'o spatter cone, gases 253
- pyroclastic density currents, Merapi stratovolcano 199, 200, 201–202
 carbonates 209, 211, 212, 214–215
 degassing 213
 groundmass glass composition 205–206, 207
 groundmass microlite composition 205, 206, 210
 lapilli groundmass textures 210
 phenocryst rim composition 206, 208, 209, 211
 sample analysis 202–203, 204, **205**
- pyroxene, Bughea Complex 22, 24
- pyroxenites, mantle wedge 5
- quartz
 Bughița Albeștilor common eclogite 30, 31, 35, 38
 TVZ 72, 73, 82, 84, 85
- Quetrupillán volcano 60
- Râul Târgului eclogites 25–27, 28
- Rayleigh waves, Chilean subduction zone 62–69
- REEs (rare earth elements) 5
 Bughea complex eclogites 46–47, 49, 50
- Reporoa Caldera 73
 melt inclusion analysis **74**
- rhyolite
 Merapi dome lavas 201
 Soufrière Hills Volcano, magnetite-bubble aggregates 96–97, 116–118
 TVZ 6, 72
 volatiles
 bulk differences 85
 distribution 85
 exsolution 79–86
 saturation during crystallization 79–85
 slab-derived fluids 87–89
- rift volcanoes, gas composition **241**, 254
- Rincón de la Vieja volcanic complex
 fluid vents 265, 266
 Hg emissions 268, **269**, **270**
 Hg/SO₂ ratio 274, 275, 276, 277, 278, 279

- rinds, metasomatic 19, 22, 24, 53
 Bughița Albeștilor common eclogite 29, 31
 thermobarometry 31–42
- Rotorua Volcanic Centre 73
 melt inclusion composition **74**, 76, 87
 slab-derived fluids 88–89
 volatile variation 80, 81, 82, 83–85
 volatiles and trace elements 76, **77**, 78, **86**, 87
- sabo dams, Merapi volcano 199
- Samana-Puerto Rico Trench complex eclogite 42, 46, 48, 52, 54
- San Bartolo lava 145, 146
- Satsuma Iwojima volcano
 gases 238, **240**
 magmatic end-member 254
- Scari lava and tephra 145, 146, 147
- Sciara del Fuoco 145, 146, 147
- scrubbing, SO₂, Soufrière Hills Volcano 131–134
- seawater, in arc-magma generation 10, 245
- secondary ion mass spectrometry
 Honshu olivines 222
 Merapi volcano 203, **204**, 206, 207, 209
 Taupo Volcanic Zone 75
- serpentine 1, 60
- serpentinite 3
- shear-wave velocity, effect of subduction zone fluids 60, 62–69
- Showashinzan extrusive dome
 gases 238, **240**, 248, 256
 magmatic end-member 255
- sideromelane, Pelagatos monogenetic volcano 181, 193
- Sierra Chichinautzin volcanic field 179, 180
 magma 191
- Sierra Negra volcano, gases **241**, 253, 254
- slab diapirs 1, 4
- slab melting, evidence of 5, 53
- slab signature 4–5, 71, 87
- SO₂ emission 3
 Soufrière Hills Volcano 8, 123–124, 126, 137
 continuous wavelet analysis 127–129, 130
 deformation and pressure changes 134–137
 dual-chamber-conduit model 134–137
 emission rate 127, 134, 135
 lava dome traps 134
 lava extrusion and periodicity 125, 126, 129–131
 scrubbing 131–134
- Stromboli volcano 9, 151, 163
- Soufrière Hills Volcano 99
 dome-collapse 124, 134
 eruption and geological setting 124–126
 Hg/SO₂ ratio **270**, 274, 276
 magnetite-bubble aggregates 8, 97, 115–116
 statistical analysis 98, 100–101, 111–115
 synthetic point patterns 101, 102–107, 108, 109
- SO₂ emission 8, 123–124, 126, 137
 continuous wavelet analysis 127–129, 130
 deformation and pressure changes 134–137
 dual-chamber-conduit model 134–137
 lava dome traps 134
 lava extrusion and periodicity 125, 126, 129–131
 rate of 127, 134, 135
 scrubbing 131–134
- Southern Volcanic Zone 68–69
- staurolite, Bughița Albeștilor common eclogite 29, 30, 31, **37**
- Stromboli volcano 144–171
 activity 144, 146, 147
 deep reservoir capacity and volume constraints 165–167, **171**
 gas composition 151, **243**
 ‘gas puffing’ 144
 geological setting 144
 Hg/SO₂ ratio **270**, 274, 276, 278, 279
 internal plumbing system 146, 165, 167–168
 lavas and tephra 145, 146, 147
 petrology 148–151, **150**
 magma
 degassing rate 163–165
 primitive basalts
 equilibrium conditions 151–152
 thermobarometry 152, 155–159, 163
 melt inclusions
 degassing 9, 151
 thermobarometry 157–159, **160–162**, **169–170**
 role of volatiles 144, 149, 151, 167–168
 SO₂ flux 9, 151, 163
- subduction zone
 devolatilization 3–4
 eclogites
 Bughea Complex 4, 5, 20, 21, 22, **23**, 24, 42–50
 Bughița Albeștilor 21, 27, 29–42
 fluids 53
 and metamorphic alteration 19
 and volcanic activity 59, 60, 62, 68–69, 87
 heat flux 6, 7–8
 magmatism 1, 2
 volatile cycles 1–11
 volcanic rocks, disequilibrium 219–221
 water composition 245–246
- subvolcanic processes 8–9
 hydrothermal systems 9–10, 220
- sulphur
 in arc magma 2
 devolatilization 3, 4
 Stromboli volcano 149, 151
see also Hg/S ratio
- sulphur budget 10
- sulphur cycle 2
- Surtsey volcano, gases **241**, 252
- symplectite formation 22
- tachylite, Pelagatos volcano 181, 182, 193, 196
- Taupo Volcanic Centre 73
 melt inclusion analysis 73, **74**, 75–78
 slab-derived fluids 88–89
 volatiles and trace elements 76, **77**, 78, 84, 85, **86**
- Taupo Volcanic Zone
 assimilation and fractional crystallization processes 72
 comparison of volatiles and trace elements 76, **77**, 78, **86**
 geological setting 72–73
 rhyolite 6, 72
 saturation during crystallization 79–85
 slab-derived fluids 87–89
 volatile bulk differences 85
 volatile distribution 85
 volatile exsolution 79–86

- Th/Y ratio, Taupo Volcanic Zone **86**, 87, 88
 thermobarometry, quantitative 31, 35, 38–39, 41, 42
 Tolbachik volcano
 gases 238, **240**, 252, 253, 256
 magmatic end-member 255
 trace metals, volcanic gases 263
 Trans-Mexican Volcanic Belt 180
 magma 191
 Turrialba volcano
 fumaroles 265
 Hg detection 266–267
 Hg emissions 268, **269**, **270**
 flux 277
 Hg/SO₂ ratio 273, 274, 276, 278
²³⁴U/²³⁸U disequilibrium 9, 220, 234
 Unzen volcano
 gases **240**, 249
 magmatic end-member 255
 Valdivia Fracture Zone 59, 60
 seismicity and fluid release 61, 69
 Valea Hotarului Basin, eclogites 25, 26
 Vancori lava 145, 146
 Villarrica volcano 59, 60
 gas composition **243**
 Moho 62, 68
 seismicity study 61, 68–69
 slab-derived fluids 68–69
 tomographic study 61–62
 volatile cycles 1–11
 volatiles
 in magmatic-hydrothermal systems 9–10
 Merapi volcano, 2010 eruption 201–202
 Pelagatos monogenetic volcano 184, **185–188**, 189,
 190, 192
 slab to crust 3–8
 Stromboli volcano 144, 149, 151, 167–168
 in subvolcanic processes and eruptions 8–9
 TVZ rhyolites
 bulk differences 85
 distribution 85
 exsolution disparities 79–86
 saturation during crystallization 79–85
 see also devolatilization
 volcanoes
 eruption triggering 8–9, 10
 monogenetic 179–180
 vugs, Valea Hotarului Basin eclogites 25, 26
 Vulcano 145
 gases 238, **241**, 249–250
 Hg/SO₂ ratio 271, 274, 276, **277**, 278, 279
 magmatic end-member 255
 water
 ‘andesitic’ 237, 245–246
 arc-magmatic 10, 95, 237–238
 isotopic composition 10, 237–238,
 245–246
 meteoric, and SO₂ scrubbing 131–134
 see also H₂O
 water cycle 2, 3
 Whakamaru Caldera 73, 74
 White Island volcano
 gases 238, **240**, 250–251
 Hg/SO₂ ratio **277**
 magmatic end-member 255
 Yasur volcano, Hg/SO₂ ratio **243**, **270**, 274,
 276, 278, 279
 zoisite, Bughița Albeștilor common eclogite 29, 30