

# Index

Figures are shown in *italics* and tables in **bold**.

- accessory minerals **185–190**
- accretion 134
  - Cimmerian 55, 57, 63
- acronyms 97
- age discontinuity 34
- Almora Klippe 247–264
  - cross-section 260
  - Nd isotopic analysis 257–258, **260**, 261–263
  - study methods 254–256
  - tectonostratigraphy 250–254
  - U–Pb geochronology 249, 256–257
- Almora Thrust 261
  - Palaeoproterozoic (first report) 256
- anatexitic melt 113, 123
- anatexis 287, 310
- anhydrite 49–50
- Annapurna Range, <sup>40</sup>Ar/<sup>39</sup>Ar age study 199–217
  - cooling age, conceptual model 210–213
  - geology 200–204
  - tectonic interpretation 210–216
- argon geochronology *see also* muscovite <sup>40</sup>Ar/<sup>39</sup>Ar
  - age data **142–144**
  - extraneous 208
  - Nyalam section 156–159, 161–163, 166, 167
  - study methods 141
- Arunachal Pradesh
  - out-of-sequence thrusts 80, 83–84, **86**, 91
- Barrovian isograds 125
- Bhanuwa fault 217
  - <sup>40</sup>Ar/<sup>39</sup>Ar cooling age 216
- Bhutan 193, 194
  - out-of-sequence thrusts 83, 84, **86**, 90–91
- boudinage 145, 156
- Bouguer anomaly
  - map 57–60
  - western syntaxis profile 61
- brittle deformation 20
  - timing 161, 163
- brittle structures 146, 156–159
- burial 161, 215
  - and exhumation 191
  - rate of 16
- casualties (earthquake) 47, 48, 50–51
- cathodoluminescence image 149, 181, 234, 292, 302
- Chandigarh, out-of-sequence thrusts 73
- channel flow *see* crustal channel flow
- chemistry 275–276, **280–281**
  - characterization of melt 118
  - garnet 115–116, 117
  - leucogranite 146–148, 152–154, 169
- chromitite 272, 282, 283
- climate 212
- coesite 275, 277–278, 280, 282, 284
- collision 36, 56, 287, 309
  - earthquakes 48, 51
  - Indian/Asian plates 26, 43, 55, 111, 247
  - timing 131, 132, 222
  - collision zone topography 5–20
  - collision zone, gravity modelling 55–64
  - contraction and thickening 289, 306–311
  - convergence 93
    - rate of 6, 9–18, 43, 48, 49, 222, 238
  - cooling
    - age 212–214, 216, 217
    - muscovite crystallization 208–210
    - Nyalam section 157, 158–159
      - timing 161–164, 166, 169
      - rate of 31, 34, 137
  - cordierite 137, 146, 167, 182, 183
  - corner flow theory 13–14, 20
  - Coulomb wedge model 5
  - cratonic basement 238, 262–264
  - critical taper mechanism 67, 74, 80, 91–97
  - crustal bulge 63
  - crustal channel flow 124, 239
    - modelling 93–94
    - Nyalam section 134, 169
    - out-of-sequence deformation 67, 91–97
    - petrological constraint 177–194
    - Tethyan Himalaya 310–311
  - crustal flow modelling 8–14
    - and topography 14–16
  - crustal shortening 71–72, 83, 95, 96, 97, 240
    - central Nepal 221–240
  - crustal thickness 56, 57, 58, 62, 63, 287
  - crustal wedging 134
  - crystallization
    - age 160, 167, 169, 225, 233–236, 256, 261
    - muscovite 208–210, 214, 216
  - crystallographic preferred orientation 146, 147, 161
    - methodology 138–139, **143**
    - sample sites 136
  - Darjeeling, thrusts 80, 83
  - decompression 192, 193
  - deformation 1, 140–141
    - age of 161–167
    - Nyalam section 131–169
    - South Tibetan Detachment 146, 155–156, 163–166
    - study methods 138–144
  - delamination 55, 64
  - density **10**
  - density structure, western Himalaya 55–64
    - Bouguer anomaly map 57–60
    - lithospheric density model 60–64
  - depleted mantle 271
  - depositional age 224, 235, 236, 257, 258, 262
  - depositional environment
    - Almora Klippe 251, 253
  - diamictite
    - Gondwana sequence 224
    - Neoproterozoic 253
  - diamond 282, 283
  - discontinuities, tectonometamorphic
    - Greater Himalayan Sequence 28–38
  - ductile deformation 164, 165

- ductile shear 124, 191–192, 202  
 zone 1, 26, 28–31, 35–36, 67, 225
- Dudh Khosi 169  
 age of metamorphism 162, 166–167
- dunite 272, 274, 275–276
- duplex 163, 166, 169, 178, 210  
 development 238, 239, 240  
 Lesser Himalayan rocks 223  
 Almora Klippe 250, 261, 262  
 in out-of-sequence deformation 82, 87,  
 90–92, 96
- dyke 146, 156, 160, 161, 163, 167, 169  
 age 148, 154–155, 164, 165  
 granitic 289–291, 293
- earthquake 83  
 deep focus 55, 59, 62, 63, 64  
 western Himalayan syntaxis 56, 61  
 Muzaffarabad (Kashmir) 2005 47, 49,  
 61, 70  
 out-of-sequence deformation 74, 94, 95
- earthquakes, great and major 43–51  
 global occurrence 43–46  
 historical 46–48  
 $M_w$  8 damage scenario 50–51  
 $M_w$  9 likely occurrence 1, 48–50
- eclogite 90
- elastic thickness 58, 59, 61, 63
- electron probe micro-analysis 118, **119**, 120  
 garnet 115, 116, 302  
 peridotite 272, 275–276, 278–279, **280**
- Eohimalayan metamorphism 138, 161, 169
- erosion 184  
 and cooling 163, 199  
 cooling age 212  
 Nyalam section 163, 166–169  
 and out-of-sequence thrusts 74, 80, 81,  
 91–94, 97  
 rate of 87, 88, 92  
 and topography 16, 19
- errorchrons 205, 207
- Everest section  
 age of metamorphism 162, 166–167, 193
- exhumation 17, 82, 91, 93, 96, 112, 124, 239  
 $^{40}\text{Ar}/^{39}\text{Ar}$  age 199, 213, 215  
 eastern Himalaya 191, 193  
 and extension 289  
 Greater Himalayan Sequence 36, 37, 111  
 Nyalam section 134, 137, 161, 164, 166, 169  
 peridotite/ultramafics 281, 283  
 rate of 6, 90, 216
- exotic terrane 250
- exsolution texture 279, 281
- extrusion  
 Greater Himalayan 184, 192  
 Nyalam section 167–169
- faults  
 active 71–72, 74, 75, 77, 78, 81, 223, 238  
 age 134  
 and cooling temperatures 215, 216
- finite element modelling **10**, 11, 12, 15, 16
- first-order discontinuities 25–26, 111, 184, 193
- flexure 56, 58, 59, 61, 63
- flow, deep crustal 8–16, 20
- fluid mechanics 13
- fold-thrust belt 247, 250
- foliation 122, 179–183, 208, 259  
 Main Central Thrust zone 226, 227–229,  
 231, 239  
 Nyalam section 136, 138, 145, 146, 147,  
 155, 156
- fracturing, earthquakes 95
- friction 37, 92
- frontal slope 8, 9–12, 14, 15, 18, 19
- Galchhi 239  
 Ramgarh–Munsari Thrust 226, 229–230
- Garhwal  
 Almora Klippe 248–249, 251  
 out-of-sequence thrusts 75–78, 80–83, 87
- garnet 29  
 compositional map 115–116, 117  
 nanogranite 114–115  
 porphyroblast 179–182  
 U–Pb geochronology 118, 120–122, 123
- gashes 146, 156, 157, 159, 163  
 age 134, 161  
 mineralogy and orientation 136, **142–143**
- geochemistry 2, 118, 255–256, 289  
 Main Central Thrust zone 221, 236  
 mantle transition zone 275–280  
 Nyalam section 141, 160  
 Tethyan granite 291–310  
 whole rock analysis **296–299**, 302–304,  
 305–307
- geochronology  
 $^{40}\text{Ar}/^{39}\text{Ar}$  age 199–217  
 Almora Klippe 251, 253–258, 261–264  
 Greater Himalayan Sequence 28, 29–38  
 Main Central Thrust zone 233–235, 239  
 Nyalam section 134, 135, 139–141, 148–156,  
 159–161, 162  
 out-of-sequence deformation 72, 74–76, 81–87,  
 91, 92, 95  
 partial melting 111, 118, 120–125  
 Tethyan Himalaya magmatism 292–293,  
**294–295**, 302
- geological map  
 Almora Klippe 248, 249  
 Himalayan orogen 68–69, 70, 88–89,  
 222, 223  
 Himalayan orogenic belt 27, 288  
 Kali Gandaki valley 112  
 Lesser Himalaya 82–83  
 Nepal 85, 178, 200, 201, 248  
 Nidar Ophiolite Complex 273  
 Nyalam 132  
 Salt Range 70  
 Siwalik Himalaya 71, 76–77  
 western Himalayan syntaxis 56
- geology map, compilation method 254
- geomorphological indicators 92, 96
- geophysical properties and melting 310–311
- geothermobarometry 34
- geothermometric calculation 123
- glaciomarine, Neoproterozoic 253
- Gondwana sequence 224

- GPS global positioning system  
 strain accumulation measurements 48, 49
- granite 140–141, 146–148  
 emplacement 155–156  
 Greater Himalayan Sequence 26–28  
 gravity anomaly 1, 57–60, 61, 63  
 western Himalayan syntaxis 56
- gravity collapse 6, 12, 16, 17–20
- Greater Himalayan Crystalline sequence 1, 2  
 out-of-sequence deformation 67, 69, 81, 84–97
- Greater Himalayan rocks 247–250  
 $^{40}\text{Ar}/^{39}\text{Ar}$  cooling age 212–216  
 Annapurna Range 202, 205, 207, 209, 210, 217  
 geochronology 255–262  
 age re-evaluation 258, 261–264  
 tectonostratigraphy 254
- Greater Himalayan Sequence  
 discontinuities 25–38  
 geology 26–28, 225  
 metamorphism 36–37, 137  
 partial melting 111–125  
 structure 131–134, 179
- Haryana, out-of-sequence thrusts 72–75
- harzburgite 272
- hazard (earthquake) 50
- Hf isotope  
 analytical method 292  
 composition in melt v. source 310  
 data **300–301**  
 leucogranite 309
- High Himalayan Crystalline Series 177, 180–184, 191–193, 287
- Higher Himalayan Discontinuity 1, 26, 28–29, 35  
 metamorphism 36–38
- Himachal Pradesh 80  
 out-of-sequence thrusts 72–75, 85, 87
- Himalayan Frontal Thrust 57, 58
- Himalayan orogenic belt 287, 288, 311
- Hindu Kush seismic zone 55, 56, 58–59, 60, 61  
 hinge zone 6–8
- hinterland topography 6–16, 18–20
- hydrothermal fluids 309–310
- hydrothermal reaction 292–293, 302
- inclusions 210, 280, 281  
 gas 208  
 lamellar 276, 278, 279  
 nanogranite in garnet 112, 114–115, 116–117, 120, 122, 124
- indentation 57, 63
- index mineral 35
- Indo-Tsangpo suture zone 6–8, 57, 58, 59
- Indus Suture Zone 56, 222, 272, 273
- Indus–Kohistan seismic zone 55
- inherited age 160–161
- intensity, earthquake 50, 51
- inverse isochron age 141, **144**, 157–158
- inverted metamorphic field gradient 177, 179, 182, 183, 191–193
- inverted metamorphic grade 31
- isostatic compensation 58
- isotope *see also* muscovite  $^{40}\text{Ar}/^{39}\text{Ar}$  age  
 analysis 120–123, **125**, 236, **237**  
 Almora Klippe 253, 257–263  
 Nyalam section 141, **142–143**  
 Tethyan Himalaya **294–295**, **300–301**  
 analytical method 141, 204–205, 254–256, 292  
 composition 304–306  
 signature 221, 236
- Japan, 2011 earthquake 43
- Kala Amb Tear Fault 74
- Kaladungai–Kotabagh, thrusts 78
- Kali Gandaki valley 212, 213, 217  
 geology 112–113
- Karcham Fault,  $^{40}\text{Ar}/^{39}\text{Ar}$  age 216
- Kashmir (Muzaffarabad) 2005 earthquake 47, 49, 61, 70
- Kashmir, out-of-sequence thrusts 85, 87
- klippe  
 Almora 247–264  
 Kathmandu 221–222, 225, 232, 238  
 Nyalam section 166, 167, 169
- Kodari–Tatopani  
 Ramgarh–Munsari Thrust 226–228
- Kumaun  
 Almora Klippe 248–249, 251, 259  
 out-of-sequence thrusts 75–78, 80–83, 87
- kyanite 146, 226, 230, 254  
 in channel flow model 179–183, 193  
 kyanite stability field 184, 191
- kyanite-gneiss  
 partial melting in garnets 111–125  
 petrography 113–114
- landslide 84, 95, 96
- Langtang section, age 162, 166
- laser Raman spectroscopy 1, 226  
 methodology 272, 274–275  
 ultra-high pressure minerals 277–280, 282–283, 285
- Le Fort, Patrick, biographical notes xi–xii
- Lesser Himalayan rocks 202, 205, 207, 216, 221, 229  
 $^{40}\text{Ar}/^{39}\text{Ar}$  age 210, 213  
 age re-evaluation 236, 238–240  
 geology 224–225  
 out-of-sequence deformation 67, 80–84
- Lesser Himalayan rocks, Almora Klippe 247–250  
 geochronology 255–262  
 age re-evaluation 258, 261–264  
 tectonostratigraphy 250–254
- Lesser Himalayan Sequence 25–26, 27  
 Nyalam section 131–134  
 tectonometamorphism 177, 178, 183, 191
- leucogranite 124, 125, 180, 289–294, 302–311  
 chemistry 141, 146–148, 152–154  
 element data **298–299**  
 mineralogy **142–143**  
 Nyalam section 135, 137  
 age 156, 157, 159, 163–164, 169  
 petrogenesis 287
- leucosomes 307–308
- lherzolite 272, 275–281, 283, 284

- lineations 30, 232  
   Nyalam section 135–138, 145, 147, 155, 163  
 lithospheric density structure 55–64  
 locked zone 49, 67  
 Lombardo, Bruno vii–ix  
   contribution to Himalayan geology viii–ix  
 Lu/Hf isotope analysis 305–306  
 Lu/Hf isotope data **300–301**
- Madi Khola transect 205, 207, 216  
 magma differentiation 2  
   trace elements 309–310  
 magmatism, Tethyan Himalaya 287–311  
 Main Boundary Thrust 61, 250, 251  
   out-of-sequence deformation 67, 68, 70–72, 77–85, 95  
 Main Central Thrust 2, 44, 111, 125, 145, 177, 202  
   cooling age 213, 214, 216  
   deformation timing 37, 166–167  
   earthquakes 49  
   first-order discontinuity 25–26, 27, 31, 34, 35, 37  
   Nyalam section 131–134, 137, 168, 169  
   out-of-sequence review 67, 70–85, 87–88, 91, 95  
   relationship with Ramgarh–Munsari Thrust 221–222, 229, 238–240  
   structure 202, 225–226, 247, 250, 261, 263  
 Main Central Thrust zone  
   Almora Klippe 248, 250  
   definitions and boundaries 236, 238–240  
   evidence for two thrusts 221–240  
   geochronology 233–236, **237**  
     age re-evaluation 221, 236, 238–240  
   geology 222–223  
   petrology 177, 179–181, 183, 191–193  
   Ramgarh–Munsari Thrust 226–232  
 Main Dun Thrust 79  
 Main Frontal Thrust 68, 79, 202, 223, 250  
 Main Himalayan Thrust 43, 67, 132  
 Main Mantle Thrust 57, 58–59, 61  
 major elements 309  
   analytical method 292  
   Tethyan granite **296–299**
- Malekhu 239  
   Ramgarh–Munsari Thrust 231, 232  
 mantle  
   density 60  
   depth to 58  
   flow 282, 283  
   peridotite 271–284  
   primitive 255  
   serpentinized 62, 63  
 mantle transition zone 281–284  
 Marsyangdi valley 213, 214, 216, 217  
 mass spectrometry  
   LA–ICP–MS 289, 291, 292  
   monazite 120, **121, 125**
- Maxwell shear modulus 9, 16  
 Medlicott–Wadia Thrust 71–72  
 melts 167, 169  
   remelting experiments 118, **119, 120, 123**  
 metamorphic assemblage 178–182, 183  
   metamorphic conditions 202, 287  
   metamorphic discontinuities 28–38, 193–194  
   metamorphic grade 226, 229–230, 232, 240, 248, 254, 258, 261  
   metamorphism  
     Greater Himalayan Sequence 111, 113, 124–125  
     Nyalam section 133, 137, 145, 161, 162, 166, 167  
   microstructures, petrographical 29, **185–190**  
   mid-ocean setting 281, 283  
   migmatite 140–141, 146–148  
   migmatization, timing 148–155  
   mineral assemblage **142–143, 272, 291**  
     eastern Nepal **185–190**  
     Raman spectroscopy 272  
     Tethyan 289, 291, 293, 303  
   mineral chemistry 275–276, **280–281**  
   mineral fish 29, 114  
   mineralogy  
     leucogranite **142–143**  
     ophiolite 275–280  
 Modi Khola transect 208–210, 212  
   <sup>40</sup>Ar/<sup>39</sup>Ar age cooling 213–214, 216–217  
   out-of-sequence thrusts **86**  
 Modi Khola valley 203  
 Mohorovicic (Moho) discontinuity 58  
   depth to 62, 63  
   petrological 272  
 monazite 112, 118, 120–125, 209, 210  
   Nyalam section 139–140, 148–156, 160–161, 166–167  
 monsoon and erosion 184  
 Munsari Thrust 248, 250, 261, 263  
 muscovite <sup>40</sup>Ar/<sup>39</sup>Ar age, Annapurna Range  
   interpretation 207–210  
   method and samples 204–205  
   results 205–207  
   structural context 199–204  
   tectonic implication 210–216  
 mylonite 31, 137, 146  
   fabric 226, 227, 229–232, 234, 252  
   foliation 35, 239  
   paragneiss 29
- Nainital, out-of-sequence thrusts 78  
 nanogranite 180, 181  
   in garnet 114–115, 116  
 National Disaster Management Authority, India 50  
 Naya ridge transect 207  
 Nd isotope 222, 225–226, 236, 238, 306, 308  
   Almora Klippe 250, 253, 257–263  
   analytical methods 255–256, 292  
   composition 304–305  
   data **237, 260**
- Neohimalayan metamorphism 138  
 neotectonism 73, 95 *see also* faults, active  
 Nepal 85  
   <sup>40</sup>Ar/<sup>39</sup>Ar age study 199–217  
   channel flow model 177–194  
   crustal shortening 221–240  
   out-of-sequence thrusts 78–80, 84, **86, 87–90**
- Nidar Ophiolite  
   geological setting 272  
   mantle source 280–285

- mineralogy 275–280
- ophiolite conundrum 271
- study method 272, 274–275
- Northern Himalayan Gneiss Domes 287, 303
- Nyalam section, timing of partial melting 131–169
  - Ar/Ar data 156–159
  - cooling history 161–163
  - deformation 163–167
  - extrusion model 167–169
  - geochronology 148–156, 159–161
  - geology 134–137
  - methods 138–144
  - structure 145–148
- ocean ridge setting 271–272, 281–284
- oceanic crust 271
- ophiolite *see* Nidar Ophiolite
- ore, Pb–Zn 310
- out-of-sequence deformation, review 67–97
  - Greater Himalayan Crystallines 84–94
  - Lesser Himalaya 80–84
  - Sub-Himalaya 70–80
- out-of-sequence thrusts 25, 28, 35, 55
  - characteristics and summary **86**, 95–96
  - earthquakes 47, 49–50
  - formation mechanism 91–94
  - map 88–89
- P–T* path *see* pressure–temperature path
- Pakistan, out-of-sequence thrusts 85
- palaeoseismology 47–48
- Pan-African event 250
- partial melting *see also* Nyalam section
  - Greater Himalayan Sequence 111–125
  - Tethyan 284, 289, 290, 308
- passive margin 26, 113, 223, 238, 254
- passive structures 134
- Pb–U concordia diagram 234–235, 303–304
- Pb/U age 293
- peridotitic minerals, Nidar Ophiolite 271–284
- petrogenesis, leucogranites 287
- petrology 230, 276, 279, 283, 291
  - granite and migmatite **142–143**, 146–148
  - kyanite-gneiss 113–114, 115
  - mantle transition zone 275
- petrology and channel flow
  - channel flow model 184, 191–193
  - geotectonics 177, 178–182
  - petrological constraints 182–184
  - samples **185–190**
- phosphorite 253
- plastic deformation 282
- plateau age 141, **144**, 157–158, 205, **206**, 207, 214
- pop-up antiform 75
- pressure 93, 137, 193
  - metamorphism 28–38
  - remelting experiment 118, **119**, 123–124
- pressure–temperature path 161
  - channel flow model 177, 183, 184, 191–194
  - P–T–t* path, retrograde 192
  - P–T–t–D* path 138
  - peridotite 281, 284
- primitive magma 2, 255, 287, 306–309
- properties, finite element modelling **10**
- protolith 239
  - sedimentary 236, 248, 255, 256
- provenance 238, 258
- Punjab, out-of-sequence thrusts 72–75
- quartz ribbon 138, 146, 147, 179
- Raman spectroscopy *see* laser Raman spectroscopy
- Ramgarh–Munsiari Thrust 221–222, 247, 261–263
  - relationship with Main Central Thrust 226–232, 238–240
- ramp 210, 211, 215, 217
  - in out-of-sequence deformation 93–95
- rare earth element (REE) 292, 302–304, 306
- Rautgara Quartzite 252
- Rb/Sr ratio 306
- retrograde path 36, 192–193
- reverse faults, out-of-sequence thrusts 69
- reverse metamorphism (hot iron model) xii
- rheology 5–6, 9, **10**, 20
- rigidity 20
- river terrace displacement 72, 81
- rupture zone 46, 48–51, 74
- salt 49–50
- Salt Range 70
- scanning electron microscope image 112, 116, 149
- sedimentary wedge 43
- seismic gap 48, 87, 94
- seismic profile, Nyalam 163
- seismic tomography model 55, 60, 63
- seismic velocity 60, 61, 62
- seismicity 47–49, 69
  - and gravity anomalies 55, 63
  - Himalayan arc 44
- separatrix 13, 14, 17
- serpentinization 272, 275–281
  - mantle 62, 63
- Seti–Sardi Kholas transect 207
- shear 9, **10**, 14, 29, 30, 147, 165–166
- shear heating 37
- shear zone 36, 155, 226–228, 239, 240, 250
  - development 92
- shortening rate 71–72, 79, 81, 90, 94, 239
- Sikkim 193, 194
  - out-of-sequence thrusts 80, 83, 90
- sill 135, 145, 146, 147
  - age 155–156, 160, 164, 167
- sillimanite 29, 113, 123, 146, 182–184, 192, 193
  - stability field 124, 181
- Siwalik Group 223, 250
- Siwalik Himalaya
  - out-of-sequence structures 71, 76, 77, 80
- slab, lithospheric 1
  - break-off 55, 57, 64
  - collision zone 5–6, 8
  - configuration 9, 61, 62, 63
  - underthrust 10–11, 12, 14, 16, 18–20

- slickenlines 232
- slip  
and earthquakes 46, 49, 50–51  
rate of 70, 71–72, 74, 75, 79, 80, 82, 92, 93
- slope angle 8
- Sm–Nd isotope 255–256  
analysis 236
- soft-sediment deformation 252  
out-of-sequence thrusting 94, 95
- South Tibetan Detachment 68, 111  
Annapurna 204, 213, 214, 217, 238, 239
- South Tibetan Detachment System 134–135,  
137, 169, 250, 287  
deformation 155–156, 163–166
- spinel 272, 277, 278, 280, 281, 285
- Sr isotope 306, 308  
analytical method 292  
composition 304–305
- Sr–Nd isotope 308
- Sr–Nd–Hf isotope 308–309
- stishovite 278
- strain 9, 239  
accumulation 49–50  
from GPS measurements 48  
rate of 239
- stratigraphy  
Almora Klippe 251  
Lesser Himalayan 224
- stress relaxation time 9
- stromatolite 225, 253
- structural evolution model, Himalaya 167, 168
- structure  
Nyalam section 136, 138–139, 145–148
- Sub-Himalaya rocks 250  
out-of-sequence thrusts 67–69, 72–80
- subduction 55, 57, 64, 204, 271  
earthquakes 43–46, 51  
rate of 62
- Sumatra, 2004 earthquake 43, 46
- supra-subduction zone 271, 283, 284
- tectonic control on topography 16–18
- tectonics 310–311  
Annapurna Range 199–217  
western Himalayan syntaxis 55–64
- tectonometamorphic discontinuities 28–38  
main features 32–33
- teconostratigraphy  
Almora Klippe 248, 249, 250–254, 262–263
- temperature *see also under* pressure  
channel flow model 183–184, 192, 193  
closure 158–159, 205, 209–210, 213, 214, 216  
metamorphism 28–38, 202, 226  
Nyalam section 138–141  
remelting 118, 119, 123  
of subducted slab 62
- Tethyan Himalaya, Eocene magmatism 287–311  
geochronology and geochemistry 291–293, 302–307  
analytical data 294–301  
geological setting 289–291  
granite formation 307–309  
tectonics 310–311
- Tethyan Himalaya, two-mica granite 287,  
289–291, 293, 296–299, 302–311
- Tethyan Himalayan succession 204  
cooling 213–216  
teconostratigraphy 250–254, 262–263
- Tethyan Sedimentary Sequence 25–28, 134–135,  
137, 182
- Tethys ocean 222, 254
- Th/U ratio 293, 302
- thermal event (hydro) 216  
 $^{40}\text{Ar}/^{39}\text{Ar}$  age 209, 214
- thermobarometry 137, 161, 183, 184, 192, 204
- thermochronology 94, 137, 161
- thin-skinned style thrust 263–264
- thrust, earthquakes 43
- thrusting (out-of-sequence) review 67–97
- Tibetan Himalaya 222, 238
- Tibetan Plateau 134, 184, 311
- titanite 164
- topography  
isostatic compensation 56, 58, 59, 63  
isotherm geometry 200  
migration 167, 168
- topography, first order 1, 5–20  
characterization 6–8  
control of surface erosion 19  
deep crustal flow 8–16  
rheology 5, 6, 20  
tectonic control 16–18
- trace elements 141, 287, 306–311  
analytical method 292  
data, Tethyan granite 296–299
- transitional flow type 13–14
- U–Pb age 226, 236  
concordia diagram 234–235, 303–304  
samples and preparation 233
- U–Pb geochronology 118, 120–124, 263  
Almora Klippe 249, 250, 256–258  
methods 254–255
- U–Th–Pb geochronology 210  
data 142–143, 150–151, 152–154  
Nyalam section 139–141, 160, 163,  
166, 167  
peritectic garnets 112, 120–123, 124, 125
- U–Th–Pb isotope data  
Tethyan granite 294–295
- ultra-high pressure minerals 271–272, 275–279,  
281, 282, 283
- ultramafic rocks 272, 274
- underplating 57, 63, 82, 91, 92, 166, 169
- underthrusting 55, 61, 62–64  
inclination 10–11, 12, 19, 20  
rate 13, 15, 16, 17
- unroofing 161
- uplift rate 72, 81  
and topography 16, 17, 19
- Uttarakhand, out-of-sequence thrusts 75–78,  
80–83, 87
- Vaikrita Thrust 247, 250  
velocity 9, 10, 11, 14, 15–18, 20
- viscosity 8–10, 20
- viscous model 5–6, 16
- volatile content 118
- vortex flow type 13–16, 20

- wadsleyite 278, 281  
wedge 134, 169  
Western Fold Belt 55, 56–57  
western Himalayan syntaxis 55–64  
white mica 34, 157–159, 180, 205, 213, 217
- X-ray fluorescence analysis 292  
xenolith, ultramafic 272, 274, 275  
xenotime 113, 162, 167
- Yardoi gneiss dome 289, 290  
  geochemistry **296–299**, 302, 303, 306, 308, 309  
Yarlung–Tsangpo suture 288
- zircon 209, 229, 234–235, 259  
  Hf isotope data **300–301**, 305–306, 309, 310  
  Nyalam section 139, 148–156, 160, 161  
zircon U–Pb dating 289–293, 302–304  
  analytical results **294–295**
- zircon, detrital 202  
  Almora klippe 255, 256, 257–258, 261–263  
  Main Central Thrust Zone 222, 225, 226, 233, 236, 238, 240  
zoning 153, 155, 156, 226, 293, 302, 306, 308  
  garnet 116