

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- à trous* algorithm 82, 83, 85, 87, 90
- 'a'a lava 426
  - Hawai'i 500
  - rheology 253, 320–321
- ABI **162**, 169
- Afar Rift, SO<sub>2</sub> emission 278–279
- AHI (Advanced Himawari Imager) 160, **162**, 169, 170, 225
- alerting 559–562
  - Fogo 2014 eruption 561–562
  - GDACS 562–564
  - levels 560, 562
  - thresholds, timing and reliability 560–561
  - see also* volcano warning systems
- algorithms
  - hotspot detection 56, 597–606
    - ASE 137–138, 140–143, 602–603
    - ASTER URP 119–133, 601–602
    - AVHotRR 73, 74–91, 225, 574, 575, 601
    - HOTSAT 208–210, 211, 603–604, 612–614
    - HOTVOLC 223, 225–233, 235, 237, 604–605
    - Kalman filter 103–105, 605–606, 623–624
    - MIROVA 182–202, 604, 615–616
    - MODVOLC 24–52, 224, 599–600, 615–622
    - OKMOK 88, 182, 225, 465, 575, 598–599
    - RAT 224
    - RST<sub>VOLC</sub> 56–69, 600–601
    - RED SEED recommendations 574–578
    - THERMAL\_CLASSIFIER 141, 142, *143*, **144**
    - types 224
    - VAST 224, 597
  - hybrid 182
  - lava flow 606–611
- ALI (Advanced Land Imager) 138, 140, 142, **144**, *146*, 148, 149, *153*, 572
  - Hawai'i 492, 493, 495, 496, 498
- ALICE (Absolutely Local Index of Change of the Environment) 57, 59, 66, 68, 465
- ALTAMIRA INFORMATION 513
- Ambrym lava lake, thermal emission 2000-14 35–38, 39, 51
- Anak Krakatau, thermal emission 2000-14 35–38, 39
- Anatahan, thermal emission 2000-14 35–38, 39
- anisotropy, SCIARA-fv2 model 347
- Aqua MODIS images 23, 24, 26, 27, 33
- ArcMap 657
- Arenal, thermal emission 2000-14 35–38, 39
- Asamayama
  - 2004 eruption, RST<sub>VOLC</sub> application **60**, 61, 62
  - thermal emission 2000-14 35–38, 39
- ASE (Autonomous Sciencecraft Experiment) software 137–138, 140–143, 602–603
  - products 141–143, **144**
  - THERMAL\_CLASSIFIER 141, 142, *143*, **144**, **145**
- ash clouds 554, 555, 557, 558
  - ASTER URP detection 127, 129
  - Eyjafjallajökul 148–149
- ASTER (Advanced Spaceborne Thermal Emission and Reflection Radiometer) *31*, 116–133, **161**
- AESICS (Emergency Scheduling Interface and Control System) 120, 121, *122*, 123
- EDS (Expedited Data System) 117, 119
  - Hawai'i 491, 492, 493, 495
  - STAR (Science Team Acquisition Requests) 116, 117
  - URP (Urgent Request Protocol) Program 116, 117, 119–133, 575, 576, 601–602
    - data integration 120–123, *124*
    - expansion 120
    - lava-flow volumes 129, 131–132
    - mapping flow-deposit temperature 127–129
    - monitoring effusive eruptions 125–127
    - operation 119–120
    - plume composition analysis 129
- atmosphere
  - source of uncertainty 96, 97, 98–99, 101, 197, 523–524
  - see also* clouds
- ATSR (Along Track Scanning Radiometer) 23, 115, 159
- Augustine
  - 2006 eruption, MODVOLC observation 30–31
  - thermal emission 2000-14 35–38, 39
- automation, multispectral image processing 166–171
- Autonomous Sciencecraft Experiment *see* ASE
- AVHotRR algorithm
  - CheckBack test 86, 87, 88
  - hot spot detection 73, 74–91, 225, 574, 575, 601
    - accuracy assessment 76–80
    - accuracy improvement 82, 84, 85, 88
    - comparison with other methods 88–90
    - MSG data 85, 87
    - operational flow chart *84*
- AVHRR (Advanced Very High Resolution Radiometer) 23, 26, 33, 115, 159, 225, 463–484
  - ASTER 119, 120, 128
  - AVHotRR algorithm *84*, 87
  - fire detection 463, **464**, 465, **466–467**
  - HOTSAT 217
  - NEODAAS service 465–484
  - NEODAAS-Dundee 465, 467–468, 469
  - NEODAAS-Plymouth 465, 468, 471–472
  - RST<sub>VOLC</sub> 57, 58, **60**, 61, 62, 64–66, 68
- axisymmetric cooling and spreading benchmark 433–434
- Bagana, thermal emission 2000-14 35–38, 39, 51
- Barren Island, thermal emission 2000-14 35–38, 39
- Batu Tara, thermal emission 2000-14 35–38, 40
- benchmarking
  - lava flow models 425–440, 579
    - axisymmetric cooling and spreading 433–434
    - comparison with natural 434–435, 436–437
    - dam-break flow 431, 432, 435–436
    - fundamentals 431–435
    - Newtonian fluid spreading 431, 433
    - split flow experiment 434, **435**
- Bezymianny
  - ASTER data 117
  - MIROVA algorithm *198*
  - thermal emission 2000-14 35–38, 40

- Bingham fluid model 346–347, 358, 389–390, 395–401, 402–404, 410
- BIRD (Bi-spectral InfraRed Detection) 96, 571
- BIROS (Bi-spectral Infrared Optical System) 571
- Bory crater 509, 515, 534, 535
- bottom-up methods 430
- ‘bow-tie’ effect 176, 546
- Cameroon  
1986 eruption, CO<sub>2</sub> 1  
DOWNFLOW simulation 296, 298  
thermal emission 2000-14 35–38, 40
- CASOAR database 506, 507
- cellular automata lava flow modelling 346–354, 357, 358, 360, 375, 410, 428–429
- Central Cone 534, 535
- Cerro Azul  
1998 eruption, SO<sub>2</sub> emissions 285–288  
thermal emission 2000-14 35–38, 40
- Chaîne des Puys 14, 15, 650, 652–653  
lava flow simulation 626–635, 650–670  
comparison of simulations 660  
effusion rates 652, 655, 656  
GDACS GIS 655–657, 670  
v. local GIS 666–667  
hazard mapping 661–666  
local GIS 657–659, 668, 669, 670  
evacuation needs 667–668  
source term preparation 651–652, **654**, 668
- Chaiten, thermal emission 2000-14 35–38, 40, 51  
channelled models 428, **439**  
FLOWGO 313–333
- Château Fort crater 535, 538
- chemical monitoring 558
- Chirinkotan, thermal emission 2000-14 35–38, 40
- Chirpoi, thermal emission 2000-14 35–38, 40
- Choungou Chagnoumeni crater 508, 509
- Choungou Chahalé crater 508, 509
- civil defence, SCIARA-fv2 model 350–352
- Cleveland, thermal emission 2000-14 35–38, 40
- cloud masking 98–99  
AVHotRR 77, 84  
HOTSAT Satellite Monitoring System 209–210  
MyMET 169  
RST<sub>VOLC</sub> 58
- clouds  
and hot spot detection 58, 69, 76–77, 84, 98–99, 101  
MIROVA 197, 198–202
- CO<sub>2</sub> release 1
- coherence 506, 536–537, 538  
Piton de la Fournaise 513–524, 527, 539–540, 548
- Colima, thermal emission 2000-14 35–38, 41
- Colombia 1985 eruption, mud flows 1
- communications 590–594
- computational fluid dynamics codes 429–430
- Congo, Democratic Republic of  
*see* Goma; Nyamuragira; Nyiragongo
- convolution model 259, 260
- cooling curve 262  
HOTVOLC 230–231, 235
- Copahue, thermal emission 2000-14 35–38, 41
- Cordon Caulle 2000-14 eruption 35–38, 41, 51
- CORFLOW code 429
- corium spreading 429
- COSMO-SkyMed data 534, 537, 538, 540–544, 548–549
- crisis management  
data speed and accuracy 588  
education, outreach and presentation 590, 593–594  
event magnitude 583  
format and standards 588–589  
global services 590  
hazard response 594–596, 595  
RED SEED recommendations 583, 588–590, 593–594
- CROCO code 429
- Cubesat format 578
- CUDA (Compute Unified Device Architecture) 211, 365, 371, 388
- D8 (Deterministic Eight neighbour) method 318
- Dalla Filla, thermal emission 2000-14 35–38, 41
- dam-break flow benchmark 431, 432, 435–436
- deflection barriers, Etna 2, 449–450, 456, 457, 458
- depth-averaged models 429
- deterministic models 293, 305, 307–308, 375, 409, 427–428, 578  
pros and cons 431  
*see also* LavaSIM model; MAGFLOW model; SCIARA model; VolcFlow code
- DIAPASON software 507, 513, 537
- digital elevation models (DEMs) 533, 573–574, 579  
ASTER 116, 131  
Chaîne des Puys lava flow simulation 651, **655**, 668  
DOWNFLOW 300, 301, 303–304  
drones 579, 581–582  
FLOWGO 318, 326, 330  
GPU SPH 396–397  
Karthala 513, 517  
La Réunion 537  
MAGFLOW 360  
Piton de la Fournaise 417–418, 419, 513, 534, 537  
and stochastic models 430–431  
VolcFlow 340–342
- Dirac comb 261
- diversion and containment, Etna 449–450, 456, 457
- Dolomieu crater 509, 515, 517, 520, 521, 528, 534, 535, 538, 591
- DOWNFLOW code **9**, **10**, 294–305, 409, 578, 608  
benchmarking 430–431, 435, 437, 440  
Chaîne des Puys lava flow simulation 628, 634, 651, 660–662, **663**, **664**, 666  
comparison with deterministic codes 305, 307–308  
comparison with real lava flows 305, 437  
efficiency 438  
pros and cons **428**
- drones, DEM updating 579, 581–582
- DSCOVR (Deep Space Climate Observatory) 289
- dual-band technique 74–76, 78, 79, 80, 94, 97, 102, 244
- Dubbi, MIROVA algorithm 200
- Dukono, thermal emission 2000-14 35–38, 41
- dykes  
Etna 2002-3 eruption 450–452, 455  
InSAR 536, 548
- dynamic thermal proxy 245–246  
comparison with field observations 250  
experiments 246–250, 251  
precautions 250, 252–253

- earthquakes, precursors to eruption 557
- East Rift Zone, Kilauea, lava flow 490, 491, 493–500
- ECHO, disaster bulletins 6, 554–555
- Ecuador 1, 35–38, 47, 50, 153, 338–342
  - see also* Reventador; Tungurahua
- education 590, 593–594
- effusion rate *see* lava flow, effusion rate
- effusive trend detection, MIROVA 191, 193–194
- Eldfell, population at risk **3**
- ELFM code 409, 430
- EMCT camera, Etna 212–215
- emissivity 244
  - source of uncertainty 96
- Enclos Fouqué 508, 509, 515, 534, 535, 540
- Enclos-Grand-Brulé 508, 509, 512, 528, 534, 535, 540
- Enhanced Thematic Mapper Plus 23, 98, 101, **161**
  - Popocatepetl 29
- Enhanced Thermal Index (ETI)
  - MIROVA 185, 187
    - dETI matrix 185, 186–187, 188, 189
- EO (Earth Observing)-1 spacecraft 116, 137, 138
  - ALI 138, 140, 142, **144**, 146, 148, 149, 153, 572
    - Hawai'i 492, 493, 495, 496, 498
  - Hyperion imaging spectrometer 23, 51, 138, 140, 141, 142, **144**, 149, 150, 151, 182
- EOS project 23
  - Aqua 23, 24
  - Terra 23, 24, 26
- EOSDIS (Earth Observation Data Information System) 23, 24
- EPIC (Earth Polychromatic Imaging Camera) 289
- Erebus lava lake
  - ASE THERMAL\_CLASSIFIER 141, 143
  - thermal emission 2000-14 35–38, 41, 51
  - thermal remote sensing 11
- Erebus Volcano Observatory, VSW 152
- ERS-1 Along-Track Scanning Radiometer (ATSR) 23, 115, 159
- Erta Ale lava lake
  - MIROVA algorithm 199
  - radiant flux 165
  - thermal emission 2000-14 35–38, 41, 51
  - thermal remote sensing 11
- eruptions
  - event magnitude 583
  - intensity 2, 30, 32, 51
  - international humanitarian concern 553–555
  - thermal emissions 2000-14 32–34, 35–38, 39–50, 51–52
- Etna
  - 1983 eruption, deflection barriers 2
  - 2001 eruption 447–448
    - lava flow benchmarking 434–435, 436–437
    - LavaSIM model 380–381
  - 2002-3 eruption
    - chronology 450–452
    - hazard mitigation 253, 254, 453, 455–458
    - monitoring 452–454
    - RST<sub>VOLC</sub> application **60**, 62, 63
  - 2006 eruption, MAGFLOW simulation 366, 367
  - 2008-09 eruption, RP monitoring 94–96, 99, 101, 103, 105, 106, 107, 108–109, 110
  - 2011 eruption, HOTVOLC monitoring 229, 231–233, 235
  - 2011-2013 paroxysmal eruptions 73
    - AVHotRR application 76–90
  - 2014 eruption, RST<sub>VOLC</sub> application 63–66, 68
  - AVHRR data 472–477, **478–479**, 479, **480**, 481
  - basaltic flow fields 294, 295
    - DOWNFLOW simulation 296–300, 302, 303–305, 307
  - EMCT camera 212–215
  - EO-1 VSW 153
  - ETI 187
  - GPUSPH model 400–404
  - hazard mapping, SCIARA 346, 348–350
  - HOTSAT/MAGFLOW 217–219
  - hotspot detection exercise 611–626
    - lava flows 447–448
  - MAGFLOW
    - hazard mapping 358, 366–370
    - lava flow path simulation 365–371
  - MIROVA 184, 186, 187, 202
    - effusive trend detection 191, 193–194
    - lava flow cooling 194
    - lava flow monitoring 191, 192
    - radiative power 189–194
    - TADR 195
  - MODVOLC observation 33
  - NEODAAS data, TADR tracking 479–484
  - NEODAAS hot spot tool 471–472, 473, 474, 477
  - NTI 94–96, 186, 187
    - population at risk 2, 3, 345, 348–354, 447, 450–458
  - SCIARA-fv2 model 346, 348–354
  - thermal emission 2000-14 35–38, 42, 50, 51
  - thermal remote sensing 11, 94–96, 99, 101
  - VAST-II data 472–473
    - conversion to TADR 473–479
- EUMETSAT 168, 169, 226
- European Union
  - DG ECHO 6, 554–555
  - Joint Research Centre 3
  - GDACS 6
  - humanitarian service 6
- evacuation 1–2
  - Chaîne des Puys simulation 667–668
- EOVSS 167, 576
- Excel, FLOWGO model 314, 322–331, 333
- exposure, definition 556
- Eyjafjallajökull
  - 2010 eruption
    - MIROVA algorithm 199
    - multipayload observation 173, 175
    - plume composition, ASTER URP 129, 130
    - VSW 147–150, 151, 154
  - thermal emission 2000-14 35–38, 41
- Eyjafjöll, RST<sub>VOLC</sub> applications **60**
- false alerts, MIROVA 196–197
- FCI **162**, 169
- Fernandina, thermal emission 2000-14 35–38, 42
- Fimmvörðuháls
  - EO-1 observation 148, 149, 151
  - plume composition, ASTER URP data 129
- Fine Quad Polarization 511–512, 512, **513**, 514, 516, 517, 527
- finite element method (FEM) 388
- fire detection, AVHRR 463, **464**, 465, **466–467**

- fires/anthropogenic heat sources, MIROVA 197  
 FLOP efficiency 437–438  
 Flow3D code **428**, 430, 436, 440  
 FLOWFRONT model **8**, 428  
 FLOWGO model **9**, 286, 313–333, 409, 428, 578, 607–608  
   benchmarking 435, 437, 440  
   Chaîne des Puys lava flow simulation 631, 633, 651, 660, 661  
   in Excel 314, 322–331, 333  
   GoogleTM Earth slope profile 330–331  
   limitations 332–333, **428**, 438  
   operation 315–318, **319**, 320
- fluid dynamics  
   3D computational codes 429–430  
   lava effusion rate 244–254
- FOAMS software 321  
 Fogo 2014 eruption, alerting 561–562  
 Fuego, thermal emission 2000-14 35–38, 42
- Galeras, thermal emission 2000-14 35–38, 42  
 Gamkonora, thermal emission 2000-14 35–38, 42  
 Gaea, thermal emission 2000-14 35–38, 42  
 GDACS (Global Disaster Alert and Coordination System)  
   alerting 6, 562–564, 650, 655, 666–670  
   Chaîne des Puys simulation GIS 655–657
- GEO satellites 225  
 GEOnet Names Server (GNS) 657  
 GIS (Geographical Information System)  
   evacuation needs 667–668  
   GDACS 655–657, 666–670  
   layers 656–657  
   LAV@HAZARD 208, 215  
   local system 666–670  
   layers 657–659, 669  
   RED SEED recommendations 583, 588, 650
- Global Human Settlements Layer 657  
 Global Volcanism Program 34, 51, 61, 63, 127, 555, 556  
 Global Volcano Monitoring 176  
 GlobVolcano project 167  
 glucose syrup experiment 247  
 GOES (Geostationary Operational Environmental Satellite) 33, 115, 160, **162**, 225, 226, 598  
   fire detection **467**  
   Hawai'i 491–492, 495, 500–501  
   SO<sub>2</sub> plumes 285–288
- Goma 553, 576  
   *see also* Nyamuragira; Nyiragongo
- GoogleTM Earth, FLOWGO model slope profile 330–331
- GPU implementation  
   GPUSPH 388, 406  
   HOTSAT 211–212  
   MAGFLOW model 365  
   SCIARA-fv2 model 346
- GPUSPH model 388–406, 440, 578  
   boundary conditions for ground 396–398  
   Etna 400–404  
   free surface 398  
   GPU implementation 388, 406  
   mass conservation 393, 395  
   momentum equation 392  
   numerical integration 405  
   particle surface computation 406  
   physical basis 389–390  
   pros and cons **428**  
   solidification 400  
   source term 400  
   thermal model 395–396  
   weak compressibility and equation of state 392–393
- Grandes Pentes 508, 509, 517  
 Grave Noire 14, 15, 650, 652–653  
   lava flow simulation exercise 626–635, 660  
 gravity currents 245–246  
 Grímsvötn 2011, VSW operation 150, 152  
 ground surface displacement 533–534, 536–537, 538–539  
   InSAR 548  
   volcano warning systems 557–558
- ground-based camera data, comparison with HOTSAT 212–215
- Hawai'i 490  
   MODIS data 24, 25, 26  
   population at risk 2, 494, 495, 499–500  
   *see also* Kilauea; Mauna Loa  
 Hawai'i Institute of Geophysics and Planetology (HIGP) hotspot tracking 159, 471, 479  
 Hawaiian Volcano Observatory  
   lava flow monitoring 489–501  
   GOES data 491–492  
   VSW 152
- hazard  
   volcanic 1–3, 553–555  
   warning systems 555–556  
   humanitarian-oriented 6, 556–562
- hazard assessment 332, 337, 588  
 Kahauale'a 2 lava flow 499–500  
 hazard mapping 348–350, 558, 582–583  
 MAGFLOW, Etna 358, 366–370  
 SCIARA, Etna 346, 348–350
- hazard mitigation 588  
   Etna 2002-3 eruption 253, 254, 455–458
- hazard modelling 558–559, 562–563  
 hazard response 1, 594–596, 595  
 Heard Island, thermal emission 2000-14 35–38, 42, 51  
 heat budget method, HOTVOLC 229, 233, 235  
 Hekla, thermal emission 2000-14 35–38, 42  
 Herschel-Bulkley fluid model 389, 396–401, 402–404, 410  
   constitutive equation 411
- Himawari-8 sensor *see* AHI
- Holuhraun 2014 eruption, HOTVOLC monitoring 233, 235, 237
- HOTSAT Satellite Monitoring System 88, 207–220, 225, 574, 575, 603–604, 612–614  
   cloud mask algorithm 209–210  
   comparison with ground-based thermal camera data 212–215  
   GPUs 211–212  
   hotspot detection 210  
   integration with MAGFLOW model 215–217  
   Etna 217–219  
   OpenCL 211–212  
   radiant flux and discharge rate estimation 210–211
- hotspot detection 6–7, 55–56  
   algorithms 56, 597–606  
   ASTER 115–133

- AVHotRR algorithm 74–91  
 AVHRR 463, 468–484  
   quick-look tool 471–472  
 direct broadcast receiving stations 577, 578  
 end-users and formats 577  
 exercise, Etna eruptions 611–626  
 geolocation 577  
 HOTSAT Satellite Monitoring System 210  
 HOTVOLC monitoring system 226, 228, 231–238  
   quantification 228–231, 233, 235  
 infrared satellite measurements 224–225  
 MODVOLC algorithm 26–52  
   Augustine 30  
   Karymsky 28  
   Lascar 31  
   Popocatepetl 29  
 multispectral image analysis 159–176  
 quality index 80  
 RED SEED recommendations 569–578  
 RST<sub>VOLC</sub> algorithm 56–69  
 satellite monitoring 23–52, 94–96  
 simulation at different resolutions 97–98, 100  
 uncertainty 96–103  
 volcano warning systems 557
- HOTSPOTS, Hawai'i Institute of Geophysics and Planetology 159
- HOTVOLC monitoring system 223, 225–231, 227  
 Etna 2011 eruption 229, 231–233, 235  
 Holuhraun 2014 eruption 233, 235, 237  
 hotspot detection 226, 228–238  
 Kelut 2014 eruption 234, 237  
 NTI 226, 228, 230, 231, 234, 604–605  
 Piton de la Fournaise 2015 eruption 235, 236, 237  
 Stromboli 2010 eruption 232, 235
- HRIT (High Rate Information Transmission)  
 data 226
- Hualālai, lava flows 490–491
- humanitarian crises, volcanic eruptions 2–3, 6, 553–555
- Humanitarian Early Warning Service 556
- Hyperion imaging spectrometer 23, 51, 138, 140, 141, 142, 144, 149, 150, 151, 182
- HyspIRI* 133, 155–156
- Ibu, thermal emission 2000-14 35–38, 43
- image processing, multispectral  
 automated procedures 161, 162, 166–171  
 conversion to mass flux 165–166  
 multiple components 160, 161, 163–164, 166  
 radiant flux 163–165  
 single component 164–165  
 thermally anomalous pixels 160, 166
- impact assessment 559, 563
- Indian Ocean InSAR Observatory (OI2) 506, 507, 511
- Indonesia 1982 eruption 1  
*see also* Kelut; Merapi; Semeru; Talang
- InfoRM Risk Index 554, 559
- infrared satellite measurements, hotspot detection 12, 23, 33, 55–56, 224–225, 583, 588
- InSAR monitoring 505–529, 534  
 Karthala 506, 509–510, 512, 517, 519, 520, 529  
 limitations 506, 521, 523–524, 527  
 near-real-time 527–528  
 OI2 506, 507, 511
- Piton de la Fournaise  
 2010 eruption 535, 537–549  
 2014 eruption 506, 507–509, 512, 513–517, 518, 520–529  
 technique 536–537  
 instantaneous radiance model 257  
 interferograms, InSAR 536–549, 538  
 Piton de la Fournaise 506, 507, 510–529  
 interferometry *see* InSAR monitoring  
 international aid 563  
 inverse blackbody problem 258
- IPM (Intelligent Payload Module) 155–156
- isoviscous fluid 246
- isoviscous theory 245
- Izu-Oshima 1986 eruption, LavaSIM model 379–380
- JAMI (Japanese Advanced Meteorological Imager)  
 160, 161, 164  
 MyMET 169, 174, 175
- Jebel al Tair  
 RST<sub>VOLC</sub> applications 60  
 thermal emission 2000-14 35–38, 43
- Jeffreys equation 313, 315, 425–426
- Kahauale'a 2 lava flow 493–495  
 hazard assessment 499–500  
 satellite monitoring 495–499
- Kalman filter 93, 103–105, 106, 107, 109–111, 571, 574, 575, 605–606, 623–624
- Kamchatka  
 ASTER URP data 117, 118, 119, 127, 129  
*see also* Bezymianny; Karymsky; Kliuchevskoi; Shiveluch; Tolbachik
- Karangatang, thermal emission 2000-14 35–38, 43
- Karthala 508, 509–510  
 Choungou Chagnoumeni crater 508, 509  
 Choungou Chahalé crater 508, 509  
 InSAR monitoring 506, 509–510, 512, 517, 519, 520, 529  
 thermal emission 2000-14 35–38, 43
- Karymsky  
 MODVOLC detection 28  
 thermal emission 2000-14 35–38, 43
- Kavachi, thermal emission 2000-14 35–38, 43
- Kelut (Kelud)  
 2010-2014 eruptions, thermal emission 35–38, 43  
 2014 eruption, HOTVOLC monitoring 234, 237  
 population at risk 553, 554–555
- Kilauea  
 ASTER URP data 123  
 lava flows 490, 580–581  
 remote sensing 489, 491, 492  
 MODVOLC observations 24, 25, 30  
 population at risk 2, 3, 580–581  
 SO<sub>2</sub> emissions 152–153, 285  
 thermal emission 2000-14 35–38, 43, 50, 51  
 VSW 152–153
- Kirishima, thermal emission 2000-14 35–38, 44
- Kizimen, thermal emission 2000-14 35–38, 44
- Kliuchevskoi, thermal emission 2000-14 35–38, 44
- Krafla fissure eruption, sources of SO<sub>2</sub> 281–283
- Krieger-Dougherty (KD) equation 378, 380, 381, 382, 385

- La Réunion 508, 535  
 DEM 537  
 population at risk 2  
*see also* Piton de la Fournaise
- lahars 1, 127, 559
- LANCE data 195–196, 493
- land use, SCIARA-fv2 model 350–352
- Landsat Thematic Mapper 23, **161**  
*see also* Enhanced Thematic Mapper Plus
- LandScan data 559  
 population at risk from volcanic hazard 554, **555**
- Langila, thermal emission 2000-14 35–38, *44*
- Lascar  
 MODVOLC observation 31  
 thermal emission 2000-14 35–38, *44*  
 thermal remote sensing *11*
- Lattice Boltzmann methods 430
- LAV@HAZARD 208, 215
- LAVA code 429
- lava discharge rate 224  
 time-averaged *see* TADR
- lava domes 34, 38, 51, 127, 160
- lava emplacement models **8–10**, 257–274, 340–342,  
 357, 426–431, 606–611  
 derivation 259–260  
 influence of rheology 400–404  
 MAGFLOW 357–371, 428–429  
 VolcFLOW 340–342
- lava flow  
 active flow area 257  
 advancement monitoring 190–191, *192*, 533  
 Hawai'ian Volcano Observatory 489–501  
 shallow-depth approximation model 409–419  
 area simulation, DOWNFLOW code 294–305  
 basaltic volcano fields  
 channels and bifurcations 294, 295  
 FLOWGO model 313–333  
 cellular automata modelling 346–354  
 channelized 313–333, 428, **439**  
 cooling 194, 230–231, 235, 262  
 cooling rate 313–314  
 crystallization 318, **319**, 325, 326, 328, *329*, 378  
 discharge rate 96  
 and volume, thermal remote sensing *11*  
 effusion rate 80–81, 165–166, 169, 243, 253, 426, 533  
 dynamic thermal proxy 245–246  
 comparison with field observations 250  
 experiments 246–250, *251*  
 precautions 250, 252–253  
 Etna 2002-3 eruption 454–455, 457  
 FLOWGO 315, 320, 327, 328, 331  
 from SO<sub>2</sub> measurement 283, 285–288  
 and lava flow length 425  
 LavaSIM 382, 384  
 static thermal proxy 244  
 tests, MAGFLOW 361–365
- hazard mapping 348–350, 558, 582–583
- hazard mitigation, Etna 2002-3 eruption 253, 254,  
 455–458
- heat loss, FLOWGO 317–318, 324–325
- humanitarian crises 2–3, 6, 553–555
- mass flux 165–166
- mean velocity 425–426
- modelling **4–5**, 6–7, **8–10**, 558, 578–583, 606–611
- benchmarking 425–440  
 GPUSPH 392–400, **428**  
 LavaSIM 375–385, **428**  
 MAGFLOW 365–371, 428–429  
 numerical methods 387–388, 427–431  
 physical parameters 7, 16  
 RED SEED recommendations 573  
*see also* deterministic models; probabilistic codes
- processes and dynamics 426, 427
- risk assessment 409
- simulation exercise, Grave Noire and Petit Puy de  
 Dôme 626–635
- spaceborne observation 160
- spectral radiance 24–26
- surface temperature distribution 257–258
- thermo-rheological evolution 314  
 GPUSPH 388–406
- thermo-rheologically based models **4–5**, 6–7, **8–10**,  
**584–587**
- viscosity 313, 375, 389  
*see also* deflection barriers; diversion and containment;  
 viscosity
- lava lakes  
 thermal emission *11*, 34, 38, 50, 51, 160  
 ASE THERMAL\_CLASSIFIER 141, *143*
- lava lobes 430
- lava pancake formation 381–382, 383, 384–385
- LAVA project 88
- lava shed model 573
- lava tubes 426  
 cooling rate 425  
 Hawai'i 491, 496, *498*  
 spaceborne observation 160
- LavaSIM model **9**, 243, 375–385, 429, *440*, 578,  
 608–609  
 Chaîne des Puys lava flow simulation 629, 651  
 Etna 2001 eruption 380–381  
 Izu-Oshima 1986 eruption 379–380  
 lava properties 378–379  
 procedures 376–378  
 pros and cons **428**  
 Shinmoe-dake 2011 eruption 381–382, 383, 384–385
- LAZSLO code 430
- Least Squares Spectral Analysis (LSSA) 109
- Lennard-Jones repulsive force 391–392
- LEO (Low Earth Orbiting) satellites 159, 224–225, 577
- LiDAR  
 FLOWGO slope profile 330–331  
 Piton de la Fournaise 513, 521, 537  
 TADR 571
- Limagne Fault 650, 652
- Llaima, thermal emission 2000-14 35–38, *44*
- Lopevi, thermal emission 2000-14 35–38, *44*
- MAGFLOW model **9**, 208, 243, 357–371, 410, 578, 610,  
 635, 660, 661–666  
 benchmarking 428–429, 435, 437, *440*  
 Chaîne des Puys lava flow simulation 629, 632, 651  
 effusion rate tests 361–365  
 GPU implementation 365  
 integration with HOTSAT data 215–217  
 Etna 217–219  
 lava flow path simulation, Etna 365–371  
 physical basis 358–360

- sensitivity analysis 360–365
- magma ascent, Stromboli 189–190
- Manam, thermal emission 2000-14 35–38, 44
- Manda Hararo
  - 2007-14 eruptions, radiant flux 172–173
  - thermal emission 2000-14 35–38, 45
- mass flux 7, 10
- Mauna Loa
  - lava flows 490
  - monitoring 489
    - future work 500–501
  - MODVOLC observations 24, 25, 26
  - population at risk 2, 3
  - VSW 152
- Mayon, thermal emission 2000-14 35–38, 45
- media, role in volcano warning system 555
- MELTSPREAD code 429
- MEOS 73
- Merapi
  - 2006 ASTER URP monitoring 125–127
  - 2010 eruption, lack of public warning 555
  - RST<sub>VOLC</sub> applications 60
  - thermal emission 2000-14 35–38, 45
- meshless methods 388, 430
- MIAVITA project, risk from volcanic hazard 554, 557, 560, 561
- Michael, thermal emission 2000-14 35–38, 45
- Mihara 1950-1952 eruption, thermal remote sensing 11
- MIR (Middle InfraRed) data 56, 58, 94–97, 169, 182, 188–189, 194, 463, 465, 468, 470, 472
  - HOTSAT 210
- MIROVA (Middle InfraRed Observation of Volcanic Activity) algorithm 182–202, 225, 574, 575, 604, 615–616
  - Etna 184
    - TADR 195
  - hot spot detection
    - dNTI and dETI 185, 186–187, 188, 189
    - ETI 185
    - NTI 184–185, 186
    - performance and exportability 189
    - radiative power 188–189
      - Stromboli and Etna 2000-13 189–194
    - spatial analysis 185
    - spectral analysis 184–185
  - limits and uncertainty 196–197
  - MODIS granules 183, 184
  - near-real-time implementation 195–196
  - regions of interest 183–184, 187
  - Stromboli 184
- modelling *see* lava flow, modelling
- MODIS (Moderate Resolution Imaging Spectroradiometer) 23, 24, 27, 33, 52, 73, 115, 161, 164, 225
  - AVHotRR algorithm 84, 85, 87
  - Etna 99, 101, 103, 105, 106, 107, 108–109, 110
  - Hawai'i 24, 25, 26, 491, 492, 493, 495, 500, 501
  - MIROVA 182, 183, 184
  - Piton de la Fournaise 538, 545–547
  - RST<sub>VOLC</sub> 60, 61, 64–66, 68
- MODLEN 182, 575
- MODTRAN model 230
- MODVOLC algorithm 23, 24–52, 88, 94, 225, 465, 574, 575, 599–600, 617–622
  - false positives 27, 31, 32
  - flow chart 27, 28
  - Kilauea 491
  - limitations 30–31, 32, 51–52, 182, 577
  - NTI thresholds 27
  - operation 27–29
  - physical principles 24–27
  - volcanic thermal emissions 2000-14 32–34, 35–38, 39–50, 51
- Montagu, thermal emission 2000-14 35–38, 45
- MOR (Mean Output Rate) 534
- Moving Averages (MA) 109, 110
- MSG (Meteosat Second Generation)-RSS (Rapid Scan Service) 225–226
- MSG (Meteosat Second Generation)-SEVIRI (Spinning Enhanced Visible InfraRed Imager) 73, 74, 94, 159, 161, 162, 164
  - AVHotRR algorithm 84, 85, 86, 87
  - HOTSAT 207–210, 212, 215, 217
  - HOTVOLC 228, 231–233
  - multiScales algorithm 84, 86, 87–88, 90
  - MyMET 169
    - RST<sub>VOLC</sub> 58, 60, 61
- MTSAT-1R/2, RSTVOLC 61
- MTSAT-2, HOTVOLC 226
- mudflows *see* lahars
- multiScales algorithm 84, 86, 87–88, 90
- MyMET 161, 162, 167, 168–171, 574, 625–626
  - JAMI and SEVIRI 169, 174, 175
  - rapid scan 169–171
- MyMOD 161, 162, 167, 168, 574
- MyVOL 161, 162, 167, 575
- Nabro, thermal emission 2000-14 35–38, 45
- NASA *see* EO (Earth Observing)-1 spacecraft; LANCE data; SRTM; Volcano Sensor Web
- Navier-Stokes equation 358, 359, 375, 389, 390, 409
- NB3D code 428, 430, 436, 440
- NEODAAS, near-real-time service 465–484
- NEODAAS-Dundee, AVHRR 465, 467–468, 469
- NEODAAS-Plymouth
  - AVHRR 465, 468, 471, 473
  - TADR tracking
    - Etna 479–484
    - Stromboli 481–484
  - VAST-II 472–473
- NEST (Next Esa SAR Toolbox) 513
- net area emplacement surface 258, 259–274
- Nevado de la Huilla, thermal emission 2000-14 35–38, 45
- New South-East Crater, Mt Etna, lava flow 63, 65
- Newtonian flow
  - simulation 394, 395, 398, 399, 400, 401–404, 410, 415
  - velocity 425–426
  - viscous isothermal spreading benchmark 431, 433, 439
- Nicaragua 1992 eruption 1
- Nicolosi, SCiARA-fv2 model 350–352
- Nimbus 1 satellite 55
- NIR (Near InfraRed) data 470
- Nishinoshima, thermal emission 2000-14 35–38, 45
- NOAA NESDIS 470
- non-isothermal flow benchmark 433–434
- non-Newtonian fluid 410

- Normalized Thermal Index (NTI) 25, 27, 28, 94, 160, 168, 225
- Etna 2011 94–96, 229, 230, 231–233  
 adaptive threshold 94–96, 97–98, 102  
 cloud coverage 98–99, 101  
 HOTVOLC 226, 228, 230, 231–233, 604–605  
 MIROVA 184–185, 186  
 dNTI matrix 185, 186–187, 188, 189  
 MODVOLC 27  
 MyMET 169  
 Piton de la Fournaise 545–546
- Nornahraun, EO-1 observation 154, 155
- nuclear-based models 429
- numerical methods 387–388, 427–431  
 particle 388
- Nyamuragira  
 2006 eruption, VSW 143, 145–147, 154  
 MODVOLC observation 34  
 SO<sub>2</sub> emission 278, 284  
 thermal emission 2000-14 35–38, 46, 50, 51
- Nyiragongo  
 2002 eruption  
 DOWNFLOW simulation 305, 306  
 population at risk 2–3, 3, 553, 576  
 lava lake, thermal remote sensing 11, 34  
 thermal emission 2000-14 35–38, 46, 50, 51
- Observatoire de Physique du Globe de Clermont Ferrand,  
 HOTVOLC 223–224, 225
- Observatoire Volcanologique du Piton de la Fournaise  
 506, 509, 520, 534  
 lava flow emplacement 417, 418
- OCA (One-channel Cloud-detection Approach) 58
- OKMOK algorithm 88, 182, 225, 465, 575, 598–599
- Oldoinyo Lengai  
 RST<sub>VOLC</sub> applications 60  
 thermal emission 2000-14 35–38, 46
- OMI 277, 278, 279, 280, 281, 289
- OMPS (Ozone Mapping and Profiler Suite) 277, 289
- OpenCL 211–212
- OpenFOAM toolbox 428, 429–430, 435–436, 440
- OpenStreetMap (OSM) 657
- OurAirports database 657
- outlier detection 105, 109, 110
- OVG (Goma Volcanic Observatory) 576
- Pacaya, thermal emission 2000-14 35–38, 46
- Pacific Disaster Centre 556
- Pagan, thermal emission 2000-14 35–38, 46
- Pago, thermal emission 2000-14 35–38, 46
- pāhoehoe lava 426  
 Kilauea 26, 496, 497, 499, 500  
 rheology 253  
 temperature distribution 258
- Paluweh, thermal emission 2000-14 35–38, 46
- parallelization 392
- Paricutin 1943-1952 eruption  
 lava flow 426  
 population at risk 3  
 thermal remote sensing 11
- particle grounding 394, 400, 401
- Pavlof, thermal emission 2000-14 35–38, 46
- PCE (Polynomial Chaos Expansion) 360–361
- Petit Puy de Dôme 14, 15, 650, 652–653
- lava flow simulation exercise 626–635, 659–660  
 effusion rate 656
- Philippines 1991 eruption 1  
*see also* Mayon
- Pinatubo, SO<sub>2</sub> emission 278
- Piton de la Fournaise 507, 508, 509, 534–535  
 2007-14 eruptions  
 population at risk 2, 3  
 radiant flux 171–172  
 thermal emission 35–38, 47, 50  
 2010 eruption 416–417  
 flow simulation 416, 417–419  
 InSAR monitoring 535–536  
 2014 eruption, InSAR monitoring 520–521, 524–527  
 2015 eruption, HOTVOLC monitoring 235, 236, 237  
 Bory crater 509, 515, 534, 535  
 Central Cone 534, 535  
 Château Fort crater 535, 538  
 DEM 417–418, 419, 513, 537  
 Dolomieu crater 509, 515, 517, 520, 521, 528, 534, 535, 538, 591  
 Enclos Fouqué 508, 509, 515, 534, 535, 540  
 Enclos-Grand-Brulé 508, 509, 512, 528, 534, 535, 540  
 FLOWGO model 319, 320–322, 333  
 Grandes Pentes 508, 509, 517  
 InSAR monitoring 506, 507–509, 511, 512, 513–517, 518, 520–529, 535–549  
 lava flow emplacement 413, 414  
 NTI 545–546  
 simulation 591, 592–593  
 SO<sub>2</sub> emissions 280
- pixels  
 hot 463  
 Etna 76, 78, 79, 82, 465, 472–473, 476, 572  
 Kilauea 24–26, 27  
 MIROVA 185–189  
 MODVOLC 24–26, 27, 28, 33  
 Piton de la Fournaise 545–547  
 RST<sub>VOLC</sub> 58  
 THERMAL\_CLASSIFIER 141–142, 143  
 multiple thermal components 161, 163–164, 166, 168  
 single thermal component 164–165  
 sunglint 29  
 thermally anomalous 160, 166, 167
- Planck's Blackbody Radiation Law 24, 25, 26, 210, 224, 244
- polyethylene glycol (PEG), flow and solidification  
 experiments 248, 249, 250, 253
- Popocatepetl  
 Enhanced Thematic Mapper Plus image 29  
 thermal emission 2000-14 35–38, 47, 51
- population at risk 1–3, 6  
 Etna 2, 3, 345, 348–354, 447, 450–458  
 global 2, 3, 553–554  
 Hawai'i 494, 495, 499–500  
 Kilauea 2, 3, 580–581  
 La Réunion 2  
 Nyiragongo 553, 576
- probabilistic codes  
 lava flow 293, 375  
 DOWNFLOW code 294–305, 578
- PSInSAR 523
- Pu'u 'Ō'ō lava flows 490, 491, 492, 494–499  
 SO<sub>2</sub> monitoring 152–153



- pyroclastic density currents 127, 558–559
- Rabaul, thermal emission 2000-14 35–38, 47
- RADAR, synthetic aperture interferometry (InSAR) 505–529
- RADARSAT-2 data  
Karthala 517  
Piton de la Fournaise 506–507, 510–511, 522, 528, 529
- radiance **570**  
lava flows 24–27, 30–34, 74–75, 163  
  emplacement models 259  
  analysis 262–264  
  cooling curve 262  
  discretization 260–262  
  test models 264–265  
  *see also* instantaneous radiance model; spectral radiance; temperature distribution model
- radiant density 195
- radiant energy **570**
- radiant flux 80, 163–165, 166, 169, 171–176, **570**  
HOTSAT 210  
MODVOLC 32–33, 39–50, 51
- radiant flux density **570**
- radiant power (RP) 244, 245  
  estimation 96, 99, 102–105  
  MIROVA 197  
  Stromboli and Etna 189–194  
  uncertainty 93, 96–103  
  Etna 105, 106, 107, 108–109, 110  
  Kalman filter 103–105, 106, 107, 109–111
- rapid scan, and MyMET 169–171
- RASPLAV code 429
- RAT (Robust AVHRR Techniques) algorithm 56, 57, 61, 182, 224  
*see also* RST<sub>VOLC</sub>
- Raung, thermal emission 2000-14 35–38, 47
- RED SEED (Risk Evaluation, Detection and Simulation during Effusive Eruption Disasters) working group 3, 6, 12, **13**, 14–16  
  recommendations and findings 569–596  
  crisis management 583, 588–590, 593–594  
  hotspot detection 569–574  
  algorithms 574–578  
  lava flow modelling 578–583, 668, 670
- Redoubt, thermal emission 2000-14 35–38, 47
- remote sensing  
Hawai'i Volcano Observatory 489–501  
  thermal 6–7, 10, 11, 159–176, 207–220, 244  
  effusive eruptions 253, 537, 538  
  RED SEED recommendations 571, 573–578, 583
- resolution  
  high-spatial 167–168, 176  
  hot spot analysis 167–168  
  hot spot selection 167  
  high-temporal 168–171, 175, 176  
  moderate 168
- Reventador  
  EO-1 observation 153  
  thermal emission 2000-14 35–38, 47
- RHEOLEF **428**, 429, 440
- rheology  
  influence on flow emplacement 400–404  
  lava flow modelling **4–5**
- Rinjani, thermal emission 2000-14 35–38, 47
- risk, definition 556
- risk assessment 409, 588  
  global 554
- risk management index 554
- RSAM (Real-time Seismic Amplitude Measurement) 30
- RST (Robust Satellite Techniques) algorithm 56, 88, 225
- RST<sub>VOLC</sub> algorithm 56–69, 574, 575, 600–601  
  applications 59–67  
  capabilities 57–59, 69  
  operational flow chart 58, 59
- St Helens, thermal emission 2000-14 35–38, 49, 145
- St Vincent lava dome, isoviscous theory 245
- Saint-Venant shallow water model 410, 429
- Sakurajima, thermal emission 2000-14 35–38, 47
- SAMPSON code 429
- Sangay, thermal emission 2000-14 35–38, 48
- Santa Maria, emission 2000-14 35–38, 48, 51
- SAR (synthetic aperture RADAR) 505–506  
*see also* InSAR
- Sarychev Peak, thermal emission 2000-14 35–38, 48
- satellite monitoring  
  Hawai'i Volcano Observatory 489–501  
  HOTVOLC 223  
  MODIS 23, 24, 27, 33, 52  
  thermal anomalies 6, 23–52, 55–56, 94–96  
  instrument uncertainty 96–97, 103  
*see also* remote sensing
- satellite viewing geometry, MIROVA 197
- Sciara del Fuoco, hot spot detection 62, 63
- SCIARA model **8**, 345–354, 410, 428–429, 578, 606–607  
  Chaîne des Puys lava flow simulation 630, 635, 651, 660, 661–666  
  pros and cons **428**
- SCIARA-fv2 cellular automata model 346–348  
  civil defence and land use 350–352  
  hazard mapping 346, 348–350
- SEAS-OI (Survey of Environment Assisted by Satellite in Indian Ocean) 506–507, 510–511, 520, 521, 525–526
- seismic amplitude measurement v. MODVOLC 30
- seismicity, Etna 2002-3 eruption 451
- Semeru, thermal emission 2000-14 35–38, 48, 51
- SEVIRI *see* MSG-SEVIRI
- shallow-depth approximation model 409–419  
  comparison with Piton de la Fournaise lava flow 415–419  
  physical parameters **411**  
  reduction model 419–421  
  silicone oil pancake experiment 413, 415  
  three-dimensional formulation 411–413
- shear-thinning 410
- Shinmoe-dake  
  2011 eruption, LavaSIM model 381–382, 383, 384–385  
  RST<sub>VOLC</sub> applications **60**
- Shishaldin, thermal emission 2000-14 35–38, 48
- Shiveluch  
  2004 ASTER URP flow-deposit temperature mapping 127–128  
  thermal emission 2000-14 35–38, 48, 51
- SI and SI-based units **7**, **570**, 588, **589**, **590**

- Sierra Negra  
 2005 SO<sub>2</sub> emissions 279  
 thermal emission 2000-14 35–38, 48
- silicone oil experiments 246, 413, 415
- simulation codes  
 benchmark efficiency 437–438  
 benchmarking facility 438–439  
 pros and cons 431
- Single Look Complex 511
- SLAG 609–610
- Slamet, thermal emission 2000-14 35–38, 48
- slope profile, FLOWGO model 330–331
- SO<sub>2</sub>  
 monitoring 152–153, 558  
 satellite measurement 277–289  
 and lava effusion rate 283, 285–288  
 sources of gas 281–283  
 sensors 152–153
- solar reflection 94
- solidification 248, 253, 360, 378, 400, 404
- Soputan, thermal emission 2000-14 35–38, 49
- Soufrière Hills, thermal emission 2000-14 35–38, 49, 51
- source terms 7, 16, 651–652, **654**  
 Chaîne des Puys 651–652, **654**, 668  
 FLOWGO 315, 316, 318, **319**, 320, **654**, 668  
 GPUSPH **394**, 400  
 lava flow advance **411**  
 LavaSIM 382, **654**
- spectral radiance 24–27, 30, 32–33, 570
- SPH (Smoothed Particle Hydrodynamics) method  
**9**, 388, 430  
 GPUSPH model 388–406  
 mathematics 390–392  
 boundary conditions 391–392  
 discretization of gradients 391  
 discretization of scalar fields 390–391
- split flow experiment 434
- SPOT (Satellite Pour l'Observation de la Terre) 116  
 SPOT 5 imagery 506, 520, 521, 525–526
- spreading benchmarks 432–433, 435
- SRTM DEM  
 FLOWGO slope profile 330–331  
 Karthala 513, 517
- SRV (Sistema Rischio Vulcanico) project 73, 84
- static thermal proxy 244
- steepest descent paths 294–295, 297
- Stefan-Boltzmann Law 32, 33, 80, 96, 210, 244
- stochastic models 430–431
- Stromboli  
 2002 eruption, RST<sub>VOLC</sub> application **60**, 62, 63  
 2010 eruption, HOTVOLC monitoring 232, 235  
 2014 eruption, RST<sub>VOLC</sub> application 63–66, 67  
 AVHRR data 481–484  
 magma ascent 189–190  
 MIROVA 184, 202  
 effusive trend detection 193–194  
 radiative power 189–194  
 thermal emission 2000-14 34, 35–38, 49
- sub-pixel temperature-retrieval 74–76, 463
- sub-resolution 163, 175
- sunlint 29, 169
- Surtsey 1967 eruption, thermal remote sensing 11
- Suwanosejima, thermal emission 2000-14 35–38, 49
- SWIR (Short Wave InfraRed) data 94, 137, 169, **470**  
 ASTER 116, 125, 127
- TADR (Time-Averaged lava Discharge Rate) 80, 89, 90,  
 224–225, 257, 570  
 Chaîne des Puys lava flow simulation 652, 655  
 Etna 218–219, 224, 473, 475–479  
 NEODAAS data 479–481  
 HOTSAT 211  
 HOTVOLC 229–231  
 MIROVA 194–195, 197  
 Piton de la Fournaise 545–547  
 RED SEED recommendations 571, 573–574  
 Stromboli, NEODAAS data 481–484
- Talang, VSW 145, 154
- TanDEM-X data 534, 537–538, 540–541, 544–545,  
 548–549
- temperature distribution model 257–258
- tephra *see* ash clouds
- Terra ASTER 23, 51, 116  
*see also* ASTER
- Terra MODIS images 23, 24, 26, 27, 33  
 Etna and Stromboli 62, 63
- TerraSAR-X data 537–538, 539, 547–548
- TET-1 (Technology Experiment Carrier-1) 571
- THEMA code 429, 440
- Thematic Mapper *see* Landsat Thematic Mapper
- thermal anomalies *see* hotspots
- THERMAL\_CLASSIFIER 141, 142, 143, **144**, 145
- thermal components  
 multiple 160, 161, 163, 166  
 single 164–165
- THERMAL\_SUMMARY 142, **145**, 146
- tilt variation, Etna 2002-3 eruption 450, 451, 455
- Tinakula, thermal emission 2000-14 35–38, 49
- TIR (Thermal InfraRed) data 57–58, 94–96, 115, 116,  
 132, 133, 159, 169, 463, 465, 468, **470**, 472  
 AVHRR 74–75
- TIROS (Television InfraRed Observation  
 Satellite) 159
- TIROS-2 radiometer 6–7
- TIROS-N, NEODAAS data 468
- Tofua, thermal emission 2000-14 35–38, 49
- Tolbachik  
 2012 eruption, radiant flux 174, 175  
 ASTER data 118  
 lava-flow volume 129, 131–132  
 MIROVA algorithm 201  
 thermal emission 2000-14 35–38, 49, 51
- TOMS (Total Ozone Mapping Spectrometer) 277, 278,  
 283, 284, 285, 287–288, 289
- topography, source of uncertainty 96, 101–102,  
 103, 108–109
- total area emplacement 260, 266, 268–269, 274
- Traversin vent 650
- triangular irregular network (TIN) 295, 297
- tsunamis 559
- Tungurahua 339  
 2010 eruption, VolcFlow code 338–342  
 EO-1 observation 153  
 thermal emission 2000-14 35–38, 50
- Ubinas, MIROVA algorithm 200
- Ulawun, thermal emission 2000-14 35–38, 50

- URP *see* ASTER, URP Program  
 USGS-Hawai'ian Volcano Observatory, VSW 152
- Valle del Bove  
 hotspots 63, 67  
 lava flow fields 194, 302, 449
- VAST algorithm 182, 224, 465, 575, 597  
 VAST-II 472–473  
 Veniaminoff, thermal emission 2000-14 35–38, 50
- Vesuvius  
 population at risk 2, 3  
 RST<sub>VOLC</sub> applications 60
- VHUB 583
- Villarricca lava lake  
 MIROVA algorithm 201  
 thermal emission 2000-14 35–38, 50, 51
- viscoplastic flow  
 shallow-depth approximation 409–419  
 reduction model 419–421
- viscosity 245–246, 375  
 and lava flow velocity 313, 317, 326  
 non-Newtonian fluid 389, 392  
 temperature-dependent 247–248, 317, 326–327, 329, 332, 378–382
- VNIR (Visible/Near InfraRed) data 116, 131–132, 133
- Volcanic Ash Advisory Centre 6, 146, 595
- volcanic eruptions, international humanitarian concern 553–555  
*see also* eruptions
- Volcano Sensor Web 137, 138–156  
 ASE software 137–138, 140–143  
 data flow 140  
 Eyjafjallajökull 2010 147–150, 151  
 future plans 155–156  
 Grímsvötn 2011 150, 152  
 Nyamulagira 2006 143, 145–147  
 SO<sub>2</sub> monitoring 152–153
- triggers 138, 139, 140, 143, 145, 152, 153
- volcano warning systems 555–556  
 humanitarian-oriented 556–562  
 alerting 559–562  
 GDACS implementation 562–564  
 hazard modelling 558–559, 562–563  
 impact assessment 559, 563  
 international aid 563  
 monitoring 557–558, 562  
 multi-hazard 555–556
- volcanoes  
 basaltic, lava flow fields 294  
 global risk 2, 3, 554  
 strombolian, spaceborne observation 160  
 thermal emissions 2000-14 32–34, 35–38, 39–50, 51
- VolcFlow code 337–342, 428, 429, 435–436, 437, 440, 578, 611  
 Chaîne des Puys lava flow simulation 630, 635, 651, 660–666  
 Tungurahua volcano 338–342
- VTF (Vogel-Tammann-Fulcher) viscosity relationship 326, 378
- Vulcano, MODVOLC observation 31
- vulnerability 556, 559
- warning systems *see* volcano warning systems
- wavelet transform, à trous algorithm 82, 83, 85, 87, 90
- Wien's displacement law 94, 468
- Wooster's coefficient 96, 97, 102, 108, 109
- WOVODAT 583
- WV-3 162
- Yasur, thermal emission 2000-14 35–38, 50  
 yield strength 317  
 yield stress 425, 426
- Zubair Group, 2011 SO<sub>2</sub> emissions 279, 281