

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- acoustic emission 98, 100, 101
- advection–diffusion model, aquifers 179, 183, *189*
- Æbelø Formation 32, 33–34, 36
- air gap, parameters 238, **241**
- anaerobic corrosion 349
- ANDRA (French National Radioactive Waste Management Agency) 4, 85–86, 95, 115, 159–160
  - 2009 model 320, 322, 327–329
  - diffusion coefficient, He and Ar 349, 350, 356
  - high-level waste repository 319–332
  - performance and safety programme 233
  - plugs and seals 50, 51–54, 58
  - porewater, He and Ar 179–181, 183
  - reference values *162*, 172
- anisotropic mechanical behaviour 97–112
- aqueous geochemical modelling 284, 299
- aquifer study, NE Belgium 5, 9–27
  - geology and hydrogeology 10–12
  - hydrogeochemistry 13–25
  - lithology 12–13
- archaeological analogue 253
- Archie's law 183, 190
- argillaceous limestone 97, 98
- argillite 159–176, 319–332
- argon in gas pressure test 162–164
- argon in porewater, Paris Basin 179–190
- argon, diffusion coefficient in clay 349–358
- axial strain 101, *102*
  
- B&C Techno project 39–42, 44–45, 47
- B75 bentonite 334, 335, 338–347
- backfill material 3, **4**, 49
  - bentonite 235, 237, 238
  - cement based 44, 47
  - for waste retrieval 40, 42
- backfill, swelling pressure 51, 54, **56**
- Barcelona Basic Model 235–236, 237, **240**, 248
- Belgium, technical feasibility study 39–47
- benchmark, performance and safety criterion 228, **229**, 231–233
- benchmark, retention curves 274, 278
- bentonite 6, 60, 63, 65
  - alteration mineralogy 292–293, **294**
  - pillars, North Dakota *311*
  - properties 237–241, 250
  - self seal/re-seal 130–132, 342–344, 348
  - silicate analysis **66**
  - sprayed technology 71
- bentonite (Ca–Mg), gas permeability and breakthrough 333–344
- bentonite (MX-80) alteration, high pH 281–303
  - analytical methods 283–285
  - infiltration experiment 282–283
- bentonite colloids in <sup>85</sup>Sr transport experiment 193–202
  - column experiment with <sup>3</sup>H tracer 197–198
  - methodology 194–196
  - preparation 194–195
- bentonite erosion, natural analogue
  - chemical erosion 307–308
  - smectite erosion 309–315
  - water intrusion 308–309
- bentonite pellets 67
  - laboratory experiments 69–71, 79
  - saturation experiment 73–83
- bentonite re-saturation, mathematical model 269–278
  - comparison of approach 270
  - comparison of diffusivity 273–278
  - mathematical models 270–273
- BGR (Federal Institute for Geosciences and Natural Resources, Germany) 86, 95, 149
- Boom Clay 333
  - adjacent aquifers 9–10, **13**, 14, 19, 21, 22
  - diffusion coefficient 349–358
  - porewater composition 23, **25**, 26
  - through-diffusion experiments 205–210
- boreholes
  - fracture investigation 86–95
  - HG-A experiment *143–144*, 145
  - mechanical behaviour investigation 98, *100*
  - Paris Basin 179–180, *181*, 183
  - permeability tests, Mont Terri 150, *151*, 154
  - Schlattingen, Opalinus Clay 350–351
  - water content measurements 152–154, *155*
- Branden Clay 32, 34–35, 36
- Brazilian test 98, 100, 101
- breakout, tunnel 116–117, 122, 124
- breakthrough curves 195–201, 219–221
- breakthrough test (gas) 335, 336, 339–343, 346–347
- Brejning Formation 35, 36
- brittle failure 128, 145

- buckling 128, 129
- buffer material 3, 4, 307, 333, 347
- buffering capacity, bedrock 308–309, 315
- buffering capacity, bentonite 303
- bulk density 283, 287, 303
- Bure, underground laboratory 87, 183, 254, 329
- burial temperature, Paris Basin 190
- Callovo-Oxfordian argillite/clay/claystone 128
  - diffusion coefficient 349–358
  - flow behaviour 319–332
  - fracture network 85–86, 94–96
  - laboratory tests 254, 334
  - micro-tunnels 115, 124
  - water retention properties 159–176
- Callovo-Oxfordian Formation, He, Ar, I 179–181, 229, 231
- Campine Basin, hydrogeological profile 10
- Canadian Nuclear Safety Commission 97
- canister, emplacement and parameters 40, 42–43, 235, 241–250
- CANMET laboratory 98, 100
- CaO-enriched zone, altered bentonite 300–301
- capillary pressure 161–162
  - water and gas flow experiment 321–322, 325–327, 328, 331
- carbon dioxide 23, 25
- carbon isotope analysis 12, 19, 21–23, 25
- cations in groundwater 307, 309
- cement pore fluid 285
- cement-based buffer 42, 44
- cementitious fluids, bentonite alteration 281–303
- chemical erosion, bentonite 307–315
- chemistry
  - bentonite/alteration/porewater 286, 300
  - synthetic granitic groundwater 75, 194
- chlorine
  - <sup>36</sup>Cl modelling 215, 216, 221–222
  - in porewater 179–183, 188–190
- chukanovite 254, 257, 258
- CIGEO (French nuclear waste repository) 51, 53, 54
- clay
  - in disposal systems 1–5, 50, 127–128
  - radionuclide diffusion 211–223
- clay-specific transport parameters 215–217
- climate data, Mont Terri laboratory 151, 152
- closure rate 145, 341
- closure, anisotropic 115–116, 120, 122, 124
- Cobourg limestone 97
- Colloid and Radionuclide Retention Project 194
- colloid-facilitated transport 193–202
- colloidal dispersion 309
- column experiment with bentonite colloids
  - 197–198, 199
- compliance assessment, plugs and seals 49–58
  - demonstration of compliance 55–58
  - design basis 54–55
  - full-scale experiments 51–54
- computed tomography measurements 284, 286–288, 289–290, 303
- computing efficiency 218, 222–223
  - performance and safety assessment 225–233
- COMSOL multiphysics 214, 215, 222, 352
- concrete beams 51, 65–66
- concrete buffer 41–42
- concrete caisson 46
- concrete overpack 43
- concrete plugs and seals 50–51
- concrete testing 69
- construction 45
  - monitoring and compliance 55–58, 64–65, 68
- convergence law, semi-empirical 119–121
- convergence measurements, micro-tunnel
  - feasibility study 115–116
  - horizontal convergence 119–121
  - instrumentation and observations 116–119
  - vertical deformation 121–123
- copper canister 50
- core infiltration experiment 282–283
- core orientation 160, 165
- corrosion process, iron/claystone
  - base case 257–258
  - experiment 253–254
  - geochemical and material properties 255–257
  - mineral characterization 254–255
  - product profiles 264–265
  - sensitivity calculations 259–263
- corrosion products 254, 261–265
- corrosion rate 257, 260, 262–264
- cracks in argillite 161, 164, 165, 169, 172–176
- crystalline bedrock 307, 309, 310, 312, 315
  - Dome Plug experiment 50
  - repository site 235
- Czech bentonite
  - Cerny Vrch 334, 335, 340
  - gas transport study 333, 334
- Czech, deep repository 59–61, 63, 193
- Czech, Experimental Pressure and Sealing Plug (EPSP) experiment 59–71
  - bentonite pellet saturation 73–83
- Czech Research Foundation 334

- damage procedure/protocol 160  
 damaged samples, sorting methodology 160,  
 172–175  
 Danian limestones 31–32  
 Darcy's law 227, 236, **241**, 250, 286, 325  
 data analysis, Belgian aquifer study 13–23  
 decoupling flow and transport computation  
 225–227, 229  
 deformation monitoring in micro-tunnels 115  
 de-ionized water **196**, 197, *198*, **200**, **201**  
 Demonstration of Plugs and Seals Project 59–71  
 Denmark, repository site investigation 29–37  
   criteria for site selection 29–30  
   formation characteristics 33–37  
   geology 30–33  
 density 270, 271, 288, 290, 299, **355**  
 depth of repository 235  
 design illustrations *see* waste repository  
 deviatoric stress/strain *102–103*, 105, 108,  
*109–111*  
 diffusion 91, 211, 264  
 diffusion coefficient 181–183, 190, 236  
   altered bentonite 295  
   apparent 205, 208–210  
   corrosion zone 261  
   helium and argon 349–358  
   hydrogen 350  
   in radial systems *213*, *215*, 220, 221  
 diffusion coefficient, bentonite re-saturation  
 269–278  
   comparison of approaches 273–278  
   mathematical model 270–273  
   temperature impact *276*, *277–278*  
 diffusion of He and Ar, measurement 349–358  
   samples and preparation 350–351  
 diffusive transport model 352  
 diffusive–advective model 181–188  
 disposal systems 1–2  
   concept review 40, 42–44  
   process 39–40  
   programme storyboard 44–46, 47  
 Dome Plug experiment (DOMPLU) 50–51, 55,  
**56**, 58  
 DOPAS Demonstration of Plugs and Seals  
   Project 59–71  
 double-porosity media 320  
 drainage pipes 51  
 drilling orientation effects *160*, *169–170*, *171*, **175**  
 drop-test experiment 41, 43  
 dry density 74–77, 80, **275**, 276–278  
   bentonite, Czech Ca-Mg 335, 337, 341–347  
   plugs and seals 65, 66–67  
   drying temperature 162  
   dust control 71, 98  
   dykes, Variscan 61  
  
 earthquakes 31, 43  
 elasticity 102, 106, **153**, 157, 238–239  
   Poisson ratio 235–236  
 electrical conductivity 283, 286, 297  
 electrochemical impedance spectroscopy 253  
 engineered barrier 1, 49, 50, 193, 281  
   thermohydrromechanical modelling 235–250  
 equivalent-porous medium model 128, 320  
   gallery **322**, 325–329  
   high level storage cell 329–331  
 Euratom Seventh Framework Programme 49, 59  
 European nuclear waste management  
   organizations 49  
 excavation damaged zone 85–96, 115, 116, *117*  
   characterization 319–320  
 excavation damaged zone, clay formations  
 127–146  
   definition 127  
   empirical and experimental evidence 128–132  
   HG-A experiment 142–145  
   modelling approach 132–138  
   sensitivity analysis 138–142  
 Experimental Pressure and Sealing Plug  
   experiment  
   bentonite pellet saturation 73–83  
   design, construction, materials 62–67  
   laboratory work 69–71  
   monitoring 67–68  
   plug location 60–61  
   project description 59–60  
 extended vapour diffusion 272–278  
 extensile fracture 85, 87, 92, 95, 96, 141–142  
 extensional fractures 128, *129*  
  
 failure function 104–107, 112  
 feasibility (technical) study 39–47  
   B&C Techno project 40–42  
   review of disposal concepts 42–44  
   storyboard, procedure check 44–46  
 feasibility statement 45  
 FEBEX bentonite 282, 301–302, 344–347  
 Fick's laws 236, **241**, 269, 278, 352  
 filter 51, 63–65  
 finite-discrete element method *131*, 132–136, 145  
 Finland, spent nuclear fuel repository 235, 236  
 flow and transport simulation 226  
 flow behaviour 328–329  
 Fourier transform infrared (FT-IR) spectroscopy **13**

- Fourier's law 237
- fracture closure 131, 134
- fracture density 139, 141, 142, 145
- fracture network investigation 85–96  
*in-situ* experiments 86–90  
 micro-tunnel 116, 120, 122  
 numerical interpretation 90–93  
 results and conclusions 93–96
- fracture (discrete-) network 128, 131
- fractured zone  
 gas and water flow 320–332  
 permeability 324–325
- fractures  
 characterization 322–323  
 self-sealing 130–132  
 and time 136
- Friedland clay, properties 237–241, 250
- Full-Scale Seal experiment (France) 50–55, **57**, 58
- gallery, hydraulic properties 321
- Galson Sciences Ltd, feasibility project 39–40,  
 46–47
- gamma-ray spectra 184
- gas  
 density 270  
 entry pressure 161, 164  
 flow in unsaturated media 322  
 injection test 333, 335–344  
 pressure 159, 337, 338, 340–347  
 production in waste repository 349  
 slippage 336, 345  
 tracer experiment 86, 87–93  
 transfer from repositories 6
- gas breakthrough pressure 159  
 experiment 162–164, 175–176  
 test set-up 336
- gas permeability 160, **166**, 176  
 dry state 172–173  
 test 325, 328, 344–346  
 and water saturation 174–175
- gas permeability in saturated bentonite 333–344  
 breakthrough tests 339–341, 342–343,  
 346–347  
 gas permeability test 344–346  
 material and testing equipment 334–335  
 previous research 333–334  
 re-sealing 342–344, 348  
 test procedure and evaluation 335–337  
 un- and saturated samples 337–338, 339–340
- gas transport experiment 160, 162–164, 172–175,  
 333–334
- Gasfrac Self-Healing 129, 130, 134, 135
- geochemistry 284, 299  
 corrosion zone 255, **256**  
 groundwater 9, 25–26, 309
- geological disposal facility 40, 49, 50, 58  
 review 5, 42–44  
 site requirements 30
- geomechanics 5–6, 322
- geometric factor 358
- geophysics, fracture investigation 86, 87–90
- geotechnical properties, bentonite **336**
- glacial deposits 32–33, 36, 37
- glacial retreat/meltwater 307–309, 315
- global meteoric water line 21, 23
- granite (crushed) in <sup>85</sup>Sr transport experiment  
 193–202
- granitic rock 59
- gravity 270, 272
- greenalite **258**, 259–264, 265
- Greenland Analogue Project 309
- groundwater 6, 36–37, 185, 193, **200**  
 age 12  
 argon and helium tracer 190  
 buffer interaction 307  
 chemistry 9, 13–26  
 chemistry, smectite 310–311, **314**, 315  
 filter 51  
 flow, NE Belgium aquifers 10–12  
 transit time 188
- grouting pipes 51
- gypsum, dissolution 297, 300, 301, 303
- halite 181, 182, 218, 222–223
- hardening function 106, 108, 109, 112
- heat transfer 237
- heating experiment, Mont Terri laboratory  
 149–156
- helium 86, 87–93  
 depth profile and diffusivity 188  
 diffusion coefficient in clay 349–358  
 in porewater 179–190  
 tracer test 95
- helium and argon in porewater  
 diffusion coefficients 182–183  
 groundwater transit time 188  
 hydrogeological conditions 187–188  
 modelling 181–182, 188–190  
 porosity, vertical distribution 183–184,  
**185–187**  
 radiogenic production 184, 187  
 sampling and methods 180–181
- heuristic modelling approach 128, 145
- HG-A experiment 128, 130–132

- high-level waste storage 40, 319, 329–332  
 hydraulic properties of cell 321  
 test study 228, 229, 233
- Holmehus Formation 32, 34, 35, 36
- HTO *see* tritiated water
- hydraulic conductivity 55, **57**, 242–244, 351, **352–353**  
 bentonite 335, 338, 340, 341–344, 346–347  
 concrete 66  
 in excavation damaged zone 325–329  
 infiltration 284–286, 297–303  
 Mont Terri HG-A experiment 129–131, 142–143, 145–146  
 water and gas flow experiment 321
- hydraulic model 63, 69, 71, 236, 269  
 excavation damaged zone 324–325, 326
- hydraulic parameters 131–132  
 excavation damaged zone 319–332
- hydraulic–chemical sealing 303
- hydric state, damaged argillite 166–169, 170, 171
- hydrogen 159, 322, 333, 349–350  
<sup>3</sup>H 197–198 *see also* tritium  
 isotopes in Belgian aquifer 18, **19**, 20, 21, 23  
 pressure profile 260
- hydrogeochemistry, deep aquifer, NE Belgium 9–27
- hydrogeology, Paris Basin 180–181, 185–188
- hydromechanical properties, shotcrete 152–153
- hydrostatic pressure **56**
- hydroxide, cement fluid 297
- Hyrkkölä site (Finland) 310, **312**, 313
- illite 206, 209
- infiltration experiment, bentonite and cement fluid 281–303  
 analytical methods 283–285  
 fluids 284, **285**  
 test 237, **238**, 240
- instrument installation 65, 67
- interaction model 69, 71
- intermediate-level waste 50, 51–55
- International Task Force on Engineered Barrier Systems 273
- Iodine-129 229, 231
- ion chromatography 283
- ion concentration **285**, 286, 287, 293, 296–300, 303
- iridium 32
- iron corrosion 253
- iron diffusion 261
- iron insert 43, 50
- isotherms 171
- joint system 61, 62
- Josef Underground Research Laboratory 59, 60, 71, 79  
 geology 61
- Kelvin–Laplace law 164, 169, 174
- Kelvin’s law/equation 161–162, 322
- Kerteminde Marl Formation 32, 33, 36
- kinetic parameters, corrosion zone 257, 259–260
- Klinkenberg effect/permeability value 336–338, 339, 345
- Laboratoire de Mécanique de Lille* 160, 164
- laboratory model 69–71, 78, 87
- Laplace’s law 161–162
- leakage 54, **56**, 91
- learning points, plugs and seals 55, **56–57**, 58
- lignite 32
- linear sorption coefficient  $K_d$  214–216, 219–222
- liquid pressure 245, 246
- liquid saturation field 227
- loading pressure test 101–105
- magnesium-enriched zone, altered bentonite 300–301
- magnetite in corrosion zone 254, **256**, 257–264, 265
- mass balance 95, 300
- mass stabilization 160, 176
- mass transfer, research 6
- mass transport equation 91
- mass variation and water retention experiment 164, **165**, 166–168
- mathematical model  
 bentonite re-saturation 269–278  
 diffusion coefficient 270–273  
 vapour diffusion 272–278
- mechanical behaviour of anisotropic rocks 97–112
- mechanical response, monitoring 67
- mechanical stability 63–64
- mechanical stress 55, **57**
- methane 349–350
- Meuse–/Haute Marne Underground Research Laboratory 320  
 depth 319  
 fracture network, excavation damaged zone 85–96  
 geology 179–181  
 micro-tunnel convergence measurements 115–124  
 water in damaged argillite 159–176
- micro-crack zone 323

- microscopy and SEM analysis 283, 292–293, 295
- mineral paragenesis 263–264, 266
- MX-80 bentonite 282, 299–303
- mineralogy
- <sup>85</sup>Sr sorption **196–197**, 202
- altered bentonite 292–293, **294**
- Belgian aquifer **13**, 26
- bentonite **75**
- Boom and Opalinus clays **355**
- corrosion zone 254–255, **258**
- fissure fill 61, 62
- XRD determination 283, 288–292
- modelling
- groundwater quality 23–25
- radionuclides in clay 212–220
- tunnel support system 153–157
- water and gas flow 320–322
- Mohr–Coulomb criterion 104, 106
- mole transfer 23, 25, 26
- monitoring
- experimental plug 79
- pressure and sealing plug 67–68
- monitoring and compliance 58
- monolith 43
- drop configuration/impact damage 40–41
- handling 45–46, 47
- transport 42
- Mont Terri Underground Rock Laboratory,  
  Switzerland 128–131, 156
- He and Ar diffusion 350, 353, 356, 357
- support systems and rock properties 149–156
- montmorillonite 284, 288–301, 302, 307
- Multi-species Coupling of Transport and  
  Chemistry (MCOTAC) 211, 214–223
- muscovite 194
- <sup>85</sup>Sr sorption 196–197
- MX-80 bentonite 333–334, 335, 344–347
- alteration 281–303
- powder 284
- NAGRA (Swiss National Cooperative for the  
  Disposal of Radioactive Waste) 4, 128, 149
- national repositories 349
- national waste management organizations 1–3, **4**,  
  42–44, 97
- review 40, 47
- natural analogue, chemical erosion 308, 309, 315
- natural tracer profile 350
- Nirex Reference Vault backfill 44
- nitrogen gas 150
- nitrogen tests 87–93, 95
- noble gas 180–181, 189, 190, 350, 357
- numerical interpretation 69, 74
- helium and nitrogen tests 90–93
- performance and safety assessment 225
- support system 150
- triaxial test 102–112
- tunnel excavation 156
- water and gas flow 319, 322, 324–325
- numerical values, convergence law **120**
- oedometer test 237, **238**, 240
- Oligocene aquifer system 9
- Oligocene clay, Denmark 32, 34–35
- Olkiluoto, Finland, repository site 307, 308,  
  310–311
- palaeohydrogeochemistry 315
- smectite **312**
- ONDRAF/NIRAS (Belgian Agency for  
  Radioactive Waste and Enriched Fissile  
  Materials) 2, 39–40, 45, 46–47, 349–350
- site plan 41
- Opalinus Clay, Switzerland 57, 215, **216**
- diffusion coefficient 349–358
- fracture network 128, 129, 131, 135–136,  
  139, 140
- hydromechanical properties 150, 152, 154, 156
- porewater 282, 284
- testing 333
- overpack insert 42, 43
- oxide composition, altered bentonite 292–293, **294**
- oxygen isotope, Belgian aquifer 18, **19**, 20, 21, 23
- Palaeogene and Neogene clays 29–37
- palaeohydrogeochemistry 309, 315
- palaeohydrology, Paris Basin 185–188, 190
- Paris Basin, hydrogeology 179–181
- particle mass calculation 212–214
- Péclet number 295
- performance and safety assessment 128, 320, 331
- high–low-level waste 225–233
- permeability 236, 321–322, 328, 330–331
- excavation damaged zone 145
- fracture 324–325
- gas 86, 87, 162
- evaluation 93–94, **95**, 96
- helium and argon 182
- Mont Terri site 129, 130
- Opalinus Clay 150–151, 153–154, 156
- pH, concrete 53, 55, **57**, 65–66, 71
- pH, corrosion zone 257, 259, 260, 263, 265
- pH, infiltration experiment, bentonite/cement  
  fluid composition 297–302
- pH, porewater, Boom Clay **25**

- photon cross-correlation spectroscopy 194–195  
 physical hydraulic model 74–80  
 physical interaction model 60, 69, 71  
 physical properties, excavated damage zone **322**,  
**327**, 328, 331, **331**  
 piezometer location, Belgian aquifer study 12,  
 13, 14  
     analysis 19, 21, 23–25, 26  
 Piper diagram 14–15, 19  
 plasticity 102, 105–106, 108, 235–236, 351  
 plugs *see* compliance assessment, plugs and seals  
 Poisson ratio 235, 238  
 pore diameter 161–162, 164, 169, 170, 172, 174  
 pore pressure 154, 247  
 pore-size distribution 160, 161–162, 170–172, 176  
 porewater  
     artificial **352**  
     Boom Clay **25**, 26  
     cementitious 282–290, 293, 295–303  
     composition 356–357  
     depth profile He and Ar 182, 188–189  
     Paris Basin, Eastern 179–190  
     pressure 69  
     vertical distribution of He and Ar 179–190  
 porosity **95**, 96  
     apparent 164, 168  
     argillite 171, 175, 327  
     bentonite, altered 288, 295  
     clay 351–358  
     corrosion zone 261, 266, 271  
     excavation damaged zone 132–138, 140,  
     141–142, 145–146  
     Opalinus Clay 129, 131  
     single-porosity model 319–332  
     vertical distribution 183–184, **185–187**  
 porosity field 227  
 potassium-40 179, 184, **185–187**  
 Precambrian basement 30  
 pressure, laboratory experiments 69–71  
 pressure and sealing plug experiment 59–71  
 pressure fits, HG-A boreholes 144, 145  
 pressure recovery 135  
 pressure tests 66, 67, 69, 71, 79  
 pressure-resistant plug 59–61  
 pressurization chamber 64  
 protocol for sample preparation and induced  
     damage 160  
  
 quality assurance 45, 55  
 quantification, fracture system 85–96  
 quartz dissolution, corrosion zone 259  
 Quaternary deposits 32–33  
  
 radial through-diffusion model set-up 215  
 radioactive waste, disposal facilities 1  
 radiocolloid suspension 195, **196**, 198, 200, **201**  
 radiogenic production, He and Ar 181, 184–187  
 radionuclide  
     carrier 200, 202  
     concentration and porosity **185–187**  
     diffusion in clay 211–223  
     sorption, <sup>3</sup>H, <sup>22</sup>Na, <sup>36</sup>Cl 211–217, 219–222  
     testing methodology 229, 231  
     transport 193–202  
     transport, two-phase flow 225  
 Raman spectroscopy 283–284, 293, 297, 301  
 random walk simulation 211–223  
     <sup>22</sup>Na modelling 219–221  
     <sup>36</sup>Cl modelling 221, 222  
     application to clay-specific transport parameters  
         215–217  
     benchmark 214–215  
     HTO modelling 217–219  
     model for radial geometry 212–214  
 re-saturation model, bentonite 272–273  
 re-saturation process 128, 131–135, 137, 140, 141,  
     145, 146  
 re-sealing 337, 340, 342–344, 347, 348  
 reaction plume, altered bentonite 302  
 reference values **275**, 322, 325, **327**, 330, 331  
 relative humidity 77–78, 80, 81, 82  
     Mont Terri site 151, 152  
     water retention experiments 98, 160–162,  
     164–170, 176  
 repository depths 138, 140, 142  
 repository design 43–44  
 repository development 1, 39  
 research papers 3–6  
 retention curve 236–237, **241**, 274, 276, 278,  
     321–322  
 retention law 331  
 Richards' equation 270, 278  
 rock mass improvement 64, 69  
 rock permeability 249  
 rock strength 139, 140, 142  
 rock type in disposal facilities 1  
 rock–cement interaction 281  
 rock, hydraulic properties 242–244  
 rupture zone 323  
  
 safety and feasibility case 39, 315  
 safety assessment 132, 136–137, 145–146, 319,  
     350, 358  
 safety barrier 47, 50  
 safety functions 52, 54

- safety, deep geological repository 193, 202  
 saline front 21  
 salt 31, 181–182, 218, 222–223  
 saturation 94, 143, 236  
   bentonite pellets 73–83  
   and infiltration fluids 284, **285**  
 Saturation Index **23**, 296, **298**, 300  
 Schlattingen borehole, Switzerland 350–351, 353, 357  
 SCK-CEN, He/Ar diffusion experiment 350, 358  
 sealing index 143, 145  
 sealing material 3, **4**, 40, 44  
 sealing plug experiment 59–71  
 seals *see* compliance assessment, plugs and seals  
 seasonal effect 57, 151, 152  
 self-sealing characteristics 37  
 self-sealing experiment, Mont Terri 142, 145  
 self-sealing process 323, 337, 341  
 sensitivity analysis, hydraulic systems 138–142, 145, 154  
 sensitivity calculation 257–263, 329, 332  
 sensitivity test 229–233  
 settlement, tunnel excavation 152  
 shear 102, 108, 320, 323  
 shear fracture 86, 92, 95, 141, 94  
 shotcrete in technical support system 149, 150–151, 154, 155, 157  
   hydromechanical properties 152–153  
 shotcrete technology 64–65, 71  
 shrinkage 300  
 silicate minerals, dissolution 300  
 single-phase transport simulation 227, 231, 233  
 site selection criteria 29–30  
 site suitability criteria 36–37  
 Skive Clay 32, 34–35, 36  
 smectite, natural analogue for erosion 307, 309–315  
 sodium  
   <sup>22</sup>Na modelling 215, **216**, 219–221, 222  
 sorption distribution coefficient  $K_d$  195–200  
 sorption isotherm, damaged argillite 168–171, 176  
 sorption of radionuclides 211, 212, 214–222  
 sorption of strontium 195–202  
 sorting methodology 160  
   damaged samples 172–175  
 spalling 128, 129  
 spatial discretization 227–229  
   benchmarking 228–229, 231–233  
 spatial optimization 230–232, 233  
 spent nuclear fuel 40, 44, 47  
   canister 42, 43  
   disposal 50  
 St Dizier Laboratory 50, 59  
 stable isotopes, groundwater 13, 14, 18, **19**, 20–23, 26  
 stiffness of tunnel support 139, 140, 153, 154, 157  
 storyboard for disposal programme 44–47  
 strain measurement 70  
 stratigraphy  
   Palaeogene–Neogene, Denmark 32, 33  
   Triassic–Jurassic 181  
 strength 101, **104**  
 strength of concrete 66  
 strength parameters 106, 107–108  
 stress 101, 106, 142, 320, 323  
   development 245–249, 250  
   effective axial 239  
   and hydraulic properties 130  
 stress ratio 139, 140  
 stress–strain behaviour, argillite 102–112  
 strontium transport, bentonite colloid 193–202  
   dynamic experiment methodology 195–196, 201  
   liquid-phase 197  
   static experiment methodology 195, 201  
 strontium, through-diffusion experiments 205–210  
 Stuyfzand classification system 15, 16, 19, 21, 25  
 suction curve 162, 276  
 suction pressure 57, 151–154  
 suction test 237–238, 247, 248  
 supercontainer 40–42  
 support systems and rock properties 149–156  
   *in-situ* experiments 150–152  
   modelling 153–157  
   shotcrete 152–153  
 support, micro-tunnel 120, 121  
 Swedish repository, Dome Plug experiment (DOMPLU) 50–51, 55, **56**, 58  
 swelling pressure 54, 66–67, 69, 82  
   bentonite, Czech Ca–Mg 333, 337–338, 340, 341, 346, 347  
   comparison of bentonites 333  
   engineered barriers 247, 248, **249**  
 Switzerland, geological repository **4**, 128, 149  
 synthetic granitic water 69, **70**, 71, 75  
   <sup>85</sup>Sr transport experiment 194–199, **200**, **201**  
   parameters **196**  
 tectonic features 128, 129  
 temperature 98, 227, 241–245, 248  
   in bentonite barrier 282  
   bentonite re-saturation 276, 277–278  
   in concrete 55, **57**  
   monitoring 67, 70, 71  
   Mont Terri site 151, 152



- tensile fracture 94  
 tensile strength 101  
 tensor 103–111  
 thermal conductivity 237  
 thermal model 236  
 thermal properties 239, **242**  
 thermohydronechanical process 149, 156  
 thermohydronechanically coupled models 269  
 thermohydronechanics of engineered barriers  
   2D axisymmetrical model 244–248, **249**, 250  
   3D model 248–250  
   clay-based materials 235–236  
   material properties 237–239, 240  
   vertical disposal model 241–244  
 thorium 179, 184, **185–187**  
 through-diffusion experiments, Sr and tritiated  
   water 205–210  
 time-dependent deformation 116–119, 120,  
   121–124, 153, 154  
 time-dependent diffusion 182  
 time-dependent hydronechanical process 128,  
   134–137, 141  
 tonalite 60–61  
 tortuosity **271**, 274, 358  
 Tournemire argillite, mechanical behaviour  
   97–112  
 Tournemire underground research laboratory 99  
 tracer elements 179, 181, **200**  
   <sup>3</sup>H 197–198, 199  
   <sup>3</sup>H diffusion experiment 205–210, 215, **216**  
   natural profiles 350  
 tracer solution 194, 195  
 traction stress 322  
 transferable experience 40, 43–44, 47  
 transmissivity 129, 130, 131, 133–135, 140, 331  
   excavation damaged zone 145  
 transport 45, 47  
   <sup>85</sup>Sr in crushed granite 193–202  
   in corrosion zone 261  
   parameters 215–216, 218, 222  
   sedimentary sequences 179–190  
   supercontainers 42  
 transport equation 352  
 triaxial test 98, 101–102  
   numerical simulation 102–112  
 tritiated water (HTO) 353, 356–358  
   modelling 215, **216**, 217–219, 222, 223  
   through-diffusion experiments 205–210  
 tritium 197–198, 199  
   diffusion coefficient 183, 184  
 Tsukinumo bentonite mine (Japan) 310  
 tunnel axis displacement, Mont Terri site 156  
 tunnel excavation, measurements 151–152  
 tunnel plug 50, 54, 55  
 tunnel support system 142  
 two- and single-phase simulation for performance  
   and safety assessment  
   benchmarking 231–233  
   methodology 225–229  
   spatial optimization 233  
   test case 229, 231  
 two-phase-flow 269, 270–272  
 uniaxial tests 98, 101–102  
 uranium 179, 184, **185–187**  
 uranium oxide canisters 43  
 Van Genuchten function 152, 236, **241**, 274, 278  
   argillite 161, 162, 164, 167, **169**, 170–172  
   unsaturated media 321–322  
 Van Genuchten–Mualem model 162, 174  
 vapour diffusion 269, 272–278  
 vapour pressure 322  
 vault seal 52, 53, 55, 58  
 Vejle Formation 35, 36  
 ventilation period 328–329  
 ventilation of repository 44  
 vertical displacement 247, 249  
 vertical disposal scheme 241–244  
 volcanic ash beds 32  
 volume change 108  
   altered bentonite 286–287, 288–289, 293,  
   299, 300  
 volume measurement 76  
 volumetric strain 103, 111  
 wall closure monitoring 116  
 waste package, fabrication 39, 45  
 waste package, placement 3  
 waste package, transport 40, 44  
 waste repository, design illustration 58  
   Belgian ONDRAF/NIRAS 41, 46–47  
   disposal tunnel 50  
   dome plug 52, 63, 74  
   French, vault and seal 53, 54, 99  
   plugs and seals 54–55, 58  
 waste storage facility, size 30  
 water and gas flow in fractured zone 319–332  
   equivalent-porous media models **322**, 325–331  
   excavation damaged zone 319–320  
   explicit-fracture model 322–325, **327**  
   modelling 320–321  
 water balance calculation 11  
 water composition, corrosion zone **255**

- water content measurement 152, 154, 155, 283, 290, 327
- water in bentonite, mathematical model 269–278
- water movement, monitoring 67
- water porosity 182, 184
- water pressure 241, 321
- water retention properties in damaged argillite 159–176
  - experimental methods 160–164
  - results 164–176
  - sample preparation and protocol 160
- water saturation 163–170
  - argillite damage 172–176
    - in cement 329
    - level 160–162
  - water saturation phase 338–339
  - water-uptake test 269, 270, 272–274, 278
  - watertight seal 50–51
- XRD analysis, bentonite alteration 283, 288–292, 300, 301
- Young–Laplace equation 325
- Young’s Modulus 102, 153, 154, 238, 239