

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- abiotic v. biotic origins hypothesized 20–21
  - Apex chert 24
  - Gunflint chert 24
  - interfaces of physico-chemical systems 21, 22
  - isotope fractionation 23
  - Strelley Pool Formation 24–25
- Abitibi greenstone (Canada), titanite microtextures 57
- acritarchs 106
- agronomic revolution 372
- amber
  - Ashdown Formation fossil preservation 8, 399, 401
  - methods of analysis 402–403
  - results 403–407
  - results discussed 407
  - cocoons 407–408
  - seeds and spores 408–409
- Cenozoic 414
- classification 414
- chemistry
  - Fourier transform infra-red spectroscopy (FTIR)
  - methods 414–416
  - results 416–422
  - results discussed 422–423
- Cretaceous 413
- oldest 413
- Amelia Dolomite, role of permineralization 116
- Angmaat Formation, role of permineralization 116–117
- animal cells
  - origins 21, 26, 180
  - rise in importance of 169
- animal evolution 187–188
  - Ediacaran 197–198
  - Avalonian biota 211–213
- animal trace fossils 6
- Animikie Group 35
- Apex chert (Pilbara Supergroup) 2, 35
  - early life structures 20, 24
  - micro-CT scanning results 38–44, 39, 40, 41, 42, 43
  - discussed 51–52
- Applecross Formation 71, 72, 107, 123, 123, 133
  - environment of deposition 129–131
  - Raman spectroscopy for organic carbon
  - methods 73, 74, 75
  - results 75–76
  - results discussed 76–79
- Araucariaceae*, amber-producing 414
- archaeocyath taphonomy 179
- Archaeoellipsoides* spp. 135, 136
- Archaeorestis* 135
- Archaeosclerorhynchus disciformis* 27
- Archaean, traces of life criteria 2
- Arenicolites* 359, 372, 373, 376
- Arumberia 134
- Ashdown Formation 400, 401
  - fossil preservation 8, 399
  - methods of analysis 402–403
  - results 403–407
  - results discussed 407
  - cocoons 407–408
  - seeds and spores 408–409
- Aspidella* 313
- Asterichmus* 363
- astrobiology 23–24
- Aultbea Formation 72, 107, 123, 123, 131, 133, 135
  - environment of deposition 131
  - Raman spectroscopy for organic carbon
  - methods 73, 74, 75
  - results 75–76
  - results discussed 76–79
- Australia, Pilbara Craton 2, 3
  - Apex chert 2, 35
  - early life structures 20, 24
  - micro-CT scanning results 38–44, 39, 40, 41, 42, 43
  - discussed 51–52
- Dresser Formation 3, 34–35
  - micro-CT scanning results 36, 37–38
  - discussed 50
  - greenstone titanite microtextures 57
- Strelley Pool Formation 2, 35
  - micro-CT scanning results 44–45, 44
- authigenic mineral growth 298
- Avalofractus* 224
- Avalonia 182–185
  - biota 211–213
  - feeding strategies 213
  - chemosymbiosis 215–216
  - chemosynthesis 213
  - phagotrophy 213, 215
- Ediacaran fossils 5–6
- Barberton Greenstone Belt (South Africa) 4
  - titanite microtextures 59
- Barrande, Joachim 312
- Bay of Stoer Formation 106, 107, 122, 123, 126, 133
  - environment of deposition 124–125
- Bayan Gol Formation 377
- Beinn na Seamraig Formation 123, 128
- Belorhapha* 355
- Beltanelliformis* 271
- Beothukis* 6, 224, **261**
  - B. mistakensis* 28, 182
- Bergaueria* 373
- Bexhill amber 8, 401
- Bexhill dinosaur *see* dinosaur brain fossilization
- biogeochemistry, interplay of earth and life 187
- bioirrigation 371
- bioturbation
  - evolution of 5, 369
  - lack of 34
  - organism classification 370–371
  - trigger for 372
- Bitter Springs Formation 4
- Blackbrookia* 185
- boundary concept 312–314
- Bradgatia* 182, 224
- Brasier Academic Family 12–13, 12
- Brasier, Martin
  - books on popular science 9, 12, 187
  - Chair, International Subcommittee on Cambrian Stratigraphy 180, 323

- Brasier, Martin (*Continued*)  
 dedication vii  
 detailed field drawings 6, 8, 9, 10, 11  
 field work 7  
 first published paper 8  
 holiday home 9  
 IGCP Project 303 leader 180  
 jazz piano player vii  
 Lyell Medal vii 180  
 overview of work  
   Hull University 1, 179  
   Memorial University of Newfoundland, adjunct professor 5, 180  
   Oxford University  
     carbon isotope analysis 180  
     early life evidence 2–4  
     evolution of animal life 5–8  
     exceptional preservation 8–9  
   Reading University 179  
 quotes  
   MOFAOTYOF (My Oldest Fossils Are Older Than Your Oldest Fossils) principle 8, 20, 26  
   ‘rock is the father of the fossil’ 5  
   Roman coin expert vii 8  
   Secretary, Working Group on Precambrian–Cambrian Boundary 180
- Brasier’s razor 20, 29
- Breidvika Formation 352, 353, 357–362, 358, 359, 360, 361, 362
- Broccoliforma* **261**
- Burin Peninsula section 319, 320–323  
 Chapel Island Formation 324, 326, 351  
 trace fossil study 372–374
- burrowers *see* bioturbation
- Burway Formation 272  
 study of *Intrites*-like structures 272  
 methods 272  
 results 272–274  
 results discussed 274–281
- $\delta^{13}\text{C}$  anomalies and excursions 165, 166  
 relation with oxygenation 162  
 secular trends 164  
 Tonian–Cambrian 163–167  
 Rotham model 167–169
- Cailleach Head Formation 72, 106, 107, 123, 123, 132, 135, 136, 137  
 environment of deposition 131–132  
 lacustrine environment 117  
 lacustrine phosphogenesis 138–140  
 Raman spectroscopy for organic carbon  
 methods 73, 74, 75  
 results 75–76  
 results discussed 76–79
- calcareous sediments 195–197
- Cambrian 180, 312  
 carbonate cycling 163  
 explosion 8, 26, 145, 179, 187–188  
 Ediacaran–Cambrian boundary 353, 363–364  
 relation to sedimentology 355–356  
 relation to stratigraphy 356–363
- Canada  
 Gunflint Chert 4, 27  
 early life evidence 20, 24  
 Gunflint Formation 35, 313  
 micro-CT scanning results 45–50, 45, 46, 47, 48, 49  
 discussed 50–51  
 role of permineralization 116
- Newfoundland  
 Burin Peninsula section 319, 320–323  
 Chapel Island Formation 324, 326, 351  
 trace fossil study 372–374  
 Conception Group 371  
 Ediacaran macrofossils 185–186  
 Avalonian biota 211–213  
 feeding strategies 213  
 chemosymbiosis 215–216  
 chemosynthesis 213  
 phagotrophy 213, 215  
 Fortune Head 181, 326  
 experiment to measure ecosystem engineering  
 methods 372–374  
 results 374–376  
 results discussed 376–378  
 GSSP 5, 323–325, 351  
 Mistaken Point (Newfoundland) 5, 180, 181, 185, 216  
 Ecological Reserve (MPER) 251  
 Mistaken Point Formation 212  
 Rangeomorpha 225  
 new outcrop evidence on fossilization 251–252  
 bias potential 261–263  
 factors affecting morphology 267  
 fossil census 257–259  
 setting 252, 253, 254–257  
 spatial variability 259–261  
 post-fossilization processes 263–267  
 Spaniard’s Bay 186, 187
- carbon:sulphur ratio, Torridonian Supergroup 107
- carbon cycle  
 changes in 5  
 evolution of modern 206–207
- carbon isotope studies 8  
 Ediacaran–Cambrian 180  
 fractionation 23
- carbonates  
 cycling in Cambrian 163  
 facies, subaqueous sedimentary cracks 290–295  
 sediments and effect of biomineralization 195–197  
 carbon isotope mass balance 166–167, 167
- carbonization, measurement by Raman spectroscopy 71, 73
- Changchang Group, role of permineralization 117
- Chapel Island Formation 324, 326, 351  
 trace fossil study, method 372–374
- Charnia* spp. 6, 27, 27, 224, **261**  
*C. masoni* 28, 182, 183
- Charniodiscus* spp. 212, 259  
*C. concentricus* 28, 182, 184  
*C. procerus* **261**  
*C. spinosus* **261**  
 effect of post-fossilization processes 263, 264n  
 265, 266, 267
- Charnwood Forest 5, 6, 183, 313  
 Ediacaran palaeontology 183–184  
 rangeomorphs 224–225  
 taxonomic classification  
 methods 225–227  
 results 227, 231  
 cluster analysis 228, 229, 230  
 hierarchical clustering 231–240  
 results discussed 241–244
- chemosymbiosis, Avalonian biota 215–216  
 chemosynthesis, Avalonian biota 215  
 chertification effects 50

- China  
 Meishucun section 317, 318  
 North China Craton (NCC) Neoproterozoic–Cambrian  
 145–146  
 regional stratigraphy 146–151  
 zircon dating  
 methods 151–152  
 results 152–153  
 results discussed 153–154  
 significance of results  
 hiatus identified 154–155  
 palaeogeographic implications 155–156
- Chinaman Creek 2
- chlorite thermodynamic modelling  
 titanite microtexture study 61–62  
 results 63–64  
 results discussed 67
- Chuar Group, role of permineralization 117
- Clachtoll Formation 107, 122, 123  
 environment of deposition 124–125
- Cloudina* spp. 195, 199–200, 200, 203
- cocoon preservation in amber 407–408
- computer-aided automontage 25, 25
- Conception Group 371
- cone of contention 27
- confocal laser scanning microscopy (CLSM) 85
- Cosmorhaphé* 373
- cracks, origins and interpretation 285  
 subaqueous sedimentary cracks 285  
 carbonate facies 290, 291, 292–293, 292  
 Hales Limestone 294–295  
 molar tooth 293  
 sheet cavities 293–4  
 septarian 293
- experimental studies  
 history 298–299  
 methods 299–301  
 results 301–303  
 summary 303–306  
 morphology 290, 290
- origins 295  
 authigenic mineral effects 298  
 load/stress induced 296  
 microbially induced 297–298  
 seismically induced 296–297  
 synaeresis 295–296  
 rock record of 285, 286, 287, 288, 289, 290
- Cretaceous 385  
 see amber also dinosaur brain
- Cruziana* 361, 363, 372
- Cryogenian glaciations 171
- Cryptozoa* 312
- Curvolithus* 358, 361, 373
- Dalanzi Formation 150, 151, 152, 153,  
 154, 154, 155
- Desmograption* 373
- Diabaig Formation 4, 71, 72, 106, 107, 123, 123,  
 127, 134, 136, 137  
 environment of deposition 128  
 lacustrine environment 117  
 ecosystem models 140  
 lacustrine phosphogenesis 138–140  
 MISS 132  
 Raman spectroscopy for organic carbon  
 methods 73, 74, 75  
 results 75–76  
 results discussed 76–79
- Dickinsonia* spp. 7, 8, 28, 182, 211–212
- Didymaulichnus* 373
- Digermul Peninsula (Norway) 351, 352, 352  
 Ediacaran–Cambrian boundary, ichnological evidence  
 356–363
- dinosaur brain fossilization 9, 384–385, 386  
 evaluation of brain power 395–396  
 field setting 387  
 methods of analysis 385, 387  
 mineralization 388  
 morphology 387–388, 388–392  
 preservation 388  
 scenario for preservation 393–394  
 taphonomic history 392–393
- Diplichnites* 363
- Diplocraterion* 376
- dissolved inorganic carbon (DIC) 167
- dissolved organic carbon (DOC) 162, 167  
 marine organic carbon pool 170–171  
 reservoir flow diagram 170  
 Rothman model of oxidation 167–169  
 mechanisms 169–170
- Doushantuo Formation 27
- Dresser Formation (Pilbara Supergroup) 3, 34–35  
 micro-CT scanning results 36, 37–38  
 discussed 50
- Drishti analysis 37
- Drook Formation 212
- Duolbasgaissa Formation 352, 353, 362–363, 363
- ecosystem engineering concept 369–371, 371  
 experiment to measure  
 methods 372–374  
 results 374–376  
 results discussed 376–378
- Ediacaran  
 age of fossils 5  
 animal fossils 6, 180  
 Avalonia 182–183  
 Charnwood Forest 183–184  
 Long Mynd 184–185  
 Avalonian biota 211–213  
 feeding strategies 213  
 chemosymbiosis 215–216  
 chemosynthesis 213  
 phagotrophy 213, 215  
*Charnia* 6, 27  
*Intrites*-like structures 272  
 methods 272  
 results 272–274  
 results discussed 274–281
- metazoans 185–187  
 Nama Group study 198  
 adaptation to reef-building 205–206  
 reef ecology 202–205  
 species 198–202
- Mistaken Point Rangeomorpha  
 new outcrop evidence on fossilization 251–252  
 bias potential 261–263  
 factors affecting morphology 267  
 fossil census 257–259  
 setting 252, 253, 254–257  
 spatial variability 259–261  
 post-fossilization processes 263–267
- Newfoundland 185–187  
 oxygen levels 197–198  
 sponge spicules 26  
 studies on macrofossils 181–182

- Ediacaran–Cambrian boundary (Great Unconformity) 5, 145  
 development of bioturbation 369  
 development of a stratigraphy 180–181  
 driver of radiations 162–163, 187–188  
 GSSP 351, 372  
 age measurements 326–328  
 history of study 311  
 ichnological evidence 325–326, 325, 351–352, 363–364  
 fossil assemblage 353–355  
 sedimentology 355–356  
 sequence stratigraphy 352–353  
 Digermul Peninsula 356–363  
 nitrogen isotope ratios 163  
 North China Craton (NCC) studies 145–146  
 regional stratigraphy 146–151  
 zircon dating  
 methods 151–152  
 results 152–153  
 results discussed 153–154  
 significance of results  
 hiatus identified 154–155  
 palaeogeographic implications 155–156  
 electron microprobe mapping, titanite  
 microtexture study 61  
 elephant skin texture 133, 134  
*Eomycetopsis crassiusculum* 135  
*Eosphaera* 27  
*E. tyleri* 26  
*Eozoon canadense* 312  
*Epibaion* 213  
 erosion rates  
 relation of Ediacaran–Cambrian radiations 162–163, 187–188  
 relation to fossilization bias 262–263  
 eukaryotic cells and eukaryote evolution 105  
 origins 21, 26  
 Torridonian evidence 133–138  
 extracellular polymeric substance (EPS) 132  
 extraterrestrial life, criteria for 23–24  
 Fairlight Clay 401  
 see Ashdown Formation  
 Fe speciation and titanite microtexture study 62–63  
 results 65  
 results discussed 67  
 Fermeuse Formation 185  
 fieldwork, importance of 82–83  
 fluid escape structures 271  
 focused ion beam milling (FIB) 26, 87  
 role in microfossil study  
 methods 91–92, 93  
 results 99  
 Torridonian Supergroup study 108  
 Fortune Head (Newfoundland) 181, 326  
 experiment to measure ecosystem engineering  
 methods 372–374  
 results 374–376  
 results discussed 376–378  
 GSSP 323–325, 351  
 Fourier transform infra-red spectroscopy (FTIR) 86–87  
 amber analysis 414  
 methods 414–416  
 results 416–422  
 results discussed 422–423  
*Fractofusus* spp. 6, 212, 214, 215, 256, 260, **261**  
 effect of post-fossilization processes 263, 264, 265, 266, 267  
 francolite, role in preservation 112  
 Gaskiers glaciation 165, 166, 172  
*Germinosphaera* 136  
 Getun Formation 150, 151, 152, 153, 154, 154  
 Global Stratotype Section and Point (GSSP)  
 basal Cambrian 311  
 candidates 5, 180, 181  
 first chosen 314  
 Fortune Head 323–325, 351, 372  
*Globophycus minor* 136  
*Glockerichnus* 358  
*Gloeodiniopsis lamellose* 137  
*Gordia* 373, 374, **374**, 376  
 Gouhou Formation 149, 151, 152, 153, 154, 154, 155  
 $\delta^{13}\text{C}$  excursion 153  
 Gould, Stephen Jay 19  
 graphitization, measurement by Raman spectroscopy 71, 73  
 Great Unconformity 145, 161  
 see Ediacaran–Cambrian boundary (Great Unconformity)  
 Gunflint Chert 4, 27  
 early life evidence 20, 24  
 Gunflint Formation 35, 313  
 micro-CT scanning results 45–50, 45, 46, 47, 48, 49  
 discussed 50–51  
 role of permineralization 116  
*Gunflintia* 26  
*Gyrolithes* spp. 359, 372, 373, **374**, 375, 376  
 Hales Limestone (Nevada), crack morphology 294–295  
*Haootia quadriformis* 6, 9, 185  
*Hapsidophyllas* **261**  
*Harlaniella podolica* 355  
*H. podolica* Zone 351, 372, 373, 374–375  
*Helicolithus* 355  
*Helminthiodichnites* 373, **374**, 375, 375  
*Helminthoidea* 373  
 Hf isotope trends 164  
 Hiscocks, Jamie 8, 9  
 Hooggenoeg Formation, titanite microtextures 59  
 hydrogen sulphide levels, Proterozoic 106  
 ichnofossils see trace fossils  
 ichnology  
 Ediacaran–Cambrian boundary 353, 363–364  
 relation to sedimentology 355–356  
 relation to stratigraphy 356–363  
 Iguanodon brain fossil see dinosaur brain  
*Iguanodon* trackways 401  
 International Subcommittee on Cambrian Stratigraphy 180, 323, 329  
 International Subcommittee on Ediacaran Stratigraphy 181  
 intratratal shrinkage cracks 285  
*Intrites punctatus* 271  
*Intrites*-like structures 272  
 methods of study 272  
 results 272–274  
 results discussed 274–281  
 Islay anomaly 166, 171  
 isotope fractionation 23  
*Ivesheadia* 185  
 ivesheadiomorphs, Mistaken Point 261, **261**  
 Jinshanzhai Formation 149, 151, 152, 153, 154  
 Jinxian Group 153

- kerogen analysis by Raman spectroscopy  
 methods 73, **74**, 75  
 results 75–76  
 results discussed 76–79
- Kimberella* spp. 7  
*K. quadrata* 28
- Kinloch Formation 123, 128
- Kotlin Crisis 185
- Kromberg Formation, titanite  
 microtextures 59
- lacustrine environments *see* lakes
- Ladatheca cylindrica* 354
- lakes  
 ecosystem models 140  
 evidence of colonization 132, 134  
 phosphogenesis 138–140
- Lapworth, Charles 312
- laser Raman micro-spectroscopy 25  
 role in microfossil study, methods 91  
 Torridonian Supergroup study 109
- Lanfalfteig lagerstätte 9
- Loch na Dal Formation 123, 128
- Long Mynd (Shropshire) 184–185  
 stratigraphy 273  
 study of *Intrites*-like structures 272  
 methods 272  
 results 272–274  
 results discussed 274–281
- Longmyndian Supergroup 272
- Lyell Medal vii 180
- Maculosphaera kingstonensis* 137
- Marinoan glaciation 154, 166, 171–172
- Mars  
 metabasalt titanite microtextures 68  
 prokaryote-like structure 27  
 search for life 23–24
- Matthew, George Frederick 313
- Meall Dearg Formation 107, 122, 123  
 environment of deposition 126–127
- Medusinites* 271
- Megasphaera* 27
- Meishucun section 317, 318
- Memorial University of Newfoundland, adjunct  
 professor 5, 180
- metazoans  
 Ediacaran 195–197  
 importance of oxygen levels 197–198  
 Nama Group  
 adaptation to reef-building 205–206  
 reef ecology 202–205  
 species 198–202
- micro-CT 34  
 methods  
 Nikon scan 35–36  
 Zeiss Versa scan 36–37  
 results  
 Apex chert 38–44  
 Dresser Formation 37–38  
 Gunflint Formation 45–50  
 Strelley Pool Formation 44–45  
 results discussed 50–53
- microbial mats, Proterozoic 132–133
- microbial sulphate reduction (MSR) 114,  
 115, 116
- microbially induced sedimentary structures (MISS) 4, 35, 40,  
 41, 43, 44, 51, 132, 134
- Intrites*-like structures 272  
 methods of study 272  
 results 272–274  
 results discussed 274–281
- Mistaken Point (Newfoundland) 5, 180, 181,  
 185, 216
- Ecological Reserve (MPER) 251
- Mistaken Point Formation 212
- Rangeomorpha 225  
 new outcrop evidence on fossilization 251–252  
 bias potential 261–263  
 factors affecting morphology 267  
 fossil census 257–259  
 setting 252, 253, 254–257  
 spatial variability 259–261  
 post-fossilization processes 263–267
- MOFATYOF (My Oldest Fossils Are Older Than Your  
 Oldest Fossils) principle 8, 20, 26
- molar tooth structures 293
- Mongolia, Ediacaran–Cambrian boundary 377
- Monocraterion tentaculum* 359
- Monomorphichnus* 361, 373, **374**, 375, 375
- Mortenses Formation 352, 352
- multicellularity, identification of 4
- Multina* 358
- Murchison, Roderick Impey 312
- Myeonsan Formation 152, 153
- Myxococcoides* 137
- Nama Group  
 Ediacaran metazoan reef study 198  
 ecology 202–205  
 species 198–202
- Nama Supergroup 313
- Namacalathus* spp. 195, 200–201, 201,  
 203–204
- Namapoikia* spp. 195, 202, 202, 205
- Namibia  
 Ediacaran metazoan reef study 198  
 ecology 202–205  
 species 198–202
- Lowest Cambrian rocks 327
- Nama Supergroup 313
- nano secondary ion mass spectrometry (SIMS) 187
- role in microfossil study  
 methods 92–93  
 results 97
- Torridonian Supergroup study 108–109
- Neoproterozoic–Palaeozoic boundary *see*  
 Ediacaran–Cambrian boundary
- Newfoundland  
 Burin Peninsula section 319, 320–323  
 Chapel Island Formation 324, 326, 351  
 trace fossil study 372–374
- Conception Group 371
- Ediacaran macrofossils 185–186
- Avalonian biota 211–213  
 feeding strategies 213  
 chemosymbiosis 215–216  
 chemosynthesis 213  
 phagotrophy 213, 215
- Fortune Head 181, 326  
 experiment to measure ecosystem  
 engineering  
 methods 372–374  
 results 374–376  
 results discussed 376–378
- GSSP 5, 323–325, 351

- Newfoundland (*Continued*)  
 Mistaken Point (Newfoundland) 5, 180, 181, 185, 216  
 Ecological Reserve (MPER) 251  
 Mistaken Point Formation 212  
 Rangeomorpha 225  
 new outcrop evidence on fossilization 251–252  
 bias potential 261–263  
 factors affecting morphology 267  
 fossil census 257–259  
 setting 252, 253, 254–257  
 spatial variability 259–261  
 post-fossilization processes 263–267  
 Spaniard's Bay 186, 187  
 nitrogen isotope ratios, Ediacaran–Cambrian 163  
 Noisy Formation, titanite microtextures 59  
 North China Craton (NCC) Neoproterozoic–Cambrian 145–146  
 regional stratigraphy 146–151  
 zircon dating  
 methods 151–152  
 results 152–153  
 results discussed 153–154  
 significance of results  
 hiatus identified 154–155  
 palaeogeographic implications 155–156  
 Norway, Digermul Peninsula 351, 352, 352  
 null hypothesis, importance of 20–21, 26–29  
 Nuneaton biota 179  
 nutrient cycling, impact on Cambrian radiation 161, 162–163
- $\delta^{18}\text{O}$  trends 164  
*Olenellus* Zone 312  
 optical microscopy  
 role in microfossil study 83  
 methods 89–90  
 Ordovician, first named 312  
 oxygen isotope studies 8, 164  
 oxygen levels, Ediacaran 197–198  
 oxygenation  
 impact on Cambrian radiation 161–162  
 relation with  $\delta^{13}\text{C}$  anomalies 162
- paint stromatolite 23  
*Palaeodictyon* 358  
*Palaeopascichnus* spp. 182, 374  
*P. delicatus* 355  
*Palaeophycus* 373, 374, 376  
 palaeosols, evidence for 123–124, 124  
*Parataenidium* 361  
 particle size, impact on bioturbation 377  
*Pectinifrons* 261  
 permineralization 105–106  
 PERPLEX software 62  
 petroleum seepage,  $\delta^{13}\text{C}$  anomalies 170–171  
 phagotrophy, Avalonian biota 215–216  
 phase diagram modelling  
 titanite microtexture study 62  
 results 64–65  
 phosphate  
 permineralization 105–106  
 relation to Cambrian radiation 188  
 role in preservation 112–113, 116  
 phosphate nodules 4  
 phosphogenesis, Torridon lakes 138–140  
*Phycodes* 373
- Australia, Pilbara Craton (Australia) 2, 3  
 Apex chert 2, 35  
 early life structures 20, 24  
 micro-CT scanning results 38–44, 39, 40, 41, 42, 43  
 discussed 51–52  
 Dresser Formation 3, 34–35  
 micro-CT scanning results 36, 37–38  
 discussed 50  
 greenstone titanite microtextures 57  
 Strelley Pool Formation 2, 35  
 micro-CT scanning results 44–45, 44  
*Plagiogmus* 363  
*Planolites* 372, 373, 374, 374, 375  
*Plumeropriscum* 261  
*P. hofmanni* 225  
 Precambrian–Cambrian boundary 145, 311  
 see also Ediacaran–Cambrian boundary (Great Unconformity)  
 preservation, factors affecting 106  
*Primocandelabrum* spp. 222, 224, 261  
 systematics 248–249  
 taxonomic classification 227, 229, 231–241, 243–244, 245, 246, 247  
 prokaryote, Mars 27  
 Proterozoic–Phanerozoic boundary see Ediacaran–Cambrian boundary (Great Unconformity)  
*Protosphaeridium parvulum* 136  
*Psammichnites* 373, 374, 375, 3776  
*Pterospermopsimorpha pileiformis* 136  
 pyrite  
 permineralization 105–106  
 role in preservation 110, 113, 114–115, 116
- Raman spectroscopy 4, 25  
 role in microfossil study  
 methods 85–86, 91  
 results 95–97  
 Torridonian organic matter characterization 71–73, 109  
 methods 73–75  
 results 75–76  
 results discussed 76–79  
 Rangeomorpha 5–6, 185, 221, 222, 223, 224  
 Charnwood Forest 224–225  
 taxonomic classification  
 methods 225–227  
 results 227–241  
 results discussed 241–244  
 Mistaken Point  
 new outcrop evidence on fossilization 251–252  
 bias potential 261–263  
 factors affecting morphology 267  
 fossil census 257–259  
 setting 252, 253, 254–257  
 spatial variability 259–261  
 post-fossilization processes 263–267  
 systematics 248–249  
 Raup, David 19–20  
 Rawnsley Quartzite 313  
 redox boundary, Proterozoic 105  
 redox values, Ediacaran 197–198  
 reef-builders  
 as autogenic ecosystem engineers 369  
 evolution of 195–197  
 Nama Group study 198–202  
 adaptation to reef-building 205–206  
 reef ecology 202–205

- Rhizocorallium* 362, 373  
 Rhynie Chert 4  
 'rock is the father of the fossil' 5  
 Rodinia break-up 161, 163, 171  
 Romano-British remains 8  
 Rothman model, DOC oxidation 167–169  
 Rubha Guail Formation 123, 128  
*Rusophycus avalonensis* 259, 361  
   *R. avalonensis* Zone 372, 373, 376
- Sabellidites cambriensis* 324, 354  
 Salter, John 184, 185, 271  
 scanning electron microscopy (SEM)  
   role in microfossil study 87, 90, 108  
*Schaubcylindrichnus* 362  
 secondary ion mass spectrometry (SIMS) 187  
   role in microfossil study 26, 88–89  
   methods 92–93  
   results 93–94, 97  
   Torridonian Supergroup study 108–109  
 Sedgwick, Adam 312  
 sediment texture, impact on bioturbation 377  
 seed preservation in amber 408–409  
 Seilacher, Dolf 20  
 Sepkoski, Jack 19  
 septarian cracks 293  
 sheet cracks 293–294  
*Shepsedia* 185  
 Shijia Formation 151, 152, 154  
 Shuram event 165, 166, 170, 172  
 silicate permineralization 105–106  
 silicification effects 50  
 Silurian, first named 312  
 Simpson, George 19  
*Siphonophycus* spp. 135  
*Skolithos* spp. 359, 372, 373, **374**, 375, 375  
 Sleat Group 71, 72  
   environment of deposition 128  
   stratigraphy 122, 123  
 Snowball Earth 161  
 South Africa, early microfossil evaluation 4  
 Spaniard's Bay (Newfoundland) 186, 187  
*Sphaerophycus reticulatum* 116  
 SPIERS software 37  
 sponge spicules, Ediacaran 26  
 spore preservation in amber 408–409  
*Squamodictyon* 372, 373  
<sup>87</sup>Sr/<sup>86</sup>Sr ratios 165, 171  
 Stáhpogieddi Formation 352, 352, 353,  
   355, 356–357  
 Stoer Group 4, 71, 72, 106, 107, **108**, 133  
   environment of deposition 124–128  
   lacustrine ecosystem models 140  
   microfossil preservation and lake chemistry  
     introduction 106–107  
     method of study 107–109  
     results 109–112  
     results discussed 114–117  
   MISS 132  
   stratigraphy 122, 123  
   stromatolites 132  
 Strelley Pool Formation (Pilbara Supergroup) 2, 35  
   micro-CT scanning results 44–45, 44  
 Stretton Group 272  
 stromatolites 132, 133  
   micro-CT study discussed 50–51  
   Stoer Group 132  
 Sturian glaciation 154, 166
- subaqueous sedimentary cracks 285  
 carbonate facies 290, 291, 292–293, 292  
   Hales Limestone 294–295  
   molar tooth 293  
   sheet cavities 293–4  
   septarian 293  
 experimental studies  
   history 298–299  
   methods 299–301  
   results 301–303  
   summary 303–306  
   morphology 290, 290  
 origins 295  
   authigenic mineral effects 298  
   load/stress induced 296  
   microbially induced 297–298  
   seismically induced 296–297  
   synaeresis 295–296  
   rock record of 285, **286**, **287**, **288**, **289**, 290  
 substrate revolution 372  
 sulphur:carbon ratio, Torridonian Supergroup 107  
 sulphur isotope analysis 187  
   Bay of Stoer Formation 107–108, 110, 112, 116  
 supercontinent cycles 162–163  
*Swartpuntia germsi* 28  
 synaeresis crack 285, 295–296  
 synchrotron tomography 34  
 synchrotron XANES Fe speciation  
   titanite microtexture study 62–63  
   results 65  
   results discussed 67  
*Syphonophycus beltensis* 135
- Taenidium* 373  
 Tanafjord *see* Digermul Peninsula  
 taxonomy  
   rangeomorphs of Charnwood Forest  
     methods 225–227  
     results 227–241  
     results discussed 241–244  
*Teichichnus* 363, 373, **374**, 376, 376  
 terrestrial environment  
   eukaryotes 133–138  
   evidence for 123  
   microbial mats 132–133  
*Thalassinoides* 363, 373, **374**  
*Thectardis* **261**  
 three-dimensional (3D) imaging, development  
   of 34  
 thrombolites 132  
   Nama Group reef ecology 203–205  
 time averaging 185  
 titanite microtextures 4, 57, 58, 59  
   methods of study 61–63  
   results 63–65  
   results discussed 66–68  
   spectrum of 60–61  
 Tommotian  
   as a division 314–317  
   trace fossils 179  
 Tonian–Cambrian  
    $\delta^{13}\text{C}$  excursions 163–167  
     impact of Rothman model 167–169  
     marine organic carbon pool 170–171  
     mechanism of DOC oxidation 169–170  
   interval of upheaval 161–162  
   model for earth system change 171–172  
   rates of erosion 162–163

- Torridon Group 106, 107, **108**, 134, 136, 137  
 environment of deposition 128–132  
 lacustrine phosphogenesis 138–140  
 microfossil preservation and lake chemistry  
 introduction 106–107  
 methods of study 107–109  
 results 112–113  
 results discussed 114–117  
 stratigraphy 122, 123  
 wrinkle structures 132
- Torridonian Supergroup 4  
 lake sediment study, methods 89–93  
 organic matter characterization  
 methods 73–75  
 results 75–76  
 results discussed 76–79  
 stratigraphy 71, 72, 106, 107, 122–123, 123  
*see also* Stoer Group *also* Torridon Group
- Torridonophycus lepidus* 135
- total organic carbon (TOC) 73
- trace fossils  
 Ediacaran–Cambrian boundary  
 Fortune Head observations  
 methods 372–374  
 results 374–376  
 results discussed 376–378  
 zonation 372, 373  
 first evidence 371–372  
 population as GSSP indicator 325–326
- transmission electron microscopy (TEM) 26, 87–88  
 role in microfossil study  
 methods 91–92  
 results 97–98
- Torridonian Supergroup study 108
- Trepassia* **261**  
*T. wardae* 212
- Trepassy Formation 212
- Treptichnus* spp. 373, **374**, 375, 376  
*T. pedum* 325, 358, 360
- Treptichnus (Phycodes) pedum* Zone 351, 372, 373, 375–376
- Trezona anomaly 164, 166, 172
- Trichophycus* 363
- Trichoplax* 212
- Tsagaan Oloom Formation 377
- U–Pb dating *see* zircon age dating
- undermat miners 372
- uniformitarianism, role in Precambrian 182
- Valeria* 136
- Vestertana Group 352
- Veteronostocale* 135
- Vindhyan, trace fossils 5
- Vinlandia* 6, 182, 224, **261**  
*V. antecedens* 28
- Volborthella* 313  
*V. tenuis* 354
- Volyniella glomerata* 135
- Wangshan Formation 149, 154
- Warrawoona Group 3
- Wealden Group amber 8, 9
- weathering, relation to fossilization bias 262–263
- Working Group on the Precambrian–Cambrian Boundary  
 314–317, 323  
 consideration of candidates 317–320  
 Burin Peninsula 320–323  
 Siberian–East European Platforms 323
- Wumishan Formation, role of permineralization 116
- X-ray micro-computed tomography (CT) 34  
 role in microfossil study 83–84  
 methods 90–91  
 results 94–95
- X-ray spectroscopy 84–85
- XANES  
 titanite microtexture study 62–63  
 results 65  
 results discussed 67
- Xingmincun Formation 150, 152, 153,  
 154, 154
- Yelovichnus* 355
- Yorgia* 7, 212
- zircon abundance trends 164
- zircon age dating  
 NCC Great Unconformity  
 methods of study 151–152  
 results 152–153  
 results discussed 153–154  
 significance of results  
 hiatus identified 154–155  
 palaeogeographic implications  
 155–156
- Zoophycos* 362
- zooplankton *see* animal cells