

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Aegean-Anatolian extensional domain 290, 291, 301–304  
 Africa-Eurasia convergence 290  
 Albany-Fraser Orogen, WA 225–243  
   imbricate fan 239, 242  
   Kepa Kurl Booya Province 225, 227  
   magmatism 229, 239  
   Northern Foreland 226, 227, 230, 239  
   regional geology 226, 227–233  
   seismic survey 227, 228–231, 234, 239–241, 243  
   tectonic events 227, 228–229  
   Tropicana gold deposit 233–238  
   Tropicana zone, structural setting 238–239  
 Alpine Fault Zone  
   Drilling Project (DFDP) 209, 211, 212, 213  
   deformation **208**  
   geology 206–207  
   graphite  
     crystallinity and thermometry **208**, 214–215  
     deformation 214–215  
     geophysical surveys 218  
     gold mineralization 218–219  
     hydrothermal addition 216–218  
     orientation **208**  
   Raman spectroscopy 207, **208**, 209–210  
   texture **208**, 211, 212, 213, 214, 215  
   metamorphic temperatures 214  
   mineralogy **208**, 210, 211, 212, 215  
   petrography and microstructure **208**, 209, 210–212  
   thermobarometric data 207, **208**, 209  
 Alpine Schist 207, 209  
   graphite 215, 217–219  
   petrography 210, 211  
   Raman spectra **208**, 214  
 alteration, hydrothermal  
   Alpine Fault Zone cataclasite 216  
   controlling factors 165, 166  
   reactions 124, 125–143  
 amphibole, SDGM 167, 171–172, **174**  
   in host rock 189–190, 189, 190, 191  
   singularity spectra 179–186  
 Anatolia, western  
   crustal extension 301–304  
   geothermal activity 295–298  
   tectonic setting 290–292  
 ankerite, SDGM 167, 171, 172, **174**, 199–201  
   controlling factors 193, 195  
   in host rock 189, 189, 190, 191  
   hyperspectral reflectance imaging 172  
   singularity spectra 179–186, 188  
 Arrhenius number *Ar* 130, 131, 154  
 Atlantis Event 233, 237, 241  
 Atlantis gold prospect 233  
 atom probe tomography 9, **11**, 14  
 Australian-Pacific plate boundary 206, 207, 282–285  
  
 Babool Seismic Province 240–241, 241  
 banded ironstone formation (BIF) 44, 45, 46, 169  
 Bayesian inference framework 42, 43, 48, 49  
 Biot coefficient and modulus 95  
 Biranup Zone 226, 227, 228, 229, 230, 231, 238–239  
 Blue Robin Shear Zone 240–242, 243  
 borate deposits, Menderes Massif 300, 301  
 boudinage, E1 Group 364, 367, 375  
  
 breccia  
   E1 Group 354, 356, 364, 365, 366, 367, 368, 369  
   hydrothermal systems 121, 122  
   Kainantu gold-copper deposit 272, 276, 278, 280  
   SDGM 169, 171, 195  
   Windimurra Igneous Complex 323–324  
 Bushveld Igneous Complex, comparison with  
   Windimurra 315, 321, 322, 342, 343, 344  
  
 calcite, SDGM 167, 171, 172, **174**, 199–201  
   controlling factors 193, 195  
   in host rock 188, 189, 190, 191  
   hyperspectral reflectance imaging 172  
   singularity spectra 179–186, 188  
 carbonates, SDGM 167, 171, **174**  
   controlling factors 193, 195  
   hyperspectral reflectance imaging 172  
   singularity spectra 179–186, 188  
 cataclasite, Alpine Fault Zone 206–207, 209, 210, 212, 213  
   graphite 215  
   hydrothermal alteration 216–218  
   Raman spectra **208**, 214  
 cathodoluminescence **10**, 13  
 Central Menderes Metamorphic Core  
   Complex 293, 294, 295, 300  
 Challa Shear Zone 317, 318, 319, 323, 324, 333  
 chaos, in system behaviour 147, 160, 161–162  
 chemical reactors 121, 126–133, 157, 165  
 Chisel sequence 58–59, 61, 63–64, 66, 68, 71  
 Chisel-Lalor structural contact 59, 61  
 chlorite, SDGM 167, 169–170, 172, **174**, 199–201  
   controls on spatial organization  
     191–193, 194  
   in host rock 188, 189, 190, 190, 191  
   hyperspectral reflectance imaging 172  
   singularity spectra 179–186, 187  
   Çine submassif 293–294, 300  
 Cloncurry District *see* E1 Group,  
   Cloncurry District  
 conductivity, MT surveys 247–248  
   King River Fault anomaly 259–260  
   graphite 262–263  
 copper, *see* iron oxide-Cu-Au (IOCG) deposits  
 Coramup Shear Zone 239  
 Corella Marble 359, 360, 362, 363, 371  
 Cosmo East ore 167, 169, 170, 171  
   drillcore data 172–173, **174**  
   host rock type 188–191  
   singularity spectra 183–186, 187–188  
 crack-seal microstructures 121, 122  
 crystallographic preferred orientation  
   20–21, 23  
 Cycladic Blueschist Unit 292, 294  
  
 Damköhler number *Da* 115, 130, 131, 154  
 Darcy flow 96, 107, 108  
 Darcy's law 85, 88–90, 98, 100, 113  
 deformation  
   Alpine Fault Zone 206, 214–215  
   Eastern Fold Belt, Mt Isa Inlier 352, 353, 367–369  
   and fluid flow 87–88  
     governing equations 88–95  
     orogenic gold deposits 82, 83, 385  
  
 Lalor VMS deposit 59–61  
   and mineralization 269  
   Kainantu gold-copper deposit 276–277  
   Tropicana Zone 235, 236  
 deposition, Eastern Fold Belt 351, 352–353, 352  
 Dolly quartz-feldspar porphyry 169, 170, 193, 194  
 drillcores, spatial organization of  
   mineralization 166  
 SDGM 172–173, **174**  
   wavelet analysis 173–186  
  
 E1 Group, Cloncurry District, IOCG deposit  
   350–381  
   3D concentration distribution modelling  
     369–374  
   3D geological modelling 355, 357, 358  
   comparison with Ernest Henry IOCG  
     deposit 376, 377–379  
   deformation 352, 353, 367–369, 370–371, 375–377  
   E1 North Shear Zone 359–369, 371–375  
   faults and shear zones 359–364, 365, 377–378  
   host rock 354–355, 356  
   mineralization 353–354, 357  
     controls 374–375  
     timing 374, 375, 377  
   regional geology 352–354  
   structural controls 374–378  
   structural geology 357–366  
     geometry and macrostructure 357–364, **361**  
     meso- and microscale 364–366, 367  
     veins 364, 365–366  
   earthquakes, western Anatolia 295  
   Eastern Fold Belt, Mt Isa Inlier 351, 352  
   Eastern Goldfields Superterrane 167, 226–227, 241  
   effective stress 85–86  
   elastic behaviour, constitutive laws 90  
   elastic systems, fluid flow and deformation  
     95, 97  
   elastic-plastic behaviour, constitutive laws  
     91–92  
   elastic-plastic systems, fluid flow and  
     deformation 96, 98–99  
   elastic-viscous systems, fluid flow and  
     deformation 96, 98  
   electron back-scatter diffraction 8, 9, **11**, 13–14, 32  
     SDGM case study 19–21, 24  
   electron microbeam techniques 8, 9, **10–11**, 12–15  
   electron microscopy, transmission (TEM) 9, **11**, 14  
   electron probe microanalysis (EPMA) 8, 12  
   elemental mapping 8, **10**, 12, 15–16  
   energy-dispersive X-ray spectrometry (EDS)  
     9, **10**, 12, 13, 14, 19  
   equilibrium state 83, 115, 117, 124  
   Ernest Henry Diorite suite 353, 354, 356, 376  
   Ernest Henry IOCG deposit 350, 351, 353, 354, 355, 359, 375, 376  
   comparison with E1 Group 376, 377–379  
  
 faults  
   Albany-Fraser orogen 232, 234, 235, 239  
   E1 Group 359–364, 365, 377–378

- faults (*Continued*)  
 east Kimberley 255, 256, 259  
 Kainantu gold-copper deposit 273, 275, 276, 281  
 Nalunaq gold deposit 394, 395, 400  
 Fethiye-Burdur Fault Zone (FBFZ) 291, 292, 293
- FLAC 95  
 Flin Flon greenstone belt 58  
 fluid flow 81  
 constitutive law 88–90, 100  
 continuum model 100  
 coupling of processes 100–109, 117, 128–131, 136–139, 158–159  
 criticality 100, 102, 107, 116  
 crustal, and continental extension 289–304  
 deforming elastic-plastically dilatant open systems 107–109, 111, 112, 117  
 and dilatant deformation  
 drivers 87–88  
 governing equations 88–95  
 orogenic gold deposits 82  
 in open systems, percolation theory 88, 96–98, 100–107, 115–116, 117  
 in poroelastic systems 95  
 fluid focusing 100  
 permeability contrasts 90  
 fluid pressure 81, 82, 84, 85  
 in deforming system 87–88, 95, 113, 116–117  
 and mean stress 86–87  
 and temperature change 116, 131–132  
 fluid pressure gradient 90, 103–107, 111, 112, 113  
 focused ion beam milling (FIB) 14  
 fractals 100, 102, 116, 165–166, 173–175  
*see also* multifractals  
 Fraser Zone 226, 227, 230, 231, 238–239
- geological models, 3D  
 Lalor VMS deposit 61–77  
 integrated with seismic data 68–77  
 uncertainty estimation 41–54  
 Bayesian inference framework 42, 43, 48, 49  
 MCMC method 42, 48  
 numerical implementation 43–44  
 Sandstone greenstone belt, WA 44–54  
 geothermal activity, western Anatolia 295–298  
 gold, equilibrium solubility 132–139, 156  
 and concentration 147  
*see also* iron oxide-Cu-Au (IOCG) deposits  
 gold deposits, orogenic  
 concentration 147  
 enhancement processes 148–162  
 temperature-fluid pressure  
 decrease 151  
 temperature-fluid pressure increase  
 149–151  
 coupling processes 158–161  
 deposition mechanisms 122  
 episodic fluctuations 121–143  
 fluid flow 81  
 and dilatant deformation 82–117  
 grade 155–158  
 modes of operation 122  
 open-flow systems 82  
 chemical reactors 121, 126–133, 157, 165  
 model behaviour 133–139  
 remobilization 155  
 structural controls 385  
 Tropicana 233–238  
 gold mineralization 121–143  
 controlling factors 165, 166, 280, 385  
 Menderes Massif 299–300, 301
- SDGM 18–28, 167–202  
 spatial organization 165  
 hyperspectral reflectance imaging 166, 172–173  
 multifractal 165–167, 173–174, 175–177, 201  
 geological controls 188–199  
 wavelet analysis 166–167  
 SDGM 173–186, 201  
 singularity spectra 179–188, 195–199  
 WTMM 174–175, 176  
 and tectonic events 269  
 Tropicana gold deposit 233–238  
 gouges  
 Alpine Fault Zone 206–207  
 Kainantu gold-copper deposit 276, 277  
 GQ ore 167, 169, 170  
 drillcore data 172–173, 174  
 host rock type 188–191  
 Hurst exponent analysis 199–201, 202  
 singularity spectra 180–188, 195, 196, 197, 199  
 hyperspectral reflectance imaging 173  
 mineralization 171, 171, 172
- graphite  
 Alpine Fault Zone 206–219, 211  
 crystallinity and thermometry 208, 214–215  
 deformation 208, 214–215  
 geophysical surveys 218  
 gold mineralization 218–219  
 hydrothermal addition 216–218  
 Raman spectroscopy 208, 209–210, 214  
 texture 208, 211, 212, 213, 214, 215  
 conductive anomalies 250  
 east Kimberley MT survey 250, 262–263  
 and hydrothermal gold deposits 206  
 greenstone belts  
 geological modelling 44–54  
 Yilgarn Craton 167  
 Gruntfest number *Gr* 154–155  
 Gunnadorrah Seismic Province 240, 241  
 Gwynne Creek Gneiss 242
- H2S, gold deposits 122, 132–133, 148–149, 153, 156, 158  
 pyrite formation 133, 148, 151–153, 156  
 Halls Creek Orogen, WA 248, 249, 252, 259  
 Hercules gneiss 233, 241  
 high-resolution X-ray computed tomography 9, 10  
 Mt Keith sulphide deposits 29, 31  
 SDGM case study 22–23, 27  
 Hurst exponents 167, 178, 179, 199–201, 202  
 hydrostatic pressure gradient 83  
 hydrostatic stress 83  
 hydrothermal alteration, Lalor VMS deposit 59–61  
 hydrothermal systems 84  
 brittle deformation/plastic dilatancy 123  
 closed 84, 85, 110, 116, 124  
 differences from metamorphic systems 123  
 drained and undrained 84, 85  
 endothermic reactions 122  
 and deformation 127, 136–139, 138  
 episodic behaviour 121–122, 147, 148  
 exothermic fluid-absorbing phase 122  
 exothermic reactions 127, 134, 135–136  
 gold deposits  
 heat production 123, 125–126, 128  
 modes of operation 122  
 reaction rates  
 coupled to deformation 136–139  
 coupled to fluid flow 128–131  
 coupled to heat supply 128  
 timescale 123, 124, 125–126, 128, 139
- gold mineralization, spatial organization  
 controlling factors 165, 166, 188–199  
 hyperspectral reflectance imaging 166, 172–173  
 multifractal 165–166, 167, 175–177, 201  
 wavelet analysis 166–167, 173–186, 201  
 high temperature 131–132, 137–139, 140, 141, 142  
 non-linear behaviour 122, 153–154, 165  
 open  
 flow-controlled 81, 84, 85, 113, 116, 123, 124  
 chemical reactors 121, 126–133, 157, 165  
 influence of geometry 155  
 fluid pressure-controlled 81, 123  
 hyperspectral reflectance imaging 166  
 SDGM 172–173, 201
- Ilua Plutonic Suite 386  
 intrusions, layered mafic-ultramafic 314–316, 315  
 ore deposits 313  
 Windimurra Igneous Complex 316–345  
 ion beam mapping 8, 17–18  
 ion beam milling, focused (FIB) 14  
 iron oxide-Cu-Au (IOCG) deposits 349–381  
 E1 Group 350, 353–381  
 3D concentration distribution modelling 369–374  
 3D geological modelling 355, 357, 358  
 host rock 354–355, 356  
 mineralization 353–354, 357  
 structural controls 374–378  
 structural geology 357–366  
 geometry and macrostructure 357–364  
 meso- and microstructure 364–366  
 settings 350  
 structural controls 374–378, 379–380  
 Isan Orogeny 352, 353, 368
- joints, Kainantu gold-copper deposit 276
- Kainantu gold-copper deposit 269–287, 270  
 deformation 276, 279–280  
 and mineralization 285–286  
 faults 276, 280, 281  
 microstructures 277–280  
 mineral paragenesis 277–278, 280  
 regional setting 270–271  
 shear zones 273, 280  
 structural controls on mineralization 280  
 tectonics and mineralization 285–287  
 underground structures 272, 273–277  
 veins 278, 279, 280  
 Kalkadoon-Leichardt Belt 352  
 Kantie Murdana Volcanics Member 314, 316, 317, 318, 323, 324, 330–331, 338  
 Kepa Kurl Booya Province 225, 227  
 Ketilidian Orogen 386, 387  
 Kimberley, east  
 gravity/magnetic data 251, 254, 255, 257–258, 257  
 MT survey 251–252, 258–260  
 conductive anomaly 259–260  
 graphite 262–263  
 Pb-Zn-Cu prospectivity 255, 264  
 regional geology 248, 249, 250  
 King River Fault  
 conductive anomaly 259–260  
 Pb-Zn-Cu prospectivity 264  
 kink bands, Kainantu gold-copper 274, 275, 276  
 Kirkespir valley 386, 387, 388  
 Kora-Irumafimpa vein system 270–271, 276, 282, 286  
 Kozeny-Carman equation 94–95

- Kumalpi Terrane 18, 167, 168  
*see also* Sunrise Dam Gold Mine
- LA-ICP-MS 8, 9, 11, 18, 32  
 Mt Keith sulphide deposit 29–31
- Lalor volcanogenic massive sulphide deposit 58–77  
 2D seismic survey, forward modelling 74, 76  
 3D geological model 61–77  
 integration with 3D seismic survey 68–77  
 lithofacies 63–64, 71  
 physical rock properties 64, 65–66, 71–73  
 collocated cokriging 66–67, 68, 69, 70, 73, 75  
 3D seismic survey 61  
 forward modelling 71–73  
 geology 59–61
- Lamboob Province 248, 249, 250  
 MT survey 251–265
- Laplace's equation for fluid pressure 90  
 Lewis number *Le* 155  
 lignite deposits, Menderes Massif 300, 301  
 lithostatic pressure 82, 84, 107, 113, 115, 116–117
- Macraes orogenic gold mine 219  
 magmatism  
 Eastern Fold Belt, Mt Isa Inlier 352, 353–354  
 and mineralization, Menderes Massif 298–299
- magnetite, conversion to pyrite 151  
 magnetotelluric (MT) surveys  
 conductivity 247–248, 264  
 and gravity/magnetic data 255, 257–258, 260  
 indicative of mineralization 262, 264–265  
 east Kimberley 251–265
- Maia detector array 15–16  
 mapping *see* elemental mapping; ion beam mapping; phase mapping
- Maramuni Arc 283  
 gold-copper deposits 270
- Marboo Formation 250, 263
- Markov chain Monte-Carlo methods  
 estimating convergence 51, 54  
 geological models 42, 48
- mass spectrometry, LA-ICP-MS 8, 9, 11, 18  
 mean stress 86–87, 95, 110, 113–114, 116–117
- mechanical pressure 81, 82, 85, 88  
 in deforming system 87, 88, 113
- Meeline Suite 317, 321, 322, 335
- Menderes Massif 290, 292  
 crustal thickness and composition 294–295  
 fluid flow 303–304  
 geological structure 291, 292–294  
 geothermal areas 295–298  
 mantle metasomatism 301–302  
 mineral deposits 298–301  
 structural control 300, 301, 303  
 surface dynamics 304  
 thermal structure 302–303
- mercury mineralization, Menderes Massif 298, 300
- metagranite 233, 237, 324  
 metamonzogranites, WIC 324  
 metamorphic systems  
 closed thermodynamic systems 124  
 elastic-plastic-viscous behaviour 123  
 fluid pressure-controlled 81, 123  
 mineralization 123, 125  
 metamorphism
- Albany-Fraser Orogen 229, 233, 235, 236, 237, 240  
 east Kimberley graphite 262–263  
 Eastern Fold Belt, Mt Isa Inlier 352, 353–354  
 Kainantu gold-copper deposit 270–271, 272, 273  
 Lalor VMS deposit 59  
 and mineralization 269
- metasomatism  
 Menderes Massif 301–302  
 Tropicana Zone 235, 236, 237, 242
- microcharacterization, mineral systems 7–32  
 microscale analytical methods 8–18  
 gold mineralization, SDGM 18–28  
 integration with deposit-scale data 31–32  
 Mt Keith sulphide deposits 29–31  
 microscale X-ray fluorescence spectrometry ( $\mu$ XRF) 9, 10, 15–16  
 SDGM case study 21–22  
 synchrotron-based 15–16
- Midway shear zone 170
- minmatite, Tropicana gold deposit 237
- mineral deposits  
 increased demand for 1  
 and tectonic events 269, 280  
 Kainantu gold-copper deposit 285–286
- mineralizing systems  
 alteration reactions 124, 125–126  
 microcharacterization 7–32  
 spatial organization 165–202
- Mississippi Valley type systems 81, 123
- Mohr-Coulomb constitutive relation 91, 92, 93, 94, 96, 108
- Mohr-Coulomb material 109, 114, 116
- Mt Isa Inlier 251, 352, 353–354  
*see also* E1 Group
- Mt Keith nickel sulphide deposit 28–31  
 geological background 28–29  
 multifractals 160, 161, 166, 167, 173–174, 175–177, 201  
 geological controls 188–199  
 singularity spectrum 175–177  
 multiples of uniform distribution (MUD) 21
- Munglinup Gneiss 226, 227, 229, 238
- mylonite  
 Alpine Fault Zone 206–207, 209  
 graphite 215  
 petrography 210, 211, 212  
 Raman spectra 208, 214  
 Kainantu gold-copper deposit 272, 273, 276
- Nalunaq, South Greenland  
 deformation 386–387  
 orogenic gold deposit 385, 389–403  
 3D implicit modelling 391–403  
 geochemistry 396, 398, 399–400  
 lithologies 394, 396, 397  
 mineralization 392–393  
 structure 393–394  
 exploration and development 399  
 faults 394, 395, 400  
 geological setting 386–391, 387, 388  
 hydrothermal alteration 390–391  
 Main Vein 385, 389–390, 392–396, 397, 399–403
- mineralization 391  
 structural controls 399, 400–403
- Pegmatite Fault 390, 393, 394, 395, 397, 399  
 post-mineralization structures 402–403  
 structure 389–390  
 vein structure/ore shoot geometry 400–402
- Nanortalik Nappe 386–388, 391  
 nanoscale analytical methods 14–15
- nanoscale secondary ion mass spectrometry (Nano-SIMS) 9, 11, 17–18
- nappes  
 Menderes Massif 292, 293, 294, 300  
*see also* Nanortalik Nappe
- Nardee Igneous Complex 335, 338  
 Newtonian cooling time 154  
 nickel sulphide deposits, Mt Keith 28–31
- Normalup Zone 226, 227, 229, 231, 238–239
- North American Central Plains, conductive anomaly 262
- Northern Foreland 226, 227, 229, 230, 231, 239
- overpressure, tectonic 113, 114
- Papua New Guinea  
 Kainantu gold-copper deposit 269–287  
 tectonic history 282–285
- parameter space 153–155  
 percolation theory 88  
 fluid flow 115–116, 117  
 open systems 96–98, 100–107
- permeability 87, 100–103  
 deformation induced 269  
 and fluid focusing 90  
 and plastic dilation 94–95, 107–109, 110
- phase mapping 13  
 phyllite, Kainantu gold-copper deposit 272, 273
- picoscale X-ray fluorescence (pXRF) 9  
 plastic dilation, and permeability change 94–95
- plastic materials 83  
 plastic yield 87
- platinum group elements (PGEs), Mt Keith 28, 29
- Plumridge Detachment 238, 239–240  
 reactivation 241–242, 243
- pore pressure, hydrothermal systems 84, 85, 87, 123, 132
- poroelastic systems, fluid flow 95  
 poroelasticity 87  
 poroplasticity 87
- protomylonite, Alpine Fault Zone 207, 209, 210, 211, 212  
 Raman spectra 208, 214
- proton-induced X-ray emission (PIXIE) 10, 15, 32
- pyrite, formation 148, 151–153, 156, 157
- quartz, equilibrium solubility 133, 137, 138  
 quartz diorite, conversion to quartz-sericite 124, 125
- Raman spectroscopy, graphite 208, 209–210
- resistivity *see* conductivity
- Rodona Shear Zone 240
- Roof Zone 323, 324, 330–331
- Sandstone greenstone belt, WA 44, 45  
 geological model, uncertainty estimation 44–54  
 MCMC method 48
- sanukitoids 233, 241
- scanning electron microscopy 8, 9, 12, 14–15, 32
- secondary ion mass spectrometry (SIMS) 9, 11, 17–18  
 nanoscale (Nano-SIMS) 9, 11, 17–18
- seismic surveys  
 3D, Lalor VMS deposit 68–77  
 and MT surveys 248
- sericite, SDGM 167, 170–171, 172, 174, 199–201  
 controls on spatial organization 191–193  
 in host rock 188, 189, 190–191, 190, 193

- sericite, SDGM (*Continued*)  
 hyperspectral reflectance imaging 172, 173  
 singularity spectra 179–186, 187
- shear zones  
 Albany-Fraser Orogen 232, 234, 235, 238–239, 240  
 E1 Group 359–364, 365, 377–378  
 IOCG deposits 350, 354, 359  
 Kainantu gold-copper deposit 273, 275  
 Nalunaq 386, 390, 400–401  
 SDGM 169, 170  
 Windimurra IC 317, 318, 324, 327–329, 331, 333
- Shephards Discordant Zone (SDZ) 314, 317, 319, 323, 331, 338–339
- slickensides 215, 276, 281
- Snow Lake arc assemblage 58
- soliton, thermal 157, 158
- spatially high-resolution ion microprobe (SHRIMP) 17
- sulphide  
 and gold mineralization 23, 25–28  
 Mt Keith, WA 28–31  
 $\mu$ XRF mapping 15  
 VMS, Lalor, Manitoba 58  
 XCT mapping 17
- Sunrise Dam Gold Mine, WA (SDGM) 167, 168  
 drillcore data 172–173, 174  
 singularity spectra 195–199  
 wavelet analysis 177–186, 187–188, 201  
 hyperspectral reflectance imaging 172  
 mineralization 18–19, 20, 168–169  
 microanalysis 19–28  
 ore bodies 169, 179–202  
 sulphide 23, 25–28  
 vein formation and alteration 23–28, 169–172  
 wavelet analysis 167–202  
 WTMM 174–175, 176  
 wavelet analysis 167–202, 173–186, 201
- Sunrise shear zone 169, 170
- swelling potential 87–88
- synchrotron X-ray fluorescence spectrometry (SXRF) 9, 10, 15–16  
 SDGM case study 19, 22
- temperature change, and fluid pressure 131–132
- thermodynamic pressure  
 in deforming system 87–88, 114–115, 116–117  
 for elastic material 92–93, 110
- orogenic gold deposits 81, 82–83, 85–86  
 for plastic material 93  
 for viscous material 93–94
- Tickalara Metamorphics, graphite 250, 263
- tomography *see* atom probe tomography;  
 X-ray computed tomography
- transmission EBDS 14
- transmission electron microscopy (TEM) 9, 11, 14
- transmission Kikuchi diffraction (TKD) 9, 11, 14
- travelling waves 157
- Tropicana Gneiss 233, 236, 240, 241
- Tropicana gold deposit 225, 226, 227, 233, 237
- Tropicana Zone 226, 227, 231, 240, 268  
 Bouguer anomaly 232  
 deformation and metamorphism 235, 236, 237  
 geology 232, 233  
 high density unit 240  
 metagranite 233, 237  
 structural setting 238–239  
 tectonic setting 241, 242
- Ultramafic Zone 314, 331–332, 333, 340, 341
- ultramylonite 207
- uncertainty estimation, 3D geological models 41–54  
 Bayesian inversion 42, 43, 48, 49  
 MCMC method 42, 48, 51–54  
 quantification and communication 50–51  
 Sandstone greenstone belt, WA 44–54  
 uranium deposits, Menderes Massif 300, 301  
 Uşak-Müğla Transfer Zone 291, 292, 293, 301
- vanadium deposits, Windimurra 317, 318
- veins, hydrothermal systems 121, 122  
 SDGM 169, 195  
 formation and alteration 19–28, 169–172
- viscous behaviour, constitutive laws 90–91
- Vogue ore 167, 169, 170  
 drillcore data 172–173, 174  
 host rock type 188–191  
 Hurst exponent analysis 199–201  
 singularity spectra 180–188, 197, 198
- volcanogenic massive sulphide (VMS) deposit  
 Lalor, Manitoba 58–77  
 3D modelling 61–77
- wavelength dispersive X-ray spectrometry 9, 10, 12
- wavelet analysis 166–167
- Hurst exponents 167, 178, 179, 199–201, 202  
 SDGM 167–202, 173–186, 201  
 WTMM method 174–175, 176
- West Anatolia Transfer Zone 291, 292, 293, 301
- Western Fold Belt 352
- Williams-Naraku Batholith 352, 353–354
- Windimurra Igneous Complex (WIC) 313–314, 316–345  
 3D model 325–329, 332–335, 336, 340  
 base breccia 323–324  
 comparison with Bushveld 315, 321, 322, 342–344  
 contact relationships 324  
 density 341  
 discordance 323–324, 338–340  
 genetic model 341, 342  
 geophysical data 325, 334  
 igneous stratigraphy 320, 321, 322–323, 339  
 magma chamber processes 342, 344  
 MT survey 319, 322  
 petrophysical properties 325, 326  
 seismic surveys 319, 322, 325–332  
 thickness estimates 336–338  
 Ultramafic Zone 314, 331–332, 333, 340, 341
- Windimurra vanadium pit 317, 318
- X-ray absorption near-edge spectrometry (XANES) 16
- X-ray computed tomography (XCT) 8, 9, 16–17  
 high-resolution (HRXCT) 9, 10, 16–17
- X-ray fluorescence spectrometry (XRF) 8, 9, 10, 15–17, 19, 32  
 microscale ( $\mu$ XRF) 9, 10, 15–16  
 picoscale (pXRF) 9  
 synchrotron (SXRF) 9
- X-ray spectrometry 10–11, 12–14
- Yamarna Terrane 238, 239, 240, 242
- Yilgarn Craton  
 Albany-Fraser Orogen 225, 226, 238–239  
 Mt Keith nickel-sulphide deposit 28  
 Sandstone greenstone belt 44–54  
 Sunrise Dam Gold Mine 18, 167, 168  
 Windimurra Igneous complex 313–345  
 Youanmi Igneous Complex (YIC) 317, 321, 322, 335, 337
- Youanmi seismic lines 319, 322
- Youanmi Terrane 44, 316, 317