

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Abukuma River *41, 42*
- Aegean Plate 107–108
- Aegean Sea, homogenites from Santorini eruption 5–6
- affect system 192
- African Plate 127
 - subduction 106
- Ahrax, extreme wave signatures **133, 134, 135, 136**
- Alaska 1964 earthquake 8, 26
- Aleutian 1946 tsunami 8, 15, 26
- Aleutian 1957 earthquake 8
- Alika 1 landslide *15*
- Alika 2 landslide *14, 15*
- Alpine Fault 200
- AMS (anisotropy of magnetic susceptibility) 12
- Anglesey, boulder trains 148, 149
- Ansei 1854 earthquakes 57
- Apoyeque volcano 95
- Arica 1868 earthquake 8
- asperities 44, 56
 - Nankai–Tonankai Trough 58, 60, 62, 63, 65
- Australia, landslide hazard 26
- Australian Plate, subduction 199, 200
- Azores–Gibraltar plate boundary 152, 153, 155

- backwash flow, identification 7, 11, 12
- Bay of Plenty, fault systems 200
- Bayesian Belief Networks 196
- Belize, tsunamis 91, 93
- Big Island, Hawaii, elevation 13–14
- Bingham plastic 17
- bioturbation 12
 - Japan Trench turbidites 78, 80, 81, 85
- boulder deposits 11
 - Crete 105–122
 - Hawaii 5, 6, 13–14
 - Maltese archipelago 132–137
 - UK 148–149
- Box–Cox power parameter 59, 60, 61, 62
- British Oceanographic Data Centre 147

- Calabrian Arc, earthquakes/tsunamis 138–139
- Canary Islands, megatsunamis 16, 22
- carbonate compensation depth 83
- Caribbean Coast
 - tsunamis 91, 94
 - travel times 96
- Caribbean Plate 91, 92
- Cascadia 22
 - prehistoric earthquake/tsunami sediments 6, 9, 10
 - turbidites, and earthquake cycles 7
- Central America
 - tsunami hazard 91–102, 93
 - mapping 96–97, 99
 - risk prevention and mitigation 100–102
 - seismic and geophysical monitoring 99
 - warning systems 99–100
 - tsunamis, travel times 95–96
- Central American Tsunami Advisory Center (CATAC) 96, 99, 100, 102
- Central Disaster Management Council (CDMC) 48, 49
 - Nankai–Tonankai tsunami source model (2012) 56, 57–58
 - sub-faults 58
- Channel Coastal Observatory 147
- Chicxulub, onshore deposits 7
- Chile
 - 1960 tsunami, sediment 8
 - Arica 1868 earthquake 8
 - Maule 2010 earthquake 192
- Clark submarine landslide *15*
- cliffs, eroded **133, 134, 153–154, 155**
- climate change, and submarine landslides 7
- coastal morphology, as control on deposition 11
- Cocos Plate, subduction 91, 92
- Comino Channel, extreme wave signatures **133, 135, 136**
- Conchagua volcano, tsunami-like waves 95
- continental margins
 - submarine landslides 20
 - see also* convergent margins; passive margins
- convergent margins, landslide hazard 10, 26
- coseismic displacement *see* slip
- Cosiguina volcano, tsunami-like waves 95
- Costa Rica
 - tsunamis 91, 93, 94
 - 1854 tsunami 94
 - 2011 Japan Tohoku tsunami 94
 - 2012 tsunami **94, 95**
 - hazard warning systems 100
 - risk prevention and mitigation 101–102
 - seismic and geophysical monitoring 93, 99
 - travel times 96
 - tsunami simulation 96–97, 98
- Crete
 - 365 CE earthquake and tsunamis 107
 - southern coast boulder deposits *109*
 - boulder lithologies 108
 - ¹⁴C dating 108, **110, 121**
 - field evidence
 - Diplomo Petris 112, **113, 114–117, 120, 121**
 - Kommos **113, 116, 117, 118, 119, 121**
 - Lakki 112, **113, 114, 117, 119, 121**
 - hydrodynamic equations 111–112, 121–122
 - wave extreme value analysis 108, 110–111
 - uplift 107, 108, *109*
 - geological setting 106–108
- Currituck submarine landslide 22, 26

- decision-making, and uncertainty, tsunami warnings 192, 193–194
- Deep Western Boundary Current 83
- Deep-Ocean Assessment and Reporting of Tsunamis (DART) 23, 25
- Dense Ocean Floor Network System for Earthquakes and Tsunamis (DONET) 40
- depth-averaging 17

- diatomaceous clay, Japan Trench turbidites 77, 78, 79, 81, 83
- diatoms 11, 77
- Diplomo Petris boulders 109, 112, **113**, 114–117, 120, 121
- earthquakes
 and continental shelf loading 27
 forecasting, Japan 43, 44
 mechanisms, models, weakness 43–44
 slow, Central America 91, 95, 96
 slow rupture duration 17
 subduction
 Central America 91, 95, 96
 diversity 46
 mega-thrust 55
 NE Japan 42–46
 as tsunami mechanism 5, 11, 23, 24, 25, 27, 91
 source of turbidites 85, 86
- East Japan Earthquake, potential event 42–46
- Eastern Mediterranean
 tsunami source events 106–108, 107, 109, 128
see also Mediterranean Sea
- effective magnitude 206, 208–209, 212, 213
- El Salvador
 tsunamis 91, 93, 94
 1859 tsunamis 94
 1902 tsunami 94
 1957 tsunami 94
 2001 tsunami 95
 2012 tsunami **94**, 95
 hazard mapping 96
 hazard warning systems 100
 risk prevention and mitigation 100
 seismic and geophysical monitoring 93, 99
 slow earthquakes 96
 travel times 95–96
- emotion, and decision-making, natural disasters 192–193
- erosion scarps **133**, 134, 135
- Eurasian Plate 43, 56, 57, 106
- extreme value analysis, waves, southern Crete 108, 110–111
- failure mechanisms
 PNG 19
 Storegga landslide 17–18
- Faroe Islands, Storegga landslide tsunami 10, 17, 150
- fault zone segmentation, Nankai–Tonankai Trough 57–58
- Fire Island 2012 Hurricane Sandy 173, 177
 grain shape analysis **174**, 183
 microtextural analysis **175**, 183, 184–185
 sediment coring 179
- Flores Island 1992 tsunami 22, 26
 deposits 9–10
 sub-aerial landslides 23
- fluid flow
 Bingham-type 17
 PNG landslides 18, 20
- Folkestone
 1858 event 147–148
 1911 event 153–154
- foraminifera 11
- forecasting
 tsunamis 47–48
see also tsunami warnings
- frequency–magnitude relationships 5, 231–233
- Fukushima Daiichi Nuclear Power Plant 41
 defensive measures 42
- FUNWAVE model 20
- geology
 and tsunami hazard 6
 and tsunami research 5, 6
- GEOWAVE model 20
- Ghemieri, extreme wave signatures **133**, 135, 136
- GITEC study 145
- Global Earthquake Model (GEM) 206
- Golfo Dulce, 1854 tsunami 94
- Gozo
 1693 tsunami 128, 129
 1908 tsunami 130–131
see also Maltese archipelago
- Grand Banks 1929 landslide tsunami 5, 6, 10, 15, 17, 22
- gravel deposits 5, 6, 13–14
- Great Storm January 2005 *see* Stoneybridge
- Guatemala
 tsunamis 91, 93
 2009 tsunami 95
 2012 tsunami **94**, 95
 hazard mapping 97
 seismic and geophysical monitoring 93, 99
 travel times 95–96
- Guayaquil Fault 92
- Gulf of Fonseca
 1859 earthquake 94
 hazard mapping 96
 tsunami-like waves 95
 warning system 99
- Gutenberg–Richter distribution 206, 224, 225, 227, 228, 229
- Hachinohe 76
- Hamamatsu
 inundation depth maps 71, 72
 tsunami wave characteristics 66–68, 69
- Hana submarine landslide 15
- Hawaii
 Giant Submarine Landslides 15, 16
 sediment deposition 8
 boulders and gravels 5, 6, 13–14
 elevation 13–14
- hazard models
 probabilistic
 global 219–241
 New Zealand 199
- hazard warnings 191–197
 assessment 10
 submarine landslides 24–26
 behavioural response to 192–193
 maps 55, 56
 Central America 96–97, 99
see also inundation depth maps
- mitigation 26, 55
 Central America 100–102
 Japan 48–49
 probabilistic analysis 55
 anticipated variability 55
- headquarters for Earthquake Research Promotion (HERP)
 42, 44

- Hellenic Arc, tsunami potential 127, 139
Hellenic plate boundary 106, 107
Hidaka Trough 85
Hikurangi subduction zone 199–200
 tsunami potential 200, 201, 212
Hilina submarine landslide 15
Hjort Trench 200
Hoei 1707 earthquake 49, 57
 slip 43
Homogenite/Augias Turbidite 138
homogenites 7
 Aegean Sea, Santorini eruption 5–6
Honduras
 tsunamis 91, 93, 94
 hazard mapping 97
 hazard warning systems 99–100
 seismic and geophysical monitoring 93, 99
Honshu Island, submarine landslides 23, 24
horst and graben
 Japan Trench
 sediment cores 77, 78, 79, 81, 84
 turbidity currents 83
 Maltese archipelago 127
Hurricane Sandy *see* Fire Island
Hurricane Stan 95
Hurst number 59, 60, 61
hydroacoustic surveys 6, 26
 Japan 23
 PNG 18
- Indian Ocean 1945 tsunami 15
Indian Ocean 2004 tsunami 6, 11–12, 22
 deaths 40, 196
 impact on tsunami research 11, 12, 42
 sediment transport 10
 see also Lhok Nga
inflow, identification 11, 12
inundation depth maps 50, 56, 70, 71–72
Ionian Basin 127
 turbidites 138
Ishinomaki 41, 76
 tsunami deposits 82
Izmit 1999 tsunami 15, 22
- Japan 11 March 2011 Tohoku tsunami 6, 22, 39, 41, 75
 backwash flow deposits 7
 boulder deposits 105–106
 deaths 11, 39
 defensive measures 41–42
 earthquake 75, 77, 82
 economic cost 39
 epicentre 75, 76
 height 23, 41–42
 hydroacoustic data 23
 impact on Central America 94
 multibeam echosounding 23
 numerical modelling 12–13
 post-event increased understanding 23–24
 run-ups 23, 24, 75
 sediments 11–13
 significance to geological community 40, 46–50
 diversity of earthquakes 46
 mega earthquakes 47
 publications 40
 seismic supercycles 46–47
 turbidite deposits 78, 81, 82, 85, 86
 warning and mitigation system 11
Japan 1983 earthquake and tsunami
 lake sediments 9
 what signs were missed 42–46
Japan
 convergent margin 10
 coseismic slip 43
 disaster management and mitigation 48–49
 geological records dissemination 49–50
 plate boundaries 43
 subduction-type earthquakes 42–46
 tsunami forecasting 47–48
Japan Sea, primary productivity 77
Japan Trench 24, 43, 76
 basins 76, 77
 deposits 83, 85–86
 depth 77, 83
 displacements 75
 earthquakes 75, 82, 85, 86
 horst and graben
 sediment cores 77, 78, 79, 81, 84
 turbidity currents 83–84
 ocean currents 77, 83–85
 physiographical setting 77
 rotational slump 75
 subduction 77
 tsunami deposits 75–76
 turbidites 77–86
 acoustic facies 80–81
 basin deposition and preservation 83, 85–86
 carbonate compensation depth 83
 cores 76, 77–78, 79, 80, 82–83
 depositional processes 82–85
 diatomaceous clay 78, 79, 81, 83
 lithology 78–80
 nannoplankton 78, 79, 80, 81, 83
 source 85, 86
 tephra 79, 80, 82–83
 variability 81–82
 turbidity currents 76, 83, 85
Java 2006 tsunami 23, 26
Jogan 869 tsunami 13, 27, 40, 42, 45
 sediment 45, 46, 82
 source 75, 82, 86
- Kaena submarine landslide 15
KaLae submarine landslide 15
Kamchatka 22
 1952 earthquake/tsunami 12
 1969 earthquake/tsunami 12
 1971 earthquake/tsunami 12
Kapiti–Manawatu Fault System 200
Kauai Island 15
Keicho 1611 tsunami 40, 45
Kermadec Trench *see* Tonga–Kermadec Trench
Kii Peninsula 56, 57
 asperities 58, 65
Kochi
 inundation depth maps 70, 71–72
 tsunami wave characteristics 66–68, 69
Kommos boulders 109, 113, 116, 117, 118, 119, 121
Krakatau 1883 eruption 12, 28, 201

- Kumano splay fault 56, 58
 Kuril Trench 43, 76, 77, 83–84
 Kuroshio warm-water current 77
 Kyotoku 1454 tsunami
 sediments 75, 82
 source 82, 86
- Lake Atitlan, landslide 95
 Lake Managua, tsunami-like waves 95
 Lake Nicaragua
 1844 tsunami 94
 seiches 95
 tsunami-like waves 95
- Lakki boulders 109, 112, **113**, 114, 117, 119, 121
 Lanai Island
 boulder and gravel deposits 13, 14
 submarine landslide 15
 landslide hazard 24–26
 landslides
 Lake Atitlan 95
 Mombacho volcano 95
 San Pedro volcano 95
 sub-aerial
 Canary Islands 16
 Flores Islands 23
 submarine 14–26, 27
 Bingham-type fluid flow 17
 controls on 27
 failure mechanisms 17, 18, 27
 global distribution 20, 22, 23
 hazards 24–26
 North Atlantic passive margin 24–26
 numerical modelling 17
 Palos Verdes 20, 22
 Papua New Guinea 6, 15–16, 18–20, 27
 Skagway 1994 tsunami 15, 20
 solid block failure 17, 18
 Storegga 6, 9, 15, 27
 numerical modelling 17–18
 translational 18, 28
 as tsunami mechanism 5, 11, 15, 16–17, 18–20
 Central America 95
 increased awareness of 20, 23–24
 turbidites 7
- Lhok Nga 2004 Indian Ocean tsunami 172, 177
 heavy mineral data **170–171**, 182, 186, 187
 microtextural analysis **176**, 182, 184, 185
- Limon 1991 earthquake/tsunami 94
 Lisbon 1755 tsunami 10, 12, 152
 deaths 152
 UK impact 148, 152–153, 155, **158–161**
 see also Salgados
- Lleyn Peninsula, boulder trains 148
- Makran, convergent margin tsunamis 22, 26
 Malta *see* Maltese archipelago
 Malta Escarpment 127
 turbidites 138
 Malta Plateau 127
 Maltese archipelago
 1693 earthquake and tsunami 128–130, 138
 1908 earthquake and tsunami 130–132, 138
 deaths 130, 132
 press reports 131–132
 boulders 132–137
 extreme wave signatures 132–137, 139
 horst and graben 127
 tsunami history 128–132, 129
 ¹⁴C dating 138
- Marlborough Fault System 200
 Maui Island 15
 Maule 2010 earthquake 192
 Mediterranean Sea
 tsunamis 127, 128, 137–138
 365 AD earthquake and tsunami 138, 139
 turbidites 137–138
 see also Eastern Mediterranean
- mega earthquakes 44–45, 47
 megaslides 155
 see also Storegga landslide/tsunami
- Messina Straits 22
 1908 tsunami 26, 130–132, 138, 139
 deaths 130, 132
 tsunami potential 127
- meteotsunamis 16, 145–147, 148, 155
 microfossils 11
 Mid-Atlantic Ridge 155
 Middle American Trench (MAT) 91, 92
 mitigation
 hazard 55, 199
 Central America 100–102
 Japan 48–49
- Miyagi-Oki earthquakes 44
 Miyako 76
 Molokai submarine landslide 15
 Mombacho volcano, landslide 95
 Monte Carlo tsunami simulation
 Nankai–Tonankai earthquake 56, 59, 62–72
 offshore tsunamis 65–68, 69
 onshore tsunamis 68, 70–72
 slip distribution 64–65
 New Zealand probabilistic tsunami hazard analysis
 204–211
- multibeam echosounding 6, 18, 26
 Japan 23
 PNG 19, 20
- Nankai 1946 earthquake 49, 57, 58
 Nankai Trough 43, 44–45, 46, 49, 56
 Nankai–Tonankai Trough
 geological setting 57
 mega-thrust subduction earthquakes 56, 57–73
 CDMC (2012) tsunami source model 56, 57–58
 elevation data 62–63, 65
 Monte Carlo tsunami simulation 56, 59, 62–72
 offshore tsunamis 65–68, 69
 onshore tsunamis 68, 70–72
 slip distributions 64–65, 66
 stochastic earthquake slip models 57, 58–62
 kinematic rupture 61–62, 63, 64
 slip distribution 60, 61, 66
 slip rate 57
- nannoplankton, Japan Trench turbidites 78, 79, 80, 81, 83
 Napier, tsunami potential 210, 212
 Nazca Plate 92
 subduction 201
- NERC Arctic Research Programme Landslide Tsunami
 project 145

- New Guinea *see* Papua New Guinea
 New Guinea Trench 16
 New Zealand
 earthquake/tsunami potential 200–201
 geological setting 199–201
 historic tsunamis (1835–present) 201
 1855 Wairarapa earthquake 201, 202
 1868, 1877, 1960 South America 201, 202
 1947 Gisborne earthquake 201, 202
 run-up values 201, 202
 palaeotsunami evidence 201, 203–204
 Probabilistic Tsunami Hazard Model 199, 204–214
 deaggregation 211, 212
 fault magnitude frequency 206, 208–209
 hazard curves 205, 207, 210, 211–212
 Napier 210, 212
 height estimation 209–211, 213
 limitations 214
 Monte Carlo modelling 204–211
 synthetic catalogues 206, 208–209, 211
 New Zealand Palaeotsunami Database 201, 203
 New Zealand Seismic Hazard Model (NZSHM) 206
 New Zealand Tsunami Database 201, 202
 Nicaragua
 tsunamis 91, 93, 94
 1844 tsunami 94
 1992 tsunami 10, 94–95, 96, 102
 2012 tsunami 94, 95
 hazard mapping 96, 97
 hazard warning systems 99–100
 risk prevention and mitigation 100–101, 102
 seismic and geophysical monitoring 93, 99
 slow earthquakes 96
 travel times 95–96
 Nice 1979 tsunami 15
 Norfolk storm surge, 31 January 1953 143
 North American Plate 91, 92
 North Atlantic passive margin 10
 submarine landslides 23, 24–26
 North Kauai submarine landslide 15
 North Panama Deformed Belt (NPDB) 91, 92
 1882 earthquake 94
 Norway
 landslide hazard 26
 Storegga landslide lake sediment 10, 17, 150
 numerical modelling 6, 12–13
 FUNWAVE model 20
 GEOWAVE model 20
 PNG 18–20
 Storegga landslide 17–18
 TOPICS software 20
 tsunami open and progressive initial conditions system
 (TOPICS) software 20
 Nuuanu submarine landslide 15
 NW Pacific convergent margin 10
 NW Wales, boulder trains 148–149
 Oahu Island 15
 ocean currents, Japan Trench 77, 83–85
 Ogawara submarine canyon 76, 85
 Okhotsk Plate 43, 77
 Onagawa Nuclear Power Plant 41
 defensive measures 42
 Ormen Lange gas field project 15, 17, 18, 27, 150
 overwashing 133, 135, 136, 168
 Oyashio cold-water current 77
 Pacific Coast, Central America
 tsunamis 91
 1844 tsunami 94
 travel times 95–96
 Pacific Plate, subduction 43, 46, 77, 86, 95, 199
 Pacific 'Rim of Fire' 200, 201, 214
 Pacific Tsunami Warning System (PTWC) 99, 100, 192
 palaeotsunamis
 inverse modelling 11
 Japan 42, 48
 New Zealand 201, 203–204
 Palos Verdes submarine landslide 20, 22
 Panama
 tsunamis 91, 93, 94
 1882 tsunami 94
 1913 tsunami 94
 1976 tsunami 94
 hazard mapping 97, 99
 seismic and geophysical monitoring 93, 99
 travel times 96
 Panama Fracture Zone (PFZ) 91, 92
 Papua New Guinea 1998 earthquake/tsunami 16, 18–20,
 22, 27
 deaths 27
 earthquake magnitude 18, 20
 hydroacoustic survey 18
 increased awareness of and research on landslides
 20, 23
 mechanism 6, 18
 modelling 6
 elevation 18, 20
 propagation simulation 20, 21
 rotational slump 18–20, 21
 submarine landslide 16, 18
 multibeam echosounding 19, 20
 sediment analysis 10
 onshore flow modelling 10, 18
 passive margins, landslide hazard 10, 23, 24–26
 Pegasus Bay Fault System 200
 Pelagius Platform 127
 Peru–Chile Trench, tsunami potential 201, 212
 Philippine Sea Plate, subduction 43, 49, 56, 57
 Pilar Fault 92
 plunge pools 133, 135
 Polochic–Motagua–Chamalecón Fault System
 (PMCHFS) 91, 92
 1856 tsunami 94
 Pololu submarine landslide 15
 Port Acajutla, 1957 tsunami 94
 potential flow, fully non-linear (FNPF) equations 20
 Probabilistic Seismic Hazard Analysis 204
 Probabilistic Tsunami Hazard Analysis (PTHA)
 from earthquake sources 219–241
 comparison with other analyses 238–240
 limitations 240–241
 magnitude–frequency relationships 231–233
 run-up 231, 233–237
 sea-surface deformation 221–222
 source zones 221, 222, 223
 'Gloria' 225, 226–227, 227
 Kermadec 228, 229

- Probabilistic Tsunami Hazard Analysis (PTHA)
(Continued)
 synthetic catalogue 224–225, 227–230
 global CMT catalogue 228–229, 232–233, 238
 wave amplification onshore 230–231
 wave propagation to hazard points 230
 New Zealand 204–214
- Puerto Rico, convergent margin tsunamis 22, 26
- Puntarenas, tsunami simulation 96–97, 98
- Puysegur Trench 200
 tsunami potential 200, 201
- quartz, microtextural analysis 168–169, **175–176**,
 182–183, 183–186
- radiocarbon dating, Storegga slide deposits 9, 150
- Reggio de Calabria, 1908 earthquake and tsunami
 130–132, 139
- remotely operated vehicle (ROV) 18
- Rikuzentakata, 2011 Tohoku tsunami 41
- risk
 definition 199
 public attitude towards 192–193
- risk assessment 10
 probabilistic 199
- risk maps 55, 56
- risk prevention, Central America 100–102
- run-ups
 Aleutian 1946 tsunamis 15
 as control on deposition 11
 Maltese archipelago 129, 135, 136, 137, 139
 New Zealand 201, 202
 Sanriku 23, 24, 75
 Storegga slide 17–18, 150
- rupture
 evolution 57
 Nankai–Tonankai earthquakes 57–58, 59
 constrained-stochastic source 61–62, 63
 kinematic rupture modelling 61
 nucleation 58, 62, 63
- Sagami Trough, earthquake potential 49
- Salgados 1755 Lisbon tsunami 172, 177
 heavy mineral data **170–171**, 182, 186–187
 microtextural analysis **175–176**, 181–182
- San Blas Islands, 1882 tsunami 94
- San Pedro volcano, landslide 95
- sand sheets 9, **133**, 134, 135
 Storegga slide 150, 152
- Sanriku coast 41, 76
 run-ups 23, 24, 75
 sediment cores 76, 77
- Sanriku-haruka-oki 1994 earthquake 85
- Sanriku-Keicho 1611 tsunami 40, 45
- Santorini, c.1650 BCE eruption 107
 homogenites 5–6
- Scotland, Storegga landslide sediment 6, 9, 10, 17, 148,
 149, 150–152, **156–158**
- scouring 133
- sea caves, collapsed 133
- Sea of Japan 1983 earthquake 9
- sea level, Storegga landslide 17–18
- sea level height *see* tide gauges
- ‘sea-bore’ 147
- seabed deformation 17, 19, 40
- sediment cores, PNG 18
- sediments 7–14, 27
 1980–1990s research 8–10
 1990–2004 research 10–11
 analytical techniques 12
 AMS 12
 geochemistry 12
 laser diffraction 12
 X-ray microfluorescence 12
 X-ray tomography 12
 availability for erosion 11
 boulder/gravel deposits 5, 6, 13–14
 coastal 7–8
 controls on deposition 11
 deposition methods 11
 fining-upwards 11
 laminated 11
 heavy mineral analysis 12
 as identification of tsunamis 5–6, 9
 characterization 6, 10, 11
 differentiation from storm deposits 10, 11, 12, 13,
 14, 106, 119–121, 132, 136, 167–188
 grain size analysis **174**, 179, 183
 heavy minerals 168–173, 181–183, 186–187
 microtexture 168–169, **175–176**, 182–186
 prehistoric 10, 11
 as indication of tsunami hazard 6
 inundation limits 27
 inverse numerical modelling 6, 11, 12–13
 Japan 45, 46
 Japan Trench 76, 77–78
 acoustic facies 80–81
 basin deposition and preservation 85–86
 deposition processes 82–85
 lithology 78–80
 variability 81–82
 Lisbon 1755 event 153
 Maltese archipelago 132–137
 Norway, Storegga landslide 10, 17
 onshore 7, 8
 pre-1980 research 8
 preservation potential 11
 Scotland, Storegga landslide 9, 10, 17, 148, 149,
 150–152
 seabed 7
 shallow water shelf deposits 7
 transport and deposition 7
 UK tsunami events 148–149
 use in mitigation 8–9
see also homogenites; turbidites
- seiches 143, 149
 Lake Nicaragua 95
 Lisbon 1755 event 152
- seismic data 6
 multichannel (MCS) 18
 PNG 18
 single channel (SCS) 18
 sub-bottom (SBSL) 18
 ‘seismic sea wave’ 147
- Sendai 76
- Sendai coastal plain, tsunami sediment 41, 45, 75, 82
- Sengan Shrine 41, 42
- Severn Estuary, 1607 flooding 149

- Shetland Islands
 Storegga landslide tsunami 9, 17, 24, 149, 150–152
 submarine landslides 24–25
- Shikoku, tsunami wave characteristics 65–68, 67, 69
- Shikotsu Caldera tephra 76, 80
- Shimabara Mayuyama 1792 tsunami 40–41
- shoaling 138
- Sicily
 365 tsunami 137, 138
¹⁴C dating 138
 1693 earthquake and tsunami 128
 1908 earthquake and tsunami 137
 tsunami potential 127, 137
- SINAMOT (National System of Monitoring of Tsunamis) 100
- Sissano Lagoon, tsunami 16, 18
- Skagway 1994 tsunami 15, 20
- slip 19–20, 23
 Japan Tohoku earthquake 43, 44
 modelling 56
 Nankai–Tonankai tsunami source model scenarios 56, 58, 59–60
 distribution modelling 60, 61, 62, 64–65, 66
- slope failure, submarine 85
- slumps, offshore
 as tsunami mechanism 6
 Japan Trench 75
 PNG 18–20, 21
- sockets 133, 134
- Solomon Islands–New Hebrides Trench, earthquake potential 200, 201
- South American Plate 92
- South Kauai submarine landslide 15
- South Kona submarine landslide 15
- South Pacific 2009 tsunami, boulder deposits 105
- splay faulting 23
- Stoneybridge January 2005 Great Storm 172–173, 177
 grain size analysis 178
 heavy mineral data 170–172, 183, 187
 microtextural analysis 175, 182–183, 184
- Storegga landslide/tsunami (c.8150 BP) 6, 9, 10, 22, 24, 27
¹⁴C dating 9, 150
 failure mechanism 18
 numerical modelling 17–18
 slide reconstruction 17, 18
 run-up elevations 17–18, 150
 sea levels 17–18
 UK sediments 9, 10, 17, 148, 149, 150–152, 155, 156–158
- storm deposits
 discrimination from tsunami deposits 10, 11, 12, 13, 14, 106, 119–121, 132, 136, 167–188
 grain size analysis 174, 179, 183
 heavy mineral analysis 168, 169, 170–173, 181, 182, 183, 186–187
 microtextural analysis 168–169, 175–176, 179–183
 microtextural signatures 183–186
- storm surge, 31 January 1953, Norfolk 143
- strain energy, release by earthquakes 44
- subduction
 Central America 91, 92
 controls on earthquakes 43
 Japan Trench 77, 82, 86
 New Zealand 199–201
 Pacific ‘Rim of Fire’ 200, 201, 214
 subduction zone earthquakes 42, 46–47, 206, 208
see also Nankai–Tonankai Trough, mega-thrust subduction earthquakes
- submersible, manned (MS) 18
- Sumatra 2004 earthquake 57, 58, 96, 195, 196, 201
 AMS 12
see also Indian Ocean 2004 tsunami
- supercycles, seismic 46–47
- Suruga Bay 56, 57, 58
- Suruga Trough 83
- suspension settling 11
- Suva 1953 earthquake and tsunami 8
- Swan Fault 91, 92
- synthetic earthquake catalogues 206, 208–209, 211, 224–225, 227–230
 global CMT catalogue 228–229, 232–233, 238
- Tamarindo Beach, tsunamis, risk prevention and mitigation 97, 101–102
- Tenerife, volcanic collapse events 16
- tephra, Japan Trench turbidities 79, 80, 82–83
- Thailand, boulder deposits 105
- ‘tidal wave’ 147
- tide gauges 99, 147, 148
- Tohoku *see* Japan 11 March 2011 Tohoku tsunami
- Tokai earthquake 49
 tsunami wave characteristics 65–67, 68, 69
- Tonankai 1944 earthquake 49, 57, 58
see also Nankai–Tonankai Trough, mega-thrust subduction earthquakes
- Tonga–Kermadec Trench, earthquake/tsunami potential 200, 201, 204
- TOPICS model 20
- tourism, and tsunami risk 96–97, 101–102
- Towada Volcano tephra 76, 80, 82, 86
- traction currents 11
- Tranadjupet submarine landslide 22, 24, 25
- TRANSFER project 145, 149
- trees, as protection from tsunamis 41
- Tsugaru warm-water current 77
- tsunami earthquakes, identification 17, 18, 19
- tsunami forecasting 47–48
see also hazard warnings; tsunami warnings
- tsunami generation mechanisms 5–6, 23, 24
 numerical modelling 6, 23, 24, 25
- Tsunami Observation and Simulation Terminal (TOAST) 99
- tsunami scenarios 55
 Nankai–Tonankai Trough 56, 58
- tsunami warnings 191–197
 Bayesian Belief Networks 196
 behavioural response to 192–193, 194–196
 ‘cry wolf’ syndrome 191–192
 decision-making under uncertainty 193–194
 false alerts 100, 191–192, 194–196
 Meulaboh, Sumatra 2010 earthquake case study 195, 196
 risk informed 194–196
- tsunamis, identification 17, 18, 143
- tsunamites, definition 11
- TsuSedMod 11

- Tsushima–Kamchatka Trench, earthquake potential 49
 turbidites 7
 Japan Trench
 acoustic facies 80–81
 basin deposition and preservation 83, 85–86
 lithology 78–80
 sediment cores 76, 77–78, 79, 80
 sedimentary processes 82–85
 source 85, 86
 variability 81–82
 Mediterranean Sea 137–138
 as proxies for earthquake events 7, 76–77
 turbidity currents, Japan Trench 76, 83, 85
- uncertainty
 and decision making 193–194
 tsunami hazard 204–206, 207
- United Kingdom
 meteotsunamis 145–147, 148
 tsunami events 143–161, 144
 1858 Folkestone event 147–148
 1911 Folkestone event 153–154
 catalogue 145
 classification 149
 EU TRANSFER project 145, 149
 GITEC study 145
 Lisbon 1755 event 152–153, 155, **159–161**
 NERC ARP Landslide Tsunami project 145
 newspaper reports 147–148, 153–154
 sediments 148–149
 Storegga slide 150–152, 155, **156–158**
 tide gauges 147, 148
- USA, landslide hazard 26
- Villa Golfo Dulce, 1854 tsunami 94
 Villa Pedassi 1913 tsunami 94
 volcanic collapse, as tsunami mechanism
 Canary Islands 16
 Hawaii 5, 6, 13, 14, 15, 16
 von Kármán auto-correlation model 59, 60
- Waianae submarine landslide 15
 Wailau submarine landslide 15
 Washington State, tsunami sediments 8–9
 washovers *see* overwashing
Wateree US Postal Steamer, beached by tsunami
 at Arica 8
 wave elevation 11, 65–68, 69
 waves
 extreme, Maltese archipelago 132–137
 tsunami-like, Lake Managua 95
 withdrawal, Maltese archipelago 129–130
- X-ray tomography 12
 Xlendi
 1693 tsunami 129
 1908 tsunami 130
- Yealm Estuary, Cornwall, 2011 meteotsunami 146
- Zealandia 199, 200
 tsunami potential 200
 Žonqor 129, **133**, 137