

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Alaska–Chukotka, Sector B 3, 4
Alert Geomagnetic Anomaly 13
Aleutian Basin 102–103
Aleutian subduction complex 103
Allen Bay Formation 49, 50
Allman Bay Reverse Fault 49, 49, 50
Alpha Horst 91, 93
Alpha Ridge 14, 87, 452, 456
 Cretaceous magmatism 288, 306, 388–389, 443, 449
 map 20, 398, 420, 442
 Moho depth 91, 446
 sediment thickness 91
 transect C data 91–93
Amerasia Basin 1, 21, 61, 178, 443, 445, 446, 449, 456
 map 2, 83, 398, 442
 palaeo-reconstruction 386–388
 transect C data 87
Amerasia Basin Transform Fault 240, 256, 258
Amundsen Basin 420
Anadyr 160
Angayucham Belt 160
Angayucham Terrane 62, 84
Angayukaqsaq, Mount 184
Anisin Formation 242
Anisin Rift 243, 256, 271, 273, 280
Anzhu Islands 239, 241
Anzhu Rift Zone 270, 273
apatite fission track (AFT) analysis 315, 318
 Lomonosov Ridge **401**, 403
 Novaya Zemlya thermochronology
 methods 340
 results 342, **343**, 344
 results discussed 344–345
 Mesozoic thermal history 349–350
 orogens 348–349
 sediment sources 345, 347–348
Taimyr Peninsula fold-thrust belt
 dating 322–323
 thermal history modelling
 methods 318–319
 results **321**, 323, 324, 325–326, 325
 sampling pattern **319**
 significance of results 326, 329, 331
Wrangel Island thermochronology study
 methods 213–214
 results 229–230
⁴⁰Ar/³⁹Ar dating
 Lomonosov Ridge **400**, 402, 406
 sills 372
 Wrangel Island 213, 225–229
Archean cratons 421, 421–422
Archer Fiord Fault Zone 8, 10, 46, 48, 52
Arctic Alaska–Chukotka microplate/microcontinent
 (AACM) 57, 58, 60
 geological evolution 61–62
 Cretaceous 80–85
 magmatism 161–162
 Jurassic–Cretaceous 73–80
 Palaeogene 86, 87
 Palaeozoic, early 66–69
 Palaeozoic, late 69–72
 Permian–Triassic 72
 Precambrian 62–65
 zircon U–Pb dates 63, 138–140
 see also Provideniya–Chaplino region
Arctic Alaska Chukotka (AAC) terrane 183–185
 geological setting 186–187
 integrated zircon studies
 methods 188–191
 results 191–197
 results discussed 197–202
Arctic lithosphere
 Canada Basin 431–432
 Canadian Arctic Archipelago 432–433
 craton–ocean boundaries 432
 cratons 432
 Eurasia Basin 432
 Iceland plume 434–435
 intraplate volcanism 434
 Siberian Traps 434
 structure 431, 443, 444, 445
 crust and sedimentary basins 445
 mantle lithosphere 446
 sub-lithospheric pressure 445–446
Arctic Ocean
 basins 1, 2
 tectonic elements 443
asthenosphere, S-wave velocity variations 424
Atlantic Ocean, opening 288
automated multimode inversion (AMI) 422
Axel Heiberg Island 20, 35, 449

Bache Peninsula, transect segment (5) 10, 14, 38,
 49–51, 49
Baffin Bay 20, 21, 433, 442, 443, 445
Baffin Island 420
Baidaratsky fault 356, 358
balanced cross-sections
 Taimyr Peninsula study
 methods 319, 322
 results 326
 significance of results 326, 327, 328, 329, 330
Baltic Shield 420
 lithosphere structure 432
Baltica 335
Balyktakh Formation 242
Banks Basin 442, 449
Barents Sea 398, 442, 445, 448, 449, 457
 bathymetry 373
 magnetic anomalies
 methods 375, 378, **378**
 results 374
 results discussed 378–379
P-wave velocity model 375
 results discussed 379–380
seismic survey 285

- Barents Sea (*Continued*)
 methods 372–375
 results 376, 377, **378**
 results discussed 379
- Barents Shelf 82, 184
- Barents-Kara Sea region
 basement provinces 290
 depth to basement 290
 depth to lithosphere-asthenosphere boundary 291
 depth to Moho 288, 291
 free-air gravity field 289
 geological framework 288
 magnetic anomaly map 289
 regional transect study
 methods 287, 288, 292
 results
 transect (1) 292–294, 293, **301**
 transect (2) 294–295, 294, **301**
 transect (3) 295–297, 296, **301**
 transect (4) 297–298, 297, **301**
 transect (5) 298–299, 299, **301**
 transect (6) 299–301, 300, **301**
 results discussed
 basin development 304–306
 orogenesis 301–304
 summary 306–308
- Barents-Kara Shelf
 rifted crust 397
 Sectors E, F, G 3, 4
- basalts
 geochemistry, Franz Josef Land 372
 South Anyui Suture Zone 248
- basement
 circum-Arctic 61
 Ellesmere Island 27
 provinces 290
- basin development
 Barents-Kara Sea region 304–306
 High Arctic 445
- Bathurst Island 35, 433
- Baumann Fiord Formation 48
- Bay Fiord Formation 48
- ¹⁰Be isotope analysis, Lomonosov Ridge **402**, 403, 409
- Beaufort Sea 184, 420
 lithosphere structure 432, 445
- Bel'kov Island 449
- Bel'kov-Svyatoi Nos Rift 273, 280
- Belkovsky Island 239, 243, 245, 246, 249, 254
 stratigraphy 242
- Bennett Island 239, 243, 245, 247, 449, 451, 456
- Bering Shelf 85, 86, 184
 continental arc magmatism 101
 subduction margin 102
- Bering Shelf Platform 100–101
- Bering Strait 84
- Bering Strait CALE Transect C 58
- Bjørnøya basin 304, 305
- Blosseville Kyst 434
- Boothia Uplift 35
- Boulder Hills Formation 45
- Brooks Range 75, 123, 124, 125, 184, 420
 zircon U-Pb geochronology
 methods 127, **128**, 129
 results 129
- Cosmos Hills 129, 130, 132
- Greywacke-Phyllite Belt 134–135
- Schist Belt 133–134
- Yukon-Koyukuk 132–133
 results discussed 135–137
- Baltican-Laurentian origins 143–145
 exotic terranes 145–146
 Greywacke-Phyllite Belt 138, 140
 Yukon-Koyukuk 138 140–141
 similarities with other terranes 138–140
 source regions 141–143
 summary history 146–148
- Brooks Range fold-thrust belt 76, 100, 160
- Burustass Formation 248
- Cache Creek Ocean 443
- Caledonian Orogen 3, 301, 303, 335, 411, 442, 442, 445
 Arctic Alaska-Chukotka microplate 66, 68
- Caledonian orogeny 288, 302
- Cambrian
 Arctic Alaska-Chukotka microplate 66
 Bache Peninsula 49
 Hazen Plateau 44, 44
 Pechora Basin 304
 Taimyr Peninsula 317, 318
 Timanian orogeny 301
 Yelverton Pass 41, 43
 zircon ages 142
- Canada Basin 1, 87, 97–98, 397, 419
 lithosphere structure 431–432, 445, 446
- Canadian Arctic Archipelago 432–433, 442, 449
- Canadian Shield, crystalline basement 52
- Cape Field Reverse Fault 49, 49
- Cape Hawks Thrust 49, 49, 50
- Cape Lawrence Formation 49, 50
- Cape Storm Formation 50
- Carboniferous
 Bache Peninsula 49
 extension 302
 Pearya Terrane 38
 rifting, Barents-Kara Sea region 304
 stress indicators 448–449
 Taimyr Peninsula 317, 318
- Cass Fiord Formation 47
- Central Ellesmerian Domain 22, 28
- Central Ellesmerian fold belt 10, 14
see also Judge Daly Promontory, transect segment (4)
- Chaplino region
see Provideniya-Chaplino region
- Chekur Formation 242
- Christopher Formation 50
- Chukchi Basin 445
- Chukchi Borderland 58, 87, 94–95, 398, 413, 420, 445
- Chukchi Plateau 3
- Chukchi Platform 72
- Chukchi Sea 442
- Chukchi Shelf 72, 95–97, 184
- Chukotka fold belt 442
- Chukotka microplate 3, 159
 deformation history compared with Wrangel Island
 methods of analysis
 AFT thermochronology 213–214
⁴⁰Ar/³⁹Ar 213

- EBSD 214
- U-Pb zircon 213
 - mapping 211
 - results 214–217
 - results discussed 230–233
- geological setting 209, 211
- see also* Arctic Alaska-Chukotka microplate/
microcontinent (AACM)
- also* Provideniya-Chaplino region
- Chukotka plutonic belt 77
- Circum-Arctic Lithosphere Evolution (CALE)
 - project 1
 - sector map 3
 - sector A Greenland-Canada 3–4
 - sector B Alaska-Chukotka 4
 - sector C Laptev Sea 4
 - sectors E,F,G Barents-Kara shelf 4
 - transect C 57, 58, 59, 61, 87, 88
 - Aleutian Basin 102–103
 - Aleutian subduction complex 103
 - Alpha Ridge 91–93
 - Bering Shelf Platform 100–101
 - Bering Shelf subduction margin 102
 - Brooks Range fold-thrust belt 100
 - Canada Basin 97–98
 - Chukchi Borderland 94–95
 - Chukchi Shelf 95–97
 - Colville Basin 99
 - Front Porch Basin 93–94
 - Hanna Trough 97
 - Herald Arch 99–100
 - Hope Basin 101
 - Lomonosov Ridge 89–90
 - Makarov Basin 89, 90–91
 - Navarin Basin 101–102
 - North Chukchi Borderland Slope 94–95
 - Norton Basin 101
 - St Matthew Basin 101
 - summary 103–107
 - Western Beaufort Rift Margin 98–99
- Coldfoot terrane 127
- Colville Basin 99
- continent-ocean boundaries 444, 446
- continental lithosphere 420
- Cordilleran Deformation Front 420
- Cornwallis Island 433
- Cosmos Hills 126
 - zircon geochronology 129, 130, 132
- cratons 421
 - lithosphere structure 432
- Cretaceous
 - Arctic Alaska-Chukotka microplate 73–85
 - Bache Peninsula 49
 - basin development, Barents-Kara Sea region 305
 - Hazen Plateau 44, 44
 - magmatism 161–162, 177
 - Pearya Terrane 38, 39
 - rifting and basin development 449–452
 - Taimyr Peninsula 317
 - tectonic history 443
 - Yelverton Pass 41, 42
- Crockerland 411
 - crustal density model, Ellesmere Island 11–12
 - crustal velocity model, Ellesmere Island 11–12
 - Danish River Formation 39, 44, 45
 - De Geer transform fault 452
 - De Geer Zone 306
 - De Long High 265, 270
 - De Long Islands 239, 241, 442, 449
 - stratigraphy 242
 - De Long Massif 445
 - Denali Fault 58
 - density model
 - Ellesmere Island 11–12
 - lithospheric 441, 445, 447, 448
 - Devon Island 420, 433
 - Devonian
 - Arctic Alaska-Chukotka microplate 66, 68–69
 - Bache Peninsula 49
 - Barents Sea 304
 - Caledonian orogeny 301, 303
 - extension 302
 - large igneous province magmatism 288
 - Pearya Terrane 38, 39
 - stress indicators 448
 - Taimyr Peninsula 317, 318
 - zircon ages 142–143
 - Diahsaiar Formation 242
 - Dobbin Bay syncline 46, 47, 52
 - Douro Formation 50
 - dyke swarms 371–372, 441
 - relation to geopotential stress field 454–455
 - dykes
 - as stress indicators 447–452
 - Barents Sea 378–379, 441
 - emplacement modelling
 - conceptual 380–381, 380
 - mechanical 381–386
 - numerical 383–384, 385–386
 - overview of models 386–390
 - East Barents Basin 288
 - East Barents Megabasin 442, 448
 - East Barents Sea Basin, magma transport 389–390
 - East Laptev Horst and Graben Province 271, 273
 - East Siberian Craton 263
 - East Siberian Sea Rift Basin 442
 - East Siberian Shelf 159
 - see* Arctic Alaska-Chukotka microplate/
microcontinent (AACM)
 - electron back-scatter diffraction analysis (EBSD)
 - Wrangel Island 214, 222–225
 - Elsekh Formation 242
 - Ella Bay Formation 52
 - Ellef Ringnes Island 35, 449
 - Ellesmere Island 433, 443, 449
 - basement depth 27
 - cross section 10, 22–23, 24, 25
 - crustal mapping 25
 - crustal velocity model 11, 11
 - crystalline basement 27
 - density model 11–12, 11
 - geological setting 8, 9–11
 - gravity field 22
 - lithosphere structure 433, 434
 - map 8, 36, 420
 - Moho depth 25–26, 28
 - structural transect

- Ellesmere Island (*Continued*)
 overview and interpretation 51–53
 segment (1) 10, 12–13, 38, 38, 39
 segment (2) 10, 13, 38, 41–44, 41
 segment (3) 10, 13–14, 38, 44–46, 44
 segment (4) 10, 14, 38, 46–49, 46
 segment (5) 10, 14, 38, 49–51, 49
 summary 14–15, 53
 tectonic significance 27–28
- Ellesmere Island Lithosphere Experiment (ELLITE)
 seismological array 7, 19, 22, 23
 stations 21
- Ellesmerian deformation 302, 303
 Ellesmerian fold-thrust belt 28, 39, 433
 Ellesmerian Orogen 3, 7, 442, 445
 Ellesmerian Orogeny 9, 19, 33, 37, 53, 411, 433
 characteristics 33–34
- Emma, Cape 451
 Emma Fiord Fault Zone 41, 43, 52
- Endicott Group 69
- Eocene 50
 basin development 452
 Barents-Kara Sea region 306
- Ernie Lake 184
- Eselekh Formation 242
- Ettygran Island 164
- Eurasia Basin 1, 288, 397, 419, 443, 452, 456, 457
 lithosphere structure 432
 map 2, 398, 442
- Eurekan fold-thrust belt 302, 303–304
 Eurekan Frontal Thrust 21, 22
 Eurekan Orogen 3, 7, 19, 22, 443, 445
 Eurekan Orogeny 9, 11, 15, 22, 33, 37, 46, 48, 49
 characteristics 34
- Eurekan pop-up structure 10
 structural transect segment (2) 10, 13, 38, 41–44, 41
- Faddeyevsky Island 239, 241
- Farallon Plate 443
- Farewell Terrane 184
- Fram Strait 442, 452, 457
- Franklinian Basin 9, 33, 34, 34, 35, 37, 46, 52, 411
- Franz Josef Land 58, 288, 305, 398, 413, 420, 443, 449
 dykes 372
- Front Porch Basin 58, 93–94
- Gakkel Ridge 1, 2, 263, 398, 419, 442, 443, 452
 geochronology *see* zircon
 geopotential energy (GPE) 441, 445, 447, 452
 geopotential stress 441
 geopotential stress field 447, 448, 452–453
 age 455
 compared with World Stress Map 453–454
 relation to dyke swarms and rifts 454–455
 geotherms, lithospheric 429–431
- Goose Bay Formation 50
- Grant Land Formation 44, 45
- Grantland Mountains 23
- Grantland Uplift 20
- gravity anomaly, Barents-Kara Sea region 289
- gravity signature, Ellesmere Island 12
- Great Lyakhovsky Island 239, 241, 243, 244, 248, 251, 251, 252, 254
- Greenland
 lithosphere structure 432, 434
 relation to Iceland plume 434–435
 rotation 21
- Greenland-Canada, Sector A 3–4, 3
- Grenville-Sveconorwegian orogeny 442
- Greywacke-Phyllite Belt 127
 zircon geochronology Belt 134–135, 138, 140
- Hanna Trough 72, 97
- Hansen Point Volcanics 39
- Harstad basin 305
- Hassel Formation 45
- Hazen Fold Belt 9
- Hazen Formation 44, 45, 48
- Hazen Plateau 8, 9, 10, 13, 15, 51
 transect segment (3) 10, 13–14, 38, 44–46, 44
- Hazen Stable Block 9, 22, 28
- Hazen Trough 20
- Henrietta Island 239
- Herald Arch 99–100
- Hf isotopes in zircon
 Arctic Alaska Chukotka (AAC) terrane 188, 191, 196–197
 Brooks Range 127, 135
- High Arctic Large Igneous Province (HALIP) 21, 81–82, 288, 305, 372, 380, 419
 dyke modelling 380, 386–388
 lithosphere 434, 443, 449, 456
- Hold With Hope, Cape 434
- Hope Basin 101
 hotspots 422
- Hudson Bay 420
- hyaloclastite 248
- Iapetus Ocean, opening/closure 288
- Iceland plume 434–435
- Indigirka Rift Zone 77
- Inglefield Uplift 20, 35
- Inlet Head Thrust 41, 43, 52
- intraplate volcanism 434
- Isachsen Formation 50
- Jan Mayen 452
- Jeannette Island 239
- Jolliffe Glacier anticline 46, 47
- Jones Sound 35
- Judge Daly anticline 46, 47
- Judge Daly Promontory, transect segment (4) 10, 14, 38, 46–49, 46
- Jurassic
 Arctic Alaska-Chukotka microplate 73–81
 Bache Peninsula 49
 basin development, Barents-Kara Sea region 305
 reconstruction 413
 Taimyr Peninsula 317
 tectonic history 443
- K-Ar dating, sills 372
- Kalak Nappe Complex 184
- Kallarichuk Hills 184
- Kane Basin 8, 9
- Kane Basin Formation 48
- Kanguk Formation 50
- Kara Basin, lineament analysis 361

- Kara Block 3
 Kara massif 442
 Kara Sea 445, 457
 see also Barents-Kara Sea region
 Kenkel'da terrane 78
 Kennedy Channel 8, 9, 20
 Kennedy Channel Formation 51, 52
 Khantanga Bay 3
 Khatanga-Lomonosov Transform 265, 269, 278–279
 Kigluaik gneiss 85
 Kigluik Mountains 160
 Knipovich Ridge 442, 457
 Kodiak Islands 86
 Kolyma-Omolon block 184
 Koolen dome 160, 176–177, 184
 Korotai Kha Basin, lineament analysis 361
 Kotelny Fold Zone 244–247, 254, 256
 Kotelny Island 239, 241, 243, 245, 246, 247, 249, 251, 254
 stratigraphy 242
 Kotel'nyi High 270, 271
 Kotel'nyi Terrane 265
 Kulutingwak Fiord Fault Zone 41, 42, 43, 52
 Kulutingwak Formation 39
- Labrador Sea 20, 21, 443
 opening 433
 Lake Hazen Fault Zone 8, 10, 21, 22, 44, 44, 52
 Lancaster Sound 433
 Laptev Rift System 239, 240, 240, 263, 279
 cross section 267
 sedimentary fill 271
 seismic character 272
 stratigraphy 274–278
 structural elements 270
 structure 269–274
 Laptev Sea 263, 420, 456
 plate setting 264
 Sector C 3, 4
 Laptev Sea Basin 452
 Laptev Sea Rift 256, 258
 Laptev Sea Rift Basin 442
 Laptev Sea Shelf 254, 256
 Laptev Shelf 263, 265
 Cenozoic plate tectonic framework 266, 267
 pre-rift setting 264–266
 stratigraphy 274–278
 summary 279–280
 large igneous provinces (LIPs) 371
 laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS) 188, 191, 196–197
 Laurasia, assembly 409
 Laurussia 33
 lava flows, Barents Sea 379
 Lincoln Sea 27, 35, 398, 443, 445
 Lisburne Group 69
 lithosphere
 Canada Basin 431–432
 Canadian Arctic Archipelago 432–433
 craton-ocean boundaries 432
 cratons 432
 Eurasia Basin 432
 geotherms 429–431
 Iceland plume 434–435
 intraplate volcanism 434
 seismic tomography 422–426
 Siberian Traps 434
 stress field 441
 structural overview 431–435, 443, 444, 445
 crust and sedimentary basins 445
 mantle lithosphere 446
 sub-lithospheric pressure 445–446
 temperature 421, 426–429
 lithosphere-asthenosphere boundary (LAB)
 depth
 Barents-Kara Sea region 291
 Ellesmere Island 27
 modelling 446
 lithospheric density model 441, 445, 447, 448
 Little Lyakhovsky Island 239, 241, 248
 Lomonosov Ridge 1, 89–90, 388–389, 452
 maps 2, 20, 240, 258, 265, 413, 420, 442
 methods of study 399
 AFTA 401, 403
 ⁴⁰Ar/³⁹Ar dating 400, 402
 ¹⁰Be isotope 402, 403
 QEMSCAN 399, 402
 U-Pb dating 404
 zircon provenance 402–403
 results
 AFTA 404–405
 ⁴⁰Ar/³⁹Ar dating 404
 ¹⁰Be isotope analysis 405–406
 petrography 403–404
 U-Pb dating 404
 results discussed
 autochthonous-allochthonous samples 406–408
 low-temperature cooling history 412–413, 415
 non-metamorphic sediments 411
 Ordovician orogenesis 409, 411
 palaeogeography 415
 zircon provenance 408–409
 setting 397, 398
 Lu-Hf isotopic analysis 188, 191, 196–197
 Lyakhovsky Islands 239, 243
 stratigraphy 242
- MacKenzie Craton 420
 lithosphere structure 432
 MacKenzie Sea, lithosphere structure 445
 magnetic anomaly, Barents-Kara Sea region 289
 Main Belt granites 77, 80, 81
 Main Pai-Khoi thrust 361, 363, 365, 366, 368
 Makarov Basin 87, 90–91, 420, 443, 445
 Malodiring-Aian Formation 242
 mantle
 lithosphere 446
 plumes 372
 tomographic model results 425, 426, 427, 428
 M'Clintock Orogeny 9
 Melville Island 433
 Mendeleev Ridge 20, 58, 87, 420, 442, 443, 446
 Mesoproterozoic 38, 39, 49
 zircon ages 141
 metagraywacke belt 127
 Mid-Atlantic Ridge 1, 420
 Miocene
 deep-water gateway 306
 rift and basin development 452

- Mississippian, Arctic Alaska-Chukotka microplate 68, 69
 Mitchell Point Fault Zone 39, 52
 modelling, dyke emplacement
 conceptual 380–381, 380
 mechanical 381–386
 numerical 383–384, 385–386
 Mohns Ridge 442
 Moho 445
 depth
 Barents-Kara Sea region 288, 291
 Ellesmere Island 14, 15, 25–26, 28
 Mongol-Okhoysk Ocean 443
 Mount Chaos complex 163, 164, 165, 168, 169–170,
 174, 175
 Mount Rawlinson Fault 21
 Murun-Tass Formation 242
- Nansen Basin 420
 lithosphere structure 432
 Nares Strait 20, 35, 37, 433
 Nautilus Basin 58
 Navarin Basin 101–102
 Neben Graben 271
 Neogene uplift, Barents-Kara Sea region 306
 Neoproterozoic 50
 Arctic Alaska-Chukotka microplate 64–65
 Bache Peninsula 49
 Pearya Terrane 38
 Taimyr Peninsula 317, 318
 Timanian orogeny 301, 302
 zircon ages 141–142
 zircon integrated isotope studies
 Arctic Alaska Chukotka (AAC) terrane
 methods 188–191
 results 191–197
 results discussed 197–202
- Nerpalkh Formation 242
 New Siberian Islands 62, 79, 239
 dykes 441
 geological setting 240–244
 maps 20, 58, 160, 184, 240, 241
 stratigraphy 242
 structures 244–254
 tectonic schedule 254–257
 Triassic 72
 New Siberian Rift 243, 270, 271, 274, 280
 Ninnis Glacier Syncline 46, 46, 52
 Nome 160
 Nordkapp basin 304
 North American Craton, lithosphere structure 432
 North American Plate, Ellesmere Island 9
 North Atlantic igneous province 288
 North Atlantic Rift System 305
 North Chukchi Basin 95–96, 442
 North Chukchi Borderland Slope 94–95
 North Kara Basin 442, 448
 North Verkhoyansk Fold Belt 256, 265, 268
 Northern Belt granites 77, 81
 Northern Ellesmerian Domain 22, 28
 Northern Pai-Khoi thrust 361
 Northern Taimyr Fold Belt 265
 Norton Basin 101
 Novaya Sibir 239, 241, 247, 251, 252, 253
 Novaya Zemlya 239, 335, 445
 geochronological studies
 methods 339–340
 results 340, 341, 342
 geological setting 336, 337, 339
 maps 20, 58, 240, 258, 336, 356, 413, 420, 442
 stratigraphy 338
 tectonic evolution 344–350
 thermochronological studies
 methods 340
 results 342, 343, 344
 thrusting 305
 Novaya Zemlya fold-thrust belt 302, 303, 359, 442, 443
 structural style and kinematics 359–361
 Novosibirsk Islands 420
- $^{18}\text{O}/^{16}\text{O}$ isotopes in zircon integrated studies
 Arctic Alaska Chukotka (AAC) terrane
 methods 188–191
 results 191–197
 results discussed 197–202
 oceanic lithosphere 420–421
 Okhotsk-Chukotka Volcano-Plutonic Belt 3, 160,
 161–162, 177
 Okpikruak Formation 80
 Olenek Folded Zone 265, 279
 Oligocene, basin development, Barents-Kara Sea
 region 306
 Omolon Massif 3
 Ordovician 50
 Arctic Alaska-Chukotka microplate 66
 Bache Peninsula 49
 Laurentia reconstruction 414
 Pearya Terrane 38, 39
 Pechora Basin 304
 stress indicators 448
 Taimyr Peninsula 317, 318
 Yelverton Pass 41, 41
 zircon ages 142
 oroclinal bending 355
 orogenesis, Barents-Kara Sea region 301–304
 orogenic belts 445
 Ottar basin 304
- P shears 247
 P-wave velocity modelling 375
 Barents Sea 379–380
 Pacific Plate 178
 Pai Khoi fold-thrust belt 302, 303, 358–359, 358
 kinematics 361
 map 362
 structural trend 361–363
 Pai-Khoi Uplift, lineament analysis 361–363
 Palaeocene 50
 Barents-Kara Sea region 305–306
 Palaeogene
 Arctic Alaska-Chukotka microplate 85–87
 Bache Peninsula 49
 Eurekan deformation 302, 303–304
 Pearya Terrane 38
 tectonic history 443
 Palaeoproterozoic 38, 49
 Pangaea 422, 452
 Parrish Glacier Thrust 10, 49, 49, 50
 Peary Channel 20

- Pearya Terrane 9, 10, 34, 35, 184, 411, 413
 transect segment (1) 12–13, 14, 38, 39, 40
- Pechora Basin 304, 442, 448
- Pechora Sea 305
- Permian
 Arctic Alaska–Chukotka microplate 69, 71–72, 71, 72
 Bache Peninsula 49
 rifting, Barents–Kara Sea region 304
 rifting and basin development 449
 Taimyr Peninsula 317, 318
 Uralian orogeny **302**, 303
- Permo-Triassic tectonic history 443
- Petersen Bay Fault 10, 39, 52
- Phyllite Belt 84, 127
- pillow lava 248, 252
- Podvodnikov Basin 58, 87
- Polounsyi Turbidite Synclinorium 265
- Precambrian *see* Mesoproterozoic; Neoproterozoic;
 Palaeoproterozoic
- pressure anomaly, sub-lithosphere 445–446
- provenance studies, Lomonosov Ridge 402–403,
 408–409
- Provideniya–Chaplino region 85, 162–163
 geological setting 163–167
 zircon dating
 methods 169
 results 169–171
 results discussed 172
 arc magmatism 174–175
 regional correlations 175–177
 tectonomagmatic significance 173–174
 sampling 167–169
 tectonic significance 177–178
- Provideniya pluton 165, 170, **175**
- Pshenitsin Formation 242
- QEMSCAN analysis, Lomonosov Ridge 399, 402
- R' shears 247
- Rae Craton 434
- Rawlings Bay Formation 52
- Richardson Bay syncline 46, 47
- Riedel shears 247
- rift basins
 Cretaceous 449–452
 Ordovician–Carboniferous 448–449
 Permo-Triassic 449
 relation to geopotential stress field 454–455
- Ritter Bay anticline 46, 47
- Ritter Bay Formation 52
- Rodinia 409
- Romanzof Orogen 96–97
- Ruby Terrane 81, 125, 138–140
- Rumilet pluton 167, 168–169, 170–171, 174, 174, **175**
- Russian Arctic Shelf 445
- S-wave forms 422–424
- S-wave velocity variations 424
- St Lawrence Island 20, 58, 239, 240, 240, 241, 243, 244,
 248–251, 258, 259, 265
- St Matthew Basin 101
- St Matthew Island 20, 58, 239, 240, 240, 241, 243, 244,
 248–251, 258, 259, 265
- Sannikov Horst 271
- scanning electron microscope (SEM), Lomonosov Ridge
 399, **399**, 402
- Schist Belt 84, 125–126
- Scoresby Bay Formation 47
- Scott, Robert viii
- secondary ion mass spectrometry (SIMS) 188–190, 191
- seismic tomography 421
 waveform tomography 422–424
- Senyavin Uplift 160, 175–176
- Servernyi Transfer 258
- sesimic survey
 Barents Sea
 methods 472–475
 results 376, 377, **378**
 results discussed 379
- Severnaya Zemlya 58, 258, 420
- Seward Peninsula 63, 125, 138–140, 184, 187
- Shalaurov Pluton 248, 251, 254, 259
- shear failure, directions of magma movement 384–385
- Shiroston High 273
- Shumagin Islands 86
- Siberian Craton 442
- Siberian Shelf 398
- Siberian Traps 288, 315, 329, 331, 434, 443, 449
- sills
 Barents Sea 379
 Svalbard/Franz Josef Land 372
- Silovayakha Formation 366
- Silurian
 Arctic Alaska–Chukotka microplate 66
 Bache Peninsula 49
 Caledonian orogeny 301, 303
 Laurussia reconstruction 414
 Pearya Terrane 38, 39
 Pechora Basin 304
 stress indicators 448
 Taimyr Peninsula 317, 318
 Yelverton Pass 41, 41, 42
 zircon ages 141
- sinistral transpression 368
- Slate Creek subterranean 127
- slickensides 247
- Sm–Nd dating 248
- Smith Sound 20
- Sokolov Formation 242
- Somerset Island 433
- Sophia, Cape 451
- South Anyui Ocean 74
- South Anyui Suture Zone 58, 62, 78, 79, 239, 240, 243,
 248–251, 259
 maps 3, 58, 78, 160, 184, 185, 240, 241, 244,
 258, 265
- South Anyui–Angaucham Ocean 240, 243
- South Kara Basin 442
- South Novaya Zemlya Anticlinorium 367, 367, 368
- Southern Taimyr Fold Belt 265, 268
- Spitsbergen, Eurekan deformation **302**, 303–304
- Stolbovoy Island 239, 241, 243, 247, 250, 254
- stress field, calculation 441
- Sunshine Valley pop-up structure 43
- sutures, Brooks Range 145–146
- Svalbard 285, 305, 443, 445, 446, 449
 interaction with Greenland 303
 maps 58, 184, 398, 413, 442

- Sveconorwegian orogen 335
- Sverdrup Basin 9, 19, 27, 33, 37, 45, 448–449, 449
lithosphere structure 432, 433, 445
maps 35, 420, 442
- Sverdrup Island Domain 22
- Taimyr fold-thrust belt 3, **302**, 303, 442
dating 322–323
thermal history modelling
 methods 318–319
 results **321**, 323, 324, 325–326, 325
 sampling pattern **319**
 significance of results 326, 329, 331
- Taimyr Peninsula 315, 316, 445, 457
balanced cross-sections
 methods 319, 322
 results 326
 sequential restoration 326, 327, 328, 329
dykes 441, 449
geological setting 316, 317, 318
stratigraphy 320
- Talkeetna arc 86
- Talkeetna terrane 79
- Tas-Arin Formation 242
- tectonic evolution, relation to stress 441–443
- temperature, lithosphere variations 421, 426–429
- thermal geochronology
 Taimyr Peninsula
 methods 318–319
 results **321**, 323, 324, 325–326, 325
 sampling pattern **319**
 significance of results 326, 329, 331
- Timanian Orogen 3
- Timanian orogeny 288, 301, 302
- Timanide Orogen 442
- Timmaq Qoiyok anticline 46, 47
- Tintina Fault 58
- Tkachen Bay pluton 163, 164, 168, 169, **175**
- tomography, comparison of models 424–426
- trace element studies for zircon fingerprint 188, 190, 196, 201
- Triassic
 Arctic Alaska-Chukotka microplate 72, 73
 Bache Peninsula 49
 basin development, Barents-Kara Sea region 305
 Hazen Plateau 44, 44
 fold-thrust belts **302**, 303
 rifting and basin development 449
 Taimyr Peninsula 317
- Trold Fiord Formation 45
- Tromsø basin 304, 305
- U-Pb dating 63
 mafic intrusions 372
- U-Pb zircon geochronology 63
 Arctic Alaska Chukotka (AAC) terrane
 methods 188–190
 results 191–196
 results discussed 197–202
- Brooks Range
 methods 127, **128**, 129
 results 129
 Cosmos Hills 129, 130, 132
 Greywacke-Phyllite Belt 134–135
- Schist Belt 133–134
- Yukon-Koyukuk 132–133
 results discussed 135–137
 Baltican-Laurentian origins 143–145
 exotic terranes 145–146
 Greywacke-Phyllite Belt 138, 140
 Yukon-Koyukuk 138 140–141
 similarities with other terranes 138–140
 source regions 141–143
 summary history 146–148
- Lomonosov Ridge
 methods 402–403
 results 404, 407, 410
- Novaya Zemlya
 methods 339–340
 results 340, 341, 342
 results discussed 344–345
 orogens 348–349
 sediment sources 345, 347–348
- Ural Mountains 420, 443
- Uralian Ocean, opening/closure 288
- Uralian orogen 315
- Uralian orogeny **302**, 303, 329, 355
- Uralides
 curvature 355
 tectonic model 355, 357, 366–368
- Ust' Lena Rift 243, 256, 269–273, 270, 272, 275, 277, 278, 279
- Ust' Yana Graben 273
- Valley pluton granitoids 163, 164, 168, 169, 173
- Varanger-Kola monocline 304
- Velitkinay massif 82, 184, 185, 187
- Verkhoyansk Fold Belt 78, 420
- Verkhoyansk orogen 78
- Vesle Fiord Thrust 21, 22
- Victoria and Albert Mountains 20, 23
- Vilkitsky Island 239
- Wandel Sea Basin 306, 442, 449
- waveform tomography 422–424
- Wegener Fault 48
- West Barents Basin System 442
- West Siberian Basin 449, 457
- West Siberian Rift 72
- Western Beaufort Rift Margin 98–99
- Wootton Intrusive Complex 39
- World Stress Map (WSM) 441, 453–454
- Wrangel Complex 187
- Wrangel Island 58, 76, 84, 159, 184, 185, 187
 deformation history
 methods
 AFT thermochronology 213–214
 ⁴⁰Ar/³⁹Ar 213
 EBSD 214
 mapping 211
 results
 AFT thermochronology 229–230
 ⁴⁰Ar/³⁹Ar 225–229
 EBSD 222–225
 mapping 217–222
 results discussed 230–233
 geological setting 209, 211
 stratigraphy 210

- see also* Arctic Alaska-Chukotka microplate/
microcontinent (AACM)
also Arctic Alaska Chukotka (AAC) terrane
- Yakutat plate 86
- Yelverton Pass, transect segment (2) *10*, 13, 38,
41–44, *41*
- Yelverton Pass pop-up structure 43
- Yenesei-Khatanga Trough *442*, 449
- Yukon-Koyukuk Basin 81, 84, 127
zircon geochronology 132–133, 138, 140–141
- Zhokhov Island *184*, 239
- zircon fission track thermochronology
Novaya Zemlya 342, **343**
- zircon Hf isotopes 127, 135
- zircon integrated isotope studies
Arctic Alaska Chukotka (AAC) terrane
methods 188–191
results 191–197
results discussed 197–202
- zircon provenance analysis
Lomonosov Ridge 402–403, 404, 408–409
- zircon U-Pb geochronology 63
Brooks Range
methods 127, **128**, 129
results 129
- Cosmos Hills 129, 130, 132
- Greywacke-Phyllite Belt 134–135
- Schist Belt 133–134
- Yukon-Koyukuk 132–133
- results discussed 135–137
Baltican-Laurentian origins 143–145
exotic terranes 145–146
Greywacke-Phyllite Belt 138, 140
Yukon-Koyukuk 138 140–141
similarities with other terranes 138–140
source regions 141–143
summary history 146–148
- Novaya Zemlya
methods 339–340
results 340, *341*, 342
results discussed 344–345
orogens 348–349
sediment sources 345, 347–348
- Provideniya-Chaplino region
methods 169
results 169–171
results discussed 172
arc magmatism 174–175
regional correlations 175–177
tectonomagmatic significance 173–174
sampling 167–169
tectonic significance 177–178