

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Abkhazia, source potential 360  
accretion 4, 9, 30, 41, 80, 88, 90, 253  
  *see also* subduction–accretion  
Achara–Trialet Belt 407, 408, 419, 423, 432  
active margin 33, 73, 365  
Adjara–Trialet Belt 330, 337, 341, 344, 419  
Akçakoca gas field 382, 383  
Alcılar section, platform limestone 43–47, 48  
algae 193, 276, 343, 348, 350, 352–354, 356  
  photomicrograph 344, 346, 428  
alkane 276, 277, 352, 353, 354, 356  
alkene/alkane ratio 343, 347, 352  
Alpine Foreland Basin 270, 272–275, 295, 297–300  
amphibole 155, 156, 157  
andesite 136, 446  
Andrusov High 404, 406, 451, 463  
  condensed sequence 444, 447  
Andrusov Ridge 21, 22, 26, 29–31  
angiosperm 311, 320–321, 324, 425, 432  
anoxia 1, 11, 188, 357  
  Holocene 390, 399, 409  
  Miocene 320–324, 326  
  Oligo-Miocene 268, 269, 271–272, 275, 287, 300  
apatite/fission-track age 53, 61, 136, 258  
arc magmatism 41–43, 61, 163–165, 446–447  
arc volcanism 9, 52–55, 241, 382, 384  
Archangelsky Ridge 21, 22, 26, 29–31  
argon Ar/Ar age 43, 87, 357  
aromatic hydrocarbons, Black Sea  
  north-east 343, 347, 348, 352–355  
  western 310–311, 320, 321, 325–326  
asthenospheric mantle 122–126, 165  
Austria, Alpine Foreland Basin 272, 273–274, 297  
Azdavay, geology 76, 77–79  
Azerbaijan 270, 289, 292–293, 295, 297, 298
- Babadag Basin 169, 172, 175, 177  
  Cretaceous 213–214, 217–219, 222–223, 239, 241  
  Late Cretaceous 228–231, 234  
back-arc basin 123, 127, 170, 181, 184, 443, 446  
  opening 90, 95–96, 125  
back-arc extension/rifting 9, 19, 213, 241, 310  
bacteria 300, 352  
Balkan thrust-fold belt 308, 309, 313, 389  
base-level fall, Black Sea 185, 187–202, 447  
basement 10, 34, 35–43, 175, 258  
bathymetry 3, 20, 252, 368  
  Eastern Black Sea 404, 406  
  Han Asparuh block 392, 396  
Belaya River section 286–287, 288, **289**, 298, 331  
bentonite 355  
biogenic gas 449, 454–455, 465, 467  
biogenic opal 285, 309–311, 319, 324–325, 327  
  geochemistry 314–316, 317  
biomarkers, Eocene–Miocene 272, 277, 281–285,  
  288, **339**  
  NE Black Sea 353–355, 356–359  
  offshore Bulgaria 311, 320–326
- bioproductivity 276, 281, 299–301, 327, 357  
biostratigraphy 84–85, 87, 98  
  Central Pontides 41, 43, 45–48, 51, 54–55  
  Istanbul Zone 72, 74–75  
  Ulus Basin 77, 79–80  
bioturbation 224–234  
bituminous beds 84, 280–281, 409  
Black Sea  
  depositional basins 1–4  
  volcanism, SW margin 95–127  
  western shelf, source rocks 307, 308  
blocks, exotic 74–77, 79–82, 84, 87  
Boğaziçi canyon 369, 373–380, 382, 383, 384  
Bogdanov North 312–313, 325  
Bolu Massif, sediment source 258, 260  
Bosporus 199, 384  
Boyabat region 52, 55, 60, 61  
breccia 77, 176  
Bulgaria, offshore 441, 443, 445, 448  
  geology 308–309, 309–310  
  hydrocarbons 260, 300, 329  
  source potential 307–327  
  source rock deposition 389–399  
  wells and play types 455–456, 461–463  
Bulgarian plate edge 467  
Burgas Basin 261  
Bürnük, geology/stratigraphy 85, 86
- Çağlayan Basin, zircon age 241  
Çağlayan Formation 38–39, 42, 58, 79  
  syn-rift sequence 84–85, 86, 89  
  turbidite fan 50–51, 52  
calc-alkaline geochemistry **106–107**, 108–111, 116–126  
  dykes **135**, 148–149, 152, 157–165  
calcite compensation depth 87, 88, 277  
calci-turbidite 54–55, 101, 126, 175  
Cambu Formation 99, 101, 104–127  
  canyon 10, 11, 189, 204, 365–384  
  canyon fill 255, 283, 365, 369, 371–384  
  canyon systems, Pliocene–Holocene 198–202  
Capidava-Ovidiu Fault 223  
carbon *see also* stable isotope  
  number, odd/even preference 352, 353, 355, 356  
  storage 331  
carbonate 50, 53, 62  
  Bulgaria, offshore 311, 314–316, 322, 324–325, 393  
  reservoir potential 428  
  weight % 273–274, 277, 280, 283–285, 288, 291–293  
carbonate platform 7–8, 9, 35, 98, 253  
  Mid Black Sea High 29, 30  
  N Turkey 72–75, 77, 82, 87–90  
  petroleum plays 443, 445, 447, 451–452, 456, 461  
  Eastern Black Sea 412–413, 429, 433  
  Romanian shelf/margin 175, 177–179, 224, 239  
carbonate reservoir 12–13, 424, 460, 463  
Carpathian Basin 252–253, 270, 275–281, 295, 298  
Carpathian orogenic front 187, 192, 200  
Caucasus, uplift 7, 406

- Çavuşbaşı granodiorite/pluton 132, 136, 138, 143, 157  
 geochemistry 149, 151–152, **153**  
 petrogenesis 162, 163
- Central Pontide Supercomplex 34, 35, 38–39, 54  
 stratigraphy 60, 62
- Central Pontides  
 platform limestone 43–48  
 stratigraphy 35–43, 183  
 tectonic setting 33–35, 43, 51–55, 61–62  
 turbidite fan 48, 50–51
- Chaladidi oil field 419, 421, 423–434
- chalk 232, 234, 236, 253, 411, 423
- Chanis River section 337, 340–345, 347, 355, 357–360
- channels, offshore Bulgaria 259
- chaotic deposits 87, 98, 176, 186, 189  
 reflectors 313, 381, 384
- chemical index of alteration 143, 148
- Cimmerian unconformity 443
- Cimmeride Orogeny 41, 42, 69, 170, 173, 217, 239, 241
- climate change 193, 197, 252, 271–272
- clinoform sequence 193, 198, 200, 202
- coal 77, 79, 217, 412, 425, 431
- collision 42, 62, 87, 88, 187, 406, 446  
 continent–continent 7, 55, 61–62, 125, 126, 188  
 ridge–trench 123  
 sequence stratigraphy 202
- compression 22, 126–127, 382, 389, 404
- condensed sequence 444, 447
- conduit of sediment 11, 13, 365  
 Maykop 259–261
- conglomerate 98, 101  
 Pontides, Cretaceous 74, 76, 77  
 Romanian 176, 227–233, 239, 255, 256
- continental–lacustrine deposits 223, 227, 241–242
- cordierite 41, 43
- Cormoran half-graben 222
- Crimea, offshore 181, 283–284, 286, 462, 467  
 reserves 4  
 volcanics 445
- critical risk factors **458–459**, 465
- crustal extension, Eastern Black Sea 445
- crustal structure 7–9, 172, 173  
 Mid Black Sea High 19–31
- crustal thickness 22, 23
- crustal thinning factor 30
- Czech Carpathians 270, 276, 277, 295
- Dacic Basin 193, 195, 196, 197, 198, 200
- dacite 136, 138
- Dağlı section, platform limestone 47–48, 49
- Danube 10, 11, 259  
 gas prospect 465  
 sediments 399, 444, 448  
 Viteaz canyon 199
- debris flow 98, 123, 132, 187, 193  
 Pontides 74, 75, 77, 79, 84, 87  
*see also* mass transport complex
- deep-water, Black Sea 444  
 hydrocarbon play 12–13, 260, 465, 466, 467
- deltaic deposition 55, 61, 84
- depleted mantle 150, 154, 157, 159
- depocentres 2–3, 218, 219–223
- depositional environment 84, 311, 320–326  
 Maikop Group 307  
 Romanian margin 223–234
- Dereköy Formation 98–127
- detachment anticline 413, 417–418, 420
- detrital zircon 85, 89  
 Central Pontides 41, 43, 50, 51, 62  
 Romanian margin 213, 241  
 U–Pb age 234–238
- di- and triterpenoids ratio 272, 311, 314–317, 319
- diabase dykes 136, 143, 157, 165
- diagenesis 352, 353
- diatoms 10, 272
- Dikmen Formation 83, 88, 90
- Dneipr Fan 199
- Dobrogea 3, 214, 241  
 sediment source 252–253  
 U–Pb age, detrital zircon 234–238
- Dobrogea High 200
- dolomite 49, 190, 428
- Domino-1 well 454–455, 465, 467
- drainage and topography 10, 259
- dropcore methodology 390–391
- dyke complex, mafic–intermediate, Istanbul Zone  
 geochemistry 143–155  
 geochronology 131–132, **135**  
 U–Pb zircon analysis 139–143  
 geodynamics 163–165  
 geothermobarometry 155–156, 157  
 petrogenesis 157–163  
 petrography 132–139
- Dynow Marl, source rock 299–300
- Dziruli Massif 408, 412
- earthquake 1968 Bartin 61, 193
- earthquakes, Rioni Basin 418
- East European Platform 42, 51, 62, 70, 170  
 geodynamics 187, 188  
 rotation 241  
 sediment source 85, 89  
 stratigraphy 173, 175–176
- East Lebada field 446
- Eastern Black Sea 3, 330, 331  
 deep-water wells 11–13  
 geodynamics 404–407, 411–413  
 source rock potential 10, 357–360
- Eastern Paratethys, source rocks 268–269, 271–272
- Eastern Ulus Basin 76, 77–79, 88
- Ediacaran, detrital zircon age 235, 238
- erosion 75, 192, 320, 370  
 canyon/channel 366, 378–381
- eustatic value 331
- eutrophication 300, 390
- Euxinic Basin (proto-Black Sea) 193, 195–198
- evaporite  
 drawdown 171, 187, 198, 202  
 Istria Depression 175, 177–180, 192  
 seal 412, 424, 425, 431, 433  
 Upper Jurassic 413, 414, 417–418
- exploration review, Eastern Black Sea 11–13
- exploration, deep-water Black Sea 7, 441–448  
 literature review 9–13, 439, 441  
 wells and play types 448–467
- exploration, Rioni Basin 403, 413, 415, 419–429, 431
- extension 123–126, 445, 446
- extract yield 352, 353

- facies, Maykop Group 248  
 fan delta 48–51, 193, 236, 448, 456, 463–464  
   hydrocarbon play 260  
 faults 61, 185, 220, 222  
   crustal 172, 173  
   listric 189, 194, 198  
   syn-depositional 98, 123  
 fish facies 271, 273, 275, 297  
 fluorescence 341, 344, 346, 348, 350–352  
 Fold-Thrust Zone, Dobrogea Orogen 173–177  
 foraminifera 72, 79, 82  
   Central Pontides 40, 43, 45, 46, 48, 55  
 fractional crystallization 118, 119–120, 122  
   EC-AFC model 161–163  
   trends 113–115, 116–117  
 frontal monocline 414, 426
- gas 12–13, 447, 449, 451, 455, 465  
 chromatogram characteristics 352–353  
 composition 296, 297, 298, **325**  
 hydrate 382, 465  
 Maykop Suite 247, 249  
 Rioni Basin 426–427  
 source 320, 321, 327  
 geochemical proxy 287  
 geochemistry 80  
   analytical methods 104, 139  
   dyke complexes **135**, 143, **144–147**, 148–155  
 geochemistry, source rocks  
   Alpine Foreland–Carpathians 273–274,  
     277, 280, 282  
   Black Sea 279, 284–286, 288, **289**, 291–293  
   offshore Bulgaria 317–326, 393, 399  
 geochemistry, volcanic rocks  
   classification 104, 108–109  
   element data **106–107**  
   tectonic discrimination 109, 111  
 geochronology, dyke complex 131–132, **135**, 148–155  
   emplacement 156–157  
   LA-ICP-MS zircon 139–140, **141–143**  
 geodynamic model  
   Istanbul Zone 163–165  
   Romanian margin 215–216  
   Western Pontides 123–127  
 geological history, Black Sea 4–7  
 Georgia 330, 358  
   offshore exploration 403, 461, 465  
   source rock evaluation 337, 340–345, 347  
 geothermobarometry, dyke complex 155–156, 157  
 Gibraltar channel 192, 202  
 glauconite 50, 74, 223, 225–226, 227–232, 411  
 global cooling 331  
 Gökirmak Fault 61  
 Gondwana 96, 169–170, 253  
 granite 238, 255, 256, 260, 412  
   age 37, 41  
 granitoid, Variscan 253, 256, 258  
 gravity data 19  
 gravity slide 77, 174, 188–189, 194–195, 198, 464  
 Greater Caucasus 7, 330, 360, 407, 412, 426  
   source potential 355  
 Gudauta High 404, 406, 428, 431  
 Gudauta play 461, 467  
 gymnosperm 311, 319, 322, 324
- Han Asparuh block, offshore Bulgaria  
   geochemical data 393  
   geology 389–390  
   sediments and facies 391–393  
 Hanözü, stratigraphy 55, 56–59, 61  
 Harker diagram 110, 112–115, 149, 150  
 high field strength elements 143, 149  
 Histria half-graben 213, 222, 228–229, 234, 241  
   stratigraphy 214, 217, 219, 223, 225, 230  
 Holocene (Pliocene–), canyon systems 198–201  
 Hungarian Carpathians 281–283, 295, 297, 298  
 hydrocarbon evaluation, NE Black Sea 352–355  
 hydrocarbon play 7, 448–465  
   summary **458–459**  
 hydrocarbon potential source rocks 247–249  
 hydrocarbon seeps 329, 431–432, 434, 450  
 hydrocarbon type 297, 298  
 hydrogen index 272–293, 275  
   NE Black Sea **332–335**, 337, 340, 342, 348–352,  
     358, 360  
   offshore Bulgaria 310–311, 314–316, 318–326  
     Han Asparuh block 393  
 hydrogen isotope D 197  
 hydrogen sulphide 1, 271–272, 393
- ichnofacies 224, 227, 229, 230, 232, 234  
 imbrication, tectonic 61, 79, 80, 82, 88, 90  
 İnali Formation 74, 76, 86, 87  
   palaeontology 43–48  
   stratigraphy 36, 38–39, 49, 62, 72  
 İpiri Formation 74, 77  
 Intra-Pontide Ocean 87, 88, 89, 90  
 Intra-Pontide Suture 69–72  
 intraplate/anorogenic dykes 149  
 inversion 22, 211, 213, 461  
   Cenozoic 4, 7, 12, 253, 453  
 island arc basalt 109  
 isochore/time-thickness map 213, 220–222  
 isolation (basin) 192, 202, 274, 277, 317, 327  
   Holocene 390  
 isolation, Paratethys 9, 285, 408  
   second 300–301  
   Solenovian 299–300, 358  
 isotope data **141–143**, 284, 432  
 Istanbul Zone 90  
   dyke complex 131–165  
   pre-rift succession 71, 72, 73  
   stratigraphy 35–39, 47–49, 61–62  
   syn-rift succession 74–79  
   tectonic evolution 87–88  
   volcanostratigraphy 96–104  
 Istanbul, geology map 134  
   terrane map 367  
 Istria Depression 169–204, 173–177  
   stratigraphic sequence analysis 171, 174, 177–204  
   tectonic setting 169–171, 172  
 Izmir–Ankara–Erzincan Suture 89, 163–164
- Kaliakra Canyon 311, 313, 320, 326, 359  
   hydrocarbons 10, 294, 297, 326  
   Oligo-Miocene rocks 283, 285, 314–317  
 Kaliakra Depression 308, 310  
 Kamchia 259, 308, 389  
 Kamchia Foredeep 253, 255, 259, 261

- kaolinite 223, 226, 255  
 Kapanboğazi Formation 85, 87  
 Karaburun canyon 369, 370–373, 382, 384, 463  
 Karakaya Complex 41  
 Karakaya Ocean 69  
 karst 444, 445, 452, 460  
   reservoir potential 428  
 Kastamonu-1 well 453–454  
 Kavaklar Group 132  
 kerogen 272, 275–276, 279–283, 287, 297–300  
   Bulgaria, offshore 317, 319–322, 324–325  
   source rock evaluation **337**, **338**, 343, 360  
 kerogen assemblages 341, 344, 345–348, 350–353, 355–356  
 Kervansaray Formation 8, 78, 79–80, 82, 88, 90  
 Kökyol Formation 99, 101  
 Kuma Formation 457, **458**, 462, 467  
 Kuma Suite 10–13, 331, 340, 351, 357–360  
   source rocks 355, 359, 423–426, 428, **431**  
 Kuma uplift 287, **289**, 297  
 Kura Basin 289, 294, 295, 297, 298, 301  
 Küre Complex 41  
 Kuskayasi structural trap play 463–464  
 Kvaloni anticline 413, 417–418, 430
- lacustrine conditions 193, 197, 198, 223  
 lamprophyre dykes 136, 137–138, 165  
   geochemistry 143, 149–154, 157–160, 162  
 lanthanum La/Yb 148, 149, 160  
 large ion lithophile elements LILE 120, 149, 157  
 Laurasia 35, 41, 42, 61, 96, 123, 126–127, 169–170  
 lava, geochemistry 96, 104–118  
 Lebada play 451, 452, 461  
 Limanköy-1 and -2 wells 448–449  
 limestone platform, Central Pontides 36, 38–39, 43–48, 55  
 Lira-IX well 456–457  
 lithological log *see also* stratigraphy  
   Eastern Black Sea 349  
   Oligo-Miocene 280, 288, 290, 295  
   Rioni basins 409–411  
 loess 224, 226
- maceral analysis 319, 320, 324, 343, 344  
 Macin Zone 175, 177  
 Maeotian sandstone reservoirs 420, 425–426, 427  
 magma chamber processes 161–163  
 magma mixing 118, 119–120, 122, 157–163  
 magma, parental composition 110, 116  
 magmatic history 8–9  
   Easter Ulus Basin 79–83  
 magmatism 35, 41–43, 52, 163–165, 446–447  
 magnetism 55, 189, 447  
 Maikop Group 268, **289**, 291, 297, 300, 307  
   *see also* Maykop Group  
 mantle 122, 154, 159, 447  
   seismic/velocity 23, 30  
   source 8–9, 118–122, 157–160  
 Maria play 457, **459**, 460–461  
 Martin Complex 87–88  
 mass flow deposits 50, 51, 54, 256  
 mass movement 185, 188, 198, 204, 399  
 mass-transport complex 311, 324, 326  
   in deep water plays 445, 448, **458**, 464–465  
   Messinian canyons 365–366, 375, 376–384
- maturity 320  
   NE margin Black Sea 337, 341, 343, 345, 348, 351–359  
   offshore Bulgaria 317, 326  
 Maykop Formation 467  
 Maykop Group, NE Black Sea 413, 423, 432  
   source potential 426, 431, 432, 434  
   *see also* Maikop Group  
 Maykop sequence, Rioni Basin 408–412  
 Maykop Series, NE Black Sea 329–360  
   analysis 354–359  
   Belaya River, type section 329, 331  
   hydrocarbon generation 345  
   source potential 355–360  
 Maykop Suite 448, 452, 461  
   hydrocarbon play 7, 12–13, 450–464  
   provenance 126–127, 252–258  
   source rock 9–10, 247–249  
   tectonic setting 249–252  
   transport pathways 258–261  
 Mediterranean 271  
   base-level fall 191–193  
   rising sea level/flooding 197–198  
 Mediterranean and Black Sea isolation 202  
 Megrelian Depression 330, 337, 360  
 melting curve, peridotite 159, 160, **161**  
 Menilite Formation 268, 275–280, 294, 297, 299–301  
 Messinian canyons, Turkish shelf 365–384  
 Messinian salinity crisis 190–191, 197, 213, 366, 382  
 Messinian sea-level fall 11, 378, 448  
 Messinian Unconformity 171, 366, 369, 375, 382, 448  
 metamorphism 37, 41–43, 51, 80, 88, 123  
   age 35  
   Ulus Formation 87–88  
 metasomatised mantle 122, 124–125, 126, 159  
 methane 465  
 methyltrimethyltridecylchroman ratio 272, 274, 275, 282–284, 287, 288, 300  
 Mid Black Sea High 7, 19–31, 331, 404, 439  
 mid ocean ridge basalt 8, 41, 80, 157, 175  
   N-MORB 111, 122, 149, 151, 158  
   Pontide Magmatic Belt 118, 120–123, 125  
 Moesian microplate 175, 177, 202  
 Moesian Platform 188, 203, 241, 309, 313, 389  
   sediment source 252–253  
   unconformity 181, 183  
 monocline, Greater Caucasus 414, 426  
 mud diapir 375, 378  
 mud volcano 432, 440, 454  
 Mzimta River section 345, 348, 349, 351, 355, 360
- nannoplankton 271, 283, 286, 320  
   age 309, 316–317, 326  
   assemblages 311, 314  
   blooms 275, 276, 299–300  
   preparation 310  
   zones 270, 274, 277, 282, 284, 295  
 neodymium Nd 37, 357, 359, 160, 162  
   *see also under* strontium  
 neotectonics 418, 461  
 Neotethys 6, 87, 188, 249, 310, 408, 443  
 niobium Nb/Yb 158, 159  
 nitrogen *see* stable isotope, nitrogen  
 Noah's Flood 199  
 North Anatolian Fault 69, 382

- North Dobrogea Orogen 169, 173–177  
 North Dobrogea Trough 171, 175–177, 181  
 North Rioni Basin 408–412  
   structure 407, 413–418
- obduction 72
- ocean floor *see* seafloor spreading
- ocean island basalt 120, 123, 126  
   dyke complexes 149, 151–152, 157–159, 165
- ocean-bottom seismometers data 22, 23, 24–25
- oceanic crust 5, 19, 390, 441, 447
- oceanic subduction–accretion 35, 62
- Ochamchira High 404, 406
- oil composition 296, 297, 298, **325**  
 oil exploration 247, 249  
   Rioni Basin 419–434
- oil production index **332–335**, 345
- oil source 320, 321, 421, 434
- oil window 326, 327, 341, 351
- Okumi oil discovery 424–425, 426, 429, 431
- oleanane 425, 432
- olistolith 75, 77, 98, 183, 227, 230, 281, 443
- olistostrome 50, 51, 54, 342, 351
- olivine basalt dykes 136, 137–138, 149, 157–160, 165
- opening, Black Sea 7, 8, 13, 441–443  
   age 19, 22, 447  
   Eastern 445  
   Pontides 51–55, 62, 75  
   Western 6, 90, 123, 165, 181, 215, 241, 446
- ophiolite 34, 35, 41, 54
- Ordu–Pitsunda Fault 404, 406
- organic carbon 390, 391, 399
- oxygen fugacity 155, 156, 157
- palaeo-Bosporus drainage 384
- palaeo-Danube 198–200, 202, 467
- palaeo-Kamchia 10, 254, 255, 259, 261
- palaeocurrent 51, 54, 77, 88–89, 342
- palaeogeography 366  
   Late Jurassic 434  
   North Dobrogea Orogen 239  
   Paratethys 268–269, 296  
   Pontides 42, 89, 90, 240
- palaeogeography, Istria Depression  
   Cretaceous 178–180, 182, 184  
   Neogene 190–192, 194, 196  
   Palaeogene 186, 188  
   Plio-Pleistocene 199–201
- palaeomagnetism 55
- palaeontology 86, 352  
   fauna 231–232, 235  
   flora 271–272  
   *see also* foraminifera, nannoplankton
- Palaeotethys, back-arc basin 69, 87, 90, 170
- palaeovolcano, Cretaceous 406, 440, 442, 446–447, 452–453
- Palaeozoic platform, Romanian shelf 173–177
- palynomorphs 350
- Paratethys 1, 4, 6, 251–252  
   basin isolation 9, 310, 408  
   Early Oligocene 447–448  
   marine ingression 274, 277  
   seaway 185, 187–189, 192, 193, 202, 203  
   Paratethys, Oligo-Miocene source rocks 9–10, 267  
   distribution/palaeogeography 268–270, 296, 299–301  
   Paratethys/Mediterranean, correlation 191–193, 195, 196  
   passive margin 33, 73, 88, 125, 126, 253, 412  
   canyons 204, 365, 384  
   peridotite, melting curve 159, 160, 161  
   permeability 423–424, 426, 427  
   petrogenesis, dykes and stocks 157–163  
   petroleum potential 7, 11–13, 294, 295, 301  
   offshore Bulgaria 325–326  
   petroleum systems 10–11  
   petrology 104, 105, 132, 135–139  
   phase identification 23, 24–25, **26**  
   pillow lava 79–80, 82, 100  
   plate tectonics 4–7, 96, 169–171, 203, 446  
   Pleistocene, sea level change 198–199  
   Plio-Pleistocene canyon system 199–201, 202  
   Plio-Quaternary fill 371–380, 448  
   Polbian Marl, source rock 299–300  
   Polish Carpathians 276, 278, 279, 294, 295, 297  
   Polskhov High 467  
   Polskhov-1 well 455–456, 463, 465  
   Pontide Magmatic Belt 90, 95–127  
   back-arc rifting 95–96  
   geochemistry 104–118  
   geodynamic model 122–127  
   mantle source 118–122  
   stratigraphy 96–104  
   Pontides 3, 5, 258  
   terrane 6, 7, 33, 34  
   *see also* Central Pontides  
   Pontides, N Turkey, Cretaceous  
   evolutionary models 69–72  
   magmatic units 79–83  
   pre-rift succession 72–74  
   syn-rift succession, Istanbul Zone 74–79  
   syn-rift succession, Sakarya Zone 84–87  
   tectonic evolution 87–90  
   unconformity 83–84  
   porosity 423–424, 426, 427  
   Portita Fault 219, 222  
   potassium K–Ar radiometric age 80, 132  
   potential reservoirs, Rioni Basin 426–428  
   pre-salt play 431, 434  
   Precaucasus 286–287, 295, 298, 300  
   pristane/phytane Pr/Ph ratio 272, 274, 277, 300  
   Bulgaria, offshore 311, 314–326  
   Carpathians 280, 281, 282  
   Crimea 284–285  
   Kura Basin 291–292  
   NE Black Sea 352, 354–356  
   Precaucasus 287, 288  
   provenance 8–10, 79, 88–89, 423, 450, 467  
   detrital zircon 234–238, 241  
   pathways, Maykop Suite 252–261  
   proxy data 272, 274, 280, 287  
   pyrite 393, 395  
   pyrolysis gas chromatography 297, 298  
   NE Black Sea 345–348, 350, 352  
   offshore Bulgaria 311, 320, 321  
   pyroxene 155, 156
- radiolaria 41, 79, 80, 82
- rare earth elements **106–107**, 117–118, 120, 157, 160  
   dykes 143, **144–147**, 149

- reconstruction *see* palaeogeography  
red beds 37, 175, 197, 258  
    Pontides 72, 74, 77, 79, 87  
red fluvial conglomerate 223, 224  
redox indicator 272, 281  
reefs 445, 463  
    Jurassic play 433, 434, 457, 460  
research review, Black Sea 2, 7–13  
reserves, hydrocarbon 4, 211, 403  
reservoir potential 84, 127, 249, 428  
reservoir quality 399, 426–428, 447–448, 453  
    risk 450–451, **458–459**, 467  
    and sediment provenance 249, 252–261  
reservoir, target summary 457, **458–459**  
retro-arc foreland basin 55, 253, 281  
rifting 22, 51, 90, 95–96, 390  
    age 72, 211, 241, 310  
    Eastern Black Sea 406  
    history 441–443, 445–446  
    Mid Black Sea High 30  
    Western Black Sea 9, 183, 213, 215  
Rioni Basin 11, 294, 297, 403–434  
    active hydrocarbon systems 431–432, 434  
    geodynamics/geology 404–408  
    Maykop Series 329, 330  
    oil fields/play type 403, 419–431  
    stratigraphy 408–413  
    structure 413–419  
    total carbon content 289, 290  
Rize Fault 406  
Rock-Eval pyrolysis data 279, 287, 310, 320, 325  
    NE Black Sea **332–339**, 340–343, 345, 347–360  
roll-back 90, 127  
Romanian Carpathians 279–281, 294, 295, 297  
Romanian margin, sedimentation study 211–242  
    database 171, 212  
    depocentres 218, 219–223  
    depositional facies 223–234  
    key stratigraphic horizons 213–219, 220  
    U–Pb age dating 234–238  
Romanian sector 454–457, 463, 467  
Romanian shelf 172, 443, 445, 465  
    stratigraphy/tectonic control 169–204  
rotation 241, 406, 467  
rubidium Rb/Sr ratio 37, 132  
Russian Caucasus 330, 345–352, 445  
Russian sector 441, 448, 460–462, 465, 467  
rutile 88
- Sada Formation, magmatic unit 80–83, 88, 90  
Sakarya Cone 444, 448  
Sakarya river, catchment 260  
Sakarya Zone 97  
    collision 87–88, 90  
    stratigraphy 36, 38–39, 61–62  
    pre-rift succession 72–74  
    syn-rift succession 84–87  
    tectonics 70–71  
salinity 271–272  
    proxy 280, 281, 307–308, 309  
    reduced/low 283, 286–287, 299–300, 320  
    stratification 276, 278, 300  
Samotino More wells 307, 308, 317  
sand prospectivity 448, 461, 462
- Scythian Platform 239, 253  
sea level fall 234  
    Messinian 213, 366, 448  
sea level, Oligocene–Miocene 11, 247  
    curve 309, 323  
    fall 307, 319, 320, 326  
    estimate, base Oligocene 331  
Sea of Marmara 193, 366  
seafloor spreading 22, 30, 251  
    age 443, 446–447  
    initiation 8, 19, 234, 249  
seal 457, **458–459**  
sediment conduit 9, 11, 13  
sediment fan, discharge volume 259  
sediment flux 259–261  
sediment quality 247–261, 358, 360, 399  
sediment, Western Black Sea 391  
    pathways 250, 258–261  
    source 252–258  
sedimentation, Romanian margin 211–213  
    depositional facies 223–234  
    detrital zircon dating 234–238  
    reconstructions 238–242  
    stratigraphy 213–223  
sedimentology, well log 225, 228, 233  
seismic data 6  
    canyon systems 365–366  
    offshore Bulgaria 307, 308, 311–317  
    vintage 413, 417  
seismic facies 369–378  
seismic interpretation, carbonate or volcanics  
    452–453, 460  
seismic profile  
    Babadag Basin 218  
    Boğaziçi canyon 374–380  
    Bosporus 379, 383  
    Bulgaria offshore 312–313  
    Histria half-graben 219, 220  
    Istria Depression 179, 182, 186, 191, 194, 199  
    Karaburun canyon 370–373  
    Khobi anticline 417  
    Kvaloni anticline 417–418  
    Mid Black Sea High 21, 27–29  
    Romania–Turkey 216  
    Western Black Sea 442  
seismic refraction experiment 20–21, 22  
seismicity 61, 406, 418  
Senaki detachment anticline 413, 414, 416–417  
sequence stratigraphy, Istria 169–204  
    Sequence 1, Early Cretaceous wedge 177–181  
    Sequence 2 Late Cretaceous, incision and infill  
        181–183, 184  
    Sequence 3 Eocene–Miocene incised valley fill  
        183–185, 186  
    Sequence 4 Miocene shelf-margin erosion 185–188,  
        190–191  
    Sequence 5 Pontian shelf-margin erosion 188–198  
        Pliocene–Holocene 198–201  
    tectonic controls 201, 203  
serpentine 37, 41  
Shatsky Ridge 11, 26, 330, 360, 404–408, 433  
    condensed sequence 444, 447  
    isopach map 432  
    petroleum play 441, 457, 460–461, 467

- shear zone 79, 80, 82  
shelf 202, 378–379, 384  
  incising canyon 368, 370, 381  
Shromisubani field 420–421, 425–426, 450  
Şile-1 well 455  
siliciclastic deposits 13, 355, 408, 409,  
  412, 433, 443  
  turbidite 9, 35, 41, 52, 61–62, 126–127  
siliciclastic dilution 358, 390  
Sinop Basin 52, 54–55, 73, 84, 88–90  
Sinop-1 well 447, 451, 463, 467  
slab roll-back 123–126, 170, 443  
slab subduction 8, 165  
slump 185, 188, 202, 380, 384, 399  
Sochi 345–352, 348, 355  
soft-sediment deformation 80  
Solenovian (isolation) Event 299–300, 358, 360  
Solenovian succession 284  
source potential 310–311, 412  
  Eocene, Maykop Series 355–357  
  Oligo-Miocene 357–360  
source potential index 279, 297, 358, 360  
  SPI values 294, 296  
source rock 6, 10–11, 399, 423  
  age 458–459  
  offshore Bulgaria 307–327  
    Holocene 389–399  
    Rioni Basin 428–429  
source rocks, NE Black Sea 329–360  
  evaluation 337–360  
  geology 330, 331  
  methodology and data 331, 336–337  
source rocks, Paratethys 296, 299–301  
  intracratonic basin 267–268, 269  
  Oligo-Miocene evolution 271–272  
  total organic matter 272–298  
South Caspian Basin, Maykop Series 329  
South Rioni Basin, stratigraphy 411, 412–413  
stable isotope, carbon  
  Miocene–Eocene 339, 343, 348, 351–352, 360  
  Oligo-Miocene 272, 274, 282, 288–293, 299  
stable isotope, nitrogen 272, 274, 282, 289–290,  
  292–293, 299  
steranes 272, 274, 282, 284  
  NE Black Sea 353–355, 357, 359  
Strandja Massif, sediment source 255–258  
stratified water column 457  
stratigraphic sequence analysis 169  
  methods and database 171–173  
stratigraphy, litho- 5  
  Boyabut 55  
  Bulgaria offshore 309  
  Bürnük 85, 86  
  deep-water basins 443–448  
  East European Platform 173, 175–176  
  Messinian 11  
  Oligo-Miocene source rocks 270  
  Pontides 71–79, 99  
    Central 35–43, 45, 49–50, 52, 55–62  
  Rioni basins 409–411  
  Romanian margin 213–234  
  Supsa field 422  
  Turkish margin 71, 73, 214  
  volcanostratigraphy 96–104  
stromatolitic dolomites 190  
strontium  
  Sr–Nd isotope geochemistry 149, 151,  
    153, 154, 157  
  Sr/Sr isotope ratio 163  
structural highs, hydrocarbon play 463  
structural map, Black Sea 404–405, 440  
Subbotina oil discovery 448, 461, 467  
subduction 72, 90  
  geochemical signature 118, 120, 123–126,  
    157–160, 165  
  Neotethyan 6, 87, 249, 310, 443  
  Tethys 8, 96, 127  
subduction–accretion 51, 61–62, 80  
  Black Sea region 34, 35  
  Central Pontides 37, 41, 42, 43, 48–51  
Sudak folded belt 461, 462  
sulphur content, Han Asparuh block 393  
sulphur, TOC/S ratio 272–274, 280, 283–285, 287,  
  291–292  
  offshore Bulgaria 309, 310–311, 314–319,  
    324–326  
Supsa field 420, 421–423  
Sürmene-1 well 452–453, 455  
suture zones 70–71, 96, 133  
  Triassic–Jurassic 173–177  
syn-depositional faults 98, 467  
syn-depositional tectonics 75, 77, 80, 211  
syn-rift hydrocarbon play 13, 451  
syn-rift sequence 75–79, 443–446  
  
tantalum Ta/Yb ratio 120–121, 122  
Tavşantepe diorite 136, 138  
  geochemistry 140, 143, 149–157, 162  
tectonic evolution 87–90  
  Mid Black Sea High 29–31  
  Western Black Sea 251  
tectonic map 3  
  Black Sea 34, 404  
  Central Europe 170  
  Turkey 70, 133, 367  
tectonic terranes, Black Sea 3, 6  
tectonostratigraphy 7–9, 184  
terpane 357, 359  
Tertiary source rock 326  
Tethyan Suture 96  
Tethys Ocean 1, 4, 7–8, 19, 51, 54  
  closure 203, 447–448  
  remnant 169–170  
  subduction 33, 42, 61, 123, 124  
thermo-stratification 300  
thermogenic hydrocarbon 249, 345, 351–354, 449  
thin sections 105, 138, 423, 427–428  
thinning, continental crust 22, 30  
tholeitic field 101, 111  
thorium  
  Th/U age 140  
  Th/Yb values 120–122, 159  
Thrace Basin 257, 260, 366, 367, 382  
thrust–fold belt, hydrocarbon play 461–463  
Tibrinu graben 222–223, 229, 239  
Tomis half-graben 222  
topography and sediment flux 259  
Tornquist–Teisseyre Lineament 169, 170, 173, 175

- Tosya, stratigraphy 60
- total organic carbon TOC
- Bulgaria, offshore 310–311, 314–322, 324–326
  - Han Asparuh block 393, 396
  - NE Black Sea 330, 340–343, 355–360
    - data **332–337**
  - Greater Caucasus 345, 348, 351–352
  - Oligo-Miocene source rocks 272–278
- Trabzon Fault 406
- trace elements 80, 110, 114–118, 120, 122
- data **106–107**
  - dykes **144–147**, 149
- transgression 75
- global, Mid Holocene 390
  - Late Cretaceous 183
- triterpenoids (and di-) ratio 272
- Tsaishi detachment anticline 413, 414–415, 430
- Tuapse Trough 1, 3, 7, 330
- hydrocarbon play 461–462
  - rock evaluation 345, 348, 350–351
- Tulcea Zone 175
- turbidite 13, 34–35, 42, 48–54, 62
- canyon fill 380–381
  - play/reservoirs 249, 252, 260, 453, 456, 461
  - Pontides 74–80, 82, 84, 87–90, 98, 445
- Turkey, Pontides 69–90
- Turkey, volcanism 95–127
- Turkish margin, W Black Sea 365–384
- seismic interpretation 369–384
  - shelf and slope 366–368
  - submarine canyons 365, 369–378
- Turkish sector 441, 445, 448–455, 461–465
- Tyulenovo oil field 428
- Ukrainian sector 445, 448, 464
- Ulisse half-graben 222
- Ulus Basin 73, 75–79
- Ulus Formation 87–89
- Unaz Formation 99, 101
- unconformity 101, 187, 190–191, 197, 213
- break-up 233, 242, 412, 440, 445–446
  - Early Cretaceous 181–183, 184
  - Eocene–Oligocene 311, 313, 447
  - intra-Pontian 193
  - lowstand systems tract 190
  - Messinian 366, 369, 375, 382, 448
  - Oligo-Miocene 307, 448
  - sequence boundaries 201, 202
- unroofing 185, 202
- uplift and erosion 7–9
- Cretaceous, Early 35, 48–51, 62, 84, 98
  - Cretaceous, Late 55, 61
  - Eocene–Oligocene 258
  - Oligo-Miocene 126, 234
  - post-Eocene 53
- Upper Sarmatian sandstone 419, 423
- uranium U–Pb age 35, 37, 132, 139–143, 156
- detrital zircon 234–238
  - valley incision and fill 181, 183–185
- Variscan deformation 175, 253, 256
- velocity modelling 23, 26, 27–29
- vitrinite 319, 320, 321, **337**, 343, 344, 348
- vitrinite reflectance 310, 317, 355
- volcanic glass alteration 426–428
- volcaniclastics 80, 87, 258
- volcanics 8, 176, 445
- Cretaceous 406, 440, 442, 446–447, 455, 467
  - in deep wells 12
  - Pontide Magmatic Belt 96–104
  - Rioni Basin 412, 413, 423
- volcanics or carbonate, seismic 452–453, 460
- volcanism, Black Sea
- NE margin 357
  - stages **104**
  - SW margin 95–127
- Volga-Don, total carbon content 284, 286 295
- water depth 185, 300, 329, 366, 399
- water stratification 276, 390
- well logs
- Histra half-graben 225, 228, 233
  - offshore Bulgaria 326
  - Paratethys 273–274, 277, 280
  - Rioni Basin 422, 424, 425
- well, DSDP 380 171, 190, 193, 195–198
- well, HPX-1 449–451, 461
- wells and play types, deep water 448–457
- wells, scientific research 439, 441
- West Crimea Fault 6
- Western Black Sea 3, 72, 75, 88
- hydrocarbon play 9–10
  - sediment supply 247–261
  - tectonic map 367
  - see also under opening*
- Western Black Sea shelf 301
- bulk parameters 284
  - chromatography 298
- Western Pontide Magmatic Belt 123–127
- see also* Pontide Magmatic Belt
- Western Ulus Basin 75–77, 88
- wide-angle seismic experiment 20, 21–31
- data analysis 22–26
- within-plate field 109–111, 111, 123, **135**, 161
- within-plate lava 116, 120, 126
- XRD data, Han Asparuh block 395
- Yassihöyük-1 well 451–452
- zircon 90, 136
- provenance 79
  - see also* detrital zircon
- zircon geochronology
- LA-ICP-MS 139–140, **141–143**, 156
  - U–Pb age 37, 41, 88, 234–238
- Zonguldak Basin 73
- carbonate platform 74–75