

Index

- acanthodians 2, 44, 51
Acrodelphidae 278
Acrophoca 274
Acteon 258
Actinocamax 176
Actinopterygii 48
adaptation, to low temperature 6
 novel 221
adaptive radiation 6, 7, 257, 267
Aforia 259
Africa 132, 134
agnathans 2, 47, 61
Agorophiidae 276
Alaska 121, 125
 north slope 4
Albian 121, 122, 173–177
Alexander Island 3, 87, 90, 170, 176, 178
Allosaurus 4, 123, 124, 127, 132, 134
Amauropsis 258
ameridelphians 217, 218
 radiation 219
 stagodontid 219
ammonites 4, 156, 190, 198, 213
Amphibia 4, 144
amphipods 260, 264, 297–313
 gnathopods 300
 Iphimediidae 6
 mandible 300
 mouth field assemblages 6
Anacolosa 114, 116, 221, 222
Anacolosodites 114, 116
ancestry, marine mammals 269
angiosperms 100–102, 111, 141, 147, 222
 ancestral 147, 151
 austral taxa 3
 diversity 111
 early 159
 endemic species 111
 herbaceous understorey 223
 high latitude origins 3
 pollen 114–116
Anisian 2, 77
ankylosaur 4
Annelida 144
Antarctic Convergence 5, 243, 271, 277
Antarctic ice-cap 254
Antarctic Peninsula 92, 97, 100–102, 108, 220, 222, 223
Antarctilamna prisca 48
Antarctonchus 51
antiarchs, bothriolepid 2
antifreeze 247, 261, 262
Aptian 122, 134, 173–177
Aquifoliaceae 114
araucarians 3, 89–99, 143, 144, 147, 158, 221, 236
Araucaria 227, 235
arboreal habitats 220
Archaeoceti 6, 272
archaeocyaths 1, 15–28
Arctic 261
Arctic Basin 171, 177
Arctic Canada 214
Arctocephalus 6, 275, 279
Arctoteuthis 171
Arctowski Interglacial 238
Argentina 132, 134, 208, 222
Argentina Range 16
Aristonectes 206, 208
arthropods 198, 213, 220, 257
ascidians 258
asteroids 259
Atlantic Ocean 149
aulacocerids 167
Austral faunas 141, 147, 149, 156, 177
austral fossil record 6
Austral Province 111
Austral Realm 167, 178
Australia 3, 4, 5, 121, 131, 132, 134, 167, 214
 origin of marsupials 217–226
 vegetation trends 224
australidelphians 218, 219, 221, 223
 radiation 219
Australo-Antarctic rift valley 121–130
Austrosaurus 134
Austrotoma 259
Axolla 113
Aztec Siltstone 2, 11, 43, 44

Balaenidae 276
Baltica 2
bandicoots 217, 218
barrier, faunal 134
 geographical 4
Barton Peninsula flora 231
Basilosauridae 276
Basilsaurinae 272
bathyal regions 261
bats 141, 153, 157, 159
Beacon Supergroup 2, 11, 43
Beardmore Glacier 15
Beaupreaidites 114
Beauprea 115, 116, 221, 222
Behrendt Mountains 167
belemnite biogeography 167–182
Belemnitellidae 176, 177, 179
belemnites 4
 body form 178
 Cretaceous distribution in Gondwana 174, 175
 late Jurassic distribution in Gondwana 172
 mode of life 178–179
Belemnopsis 4, 167–179
biochemical ‘dating’ 151
 data 155, 159
biogeographic analysis 56, 58
 data 6
 provinces 220
biomass, modern 260, 276
biostratigraphy 53
biota, Early Cretaceous 121–130
biotic dispersal events 58
biotic links, New Zealand and Antarctica 141–166
birds 4, 159, 198
bivalves 4, 198, 213, 258, 259, 260, 264
Blechnum 235
Bolivia 50, 218
Bombacaceae 3, 114, 222
Bombacidites bombaxoides 114
Bombax 114, 116
bony fish 47

- Boreal fauna 177
 Realm 167
 regions 143
 Boreal-Tethyan belemnite distributions 179
Boreioteuthis 177–178
 borhyaenids 217, 218
 Bortonian 156
Bothriolepis 51, 53, 54
 Botomian 25
 Bowers Mountains 9
 brachiopods 1, 4, 258
 Brazil 219
 Brown Ridge Conglomerate 11
 Bryophyta 92–96, 222
 bryozoa 258, 260
 buccinaceans 6
 buliminids 6
 Byrd Glacier 16
Byssacanthoides 51
- caenolestids 218
 California 212
 Callovian 208
 Cambrian 1, 9–11, 15–28, 29–42
 Camp Ridge Quartzite 11
 Campanian 3, 4, 5, 107–119, 133, 183, 185, 190, 192, 193, 198, 219
 Campbell Plateau 141–166
 Cape Melville Formation 10, 258, 259
Caperea 276
 Carboniferous 2, 142
 Carnarvon Basin, Western Australia 177
Carnotaurus 135
 Casuarinaceae 3, 114
 Cenomanian 132, 135, 219
 Cenozoic 5, 6, 7, 221, 283–296
 early 141–166
 centres of origin 220
 flora 97–103
 cephalopods 1, 185, 213
 origin of 29–42
 ceratodont 4, 134
 Cetacea 6, 270, 276–277
 Cetotheriidae 276
 Chatham Islands 141–166
Cheiracanthus 51
 chelonian 132
Chelycarapookus 132, 135
 Chile 208
 China 1, 54
Chlamys 255
 chondrichthyans 2, 47, 242
 Chubut, Argentina 134
 cidaroids, ctenocidarid 6
 circum-Antarctic current 6, 142, 156, 158, 271, 277
 cladistic analysis 6, 57, 270, 297, 300
 cladogenesis 5, 225
 cladogram 271, 274, 276, 301
Claveria triplex 112
 climates, Cenozoic 5
 cool temperate 149, 156, 158, 219
 cooling 257
 Cretaceous 90
 late Jurassic 145
 late Maastrichtian 116
 latest Cretaceous-early Oligocene 277
 mild and equitable 3
 warm temperate 158
- climatic deterioration 223, 225, 263
 zonation, latitudinal 177
 climatostratigraphy 5
 Cloudmaker moraine 11
Cochlospermum 231, 237, 238
 Cockburn Island 183, 186
 Cocks Formation 11
 colonization, marine fauna 253
 cometary impact 214
 competitive exclusion 279
 conchostrachans 44
Conchothyra 259
 Coniacian 3
 conifers 144, 236
 podocarpaceous 113
 conodonts 54
 continental shelf 254, 256, 258, 271
 cool-water taxa, Eocene 156
 corals 260
 ahermatypic 185, 259
 crabs 259
Cranwellia striata 114
Cranwellipollis 114
 Crashsite Quartzite 11
 crayfish, freshwater 144
 Cretaceous 3, 87, 89–103, 131–140, 141–166, 183
 Early 4, 121–130, 173–177, 185
 epicontinental seas 254
 Late 4, 5, 6, 107–119, 149–151, 173–177, 219–223, 227–240
 Upper 3, 197–215
 Cretaceous-Tertiary boundary 116, 183, 186, 192–193, 198, 289, 292
 erinoids 258
 crocodiles 132, 204, 206, 213, 214
 Cross Valley Formation 185
 crossopterygians 47, 57
 crustaceans, decapods 4, 183–195, 213
 cryptoclidids 5, 197, 199–210, 213
 cryptogams 89, 92, 96
 spores 111, 112
Culmacanthus 51
 Cunoniaceae 221
Cupania 115, 116, 237
 Cupanieae 221, 222
Cupanieidites orthoteichus 115
 cyanobacteria 1
 Cyathaceae 235
Cyatheacidites 3
 Cylindroteuthidae 171, 176, 177, 179
Cylindroteuthis 171
 Cytadela flora 235
- Dacrycarpus* 237
Dacrydium 237
Dacrydium ballansae/bidwillii alliance 3
 dasyurids 217, 218, 223
 decapod crustaceans 4, 183–195, 260, 261, 264
 Deccan Traps, India 214
 deep sea drilling results 153
 deep water, formation at low latitudes 283
 sources 292
Delphinapterus 279
 Delphinidae 274, 276
 Dennstaedtiaceae 235
 desmostylians 270, 277
 Devonian 1, 2, 7, 11, 43–59
 diamictites 258

- Dicotylophyllum* 231, 233, 237
Dicroidium 2, 143, 156
 Dicynodontia 2, 63–84
 cranial functional 65
 ecomorphic diversity 78
 extinction 79–80
 feeding regimens 64
 taxonomic diversity 63–64
 didelphids 217, 218
 Diictodontia 66, 69
 Dimitobelidae 4, 173, 176, 177, 179
Dimitobelus 170, 176
Dimitocamax 177
 dinocyst floras 90, 91
 dinoflagellate cysts 108, 111
 dinoflagellates 192
 dinosaurs 4
 endocast of brain 125
 hypsilophodontid 4, 122, 124, 127
 therapod 122, 127
Diplacanthus 51
Diplodoselache 48
 diprodontians 217, 223
 dispersal capabilities 220
 corridor 2, 7, 89, 102, 113, 116
 routes 7, 56, 116, 222
 land 159
 shallow-water marine 145
 diversification 258
 notothenioids 248–249
 diversity gradients, latitudinal 260–261
 diversity, within-habitat 260
 DNA hybridization 223
 dolphins 6
 Drake Passage 5, 158, 254
 Dresbachian 1
Dromiciops australis 218
 dryosaur 133, 134
 Dufayel Island flora 231
Durvillia 278
 Duvaliidae 4, 171, 177

 East Antarctic ice-cap 256, 258
 echinoderms, 4, 6, 220, 258
 echinoids 198, 213, 259
 cidarid 185
 echolocation 277, 278
 ectothermic organisms 262
 ectotherms, cold water 6
 Egypt 135
 Elasmobranchii 48
 elasmosaurs 197, 208, 210–212, 213
 Ellsworth Land 167
 Ellsworth Mountains 1, 9, 29, 43
 enantiornithine 132
 endemic centres 4
 endemism 297
 endothermic mammals 262
Ennucula 258
 Eocene 4, 5, 155–156, 185, 192, 217, 219–224, 272, 277
 early 5, 219
 latest 6
 middle 6
 Eocene-Oligocene boundary 6, 222
 epicontinental seas, Cretaceous 254
 Ericales 114
 Etadunna Formation 217, 223, 224
 Euaramerica 2

Eubalena 276
 eucalypts, radiation 222, 223
Eucrassatella 258
 Eureka Group 9
 Eurhinodelphidae 277, 278
 Europe, northern 177
 evolutionary ‘cradle’ 89, 107, 116
 centres 56
 trends 1, 4
 extinction event, terminal Cretaceous 214
 extinctions 223, 225
 end Paleocene 289
 Late Cretaceous 214
 rates 221

 fabrosaurid 134
 Fagaceae 3, 114
Fagus 235
 Falkland Plateau 90, 97, 103, 171
 Fammenian 57
 feeding strategies, marine mammals 277
 feeding types, plesiosaurs 213
 fern/bryophyte understorey 223
 ferns 3, 10, 113, 143, 222
 Fildes Peninsula flora 231
 Filicopsida 97–99
 filter-feeding 277
 fish 4, 213, 260, 261, 264
 fish fauna 5, 6, 245, 261
 fish, beryciform 242
 Cenozoic 242
 Devonian 43–59
 evolution of 241–252
 freshwater 144
 Jurassic 242
 late Cretaceous 242
 Palaeozoic 242
 Recent 241–252
 teleost 5
 floras, cool temperate 116
 late Cretaceous-early Tertiary 227–240
 late Mesozoic to Tertiary 5
 tropical 116
 warm temperate 116
 food resources 271
 supply, pulsed 6
 foraminifera 192, 213, 260
 biserial/triserial 292
 deep sea 6, 254, 283–296
 stable isotope composition 256
 trochospiral 292
 forest growth in Antarctica 2, 3, 85–88
 coniferous 3
 cool temperate 222
 habitats, closed 223
 habitats, open 222
 herbaceous understorey 222
 humid, perhumid 3
 forests, Antarctic Cretaceous 89–103
 beech 222
 Fossil Bluff Group 178
 ‘fossil forest’ 85
 fossil record 7, 57
 wood 85, 149
 Franconia Formation 30
 Frasnian 54
 Fremouw Formation 2, 63, 66, 80
 freshwater fauna 4

- frogs, leiopelmatid 4, 133, 158
functional analysis, amphipods 300
- Gabon 3
gastroliths 214
gastropods 1, 4, 6, 158, 185, 198, 213, 258, 259, 260, 264
 terrestrial 144
George VI Sound, benthic fauna 256
ginkgos 143
Gippsland Basin 4, 122
Givetian 2, 54
glacial deposits 5, 258
 history 255
glaciation 5, 131, 254
glaciomarine sequences 258
Glasgow Formation 9
Gleichiniaceae 235
global species pool 7
Glossopteris flora 2, 141–143
gnathostomes 44
Gondwana 1, 4, 7, 9–14, 25, 54, 55, 56, 141–166, 167–182,
 254
 Antarctic-Australasian core 167
 APWP 55
 breakup of 254
 Cretaceous distribution of belemnites 175
 east 4
 vertebrate province 2
 floras 2, 222
 fragmentation 277
 late Jurassic distribution of belemnites 172
 margins, migration route 257
 palaeolatitude 55
 reconstructions 54, 141, 255
Gordon Valley, Triassic fossils 80
Granite Harbour 44
grasslands, development 223
Great South Basin 151
Greenland 56
Groenlandaspis 51, 53
growth rates, slow 6, 263
Gunneraceae 3, 89–102, 114
Gustav Group 178, 185
gymnosperms 3, 99–100, 111, 231
 pollen 113
Gyracanthides 51
- habitat deep water 255
 diversity 221, 225
 limited 245–246
 shallow water 6
 space 6
 structure 225
Handler Ridge 10
Haug Effect 77
Hennig's progression rule 57
herbaceous vegetation 222
Heritage Range 15
heterochrony, high latitude 3, 5, 116, 217–226, 259, 271
heterostrachans 47
Hibolithes-Duvalia assemblage 171, 173
Hibolithes 4, 170, 177, 179
holding tanks 5, 219, 220
Holocene
Holocephali 48
Holyoake Range 16
Homiphoca 274
- homology 270
Hoploparia stokesi 183–193
Hoploparia 4, 5
Horlick Formation 11
Horlick Mountains 2, 11, 43
Humps Island 183, 186
Hydrotherosaurus 210, 212
Hymenophyllaceae 235
hypsilophodontid dinosaurs 4, 122, 124, 127
- ice cap, East Antarctic 223
 Antarctic 6, 155, 225, 254
ice-rafted detritus 147, 149, 256
iguanodontid 132
Ilex 179
India, southern 176
Indian Ocean 4, 149, 158
Indonesia 144
Insecta 144
insectivores, terrestrial 223
interglacial periods 6
interrelationships, marine mammals 269
invertebrate fauna 213
 groups, living 6
Iphimedia 7, 303
Iphimediidae 297–313
 historical biogeography 305–307
island arc 143
isopods 264
Itaboraian Local Fauna 219
- James Ross Island 4, 96, 99, 176
 basin 108, 178
 region 183–195
Jurassic 132, 134, 143–144
 early 3
 Middle 208
 Middle-Late 4
- Kachchh 167
Kakuru 135
kangaroos 217, 218, 223
 macropodine 223
 potoroine 224
Kannemeyeria 63, 73–75
kelp 278
Kentriodontidae 277
'keystone megaherbivore' hypothesis 80
Kimmeridgian 134, 208
Kimmerosaurus 203, 204, 206, 208
King George Island 6, 10, 16, 227–240
Kingoriomorpha 66, 69
Kingoria 63, 66–69
Knighthoconus 1
 hypothesis 32–39
Knighthoconus antarcticus 32
koalas 217, 223
Kogiidae 277
Koonwarra 123, 124
koonwarrids 4
Korumburra Group 122
Kossmaticeratidae 156
Krakow Glaciation 5, 237
krill 213
- La Mesata Formation 183, 185, 242, 259, 272
labyrinthodont amphibian 123, 127
landmasses, distribution 254

- Laternula elliptica* 255
 Laurentia 2
 Legru Glaciation 2, 238
 lepidosaurs 4
 Liliaceae 114
Limopsis 258
Limopsis marionensis 255
Linuparus macellarii 192–193
 littorinids 6
 Lobodontini 274
 lobsters 4, 213
 locomotion, aquatic 213
 rowing 213
 subaqueous flight 213
Loligo 178
 Lopez de Bertodano Formation 4, 5, 108, 183–195, 197, 198, 213
Lophosoria 3
 Loranthaceae 3, 114
 Lord Howe Rise 141–166
 lungfish 4, 47, 134
 Lutridae 270
 Lycopodiopsida 96–97
Lycopodium 123
 lycopods 3, 143
Lygistepollenites 3
 lyrebirds 153
Lystrosaurus 2, 63, 71–73

 Maastrichtian 3, 6, 133, 190, 198, 208, 214, 218, 219, 222, 223, 223, 224
 late, climate 116
 Macropodidae 218, 223
 Madagascar 167
 Malayo-Pacific affinities 155
 Malvinokaffric Province 2, 54
Mammalodon 276
 mammals 141, 153, 159, 262
 marine 6, 213, 269–281
 Maorian province 4, 143
 Marambio Group 178, 185, 190, 192
 Marie Byrd Land 2, 142
 marine fauna, modern 6, 259–263
 marine links, shallow water 159
 Marine Plain 254, 255
 Mariner Group 9
 Marshall Unconformity 278
 marsupials, adaptive zones 223
 arboreal habitat 217, 223
 carnivorous 217
 cohorts 217, 219
 fossil 5, 149, 151
 immunological studies 219
 origin of Australian 5, 217–226
 radiation 5, 219, 223, 224
 Australian 219–224
 South American 219
 Weddellian holding tank 225
 Marsupicarnivora, classification 219
 mass extinction 278
 Matthew's rule 57
 Maud Rise 6, 283
Mauisaurus 210
Mcmurdodus featherensis 48
 megaherbivores 72
Megalosaurus 121
Megaptera 276
 Megapterinac 276

 Melville Glaciation 238
Mesohiolithes 173
 Mesozoic 86–87, 141–166
 marine realms 177
 late 6
 metabolic rates 6, 263
 Metanephrops jenkinsi 183–193
 Metanephrops 4
 Meyeria crofti 192
 microbiotherid 218
 microfossils, switch from calcareous to siliceous 256
 migration pathways, flora 89–103
 routes 4
 Gondwana margins 257
 Millstreet Conglomerate 30
 Minaret Formation 1, 29
Minmi 135
 Miocene 6, 134, 221, 223, 224, 278
 increased aridity 222
 late 6
 middle 6
Mirounga 274
 modern fauna, affinities 262
 mole, marsupial 223
 'molecular clocks' 141, 159, 160, 223
 molluscan fauna, cool temperate 4
 molluscs 156, 220, 258
 Late Cambrian 29–42
 primitive 1
 West Antarctica 29
Monachinae 274
Monarolepis 54
Monimiophyllum 231, 233, 234
 Monodontidae 277
Monodon 279
 monoplacophorans 1
 monotreme 132, 149
 radiation of 160
Morenosaurus 210, 212
 Morrison Formation 134
 mosasaurs 5, 198, 213
 Mozambique Channel 173
Muraenosaurus 203
 Murihiku Supergroup 142
 mussels, freshwater 144
Muttaborrasaurus 135
Myosaurus 63, 71–75
 Myrtaceae 3, 89–102, 114, 222, 223, 229
 Mysticeti 6, 274, 276

 Namba Formation 217
Nassa 258
 Neoaustal marine faunas 142
 Neobalaenidae 276
 Neogene 278
Neohiolithes 170, 173, 176, 178
Neophoca 275, 279
 Neptune Group 11
 Nerriga 222
 Neuquen Province, Argentina 167
 neutral buoyancy 262
 New Caledonia 141–166, 167, 220
 New Guinea 220
 New South Wales, southern 222
 New Zealand 3, 4, 6, 131–134, 141–166, 167, 210, 220, 259
 Greater 144, 145, 147
 South Island 192
 Nimrod Glacier 15

- nodosaurid 132
 nodules, calcareous 199
 North Pole, Cretaceous 147
Nothofagoxylon 228
Nothofagus 5, 89–103, 108, 114, 147, 149, 153, 159, 219, 220, 223, 229, 231, 235, 236, 237, 238, 255, 257
Nothofagus brassi group 114, 116, 221
Nothofagus fusca 114
Nothofagus menziesii 114
Nothofagus pollen 220, 222
 nothosaurs 206
Notoryctes 223
 notothenioids 5, 241–252, 258
 diversification 248–249
Nuculana 258
 nutrient supply 6
- ocean currents 178
 temperatures 214, 222, 223
 Odobenidae 270
Odobenus 275, 279
 Odontoceti 6, 274
 ODP Leg 113 5, 6
 ODP Leg 119 5
 Ohio Range 2
 Olacaceae 114, 221
 Old World tropics 153
 Oligocene 6, 217, 219, 220, 223, 224, 272, 277, 278
 early 5, 6
 late 5
 Oligocene-Miocene boundary 5
Ommatophoca 274, 279
 omnivores, terrestrial 223
 ophiuroids 6, 259
Orcaella 279
Orcinus 276
 Ordovician 1, 10–11
 osteichthyans 2, 47
 Osteolepiformes 47
 osteostrachans 47
 ostracodes 258
 Otariidae 6, 270–276, 275
 Otway Basin 4, 92, 97, 122, 222
 Otway Group 122
 fission track ages 122
 outer shelf/slope habitats 5
 ovenbirds 153
 overland dispersers, obligate 220
 oxygen isotope ratios 122
 levels 6
 Oxyteuthidae 177
- Pagiophyllum* 227
 Palaeoaustrian faunas 142
 palaeoclimatic inferences 86, 116, 227–240
 palaeoecology, plesiosaurs 212–214
 palaeogeographic hypotheses 58
 palaeolatitudes, Late Cretaceous 111
 palaeomagnetic results 141
 palaeomiscoids 48
 palaeotemperatures, Southern Ocean 245
 Palaeozoic 54
 early 1
 Paleocene 3, 4, 5, 107–119, 151–155, 183, 185, 186, 190, 192, 193, 198, 219, 220, 221
 early/late 6
 Paleocene-Eocene boundary 286–287
 Paleogene 4, 183
- palynofloras 3
 endemism 107–119
 heterochroneity 107–119
 provincialism 108–111
 Seymour Island 107–119
 palynomorphs 2, 108, 198, 221, 222
Pambulopsis 51
 Pangaea 2, 214
Panopea 258
 Papua New Guinea 4, 144
 Paradise Cove flora 227–228
Parahibolites 170, 173, 176
 paraphyletic stem groups 2
 passerine birds 153, 157
 Patagonia 144, 258, 259
 Pecten Conglomerate 254
 Pecten Gravels 255
 Pedaliaceae 115
 pediomyids 219
 pelagic animals 212
 pelecypods 185
Pellicaria 259
Peloneustes 203
 peneplanation 144, 151
 penguins 158, 213, 278
Peninsulapollis 115
 Pensacola Basin 254, 255
 Peramelina 223
Peratobelus 176
Perissodonta 259
 Permian 2, 3, 86, 142–143
Perrierina 258
 Petrified Forest Creek flora 235
Phocarcos 275
 Phocidae 270, 274
 phocids, lobodontine 6
 pagophillic 279
 Phocoenidae 276, 277
 phorusrhacoid 133
 photoperiodic ecotypes 87
Phyllocladus 236
Phyllolepis 51, 54
 phylogenetic data 6
 hypotheses 219
Physeter 276
 physiology of cold adaptation 262
Piscophoca 274
 pittas 153
 placoderms 2, 44, 51
 plants, austral 3
Plectronoceras cambria 34
Plectronoceras 1
 plesiosaurs 4, 5, 197–215
 hydrodynamic stability 214
 palaeoecology 212–214
 preparation of bones 199
 Pliocene 5, 192
 pliosaurs 197, 208, 210
 Podocarpaceae 231, 236, 237, 238
 podocarps 3, 89–105, 143, 144, 219, 221, 222
Podocarpus 237
 Point Hennequin flora 235
 polar cooling 6
 habitats 4
 origination events 3
 winter/summer light cycle 3
Polinices 258
 pollen 192, 224

- Polonez Cove Formation 258
 Polonez Glaciation 5, 238
 polychaetes 258, 259, 260
Polycopites langstonii 115
 Polypodiaceae 235
 Pontoporiidae 277
 Porangan 155
 Porolepiformes 47
 possums 217, 223
 Potter Peninsula flora 235
 predators, guilds 213
 large mobile 212
 marine 213
 Pristerodontia 66, 74
Procolophon 131
Produvalia 171
Prolacerta 131
Proneptunea 258
Properitychus 274
Propylipollis 114
 Proteaceae 3, 89–103, 114, 142, 147, 149, 153, 159, 221
Proteacidites 114
 psilotales 143
 psychrosphere 6
 Pteridophyta 231, 235
 pterosaurs 4, 132, 133
 pycnogonids 6, 258
- Quaternary 279
 Queen Elizabeth Islands 214
 Queensland 134
- radiation of taxa 6
 radiation centres, flora 97–103
 radiations, high latitude 257
 rainforests, austral temperate 89–105
 cool temperate closed 5, 221
 Maastrichtian 116
 Rangitata Orogeny 141–166
 ratites 4, 145, 149, 151, 153, 155
 origin of 159–160
 Recent fish 241–252
 relict taxa 4, 270
 relicts 6, 134
 reptiles 2, 143, 144
 diapsids 197, 200
 ectothermic 214
 euryapsids 197
 marine 197–215, 269
 resource partitioning 276, 277, 278
 rhipidistians 47, 48
 rifting 145–149, 153, 158, 159
 Robertson Bay Group 10
 Ross ice-shelf, benthic fauna 256
Rotularia 198
 Ruppert Coast 11
- Salviniaceae 235
 Santa Marta Formation 183, 184, 185, 186, 188, 190
 Santonian 3
 Sapindaceae (Cupanieae tribe) 115
 sauropods 132, 134
 scaphopods 259
 Schizeaceae 235
 Scotia arc 258
 Scythian 75, 76, 131
 sea-floor spreading 149, 151, 155, 156, 157, 159
 seals 212
 crabeater 205
 seasonality of environment 256
 seawater temperature, biological evidence for changes 256
 latitudinal cline in mean 261
 segnosauers 134
 Senonian 3
 Seymour Island 3, 5, 6, 102, 170, 183, 184, 185, 186, 190, 192,
 197, 210, 212, 220, 242, 255, 272–274
 palynofloras 107–119
 Tertiary fish fauna 6
 Shackleton Limestone 1, 9
 shallow water, distribution of 254
 shallow-marine connections 4
 sharks 5, 47, 48, 198
 ctenacanth 50
 hexanchiform 213
 hexanchoid 48
 xenacanth 2
Siderops 4, 134
 Silurian 1, 11
Sirenia 270
 sirenians 277
 Sirius Formation 254
 slugs 144
 snakes 141, 153, 159
 snorkel hypothesis 37
 Snow Hill Island 183, 186
 Sobral Formation 108, 183, 184, 190, 192, 198
 solar energy 3
 South Africa 50, 132, 134
 South America 2, 3, 5, 50, 214, 217, 220, 223
 South Atlantic Ocean 158
 South Pole, early Cretaceous 147
 Jurassic 143
 late Cretaceous 149
 Paleocene 155
 Permian 142
 Triassic 143
 South Shetland Islands 5, 116
 South Tasman Rise 158
 Southern Beech 220
 southern marine fauna 151
 Southern Ocean 6, 141–166, 212, 269, 271, 278
 incubator for evolution 6
 marine fauna, origin of 253–268
 palaeotemperatures 245
 thermal history 256
 southern radiation, Phocidea 275
 spatangoids, schizasterid 6
 speciation events, high latitude 259
 rates 221
 species dispersal 117
 diversification 7
 sphenodontians 4, 132, 133
Sphenodon 143
 spiders 144
 sponges 260
 spores 3, 89–105
 Spurs Formation 9
 Squalodelfidae 277
 Squalodontidae 276, 278
 squid, neretic 178
 oceanic 178
 stable isotope analysis 254
Sterculia 231, 233, 238
Strachycarpus 237
 stratophenetic 270
Struthiolaria 258, 259

- Strzelecki Group 122
 sunlight, low angle of 3
 surface productivity 292
 suspension feeders 259
 sympatric species 276
- Taeniopteris daintreei* 123
 Tasman Sea 4, 141–166
 Tasmania 220
 Tatarian 2, 75, 76
 teleosts 198, 242
 - beryciform 213
 - diversification 214
 temnospondyl 132, 134
 temperature gradients, equatorial-polar 214, 259
 temperature, compensation for 262
 terrestrial biota 220, 256–258
 - fauna 4
 Tertiary 6
 - Early 86–87, 227–240
 - lower 3
 Tethyan gulf 2
 - marine faunas 4, 141
 - Realm 167
 Tethys 167, 177
Tetrabelus 170, 176
 tetrapods 56
 - terrestrial 131–140
 Teurian 155
Thalassomedon 210
 thelodontids 53
 thermal isolation of Antarctica 5, 277
 thermally changing global ocean 7
 theropod dinosaurs 122, 127
 thrushes 153
 thylacines 217, 218
 tillite 258
 titanosaurids 134
 Tithonian 134
 Tiupampa Local Fauna 218, 219
 Toolonga Calcilitite 177
Toradodes 179
 Torlesse Supergroup 142
 Toyonian 25
 trans-Gondwanan migration 178
 - seaway 4, 167, 171, 173
 Transantarctic Mountains 1, 2, 86, 254
 tree ferns 158, 222
 tree growth 3
 trees, annual growth rings 3, 85, 86
 - deciduous habit 87
 - evergreen habit 87
 - productivity 85
 - solar energy input 86
 Triassic 2, 3, 4, 87, 131, 134, 142–143
 trichotropids 6
Tricleidus 203
 trilobites 1
- trochids 6
 trophic considerations, fish 246
 - resources 6*Trophon* 258
 tuatara 143, 147, 158
Turinia 53, 54
Turneria seymourensis sp. nov. 5, 199–210
 Turonian-Santonian interval 177
 turtles 213, 214
Tylospira 259
- Ursidae 270
- Valanginian 121, 122, 134
 Vega Island 183, 186
 vertebrates 43–59
 - terrestrial 5
 Vestfold Hills 255, 274
 vicariance explanations 58
 - paradigm 58
 Victoria 4, 134, 222, 247
 Victoria Land 2
 - North 149
 - southern 43–59
 Wangaloan 155, 259
 Wanwankou Formation 31
 warm waters, salty 284
 warm-water taxa, Eocene 156
 water masses, warm temperate 159
 water temperature, low 245
 wattlebirds 153
 Wawel Interglacial 238
 Weddell Sea 15, 293
 Weddellian marsupial fauna 223
 Weddellian Province 4, 5, 108, 112, 141, 155, 159, 219, 220, 221, 223
 Wesele Interglacial 5, 238
 West Antarctica 4, 29, 220
 whales 6, 212
 Wichaway Nunataks 15
 Wilkes Basin 254, 255
 Winteraceae 3, 89–102
 winters, long dark 3
 Winton Formation 132
 Wipajiri Formation 223
 wombats 217, 223
 worms, serpulid 213
 wrens, New Zealand 151, 153, 155
- xenacanth 50
Xenacanthus 48
- Yoldiella eightsi* 255, 258
Yoldiella sabrina 258
- Zamek flora 229
 Ziphidae 276, 277