

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Aalenian, Mid North Sea doming 218–219
Acadian Orogeny, deformation 317, 319
Acadian Unconformity 319, 323, 324, 325, 348, 352
Achanarras Fish Bed 197, 239, 240, **246**, 249, 262
aeolian sediments
 Appleby Group 303
 Eday Marl 249
 Lower Eday Sandstone Formation 271
 Orcadian Basin 253, 255, 257, 259, 261, 268, 275
 Rotliegend 170, 243
 Yesnaby Sandstone Formation 274
Alma Field 6, 178
Alpine Orogeny 294, 365, 367
Alston Block 52, 162
Anglo-Brabant Acadian deformation 317, 319, 355
Anglo-Dutch Basin 134, 172, 173, 177, 178, 183
 chronostratigraphy 180
 Cretaceous 213
 play analysis 220, 222–223
 reservoir rocks 220
 source rocks 222
 stratigraphic units **182–183**
 subsidence 217
 tectonostratigraphy 196, 204
 Variscan deformation 216
 well analysis 188
 Zechstein Group thickness 207
anhydrite, lower Permian 168–169, 173, 209
Appleby Group 293, 295, 296, 297,
 298, 303, **304**
Argyll Field 5, 6, 173, 181
Arnsbergian, palaeogeography and sediment 108–109
Arundian, palaeogeography and sediment 107
Arundian–Holkerian, lower Elleboog Formation
 sediments 146
Asbian
 palaeogeography and sediment system 107, 108
 reef complex 288, 308
 upper Elleboog Formation sediments 146
Asbian–Pendleian, Yoredale Formation 146–147
Asmussia 262
asphalt, Jura fold-thrust belt 367
Atlantic Ocean 255, 294, 366
Auk Basin 172
Auk Field 6, 7, 155, 170, 173, 178, 181
Auk Sandstone **164**, 168, 170
Auk–Argyll Ridge 183, 193
Auk–Flora Ridge 6, 71, 76, 135
 stratigraphy 180, **182–183**
Autun Basin, hydrocarbon reservoir 366, 369, 370
Autunian shale, hydrocarbon potential 369–370
Avalonia 66, 116–117, 353

Ballagan Formation 95, 98, 107
Baltica 66, 67, 84, 116, 117
 collision with Laurentia 253, 254
Barrule Thrust 282, 285, 288, 289
Basal Anhydrite **164**
 Base Cretaceous Unconformity 171, 180, 181,
 184, 188, 190, 198, 199
 Base Permian Unconformity 31, 117, 134, 149,
 163, 190, 203, 207, 209
 sub-crop map 187
 Base Zechstein Unconformity 181, 185, 198, 199
basins
 intra-platform rift, Greater ESP 210, 225, 226, 227
 thermal relaxation, Greater MNSH 225, 226, 227
Baxters Copse gas field 338, 339
Beatrice Field 178, 197, 223
 source rocks 6, 253, 268
Bentley Field 181, 220, 223, 225
Berw Basin 284, 293
Beryl Embayment 190
Billingham Main Anhydrite **164**
bioherms, Zechstein carbonites 170
bitumen
 Holywell 295
 Lower Eday Sandstone Formation 270–271, 272
 West Orkney Basin 5, 257, 258, 266, 268
 Yesnaby Sandstone Formation 275, 276, 277
Boreal Sea, ZS1 flood waters 166, 172
Borwick Navershaw Fault 275, 278
Boulby Halite **164**, 166, 167, 168
Boulton gas field 18, **20**, 34
 performance **38**, 39
 traps 21, 28
Bowland Basin 284, 285
 shale gas reservoir 51, 282, 309
Bowland Shale Formation 24, 91, 102, 282, 287,
 288, 289, 295, 296, 297
 as potential reservoirs 307–308, 310
 reservoir characteristics **304**, 306
 as source rock 295, 301, 302, 308, 310
 Upper
 source rocks 109
 stratigraphy 102, 103, 104
Breagh Field 1, 2, 7, **20**, 42, 74, 93, 115, 178, 222
 drilling problems 33, 35, 36, 50
 high CO₂ 31
Bressay Field 181, 220, 223, 224, 225
Bresse Graben 365, 366, 379
Brigantian, palaeogeography and sediment system 107, 108
Brotherton Limestone **164**
Buchan Field 6, 178, 199, 215, 220, 223
Buchan Formation 6, 25, 68, 71, 76, 197, 209, 215, 249
 Inner Moray Firth 239, 240–242, 244, 245, **246**
Bunter Sandstone 211, 366, 367
 as reservoir 220, 372–373, 374–375, 376, 378

Cadeby Dolomite **164**
Cairngorm Field 178, 181, 220
Caister Formation 25, 26, 27, **38**, 103
Caister gas field **20**, 21, 35
Caithness Graben 73, 74, 81, 82, 83, 84
Caithness Ridge 74, 81, 82, 84, 243
Caledonian Orogen, collapse 253, 285

- Caledonian Orogeny 157, 189, 215, 282, 285, 352, 353
caliche, Permian, MNSH 161, 166
Cambrian, Weald Basin 348, 350
carbonate reefs 6, 166, 167
Carboniferous
 Anglo-Dutch Basin 193
 East Irish Sea Basin 281–310
 exploration history 6–7, 18
 Forth Approaches Basin 193
 Greater ESP 193, **194**, 203, 205, 215
 Greater MNSH 193, **194**, 203, 205, 215
 Lower, reservoir potential 115
 Orcadian Basin 255
 pre-Westphalian
 UK North Sea stratigraphy 9, 91–109
 basin evolution 105, 107–109
 channel systems 108, 109
 fluvial systems 105, 107–108, 109
 reinterpreted wells 92, 94, 95–104, 109
 Southern North Sea 7, 17–57
 basin geometry 52, 53, 54
 basin tectonics 10, 53, 55–56
 channel sandstones 50–51
 development challenges 35–37
 drilling problems and formation evaluation 32–33, 35
 exploration challenges 31–35
 field performance 37–40
 ‘founding myths’ 4, 18, 40–56
 gas composition 30–31
 gas fields **20**
 marine bands 22–23, 24
 maturation and timing 29–30, 48
 petroleum system 40–56
 prospect definition 31–32, 34
 reservoirs 1, 2, 3, 17, 18, 27
 rift basin evolution 19–20, 22–23
 seals 3, 18, 26, 27–29, 51–52
 source rocks 3, 17, 24, 27, 40–50, 172, 222
 distribution and play fairways 46–47, 47
 isotope data 44–46
 maturity patterns 40–44, 222
 ‘missing gas’ problem 47–50, 56
 stratigraphy 18–24, 25
 traps 18, 21, 27–29
 well cost 37
 Weald Basin 348, 350, 352
Carboniferous Coal Measures, gas source 348, 352
Carboniferous Limestone Supergroup 295, 297, 298
 reservoir characteristics **304**, 306
Carlisle Basin 294
Carnallitic Marl 169
Cavendish gas field **20**, 28, 30, 39, 50
Cementstone Formation 46, 68, 72, 76, 77, 78,
 79, 136, 144
 stratigraphy 95, 98, 99, 102, 106
 wells 96
Cenozoic
 Greater ESP **195**, 196, 213, 220
 Greater MNSH **195**, 196, 213, 220
 Orcadian Basin 255
Central Graben 66, 118, 124–125, 134
 177, 178
 see also Danish Central Graben; Dutch Central Graben;
 proto-Central Graben
Central North Sea 116
 see also UK Central North Sea
Central North Sea Rift Dome 118, 134
Central Ridge 81, 82
Chadian, palaeogeography and sediment system
 107–108
Chaleyriat 1 well 372, 374, 378, **381–382**
Chaleyriat oil discovery 367, 368, 374
Chalk Formation 76, 138, 201
channel sandstones 50–51, 108, 109, 139
Charmont 1 well 370, 372, 374, 376, **385**
Chatillon 1D well 372, 374, **383**
Cheshire Basin 293
Cheviot Granite pluton 85, 162
Chiswick gas field 18, **20**, 35, 50
Clair Field 178, 181, 215, 220, 223
Claymore Field 178, 220, 223
Cleaver Bank High, fault compartmentalization 150
Cleaver Bank Platform 116, 126
Cleaver Formation **38**, 39
Cleveland Basin 93, 183, **182–183**, 196, 204
Cleveland Group
 source rocks 109
 stratigraphy 102, 103, 104, 106, 108
 wells 97
Clopton Fault 323, 326
cloustonite 5, 271
CO₂, gas content 30–31
coal, Westphalian *see* Westphalian Coal Measures
Collington Fault 322
Collyhurst Sandstone Formation 293, 295
compression/extension, North Sea 213–222
Conwy Platform 284, 285, 287
Cormorant Formation 211
Courceyan–Chadian, sediments 144, 146
Craven Basin 296
Craven Group 298–299
Crawford Field 186, 220
Crawford Spur, seismic data 186
Crawford–Skipper Basin 178
 chronostratigraphy 179
 Permian–Triassic successions 212, 217–218
 play analysis 206
 seismic data 186, 212, 223, 224, 225
 time thickness map 210
Cretaceous
 Anglo-Dutch Basin 213
 Greater ESP **195**, 196, 201, 205, 211, 213
 Greater MNSH **195**, 196, 205, 211
 Orcadian Basin 255
 seals and reservoirs 3
 Southern North Sea 30
 thermal subsidence 219
Cromer Knoll Group 211
Crosgan Field 178, 204, 208, 222
Cumberland Coalfield 290
Cumbrian Coast Group 295, 296, 297, 298–299, 304
 as seal 306, 308, 309
Cutties Hillock, Devonian–Permian Unconformity 237,
 238, 244, 249
Cygnus Field 1, 3, 7, 10, 31–32, 42, 115, 169, 170
Cygnus Sandstone Formation 157
 wadi play **164**, 169, 170, 171, 172
 see also Lower Leman Sandstone

- Dalradian sediments 82
 Danish Central Graben, strain partitioning 127
 Dauphine Basin 369, 370
 Deck Anhydrite **164**
 Deemster Platform 284, 288, 292
 desiccation, Permian, MNSH 168, 170, 171
 Devil's Hole Horst 72, 74, 172, 180, 187, 189, 193
 seismic data 200, 201
 Devonian
 broadband dual-sensor seismic data 214
 exploration history 5–6
 fish beds 197, 239, 240, 244, 249, 255, 261, 262, 263
 gas potential, source rocks 348–352
 Greater ESP 193, **194**, 197–199, 203, 209, 215
 Greater MNSH 193, **194**, 215
 Inner Moray Firth, stratigraphy and structure 245, 249
 lacustrine sediments 215, 253, 254, 257, 259–262
 Orcadian Basin 5, 253–254
 Weald Basin 348, 350, 352
 see also Devonian–Carboniferous plays;
 Devonian–Permian Unconformity;
 lacustrine sediments
 Devonian–Carboniferous plays, UK North Sea 10, 65–87
 basin geometry and evolution 70–85
 gravity modelling 69–70
 reservoir 6
 seismic data 8, 67
 source rocks 85–86
 tectonic setting 66–67
 well data 67
 Devonian–Permian Unconformity
 East Greenland 247, 248, 250
 Inner Moray Firth 237–250, 239
Dickosteus thrieplandi 262
 Dogger Bank 168, 193, 201, 216
 Dogger Basin, play analysis 206
 Dogger Granite High 71, 73, 74, 75, 76, 85, 93, 107, 135
 Dogger Pluton 157, 162–163, 165
 Dogger Shelf 172, 173, 180, **182–183**
 faults 191, 192
 play analysis 206
 seismic data 186, 199
 Dogger Strait 217
 dolomite
 Devonian 197
 lower Permian 168–169, 172, 173
 see also Ford Dolomite; Haupt Dolomite; Keuper Dolomite; Roker Dolomite
 Dornoch Formation reservoir 223, 224
 Douglas Field 7, 287, 295
 Dunbar–Gifford Fault 78
 Dutch Bank Basin 73, 86
 Dutch Central Graben 119, 128–129, 134
 Carboniferous–Permian 125–126
 deformation 115, 118
 Devonian–Carboniferous 124–125
 inversion events 127–128
 strain partitioning 126–127
 dykes
 Fleetwood Dyke Complex 294, 308
 and high CO₂ gas 31
 Late Carboniferous 255
 Permian, Orcadian Basin 259, 266
 East Deemster Basin 284, 290, 291
 East Deemster Western Boundary Fault 292
 East Greenland, Permian–Devonian boundary 247, 248, 250
 East Irish Sea Basin 7
 Carboniferous 281–310
 extension–transension 285
 seismic data 282, 283, 286–287
 structural/stratigraphic evolution 285, 289, 291, 293
 Cenozoic inversion 294
 hydrocarbon system 288, 290, 294–306, 309
 basin modelling 301, 303
 burial history 301, 302
 maturation and generation 297, 301
 migration 303
 prospectivity risks 307–309
 reservoir potential 296, 297, 303–306
 seals 306
 source rocks 7, 295, 297, 300
 stratigraphy 295–297, 298–299
 post-Variscan structural evolution 293–294
 pre-Carboniferous structural evolution 282, 285
 Variscan inversion 287, 288, 289, 290, 291, 292, 293, 303
 East Orkney Basin 8, 73, 74, 81, 83, 84
 East Scapa Fault 257, 265, 267, 271
 East Shetland Platform 6, 65, 189
 Greater 177, 178, 179, 181, 183–228
 basins 210
 chronostratigraphy 179
 Devonian extension/compression 215
 faults 189, 190, 191, 192, 196–197, 198
 fluid migration 222, 223–225
 intra-platform rift basins 225, 226
 and hydrocarbon prospectivity 227
 Jurassic 218, 219
 play analysis 206, 220, 222–223
 reservoir rocks 211, 220, **221**, 222
 seals **221**, 223
 seismic data 8, 185, 186, 189
 amplitude anomalies 222, 223–225
 fault analysis 196–197
 fluid migration 223–225
 tectonostratigraphy 197–203, 207, 209, 211, 213
 source rock **221**, 222–223
 stratigraphic units **182–183**
 structural evolution 205
 tectonostratigraphy 193, **194–195**, 196, 213–220
 well analysis 183–184, 188, 193, 196
 Zechstein Group 209, 216–217
 Eday Flagstone Formation 222, 239, 244, 245, **246**, 249
 Eday Group 5, 197, 215
 Inner Moray Firth 239, **240**, 241, 245
 Orkney 256
 Eday Marl Formation 197
 Inner Moray Firth 238, 239, 242, 243, 245, **246**, 249
 Eday Sandstone Formation 239
 Orcadian Basin 259
 see also Lower Eday Sandstone Formation; Middle Eday Sandstone Formation; Upper Eday Sandstone Formation

- Elbow Spit High 118, 128
 Elbow Spit Platform 71, 116, 118, 119, 128, 134
 Devonian–Carboniferous sedimentation 124, 134
 faulting 146
 Carboniferous–Permian 121–122
 Devonian–Carboniferous 120–121
 Jurassic–Paleogene 122–123, 127
 seismic section 120
 inversion events 127–128
 strain partitioning 126–127
 Viséan 134, 135
 Elleboog Formation 25, 136, 138, 139, 146, 148
 Embla Field 6, 178
 Eocene–Neogene, uplift 219–220
 Epen Formation 25, 104, 136
 ergs 161, 170
 Eubonia Basin 284, 288
 Eubonia Tilt-block 284, 285, 286, 289, 293, 308, 309, 310
 Eubonia–Lagman Fault System 285, 289, 291, 310
 extension 123–124, 126, 133, 285
 compression/extension, North Sea 134, 142, 213–222
 Farne Granite 135, 162
 Farne Group 139
 Farne Pluton 157, 171
 Fell Sandstone Formation 46, 68, 72, 76
 provenance 105
 as reservoirs 109, 220
 stratigraphy 98, 99, 100, 102, 106, 108, 136
 wells 96
 Findhorn Siltstone, as Eday Marl 238, 239
 Firth Coal Formation 68, 78, 79, 80
 provenance 105, 108
 source rock 86
 stratigraphy 99, 101, 102, 106
 wells 97
 Firth of Forth 1 well 92, 94
 fish beds, Devonian 197, 215, 239, 240, 244, 249, 255, 261, 262, 263
 Fladen Ground Spur 190, 211
 Jurassic 218
 seismic data 201, 202, 212
 Flagstone Group, Orcadian Basin 259–262
 laminites 262–268
 Milankovitch cycles 262, 264–265
 Fleetwood Dyke Complex 294, 308
 Flora Field 178
 flower structures 27, 72, 127, 294
 fluvial systems
 Carboniferous 105, 108, 109
 Orcadian Basin 253, 255, 259
 Permian 170
 Rotliegend 243
 Southern North Sea 50–51
 Triassic Bunter Sandstone 372
 UK North Sea 105, 107–108, 109
 Ford Dolomite 169
 Ford Formation 166, 167, 168, 172, 173
 Fordon Evaporites 164, 167, 168, 172
 Formby Point Fault 290, 291, 292, 293, 294, 308
 Forth Approaches Basin 65, 66, 72, 74, 77–79, 93
 Carboniferous correlation 99, 105
 chronostratigraphy 180
 play analysis 206
 seismic data 200
 seismic imaging difficulties 67
 stratigraphic units 182–183, 193
 tectonostratigraphy 196
 Frasnian Unconformity 355
 Gainsborough Trough Field 42, 44, 45
 gas
 Carboniferous
 composition 30–31
 high CO₂ 31
 SNS 17–57
 ‘missing’ 47–50
 UK supply shortfall 17–18
 see also oil and gas prices
 Gauss Halvø, Permian–Devonian boundary 247, 248, 250
 Geminospora *lemurata* 239, 240, 241, 262
 Geverik Member 104
 Givetian, Inner Moray Firth 239, 241, 245
 Godley Bridge gas field 335, 337, 338, 339, 340
 Godred Croven Basin 284, 287, 289, 291, 308
 Gogarth Basin 284, 287, 288, 290
 Gogarth Fault 287, 290, 291
 Gondwana 116–117
 convergence with Laurussia 291
 extension and basin formation 117, 133, 134, 216
 Grampian High 74, 102
 gravity modelling, CNS and Orcadian Basin 69–70, 73
 Great Glen Fault 67, 80, 84, 187, 189, 243, 253, 255, 258
 Great Oolite, gas reservoir 335, 337, 338, 339–341, 342
 Greater Moray Firth Basin 179, 182–183
 Greenland *see* East Greenland
 Groningen Field 7, 8, 168
 Groningen High 135
 gypsum, Zechstein carbonate play 169, 173
 Halibut Basin 74, 79
 Halibut Horst 74, 79, 80, 81, 202, 211
 Rotliegend–Buchan boundary 245, 249
 Halibut Horst Fault 187, 189
 Halibut Platform 82
 Halibut Shelf, Rotliegend–Buchan boundary 242, 245
 halite
 lower Permian 27, 168–169, 171, 172, 190, 209, 217
 as seal 294
 halokinesis, Zechstein Group 209, 211, 217, 219
 Hamilton fields 7, 294, 295, 303, 308
 Harder Bjerg Formation 247, 248, 250
 Harra Ebb Formation 272, 274, 275, 276,
 Hartlepool–Werra Anhydrite 166, 167, 172
 Harton 1 well 92, 94
 Haupt Dolomite 168, 169, 208
 Hayton Anhydrite 164, 168
 Helmsdale Fault 80, 84
 Hercynian Orogeny 365
 Highland Boundary Fault 77, 187, 189, 253, 254
 Holkerian, palaeogeography and sediment system 107–108
 Holy Island Shelf 284, 285
 Holywell bitumen 295
 Holywell shales 295
 Hood Field 178, 220
 Horn Graben 116, 126

- Hospital Ground Formation 25, 27
Houton Head, Lower Eday Sandstone Formation
 Reservoir 269, 270, 271–272, 273, **274**
Humbly Grove gas field 335, 337, 338, 340–341, 342
hydraulic fracturing 308
hydrocarbon migration 222, 223–225, 227
 East Irish Sea Basin 295, 303
 Orcadian Basin 257, 259
- Iapetus Ocean 66, 157, 189, 282, 352
 suture zone 66, 84, 189, 285
Inferior Oolite, gas fields 335, **337**
Inge Volcanics Formation 163
Inkberrow Fault 323, 326
Inner Moray Firth Basin 66, 79–80, 82, 84
 gravity anomaly 73
 lacustrine sediments 5, 79
 Old Red–Rotliegend Unconformity 237–250,
 238, 239
 East Greenland analogue 247, 248, 250
 seismic profile 70
 Zechstein Group 244
intra-Zechstein complex 206, 208
intrusions, granitic, MNSH 85, 157, 162
inversion
 Cenozoic, EISB 294
 Dutch Central Graben 127–128
 Mesozoic 30
 Orcadian Basin 255, 257, 259, 266
 Variscan 7, 23, 84, 117, 134
 EISB 287, 288, 289, 290, 291, 292, 293, 309–310
- Jenyon Embayment 168, 172, 173
Jenyon Gap, Zechstein reef complex 155, 166, 171, 172
Johan Sverdrup Field 178, 181, 220
John O’Groats fish bed 239, 243, 244, **246**, 249
Jura Basin 202
Jura fold and thrust belt 365–385, 366
 exploration history 367
 seismic and well data 8, 367–368
 source potential 368
 maturity modelling 371–372
 reservoir 367
 primary 10, 372–373
 secondary 373
 seal 10, 367, 373
 structural modelling 10, 377, 380, 381
 structural history 365–367
- Jurassic
 Greater ESP **195**, 196, 211
 Greater MNSH **195**, 196, 211
 MNSH, uplift and erosion 171, 196, 211, 218–219
 rifting 219
 Southern North Sea 30
- Karst Play 169–170, 172, 173
karstification 6, 306
 Mid North Sea High 171, 173
Kepler accumulation 29, 31
Ketch Formation 25, 26, 27, 31, 34, 35, **38**, 39
Ketch gas field 18, **20**, 31
Ketex discovery 29
Keuper dolomite, as reservoir 373
Keuper sequence 366
 as reservoir and seal 373
Keys Basin 284, 288, 290, 309
Keys Fault 291, 293, 294, 309
Kimmeridge Clay Formation, as source rock 5, 7, 219, 222
Kinderscoutian, palaeogeography/sediment 107,
 108–109
Kirby Misperton 1 well 92, 94, 102, 103, 104
Kirby Misperton Field 49, 51, 52, 308
Kirtomy Nappe 259
Klaverbank Formation 25, 27, 136, 139, 148
Kraken Field 178, 181, 220
Kraken High 190, 211, 212
Kupferschiefer 168
 Inner Moray Firth 239, 240, 243, 244, **246**
 as source rock 150
Kyle Limestone Group 6, 68, 71, 75, 76, 197,
 199, 203, 222
Kyle seismic facies 125
- La Chandelière oil discovery 367, 368, 369, 370,
 374, 375, 376, 377, 378
 1D well 372, 374, 375, **384**
lacustrine sediments
 Devonian 215, 253, 254, 257, 259–262
 Eday Flagstone Formation 245, 249
 Orcadian Basin 5, 197, 215, 253, 254, 257, 259–268
 Permian 170, 244
 as source rock 3, 5, 265–266, 268
 Triassic 211
Lagman Basin 284, 285, 288
Lagman Fault 288, 290, 293, 294
lagoons, MNSH 155–156, 161, 167, 173
Lake District Boundary Fault 289, 290, 293
Lake Orcadie 254, 255
 flagstone cycles 259, 260, 261–262
 sub-basins 265, 268
laminites, Orkney 259, 260
 deposition timescale 262–265
 source rocks 265–268
 maturity 266, 268
 quantity and quality 265–266
Lammermuir Fault 78
Lancaster Fells Basin 309
Lancaster Field 220
Larne Basin 293
Late Cimmerian Unconformity 219, 294, 301
Laurentia 116, 117, 353
 collision with Baltica 253, 254
Laurussia, convergence with Gondwana, extension and
 basin formation 117, 133, 134, 216
Leman Sandstone Formation 1, 7, 18, 170, 220
 see also Cygnus Sandstone Formation; Lower
 Leman Sandstone
Lennox Field 7, 294, 295
Ligurian Ocean 366, 367
Llandovery–Ludlow sequence 320, 321, 323
Loch Eil Group 259
Loch Ryan Fault 294
Lons Le Saunier gas discovery 367, 368, 369, 370, 373
Lossiemouth magnetic anomaly 73, 82
Lower Eday Sandstone Formation 239, 245, **246**,
 249, 257
 Houton Head Reservoir 269, 270, 271–272,
 273, **274**

- Lower Evaporite Group **164**
 Lower Germanic Trias Group *117*
 Lower Leman Sandstone 166, 170
 Lower Magnesian Limestone **164**, 166
 Lower Permian Yellow Sands 168
 Lower Rotliegend Group *117*, 150, 168, 170, 209
 Lower Strath Rory Formation *239*
 Lower Stromness Flagstone Formation 253, 256, 259, 261, 265
 laminites 262, 264
 seal *273*, *274*, *275*, *277*
 Lyne Formation 95, 107
- magmatism, Late Carboniferous–Early Permian
 117, 126
- Malvern Line 321–322, 323, 325
 Manx Platform *284*, 289, 308
 Manx–Furness Ridge *282*, *284*, 307
 Marine Bands 22–23, 24
 Mariner Field *178*, 180, 181, 220
 Marl Slate **164**, 168, 169
 Maryport Fault 291, 294
 Menai Strait Fault Zone 282, 285
 Mercia Mudstone Group 308
 Mey Fish Beds 262
 Mid Cimmerian Unconformity *180*, *188*, *201*, 211, 218
 Mid North Sea
 hydrocarbon potential 115
 Jurassic doming event 218–219
 structural evolution 117–118
 Viséan–Namurian stratigraphy *135*
 Mid North Sea High 18, 19, 66, 71–74, 84, 93
 basaltic volcanism 163
 Carboniferous 104–105
 chronostratigraphy *180*
 geological history 157
 granitic intrusions 157, 162
 gravity anomalies 157, 162–163
 Greater *177*, *178*, *180*, 181, 183–228
 faults *191*, *192*, 196–197, *198*
 intra-platform rift basins 225, 226, 227
 intra-Zechstein complex *208*
 Jurassic 218, 219
 play analysis *206*, 220, 222–223
 reservoir rocks 220, **221**, 222
 seals **221**, 223
 seismic data 185, *186*, 189
 fault analysis 196–197
 tectonostratigraphy 197–203, *204*, 207, 209, 211, 213
 source rocks **221**, 222–223
 stratigraphy **182–183**, 190, 193
 structural evolution 205
 subsidence 217
 tectonostratigraphy 193, **194–195**, 196, 213–220
 thermal relaxation basins 225–227
 Triassic, thickness 211
 Variscan deformation 216
 well analysis 183–184, *188*, 193, 196
 Zechstein Group *207*, 216–217
 karstification 171
 Main **182–183**, *206*
 Permian 155–173, *161*
 exploration history 168–169
 stratigraphy **164**
 uplift *165*
 Zechstein Sea 166–168
 seismic data 67, 157
 south, Carboniferous strata *99*, *103*
 structural evolution 157, 162–163
 Triassic, overburden loading 171
 well data **158–160**, *161*
- Middle Devonian seaway 124–125
 Middle Eday Sandstone Formation 245, **246**
 Middle Magnesian Limestone **164**, 166, 169
 Middle North Sea Group *117*
 Middle Rotliegend Conglomerate Formation 239
 Middle Salt **164**
 Midland Valley of Scotland *74*, *77*, *79*
 Midlands Microcraton 317–330, *319*, 353
 Paleozoic seismic megasequences 318, *319*, 320
 migmatite, Orkney 259
 migration
 gas, Southern North Sea 29–30, 48
 hydrocarbon 222, 303
 Milankovitch cycles, Orcadian laminites 262, 264–265
 Millennium Atlas
 nomenclature 9
 Rotliegend–Old Red Group boundary 240, 241–242
 Millstone Grit Formation 22, 25, 27, **38**, 289, 295, 296, 297, *300*
 provenance 105, 108–109
 as reservoirs 109, 298–299, 310
 characteristics **304**, 305–306
 as source rock *301*
 stratigraphy *99*, *103*, 104, *106*, *135*
 wells 97
- Moine sedimentary rocks 259
 Moine Thrust *254*
 Molasse Foredeep Basin 365, 366, 367, *379*
 Môn–Deemster Basin *284*, 286–287
 Môn–Deemster Fold Belt *287*, *288*, 289, 291, 292, 293, 303, 308, 309, 310
 Moray Firth Basin 66, *177*, *178*
 see also Greater Moray Firth Basin; Inner Moray Firth Basin
 Morecambe fields 7, 282, 294, 297, 308
 mud, formulation in drilling 33, 35
 Murdoch gas field 18, **20**, *21*, 37, **38**, 39
 Murdoch Sandstone Formation 27, **38**
 Muschelkalk 366, 367, 373
- Namurian
 Mid North Sea, stratigraphy *136*
 northern Dutch offshore
 geological evolution 147
 hydrocarbon potential 133, *134*, *135*
 maturity measurement 141–142
 reservoirs 139, *140*, *141*, 147
 source rocks 138, 139–141, 147–150
 traps and seals 150
 well data 137–139
 well correlation *144*
 Southern North Sea 22, 23, 24, 25, 26, 27
 hydrocarbon potential 10, 133, *134*, *135*
 shales 45, 46
 Nathorst Bjerg, Permian–Devonian boundary
 247, *248*, 250

- Neogene, Southern North Sea 30, 219–220, 223
- Ninety-Fathom Fault 76
- nomenclature 9, 24, 92, 157, 170
- North Channel Basin 284, 288, 289, 291, 293, 307, 308
- North Dogger Basin 71, 72, 73, 74, 75, 85, 93, 135, 204
- seismic section 76, 201
- stratigraphy 193
- North Dogger Horst 71, 75, 76
- North Dogger Shelf 180
- North Elbow Basin 116, 119, 121, 123–124, 128, 134, 145
- North Scapa Fault 257, 259, 272
- North Sea *see* Mid North Sea; Southern North Sea; UK Central North Sea; UK Northern North Sea; UK Southern North Sea
- North Swiss Basin, hydrocarbon reservoir 369–370
- northern Dutch offshore 119
- faults 118–129
- geological evolution and paleogeography 142–147
- hydrocarbon potential 128
- structural development 115–129
- Viscan and Namurian hydrocarbon potential 133–151
- maturity measurement 141–142
- reservoirs 138, 139, 140, 141, 147
- seismic and well data 137
- source rocks 139, 141, 147–150
- traps and seals 150
- well correlation 142, 143, 144
- well results 137–139
- Northern Permian Basin 7, 178, 189
- Jenyon Gap 155, 166, 171, 172, 217
- Rotliegend 170
- Northumberland Basin 285, 308
- Northumberland Trough 46, 53, 74, 75–77, 78, 93
- intrusions 85
- Obrutschew Bjerg, Permian–Devonian 247, 248, 250
- Ogham Inlier 290, 293
- Ogham Platform 284, 285, 292
- oil and gas prices, Carboniferous discoveries 18, 35, 36, 37
- oil shale, Southern North Sea 24, 26, 46
- Old Red Sandstone Group 197–198, 209, 215
- boundary with Rotliegend Group 237–250, 239
- East Greenland 250
- Inner Moray Firth 237–250
- Oxfordshire Coalfield 323, 324
- as reservoirs 220
- Oldhamstocks Basin 72
- oolite sediments 166, 167, 168, 169, 170, 172, 173
- see also* Great Oolite; Inferior Oolite
- Orcadia Formation 68, 82, 84, 197, 215
- source rock 85, 86, 222–223
- see also* Upper Orcadia Formation
- Orcadian Basin 10, 66, 178, 189, 253
- burial history 266, 270
- Devonian–Carboniferous plays 65–87
- fault movement 255, 256, 257, 259, 267, 268
- geology 256, 267
- half-graben systems 253–254
- inversion 255, 257, 259, 266
- lacustrine sediments 5, 197, 215, 253, 254, 257, 259–262
- petroleum system 253, 257, 259
- source rocks 265–266, 268, 269
- stratigraphy 193
- structural history 253–255
- Orkney
- burial history 266, 270
- geology and stratigraphy 256
- onshore faults 255, 256
- reservoir outcrops 268–275, 276, 277, 278
- stratigraphy and depositional environment
- basement 259
- flagstone cycles 256, 259, 260, 261–262
- lacustrine sediments 259–262
- West Mainland Anticline 266, 267, 269–270
- Orkney Flagstone Group 256, 259, 260, 261–262, 265, 269
- Ormskirk Sandstone Formation 294, 296, 308–309
- Oslo Graben 116, 117, 126
- Osteolepis panderi* 262
- Outer Moray Firth 79, 93
- Tournaisian–Namurian stratigraphy 91–109
- Outer Rough Basin 134
- Oxfordshire Coalfield 323, 324, 326
- Oxfordshire Thrust Belt 323, 326, 330
- Paleogene, thermal subsidence 219
- Paleozoic plays
- basin evolution, and prospectivity 10
- exploration 10
- gas potential, source rocks 348–352
- reservoir 3, 9–10
- risk 4, 18, 37, 222, 307–309
- seal 3, 9–10
- seismic data 8
- source rock 3, 9–10
- stratigraphic and facies complexity 9
- structural complexity 7–8, 18
- Palmerwood gas field 338, 339
- palyonology, Eday Group 239, 240, 241, 245
- Pangaea 117, 118, 163, 216
- extension 293
- Passage Formation 104
- Peel Basin 284, 285, 288, 289, 291, 293, 294, 307, 308
- Pegasus gas fields 21, 27, 28, 50
- Pendle Monocline 285
- Pendleian, palaeogeography and sediment 107, 108, 296
- Pennine Coal Measures 295, 296, 297, 298–299
- reservoir characteristics 304, 305, 309, 310
- as source rock 301
- Permian
- Anglo-Dutch Basin 193, 217
- base unconformity 19, 31, 34
- exploration history 7
- Greater ESP 193, 194, 196, 203, 205, 207, 209, 212, 217, 225–227
- Greater MNSH 193, 194, 196, 205, 207, 209, 225–227
- Mid North Sea High 155–173, 217
- Piper Shelf 193, 209, 210, 217
- seals and traps 3, 27–28
- sedimentation 134, 216–217
- Permian Basin *see* Northern Permian Basin; Southern Permian Basin
- Permian–Triassic, subsidence and hydrocarbon prospectivity 225–227
- Peterhead Basin 74, 93
- Peterhead Ridge 81, 82
- Piper Field 178, 223

- Piper Shelf 190
 Permian–Carboniferous depocentres 209, 210
 Permian–Triassic faults 218
 seismic amplitude anomalies 223
 seismic data 199, 200, 201, 202, 203
 stratigraphy 193
 time thickness map 209, 210
- Platten Dolomite 37, 167, 169, 172, 173
- playas
 Orcadian Basin 259
 Permian, MNSH 161, 163, 166, 170
- polyhalite 168, 169
- Pontesford Lineament 317, 319
- Portland Sandstone, gas fields 335, **337**, 338
- Portmahomack, Devonian–Permian Unconformity 249–250
- Portpatrick Basin 291, 293
- Portpatrick Fault 294
- Posidonia Shale Formation 116, 149
- Post-Triassic erosion and karstification 171
- prospect definition, Southern North Sea Carboniferous 31–32
- proto-Central Graben 124–126, 163
- Q29 Basin 74, 93, 193
- Quadrant 109 Arch 288, 289, 292, 308, 309
- Quadrant 109 Syncline 284, 285, 288
- Raisby Formation 166, 167
- Ramsay–Whitehaven Ridge 289, 290, 291, 294
- Rathlin Trough, hydrocarbon potential 307
- Ravenspurn Field 10, 18
- Ravenstonedale Group 298
- red beds, Carboniferous 27
- reefs 166, 167, 168, 170
- remigration, gas, Southern North Sea 30
- Rhabdosporites langii* **240**, 241
- Rhaetic gas reservoir 339–341
- Rheic Ocean 117, 157, 215
- Rhenohercynian Terrane 318, 319, 353
- Rhyl Field 294, 295
- Ribble Estuary Inlier 292, 293, 308
- Ribblesdale Foldbelt 282, 308, 309, 310
- rift basins, Carboniferous, Southern North Sea 19–20
- rifting
 Carboniferous–Permian, Orcadian Basin 255
 Late Jurassic 219
- Ringkøbing-Fyn High 170, 172
- risk, Paleozoic plays 4, 18, 37, 222, 307–309
- Roker Dolomite **164**, 166, 167, 169
- Ronchamp Basin 369, 370
- Rookhope Borehole 162
- Ross Granite 238, 243
- Rotliegend Basin 242, 243–244
- Rotliegend Group **194**, 203, 204, 209
 boundary with Old Red Group 237–250, 239, **246**
 gas accumulations 17, 115
 composition 30–31, 44, 45
 migration 30
 reserve development 37
 igneous episodes 217
 Inner Moray Firth, thickness 247
 play fairway 7, 9, 10
 reservoirs 1, 2, 220
 sedimentation 134, 243–244
 stratigraphic nomenclature 157
see also Lower Rotliegend Group; Middle Rotliegend Conglomerate Formation; Upper Rotliegend Group
- Rousay Flagstone Formation 256, 261–262, 266, 272
- Saalian Unconformity *see* Variscan Unconformity
- sabkhas 7, 161, 166, 168, 169, 172, 173
- Sacquoy Sandstone Member 262
- St Patrick Fault 294
- salinas, Permian 161, 166, 167, 168, 169, 172
- Saltfleetby gas field 18, **20**, 21, **38**
- Sandsting Granite 266
- sandstone
 as reservoir 6, 220, 222
 Rotliegend Group 7
- Sandwick Fish Bed 255, 256, 261, 262, 263, 267
- Sapropelic Dolomite 173
- Schooner gas field **20**, **38**, 39
- Scremerston Formation 25, 27, 46, 67, 68, 71, 72, 76, 78
 reservoir rocks 220
 source rock 85, 86, 109, 139, 148, 222
 stratigraphy 99, 100, 106, 108, 136
 wells 96
- Seaham Dolomite 169, 173
- Seaham Formation 166, 167, 168, 169
- Seal Sands No.1 well 47, 92, 94, 104
- seaways
 Jenyon Gap 155, 166, 171, 172
 Middle Devonian 124–125
 Zechstein–Dogger Bank platforms 217
- Selker Rocks Anticline 290
- shale
 Carboniferous seals 51–52
 lower Permian topseals 27
see also oil shale
- shale gas, Bowland Basin 51
- Shelveian Unconformity 319, 320–323, 324, 352
- Sherburn Anhydrite **164**
- Sherwood Sandstone Formation 294, 296
- Silverpit Basin 74–75, 93, 134, 178, 183, 204
 Lower Permian sedimentation 163, 165
 Tournaisian–Namurian stratigraphy 91–109
- Silverpit Formation 18, 26, 27, 33, 170, 220
 seal potential 7, 128, 134, 138, 150
 well casing 37
- Silverpit Lake 7
- Sleipner Terrace, seismic data 202
- Smith Bank Formation 211, 223, 245, **246**
- Smith Bank Graben 73, 74, 79, 81, 82, 84
- Smith Bank High 80, 81, 84
- Sneaton Halite 166, 167
- Sole Pit Field 42
- Solway Basin 284, 285, 289, 290, 291, 293, 294
 hydrocarbon prospectivity 306–307, 308
- source kitchens, Southern North Sea 30
- South Buchan Basin 73
- South Halibut Granite 73
- South Viking Graben 178, 179, 181, **182–183**, 202
- Southern North Sea
 gas migration 29–30, 48
 structural evolution 117–118
see also UK Southern North Sea

- Southern Permian Basin 7, 8, 166, 169, 177, 178, 189
 Jenyon Gap 155, 166, 171, 172, 217
 Rotliegend 170
 Variscan deformation 216
- Southern Uplands Fault 77, 187, 189
- Stensjö Bjerg, Permian–Devonian boundary 247, 248, 250
- Step Graben 119, 121, 122, 128–129, 134
 deformation 115, 118, 125
 formation 126
- Stephanian shales and coal, source potential 369, 370
 strain partitioning, Dutch Central Graben 126–127
- Strangford Shelf 284, 289
- Strath Rory Formation 197, 239, 240
- stratigraphy, pre-Westphalian, UK North Sea 91–109
- stromatolites, Orcadian Basin 260, 265
- Stromness Flagstone 84, 267
see also Lower Stromness Flagstone Formation; Upper Stromness Flagstone Formation
- Stromness Granite 256
- Struie Formation 84, 85, 197
- subsidence, Permian–Triassic
 Greater ESP and MNSH 196, 217, 225–227
- Symon Unconformity 319, 323, 325
 synaeresis cracks 261
- tachyhydrite, Permian, MNSH 167, 168
- Taconic Orogeny 259
- Taghanic aridity event 245
- Tail End Graben 134
- Tartan Field 223
- Tayport Formation 68, 71, 76, 79, 144
 stratigraphy 95, 99, 102, 105, 106, 136
 wells 96
- tectonics, polyphase, North Sea 213–220
 tectonostratigraphy 215–220
- Teesside Pluton 157
- Ten Boer Member 27
- Tethys Ocean 172, 366
- tilt-blocks, East Irish Sea Basin 284, 285
- tilting, Neogene, Southern North Sea 30, 219–220, 223
- Top Basement 68, 80, 81, 82
- Tornquist Ocean, closure 66, 352
- Tortworth Inlier 328
- Tournaisian, palaeogeography and sediment 105, 107
- Tournaisian–Namurian, UK North Sea stratigraphy 91–109
- traps
 stratigraphic 181, 220
 structural 7–8, 21, 81, 220
- Tremadoc Basin 326–328, 330
- Tremadoc shales 318–321, 323, 325, 326–328, 330
- Trent gas field 20, 27, 38, 39, 50
- Triassic
 Greater ESP 195, 196, 205, 212, 218, 225–227
 Greater MNSH 195, 196, 205, 211, 218, 225–227
 Mid North Sea High, overburden loading 171
- turbidites 50, 51, 306
- Turbot Bank Anhydrite Formation 166, 167
- Tyne gas field 20, 38
- Tynwald Basin 284, 285, 289, 290, 309
- UK Central North Sea
 Devonian–Carboniferous 65–87, 66
 basin geometry and evolution 70–79
 gravity modelling 69–70, 72
 seismic data 8, 67
 source rocks 85–86
 stratigraphy 68
 well data 67
- UK North Sea, Carboniferous 91–109
- UK Northern North Sea
 Devonian–Carboniferous plays 65–87, 66
 basin geometry and evolution 74, 79–85
 gravity modelling 69–70, 73
 seismic data 67
 source rocks 85–86
 stratigraphy 68
- UK Oil and Gas Authority, seismic programmes 181–189
- UK Southern North Sea
 Carboniferous
 burial history 29–30, 48, 49–50, 55–56, 188
 exploration and development 7, 17–57
 ‘founding myths’ 4, 18, 40–56
 stratigraphy 18–24
 subcrop mapping 18, 19, 31–32, 42, 92, 187
 gas basin 7, 22
- uplift
 Carboniferous–Early Permian 117, 207, 303
 Orcadian Basin 255, 257, 259
 Eocene–Neogene 219–220
 Jurassic 196, 211
 Neogene, Southern North Sea 30
 Variscan 216
- Upper Anhydrite 164
- Upper Eday Sandstone Formation 239
- Upper Magnesian Limestone 164
- Upper Orcadia Formation 242, 243, 246, 249
- Upper Permian Zechstein 170–171
- Upper Rotliegend Group 117, 126, 128, 134, 209
- Upper Stromness Flagstone Formation 256, 259, 261, 266
- Uralian Ocean basin closure 291
- Urania Graben 119, 122, 126, 128
- Usk Basin 321
- Utsira High 178, 181, 189
- Valempoulieres gas discovery 367, 368, 369, 373
- Variscan Front 309, 317–318, 319, 327, 328, 353, 357
- Variscan Orogeny 84, 117, 134, 157, 207, 216
 deformation 216, 326, 327, 328, 352, 353, 355, 357, 361
 EISB inversion 8, 287, 288, 289, 290, 291, 292, 293, 303, 309–310
 traps and seals 27, 28–29, 30
- Variscan Unconformity 179, 180, 184, 188, 207, 209, 216, 296, 297
 MMC 319, 323, 326, 327, 328, 330
 subcrop map 329, 330, 352, 354, 355
see also Base Permian Unconformity
- Viking Graben 116, 118, 177, 178, 212
 faults 190, 191, 192, 196–197
see also South Viking Graben
- Visean
 Mid North Sea, stratigraphy 136
 northern Dutch offshore
 hydrocarbon potential 133, 134, 135
 maturity measurement 141–142
 reservoirs 138, 139, 140, 141, 147
 source rocks 138, 139–141, 147–150

- Visean (*Continued*)
 traps and seals 150
 well data 124, 137–138
 well correlation 142, 143
 Southern North Sea 22–23, 25, 26, 27, 32
 hydrocarbon potential 10, 133
 sedimentation 134
 vitrinite reflectance data, Carboniferous 40–41, 43, 44, 49
 volcanism
 Late Carboniferous–Early Permian 134, 163
 Paleocene 294
- wadis, Permian, MNSH 157, 161, 163, **164**, 166, 169, 170, 172
- Walls Boundary Fault 187, 189, 255
- Warwickshire Group 286, 291, 295, 296, 297, 298, 325, 326, 327
 reservoir characteristics 303, 305, 309, 310
- Watt gas field **20**, **38**, 39
- Weald Basin 333, 334, 335
 chronostratigraphy 336
 gas potential 333–361
 gas charge timing 335, 337, 339–341
 gas type 335, **337**, 339, 340
 generation zone 360, 361
 maturity 355, 357, 358, 359
 origin of gas 343–348
 biogenic 339, 343
 exsolution 343, 345
 Jurassic 343, 344
 maturity 343, 344, 345, 346, 348
 Paleozoic 345, 347, 348
 source rocks 348, 349, 350, 351, 352
 distribution 352–353, 354, 355, 356
 pasteurization 343, 346
 thermogenic 339, 343
- Weardale Granite batholith 162
- Weeton-1 well 29, 30
 well cost 37
- Welsh Basin, Lower Paleozoic 317, 319
- Werra Anhydrite 168
- West Bank Fault 79
- West Bank High 79, 81, 82
- West Central Graben, seismic data 200
- West Central Shelf 180, **182–183**, 183, 186, 200
- West Deemster Basin 284, 288
- West Fladen High 84
- West Orkney Basin 255, 258, 261, 265
- Western Arcuate Fault 72, 74, 75
- Westphalian Coal Measures 4, 7, 22–23, 24, 25, 26, 27, 40–50, 138
- Whirlwind Field 220
- White Leaved Oak Shale 318, 326, 348
- Whitehaven Sandstone Formation 291
- Wick Fault 80, 187, 189, 243
- Wick Sub-basin 74, 80, 81, 83
- Winterton High 169
- Wissey gas field 155, 169
- Witch Ground Graben 79, 80, 177, 178, 202
 faults 190, 191, 192, 193, 196–197, 219
- Woolhope Basin 321
- Worcester Graben 322, 323, 325, 326, 327
- Wytch Farm Oil Field 361
- Yeoman Field 220
- Yesnaby Sandstone Reservoir 269, 270, 272–275, **274**, 276, 277, 278
 granite gneiss basement 272, 275, 276
- Yoredale facies 22–23, 24, 108, 124, 162, 308
- Yoredale Formation 25, 27, 46, 91, 150
 cycles 143, 146–147
 provenance 105
 as reservoir 138, 148, 220
 stratigraphy 99, 101–102, 106, 136, 137
 wells 97, 141
- Yoredale Group 203, 297, 298, **304**, 307
- Zechstein Basin 166
- Zechstein carbonate play 7, 9, 10, 169–170
 intra-Zechstein 206, 208, 222
 Karst Play 169–170, 172, 173
 Mid North Sea High 155–173, 209
 reservoir rocks 222
 room and pillar effect 171
 Triassic overburden 171
- ZS1 Lower Permian fluvial clastic wadi play **164**, 166, 167, 168, 169, 170, 171, 172, 222
- ZS2 Carbonate Reef Play bioherm build-ups **164**, 166, 167, 168, 169, 170, 171, 172, 222
- ZS3 and ZS4 Carbonate Bank Play oolite **164**, 166, 167, 168, 169, 170, 172–173, 222
- Zechstein Group 117, 193, **194**, 203, 204, 209
 halokinesis 209, 211, 217, 219
 Inner Moray Firth 243, 244, **246**
 seal potential 7, 27, 128, 134, 138, 150, 220, 223
 stratigraphic nomenclature 157
 thickness 207, 209, 217
- Zechstein halite-cored swells 170
- Zechstein reef complex
 Jenyon Gap 155, 166
 Mid North Sea High 155–156, 170
- Zechstein salt 190
 density 69–70
 deposition 117, 118
 drilling problems 33
 Elbow Spit Platform faults 123, 127
 evaporitic cycles 216, 217
 imaging difficulties 31, 32, 33
 impact on seismic imaging 67, 69
- Zechstein Sea 166–168, 169
- Zechstein Supergroup carbonate-evaporites 7, 166, 168–169, 170