

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretion 159, 189
acoustic inversion 325, 326, 333
aeolian sandstones 183–185, 187, 192, 203,
239, 253
aerogravity, Parnaíba Basin 130, 138–141
aeromagnetic anomaly and data 253, 255, 265
Africa volcanism 23
Amazonian Craton 84, 85, 101, 161, 188, 189–190
crustal thickness
resistivity 118, 119, 121–122
structure 103, 105, 106
wide-angle reflection–refraction 70, 72–81
terrane 47, 122, 127
anhydrite 225, 325, 326, 347, 349
anoxia 203, 209, 214, 346, 347
ANP 361, 365–366
Antarctica, sill emplacement model 324
Antrim, plume material 24, 25, 26, 29
Appalachians 18, 28
Ar/Ar geochronology 258–260, **262**, 265, **270**, 271–272
Araguaia fault zone 110, 119, 121–123, 127, 175
Araguaia Fold Belt 141, 144, 161, 175
Araguaia Supergroup 111
aridity 241, 244, 349
asthenosphere mantle 269, 310, 314, 317, 318
Atlantic Ocean, opening 112, 122–123, 342–345
Central 253, 281, 317, 328
Equatorial 48, 343, 345, 355
magmatism 299
South 10, 70, 79, 113, 281, 310, 317–318, 355
atmospheric circulation 244–245
Austral Basin 325, 327

Balsas Group **163**, 166, 183, 225
detrital zircon age 182, 184–187, 192, 253, 355
basalt 105, 110, 192, 279–304
magmatism 309–318
petrography 283, 286–287, 291
analytical methods 282–283
basement 113, 188–192, 252–254, 280, 302
depth to 341, 342
pre-Silurian 127–144
structure 201, 343
basin fill 309, 311
biomarkers 204, 211–212
biostratigraphy 182–183
detrital zircons 192
biotite 205, 206, 215
black shale 243, 244, 363
Borborema
Block 72, 74–75, 77–81, 112
Province 84, 101, 106, 175, 265, 274
detrital zircon 187, 188, 190–192
resistivity 118, 119, 123
seismic transect 103, 105, 110–111
structure 160–161, 253, 254, 259
Bouguer gravity anomaly 60, 63, 86, 130, 138–140
basin comparison 55–58, 59

Brasiliano Orogeny 43, 67, 86, 109, 141,
159, 341
domains 127
magmatism 188–191
buoyancy 21–22, 23, 323

Cabeças Formation 203
hydrocarbons 344, 349, 358, 362
sill 356
Caninde Group **163**, 164, 175, 182, 183, 253
detrital zircon 186, 187
carbon 122, 205, 210–214
carbonate 136, 142, 144, 183, 244, 349
Ceará Mirim dyke swarm 270, 273, 274
Central Atlantic Magmatic Province 9–10, 85, 299–302,
309, 328
geochemistry 268, 269, 273, 289, 298
magmatism 85, 253, 265, 317, 321
dyke swarm 273, 274–275
flood basalt event 183, 279–282
chemical alteration 205, 207, 215, 216
chronostratigraphy 143, 166, 185, 191–192
Parnaíba Basin 158, 160, 162, 167–169
clay minerals 201, 205, 206–207, 212, 215
climate 9, 183, 199, 201, 204, 215–218
tropical summerwet 241, 242, 244
Cococi lineament 255, 256–257, 265,
270, 274
Codó Formation 150, 151, 166
source rock 345, 347–348, 358
cold spot 97, 252
collision 188–189, 191, 201, 245, 253, 265
Congo Basin 3, 17, 27, 28, 30, 31, 97, 216
comparative study 45–63
continental crust 111, 207, 210
conductivity 12, 118, 122
continental drift 23–24, 25, 27
convection 22–23, 31, 97, 98
Coreaú dyke swarm 258, 265
cratonic basin 2–3, 45–46, 47, **49**
characteristics 1–2, 157, 159
comparative study 3–4, 45–63
formation mechanism 84, 147–150, 153–155
Cretaceous magmatism 9–10, 70, 85, 112–113
dykes and sills 280–281, 309, 321
mafic 269–270, 273–275, 343, 345
crust 4–8
crust–mantle boundary 101–106
erosion 29, 30, 46, 155, 173, 191
lithosphere heating 37–40, 41
rate of 42–43
extension 37, 39, 42, 43, 46, 58
geophysics 140–141, 154–155
mid-crust conductors 118–121
mid-crust reflectivity (MCR) 5, 6–7, 11, 13, 97, 105,
109–111
receiver function analysis 83–98
resistivity 118, 121–123

- crust (*Continued*)
 stretching 17, 19–20, 23, 27–28, 37, 79, 96
 thickness 148, 189, 252, 253, 274
 velocity 72–79, 92–96
- crust and mantle density 56–58, 60, 139, **141**,
 327, 330
- depleted mantle 289, 300, 303
 LiTiO₂ signature 265, **270**, 274–275
- desert 183, 192, 203, 217, 218, 253
- detrital zircon geochronology 165, 181–192
 sampling and methodology 183–184
- diabase 286–287, 291, 295, 312
- dykes 254, 258–259, 309, 325, 345, 358
 flood basalts 279–282
 geochemistry 298, 300, 301
 seismic image 330, 332, 335
 dyke swarm 189, 255, 260–263, 269, 273–275
- Equatorial Atlantic 299–301, 304, 321, 343, 345, 355
- Euramerican Floral Province 239, 241–242, 244
- evaporite 48, 50, 183, 217, 225, 239, 241–242, 349
 seal 353
- exploration 358, 361–363, 365
- fault and fracture orientation 258
 feeder dykes 323, 332, 335, 336, 357
- felsic rocks 258–262, 265, **266–267**
- fern 30, 225, 227, **228**, 233, 241–242
- flexure 45, 55, 56, **58**, 59–63, 96, 98
- flood basalt 112, 122–123, 183, 279–282, 299, 309–310
- floristic province 239, 241–242, 244
- fractionation 300, 302–303, 314
- gamma-ray analysis 150, 152
 sill identification 325–327, 328–330, 338
- garnet 41, 161, 166, 173, 189, 314
- gas 353, 355, 356
 exploration 361–366
 production 338, 349
- gas field 10–11, 358, 361, 363
- Gaviões Cluster 361, 363, 366
- geochemistry 165, 168, 171, 205–210, 282–299
 basaltic magmatism 310–317
 felsic rocks 258–260, 261, **262**, 265
 inverse modelling 312–314, 315–316
 mafic rocks 264–265, **266–267**, 268–269, **270**
 Mosquito Formation 283–286, **288**, 289, **290**
 organic 204, 210–212, 346–347
 provinciality 10, 255
 samples and analysis 310–312
 Sardinha Formation 290, 292–294
 Sardinha igneous province 269–270, 273–274
- geochronology, detrital zircon 181–192
- geophysics 83–98, 253, 255, 365
 Parafba Basin profiles 4, 6–7, 8
 sill geometry 325–338
see also conductivity, gravity, density
- geothermal gradient, Parafba Basin 122
- glaciation 49, 182–183, 346–348, 353
 Late Devonian 203, 349
 Late Ordovician 169, 175, 190, 201
- Gondwana 9, 67, 112, 123, 127, 173, 199
 biota 224–225, 237
 break-up 10, 309
see also West Gondwana
- Gondwana Floral Province 241–242, 244–245
- graben 81, 128, 154, 201, 281, 309, 330
 pre-Silurian 260, 364, 365
- Grajaú domain 78–80
- granites 9, 191, 192, 212, 259
 magmatism 40, 253
- graphite 120–123
- gravity 2, 3, 5, 109, 123, 147
 basin comparison 50, 51
 lows 45–46, 154
 modelling 55–61, 63
 2D forward modelling 138–141
 Riachão Basin 127–144
 seismic transect 84–86, 122
- gymnosperm 227–229, 233, 238, 239, 242
- He/Ne, Michigan Basin 29
- heat flow, thermal subsidence 20–23
- heavy minerals 9, 190, 192
 analysis 164–165, 175–176, 189
 bulk assemblage 166, 168, 170
- Hercynian Orogeny 173, 355
- host rocks and sill emplacement 333–336, 338
- hot spot 21
- humidity 215, 217–219
- hydrocarbon *see* petroleum system
- hydrogen index 214, 347
- Iapetus Ocean 28, 31, 46
- ichnofauna 229, 243, 244
- igneous bodies, geophysics 86, 325–338
 bulk V_p/V_s ratio 96
 conductivity/resistivity 109–113
 seismic characterization 327–332, 333–335
 signal attenuation 105–106
 velocity 74, 75
- igneous intrusion 9–10, 48, 215, 358
- Illinois Basin 18, 31, 169
- induction vector 114, 115
- Ipú Formation 150, 151, 159, 201
 lithostratigraphy **163**, 166, 167–169
 oil and gas 363, 365
- Irish Sea Basin 23–25, 26, 31
- isopachs 63, 97
 basin comparison 52–54
- isoprenoid 213, 214
- isostasy 17, 20, 23, 30
- isotopes 39, 192, **290**, **296**, 298–303
 analysis 258, 282, 300
- Jaibaras graben 9, 202, 255, 258, 274, 330
- Jurassic magmatism 10, 70, 85, 112, 150,
 309, 321
 dykes 273
 geochemistry 265, 268–269
 stratigraphy 343, 345
- K/Rb ratio 209
- Kandi Lineament 69, 175
- kaolinite 205, 206, 212, 215–218
- Karoo Basin 324, 346
- kerogen 201, 214–215, 346, 347

- large igneous province 10, 252–253, 269–270, 273–275, 279
- Last Glacial Maximum, Canada 49–50
- Laurasia 173
- Laurentia 47, 55, 60
- lithosphere 2–4, 8, 11
 - elastic thickness 42, 55, 59, 63
 - heating 17–23, 37–43
 - structure, refraction–reflection data 67–81
 - thickness 27, 38, 46, 47, 148, 159
 - velocity 5, 71, 80, 92–96
 - Parnaíba Basin 72–77, 85–86, 88–97
 - V_p/V_s ratio 87–92
- lithospheric mantle 10, 113, 300, 302–304
- lithostratigraphy 166–169, 174, 202, 344
 - lithofacies **163**
- loading model 58–60, 61
 - buried load 86, 96, 97
- Longá Formation 328, 333, 338, 348–349, 353
 - hydrocarbons 356, 362
 - sills 334, **337**
 - source rock 345, 346–347, 358
- macrofossils, Permian 223–245
- mafic rocks 260–264, **266–267**
 - magmatism 269–270, 272–274, 275
- magma, geochemistry 264–270, 299–300, 304
- magmatic events 113, 120–123, 190
- magmatism 70, 77–79, 161, 189, 344–345
 - bimodal 259, 265, 274
 - geochemistry, felsic rocks 258–260, 261, 265
 - geochemistry, mafic 264–269, **270**, 273–274
 - geophysics 253, 255
 - geotectonics 251–253
 - petrography 260–264
 - provinciality, East Parnaíba Basin 251–275
 - sampling and analysis 255–258
- magnetic anomaly 19, 50, 51, 105, 114, 332, 335
 - lineaments 254, 255, 256–257, 270
- magnetotelluric study 109, 115–123
 - method and data processing 113–115
- mantle 12, 26, 40, 155, 298, 302
 - flow 46, 97
 - geochemistry 300, 302–304
 - geophysics 22, 56–58, 72, 76, 120
 - resistivity 118, 121–123
 - velocity 50, 71, 77–79, 92–96
 - plume 3, 10, 23–31, 300, 304
 - primitive 286, 289, 294
 - source 265, 269–270, 273–274, 295
- marine facies 215, 225, 243, 244
- maturation 309, 318, 346
- McClure-Sparks borehole 18, 27, 30, 52
- mega-sequence 8, 45, 85, 343–344 *see also* super-sequence
- melt fraction 312, 314–317
- Meruoca pluton 259
- Mesozoic magmatism 9–12
- metamorphism, P–T–t paths 41–43
- metasomatic enrichment 317
- Michigan Cratonic Basin 3, 18, 169, 173, 175
 - comparative study 45–63
 - subsidence mechanism 20, 22–23, 25, 27–31
- microbial mat 214, 227, 229, 232, 243
- Mid-North Brazilian Region, phytogeographical unit 242, 245
- mid-ocean ridge basalt 289, 298, 300–303, 315–316
- mineralogy 205, 259, 263, 283, 287, 289–290
- Moho 2–5, 40, 72, 111, 122, 154–155
 - density contrast 56–58, 60
 - depth 78, 79, 84–85
 - gravity 50, 140
 - reflection 77, 101–106, 149
- molasse basin 128–130, 144
- Mosquito Formation 9, 110, 158, 166, 321
 - comparison with Sardinha 281, 295, 297–300
 - feeder dyke 269, 275, 336, 338
 - geochemistry 270, 283–289, **290**, 298
 - basaltic **313–314**, 314–316
 - rare earth elements 297
 - geophysical response 74, 105, 106, 122–123
 - magmatism 10, 70, 85, 112, 150, 253, 265, 321
 - age 192, 268–269, 344–345
 - basalt 254, 309–318
 - petrography 283, 285, 295
- Motuca Formation 183–187, 192, 202, 203
 - palaeontology 224–245
- Neuquen Basin, hydrocarbons 346
- North America, geology 18, 169
- North Sea, stretching/subsidence 19–20, 31
 - thermal subsidence 23–26
- ocean island basalt 289, 298, 300, 301, 302
- oil and gas 281, 348
 - exploration 341–358, 361–366
- oil-shale play 348
- organic matter 334, 336–338
- Ottawa rift 28, 29, 31
- Paleobathymetry 110, 119, 121–123
- palaeocurrents 8–9, 158, 162, 175, 188, 190
- palaeogeography reconstruction 47, 242, 217, 218, 242
- palaeolatitude 38, 217, 218, 242, 244
- palaeontology 226
 - fauna 229, **236**, 237
 - fauna, tetrapod 231, 235, 243
 - flora 224–245
- palynology 237
- Pan-African orogen 48, 51, 67, 159, 188, 191, 341
- Pangaea accretion 9, 159, 201, 203–204, 217–218
 - break-up 112, 122, 123
 - plate reconstruction 46, 47, 242
- Paraná–Etendeka Magmatic Province 113, 280, 310
 - correlation 298–301, 304
- Park of the Hawks 342, 348
- Parnaíba Basin 8–9, 8–13, 112
 - basement study 127–144
 - comparative study 45–63
 - crust/mantle boundary 101–106
 - depocentres 83, 85, 96, 162, 191, 342
 - Cretaceous 78–79
 - migration 175, 343
 - depositional environment 150, 152, 160, **163**, 201
 - geochemistry 205, 208–209, 210–215
 - Motuca Formation 182–183, 202, 203

- Parnaíba Basin (*Continued*)
- Permian 239–242
 - Serra Grande Group 162, 175, 192, 253
 - source rocks 346–349, 353
 - electrical conductivity 109–123
 - exploration investment 361–366
 - geochemical provinciality 251–275
 - geology 69, 70, 84–86, 182, 200
 - tectonics 147–153, 342–345
 - lithospheric structure 67–81
 - magmatism 309–318, 321–338
 - magmatism provinciality 251–275
 - palaeontology 223–245
 - petrography 279–304
 - petroleum system 10–11, 341–358
 - provenance study 181–192
 - stratigraphy 152, 153, 157–162, **163**, 167
 - subsidence 38–40, 147–155
 - thermal modelling 37–43
 - transect lines 4, 68–69, 102, 110
- Parnaíba Basin Analysis Project (PBAP) vii, 148, 149
- Parnaíba Block 84–85, 86, 101, 103, 105
- Parque dos Gaviões (Park of the Hawks) 342, 348
- passive margin 17–20, 24–29, 31, 161, 191, 205
- Pato shear zone 253, 254, 260
- Pedra de Fogo Formation 203, 215
- palaeontology 224–245
- pegmatite, gamma-ray value 326
- permeability 348, 349, 353
- Permian macrofossils 224–245
- petrified wood 227–231, 233–235, 240, 241–243
- petrography 260, 261, 263, 264, 283–295
- gamma-ray value 326
- petroleum system 10–11, 175, 361
- atypical 341–358
 - condensate 358
 - dolerite sill, trap 343, 348, 353, 355, 356
 - exploration
 - investment 361, 366
 - wells **131**, 150, 152
 - Carolina 134, 135–136, 138
 - location 52, 53, 158
 - Mangabeiras 101, 135, 138, 139
 - Vereda Grande 133, 137–139
 - well data, methodology 164
 - well logs 325, 350–352, 354
 - seismic correlation **131**, 133, 150, 152, 168–169, 364
 - intrusives and exploration 112, 321, 332, 336–338
 - models 355
 - reservoir rock 344, 348, 350–351, 354, 363
 - resistivity 5, 109–123, 327, 328
 - seal and traps 353, 355–356, 358
 - volcanic rocks 261, 285
- Piauí Formation 348, 349, 358, 362
- Pimenteiras Formation 202, 203, 206, 327, 333, 334
- organic matter 337–338
 - porosity 348, 349, 352, 353
 - sills 353, 356
 - source rock 344–347, 358, 362, 366
- Pimenteiras–Poti petroleum system 361–363
- plagioclase composition 289
- plate tectonic reconstruction 38, 199–219, 273
- method and samples 203–205
 - Pangaea 46, 47, 242
 - West Gondwana 175
- potassium metasomatism 215, 329
- potential fields 51, 69, 255, 309
- Poti Formation 344, 348–349, 356, 358
- hydrocarbons 362
- provenance 9, 162, 164–166, 169, 175, 212
- detrital zircon studies 181–192
- Quatipuru Suture Zone 110, 119, 121–123, 141
- rare earth elements 205, 208–210, 286, 297
- analysis 256
 - flood basalt 311–316
 - provenance 212, 264–265, **270**
- Rb/K ratio 215
- receiver function analysis 83–98
- V_p/V_s ratio 87–92
 - data and processing 86–87
 - S-wave velocity 92–96
- Rheic Ocean 46
- Riachão Basin 127–144
- ridge axis, thermal subsidence 20–21
- rifts 128, 154, 259, 260
- Africa rift 23
 - basins 161–162, 254
 - British Isles, margin 24–25
- rifting 46, 52, 54, 58, 86, 149, 265
- magmatism 47, 252–253, 318
- Rock–Eval pyrolysis 204–205, 212
- Rodinia 85, 112
- rutile 166, 170, 175, 189
- S-wave velocity profile 92–96
- sag basin 2, 68–69, 83, 128, 148, 253
- fill 191, 202
- salinity 209, 214–215, 244
- Saltpond Keta Basin 175
- Sambaíba Formation 187, 202, 203, 225
- aeolian sandstone 183–185, 187, 192
- São Francisco Craton 187–190
- São Raimundo Donato graben 255, 259, 260–261, 265
- Sardinha Formation 97, 110, 158, 254
- age 310, 321, 344–345
 - comparison with Mosquito Fm 281, 295, 297–300
 - feeder dykes 336, 338
 - geochemistry **296**, 310–317
 - geophysics 74, 123
 - magmatism, Cretaceous 9–10, 70, 85, 112–113
 - petrography and mineral chemistry 286–295
- Sardinha Large Igneous Province 10, 269–270, 273–275
- scheelite–epidote skarn 188, 190, 192
- sea level change 62, 203, 204, 219
- sediment comparison, cratonic basins 47–48, 53
- seismic and gravity study, Riachão Basin 127–144
- data and methodology 130–131
- seismic and schematic models 355
- seismic and well-log correlation **131**, 133, 150, 152, 168–169, 364
- seismic characterization, igneous bodies 327–335
- seismic facies 132–136, 142, **330**, 331

- seismic reflection data 4–8, 11, 77
 basin comparison 50–52, 53, 54
 faults and potential gas field 357
 gravity effect 59, 60
 hydrocarbon traps 343, 355, 356
 igneous bodies 326, 331–335
 Moho depth 58, 60
 Parnaíba Basin 4, 68–69, 110, 149, 322
 seismic reflection lines 37
 seismic reflection profile
 seismic transparent zone 103–104
 Riachão Basin 134–136
 seismic time map, Park of the Hawks 348
 seismic wide-angle reflection–refraction 67–81
 Serra Grande Group 150, 158, 162–169, 182, 183
 geochemistry 170–172
 geochronology 173, 184–187
 shear zones 69, 106, 123, 161, 200, 201, 253, 254
 magma bodies 336
 silicification 241, 243
 sills 85, 112, 258, 345, 353, 355, 358
 distribution and emplacement 332–336
 emplacement models 321–325
 flood basalt 279–282, 298
 geophysics 56, 120, 123, 325–338
 seismic 80, 137–138
 petrography 260–262, 263
 Sardinha Formation 309–310
 seal and trap 356, 361, 366
 skarn 188, 190, 192
 slab subduction 20, 43, 46, 55, 97
 Sm–Nd analysis 282
 Solimões Basin, hydrocarbons 346
 sonic velocity 150, 152, 325, 327
 source rocks 345–348
 Devonian, Carboniferous 361, 366
 Silurian black shale 363
 South American Platform 109, 112, 127, 128, 159
 spectral analysis 101–102, 103–105
 Sr–Nd isotope data 10, 298, 300, 304, 317
 St Lawrence Rift 28
 stagnant lid convection 20–22, 31
 staurolite 166, 170, 175, 189, 190, 192
 sterane 211–214
 stratigraphical analysis 157–165, 167
 methodology 164–165
 offlap 54, 62, 63, 86, 174
 onlap 136, 137, 144, 168–169
 stromatolites 227, 229, 232, 243, 244
 subsidence, cratonic basin 8, 46, 54–55, 309–310
 analysis 152–154
 curve 19, 38, 39, 40
 tectonics 60–63
 sulphur 210–212, 214
 super-sequence 150, 169, 182–183, 201, 225, 342
see also mega-sequence
 suture 5, 11–12, 51, 79, 85, 127, 253
 graphite 122–123
 tectonics 30–31, 112–113, 142, 355
 events 48, 202
 provinces 160–162
 temperature 41, 314, 316, 337
 Teresina block 75, 77–80
 terranes, Precambrian 187–189, 192
 terrestrial ecosystem 224, 225, 243, 244, 245
 thermal conductivity 39–40, 41, 42
 thermal contraction 24, 26, 31
 thermal evolution 251–252
 thermal maturity 173, 346, 348, 358, 361
 thermal subsidence 3, 17–19, 86, 154, 309
 Michigan Basin 25, 27–31
 modelling 39–41
 North Sea 23–26
 physics 19–23
 tail of thermal subsidence 17, 21–22, 27, 29–30, 31
 thickness of sills 335, 336–337, 338, 356, 358
 tholeiite 10, 112, 321
 geochemistry 290, 292–294, 300, 310, 314
 magmatism 127, 264–265, 268, 279–281
 thorium, gamma-ray log 329
 thrust fault 134, 137, 141, 142–144
 Tianguá Formation 202, 328, 334, 338
 sills 333, 337
 source rock 345, 347, 358, 363
 Tibet, crustal thickening 38, 42
 tin mineralization, granite 189, 191
 Tocantins Fossil Trees Natural Monument 226, 231, 233, 239
 Tocantins Tectonic Province 160–161, 187–192
 topography 20
 cratonic basin comparison 48–49
 Parnaíba Basin 75, 322
 tourmaline 165, 166, 168, 170, 171, 175, 189
 trace element analysis 10, 282, 298, 299–300, 310
 mafic rocks 266–267, 304
 Transbrasiliano suture 11–13,
 African Plate 69
 basin boundary 85, 86
 conductivity 12, 110, 112, 119–121, 123
 early rifting 86, 127–128, 129, 149
 lineament 113, 200, 201, 274, 281
 magnetic anomaly 255, 256–257
 reflection–refraction 68, 74, 79
 Shear Zone 101, 103, 105, 175
 tree fern 233, 239, 241, 242
Psaronius brasiliensis 224, 227, 230
 U–Pb geochronology 29, 172, 173, 175, 181
 detrital zircon 165, 168–169, 190, 192
 unconformity 53, 85–86, 154, 159–160, 162, 166–169, 174, 183
 pre-Silurian 128–129, 133, 136, 137, 144, 175
 Riachão 133, 136, 141, 142
 underplating 23, 78–79
 uplift 54–55, 60, 154, 318
 uranium, gamma-ray log 329
 vertebrates 229, 235, 236, 237, 243
 localities 226, 231
 palaeoenvironment 241, 244
 viscoelastic stress 61, 62–63, 86, 96
 viscosity 22, 61
 vitrinite reflectance 212, 337
 volcanic discrimination 205, 208, 212
 volcanic glass 283, 285, 286, 291
 zonation 285, 286, 287, 289, 291

- volcanism 9, 265 *see also* Central Atlantic Magmatic Province
 bi-modal 189, 253, 255
 spatial distribution 310
- WARR *see* wide-angle refraction–reflection
- water-loaded subsidence curves 39, 54, 60, 152–154
- weathering 201, 205, 206, 207, 212, 215–216
- West Gondwana 47–48, 69, 121, 183, 190–191, 201, 265
 detrital zircon 187–189
 sag basin development 181
- wide-angle refraction–reflection (WARR) 5, 6, 11–12, 67–81
 experiment and data 70–72
- Williston Basin 169, 175
- wood, petrified 227–231, 233–235, 240, 241–243
- xenolith, mantle 302
- xyloflora 241–242
- zircon 29, 165–166, 168, 170, 175
 detrital, geochronology 181–192
 samples and methodology 183–184