

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- abyssal plains, NW African margin 151, 152, 153
Acciaroli submarine landslide 134, 139, 140
acoustic Doppler techniques 4, 428–431, 435–436
acoustic telemetry
 in situ monitoring 513–514
 numerical modelling 518
Africa *see* NW African continental margin; South Africa
African Plate, rifting from North American Plate 122
Agadir abyssal plain, turbidity currents, numerical
 modelling 440, 444
Agadir Basin 152, 153, 157, 444
Agadir Canyon 152, 157, 159, 161, 440, 445
 turbidity currents
 Coriolis force 451–452
 layer-averaged numerical modelling 444–452
Agadir Slide 152, 157, 159, 160, 161, 162
Alaska, southeast 70, 71
 slope failure and mass transport processes 5, 69–81
 sedimentation 72–73, 79–81
Alborán Sea 500
Aleutian Low-pressure system 280
Amur Plate 24, 38
Anak Krakatau, 2018 tsunami 1
Antarctic Plate, boundary with Scotia Plate 196
Antarctica
 BSRs 195
 gas hydrates 195
Argentina, Neuquén Basin megaclasts 233–234
ash, volcanic 7
 Boso Peninsula 256
 Kiwada Formation 242, 243
 and slope instability 241–242
 Licosa slide 144–145, 147
Astoria Fan 48, 50
Australia *see* SE Australia continental margin (SEACM)
Australian Plate, convergence with Pacific Plate 480

Baffin Island, submarine slope failures 367–375
Banquereau Formation 122, 124, 126
 MTDs 124, 125
Baranof Fan 71, 72
Baranof Island 71, 74
Barents Sea 538–539
 ice sheet 538
basalt
 MORB, Scan Basin 202
 ocean island, Dove Seamount 197
Basilisk software 441, 442
basin fill
 and fluid pressure 255
 Plio–Pleistocene, Kazusa forearc basin 255–263
bathymetric position index (BPI) 400
 Lake Zurich 403, 404
Bay of Bengal
 MTDs 6, 183–192
 see also Krishna-Godavari Basin
Bear Island *see* Bjørnøyrenna
Beggiatoa spp 100, 103

Betsiamites submarine landslide 295, 296–297
tsunami modelling 7, 293–300
 bathymetric and topographic data 294
 kinematic analysis 294–295
 numerical modelling (GeoClaw) 295–296, 300
 results 297–300
Bjørnafjorden crossing 549–552, 550
geohazard assessment 549–565
 landslide dynamics 556–558, 560–561, 564, 565
 back-analysis 556–557, 558, 560, 565
 Quasi-2D 557, 561, 562, 565
 Quasi-3D 557–558, 561, 564, 565
 runout model 556
 shortcomings and gaps 564–565
 slope stability 555–556, 558–559, 565
 screening tool 554–555, 558
 workflow 554
geophysical data 551, 552
geotechnical data 552
glacial history 552
mapped landslides 552–554
Bjørnøyrenna, trough mouth fan 538, 543
Black Sea, tsunamis 7
 2007 Bulgaria 303–312
Boso forearc basin
 excess fluid pressure, and MTDs 248, 249, 250, 251,
 255–263
 MTD slide plane 7, 241–250
 Plio–Pleistocene basin fill 242, 255–263
Boso Peninsula 242, 243, 256
Boston Blue clay 525
bottom-simulation reflectors (BSRs)
 southern Scotia Sea 195, 196, 198, 202
 USAM 172, 177
Boundary Stream landslide 416, 419, 421–422,
 423, 424
Bourcat Canyon 341
Brazil, offshore, Santos Basin megaclasts 228–231,
 236–237
British Columbia
 climate change and extreme weather 290
 flooding 281, 289, 291
 fluvial deposits 281
 glacial deposits 281
 Kitimat Arm coastal planning advice 567–580
 marine geohazards 277–291
 earthquake/tsunami 279–280, 289, 290, 291
 landslide deposits 281–282, 289–290
 observation and past records 282–283, 290–291
 risk assessment 290
 precipitation 280–281
 slope failure and mass transport processes, Queen
 Charlotte Fault 85–105
 storm deposits 280–281, 289, 291
Bruce Bank 196
 MTDs 199
Brunisol 285, 286
Bulgaria, 2007 tsunamis 303–312

- Burin Peninsula, 1929 Grand Banks tsunami 315, 316, 318–319, 321, 322, 324, 325, 329
- Bute Inlet, turbidity current measurement 2, 3, 4
- Byron Slide 218
- cable breaks 389, 456, 511
1929 Grand Banks tsunami 315, 318, 584, 585, 593, 594
- Calabria, Tyrrhenian margin, submarine landslides 389–395, 390
- Calabrian Arc 390
- Calabrian subduction front 135
- calcareous nannofossils, Krishna-Godavari Basin 185, 187–188, **189**, 190–191
- Calyptogenia* spp 100, 101, 103, 104
- Campanian Ignimbrite 137, 141, 142–143, 147
- Campanian margin 133, 134, 135
Licosa submarine landslide 133–147
- Campanian Volcanic Province 134, 135
- Campi Flegrei 142, 147
- Canada
Betsiamites submarine landslide 293–300
- British Columbia
Kitimat Arm coastal planning 564–580
marine geohazards 277–291
- Frobisher Bay, submarine slope failures 367–375
- Grand Banks 1929 landslide and tsunami 315–329, 583–594
- Isaac Formation MTC 265–274
- Laurentian Fan, MTDs 377–386
- Scotian Basin MTDs 122–130
- Canary Current 153
- Canary debris flow 152, 159
- Canary Islands 152, 153, 500
submarine landslides 6, 159, 163, 164–165
- canyons 341–342
Bourcat 341
Cap de Creus 341
Gulf of Lions 341
Hudson 341
NW African margin 151, 152, 153, 154, 155, 160
submarine landslides 377, 378
turbidity currents, two-dimensional layer-averaged numerical modelling 440–452
- Cap Blanc, ODP Site 658, mass wasting 152, 154, 156, 161, 162
- Cap Blanc Slide 152, 153, 154, 156, 160, 161, 163
- Cap de Creus Canyon 341
- Cape Fear Slide Complex 6, 171, 172–179
buried slope failures 177–178
canyon incision 178
fluid migration 170, 172, 173, 178–179
gas hydrates 172, 173, 178
overpressure 178
salt diapirism 171, 172–173, 175, 177, 178
sediment accumulation 177, 178
seismic profiles 173, 174, 175, 176
stratigraphy 173, 177
- Cape Hachiman-misaki, MTDs 257
- Cape Lookout Slide Complex 171, 172, 176, 178
- Cape Taito, slide plane 242, 245, 249
- Cape Verde Basin 153
- Cape Verde Islands 153
- Capo Vaticano Promontory 390
contourites 391, 395
landslide scars 395
Pleistocene marine terraces 391
- Capo Vaticano Ridge 392, 394
contourites 395
- Capo Vaticano Scar Complex 394, 395
contourites 395
- Capo Vaticano Slide Complex 390, 392, 393
- Cariboo Mountains 265, 266
MTDs 7
- Carmel tectonic line 16–17, 19, 21
- Carolina Trough 172
- Cartwright Canyon 91, 93–97, 94
- Cascadia subduction zone 49, 278, 280
accretionary prism 49, 55
bathymetry 48, 49, 50, 51
debris flow deposits 5, 55, 57, 59
deformation front 55, 57, 59, 61
gas hydrates 49, 61, 63
megathrust earthquakes 47, 49, 63–64
sedimentation 61
seismic data 50, 55, **56**, 57, 62
slope failure 47–64, 48
correlation of ridge/failure parameters 55, **56**, 58
correlation of style/subduction parameters 55, 57
fault vergence 55–57, 59, 62, 63
methodology 50–51
morphological analysis 51–55
ridge geometries 55, 64
- Cass River delta landslides 416, 418, 419, 421–422, 423, 424
- Castle Creek 265, 266, 271, 272
- Castle Creek glacier 266
- Catalan margin 500
- catalogues *see* displacement waves, landslide-generated, global catalogue; Spain, GIS catalogue of submarine landslides; subaqueous landslides, morphometric global database; submarine landslides, inventories
- Central Valley, Laurentian Fan 378, 379
- Ceratolithoides aculeus* 191
- Chacay Melehue outcrop 225
megaclasts 233–234
- channel complexes, Lower Isaac Formation 265, 266, 271, 273
- Chatham Sea Valley 71, 72, 74, 78, 80, 81, 86
- Chiasmolithus solitus* 191
- Chichagof Island 71, 74
- CHIRP sonar
Licosa submarine landslides 135, 136, 141
Southern Scotia Sea 197
Tyrrhenian–Calabrian margin 392
- Chonan Formation 256
- Cilento Group 142
- Circumpolar Deep Water (CDW) 197
- Clarence Head offshore core 215
- classification, submarine landslides 9, 467, 479–494
- clay minerals, Ursa Basin, strength 525–526
- climate change, British Columbia 290
- clinoforms 334, 340–341
- Clio Bay, tsunami deposits 285–286, 289, 291
- Coast Mountains 278, 279
- Coccolithus miopelagicus* 188

- Colombia, offshore, Magdalena Fan megaclasts 226–228, 236, 237
- COMCOT modelling code 8, 414, 417
- Congo River Submarine Canyon
current measurement 4
pipeline 1
- continental slopes
failure mechanisms 511
numerical modelling 515–518
submarine landslide monitoring 511–520
see also submarine landslides, monitoring, *in situ*
- contourites 241
Tyrrhenian Calabrian margin 390, 392, 395
Capo Vaticano Promontory 391, 395
- Coriolis Force 451–452
- CORK (Circulation Obviation Retrofit Kits) 513
- Coulomb failure criterion 248
- Council of the International Geoscience Programme,
Project 640-S4LIDE 9
- Craig 2013 earthquake 72, 86, 87
- creeping seabed flow 4
- Cretaceous-Cenozoic, Scotian Basin MTDs 122, 125
- Cudgeon Slide 218
- Currituck Slide 172, 177, 178, 342–344, 343, 346
- Cyclicargolithus floridanus* 188, **189**
- Dakar Canyon 154, 155
- Dakar Slide 152, 153–154, 155, 160, 164
- Dawson Canyon Formation 122, 124
MTD 124, 125
- Dead Sea Fault 20
earthquakes 18
- debris avalanche, Tuaheni landslides 492, 493
- debris avalanche model, Lake Tekapo 415, 417
- debrites 226, 227, 229, 232, 233, 266, 272
- deep-water reefs, NW African margin 151, 152
- deformation, entrainment of megaclasts 235–236
- densification 255
- diagenesis, opal, BSRs 195, 196–197, 202, 203, 204
- diapirism 6, 19–20, 229
see also salt tectonics
- digital bathymetric model (DBM), Lake Zurich 400, 401, 403, 405
- digital elevation model (DEM)
Douglas Channel 283
Lake Tekapo tsunami hazard 415
Lake Zurich 402, 405
Tyrrhenian Calabrian margin 391–392
- digital terrain model (DTM), Lake Zurich 400
- Diola Canyon 154, 155
- Discoaster barbadiensis* 191
- Discoaster bergrenii* 188, **189**
- Discoaster brouweri* 188, **189**
- Discoaster kugleri* 188, **189**
- Discoaster nodifer* 191
- Discoaster pentaradiatus* 188, **189**
- Discoaster quinquerumus* 188, **189**
- Discoaster surculus* 188, **189**
- Discovery Bank 196, 196
MTDs 195, 197–200
and magmatism 200
- displacement waves 353
landslide-generated
comparative modelling 361–363, 364
global catalogue 8, 355, **356**
inundation extent 357
Norway 353–364, 354
data 355
semi-empirical relationships 355, 357
SPLASH equation 355, 357–364
run-up distance 357–358
run-up volume/impact distance 358, 360–361
wave propagation/run-up correction factor 357
see also tsunami, landslide-generated
- disturbances, Levant passive continental margin 15, 16, 17, 18, 20
- Dixon Entrance mud volcano 90, 91, 98–100, 101, 102–103, 104–105
- Dixon Entrance Sea Valley 71, 72, 78, 86, 89
Quaternary sediment routing pathway 89, 104
- Dor disturbance 15, 16, 17, 18, 20
- Douglas Channel 278, 279, 568, 568
block slides and faults 571–572
debris slides and slumps 281
fjord system 568–569
flooding 281
geohazard risk assessment 290
geohazard warning stations 578–579
glaciation 288
marine inundation 289
storm surges 284, 287
surface geology and terrestrial landslides 575–578
tsunami deposits 291
- Dove Basin 195, 196
- Dove Ridge 196, 197
magmatism 197, 202
- Dove Seamount 196
- Drake Passage 195
- Drumlummon Bay, storm surge deposits 286–287
- DSS (direct simple shear) experiments 523
Ursa Basin, stress level and failure behaviour 526–528, 532–534
- dust, aeolian, and sedimentation 153, 163
- dykes, clastic, Otaki MTD 247, 248, 249, 250, 251
- earthquakes
1929 Grand Banks submarine landslide 583, 594
1944 Tonankai 38
2004 Kii Peninsula 38
2007 Gisborne 480
2011 Tohoku-oki 38
2012 Haida Gwaii 72, 86, 87
2013 Craig 72, 86, 87
2016 East Cape 480
2018 Palu 1
Fairweather Fault 70
Laurentian Fan 7
and WLWV landslides 385
megathrust, Cascadia subduction zone 47, 49, 63–64
Nankai Trough 24, 34
NW African continental margin 163
NW British Columbia 279–280
and pore pressure 249–250
Queen Charlotte Fault 72, 86, 87, 102, 104
small-medium
Levant passive continental margins 15–21, 16–17
geohazard 20–21
source 19–20

- earthquakes (*Continued*)
 and submarine landslides 5, 37–38, 250
 1929 Grand Banks tsunami 315–329
 Betsiamites submarine landslide 297
 Tyrrhenian Sea 144, 145, 147
 and surficial sediment remobilization 5, 38–43
 Tyrrhenian Calabrian margin 395
 Ulleung Basin 107, 109, 115, 117
 East Cape 2016 earthquake 480
 East Cape Current (ECC) 480
 East Sea (Sea of Japan) 107, 108, 108
 Eastern Mediterranean
 earthquakes 15–21
 Nile Delta sediment 15
 Eastern Valley, Laurentian Fan 378, 379, 584, 585,
 589, 593
 Edgecumbe volcano 90, 103
Eiffellithus eximius 191
Emiliana huxleyi 188, **189**
 entrainment *see* megaclasts, in mass flows, entrainment
 enveloping, entrainment of megaclasts 235
 erosion, coastal 389
 Espírito Santo Basin, MTDs, and fault propagation
 122, 129
 Eurasian Plate *see* Amur Plate
 Explorer Plate 48, 58
 Explorer triple junction 70, 71, 72
- failure planes 241
 Cascadia subduction zone 50
 Kumano Basin 33
 and volcanic ash/tuff 7, 241–242
 Kiwada Formation 242, 243
see also slide planes
 Fairweather Fault 70, 71, 72, 278
 1958 earthquake and tsunami 70
see also Queen Charlotte–Fairweather Fault System
- faults
 C-type (*T-x*) patterns 121, 126, 127, 128, 129
 Douglas Channel 571
 Kumano Basin landslides 26, 28, 29, 30–33
 M-type (*T-x*) patterns 121
 Nankai megasplay fault 34
 Penobscot, Scotian Shelf 123, 126–128
 and MTDs 128–130
 propagation, MTDs as markers 121–130
 reactivation 121, 128–129
 salt-related, and earthquakes 19–20
see also Fairweather Fault; Queen Charlotte Fault
- fibre-optics, submarine landslide monitoring 514
 Fibrisol 285
 fluid flow
 and MTDs 6, 170
 southern Scotia Sea 195, 203
 Scan Basin sills 199, 200, 201, 203
 and slope failure
 Cape Fear Slide 170, 172, 173, 178–179
 Licosa slide 145–146, 147
 fluid pressure, and slope failure 255
 fluvial deposits, British Columbia 281
 Folisol 287, 288
 foraminifera
 Nankai forearc region 42
 Queen Charlotte Fault Zone 97, 98
 Foxe–Amadjuak Dome, ice advance 369
 Fraser River delta, turbidity current measurement 2–3
 free fall cone penetrometer (FFCPT) surveys
 573–574, 575
 Freeburn Rock offshore core 215
 Frobisher Bay
 geology 369, 374
 glaciation 369
 inner 368, 369
 submarine slope failures 367–375, 368
 morphological analysis 369, 370–375
 multibeam echosounder (MBES) surveys 367, 368, 369
 Froude number 327, 328–329, 439
- gas hydrate stability zone 49, 195, 197, 204, 543
 gas hydrates
 Barents Sea 543
 Cape Fear Slide Complex 172, 173, 178
 Cascadia margin 49, 61, 63
 continental margins, Kumano Basin 33–34
 Krishna–Godavari Basin 184, 191
 and MTDs 2, 6, 537
 Queen Charlotte Fault Zone 103
 southern Scotia Sea 195, 204
 Tuaheni Landslide Complex 480
 Ulleung Basin 108, 115
 Gaviota slide 4
 geohazard assessment, Bjørnafjorden crossing 549–565
 geohazards
 hydrocarbon extraction 511, 537
 NW British Columbia 278, 279–282
 and offshore earthquakes 20–21
Gephyrocapsa caribbeanica 188
Gephyrocapsa oceanica 188, **189**
Gephyrocapsa parallela 188
Gephyrocapsa spp. 188, **189**, **214**
 Gioia Canyon 390
 1977 landslide 389
 Gioia–Mesima channel canyon system 390, 391, 393
 landslide scars 395
 Gisborne 2007 earthquake 480
 Gitga'at Nation settlement 281, 567
 glacial deposits, British Columbia 281
 glaciation, Haida Gwaii archipelago 89
 glide planes 6
 Laurentian Fan MTD 381, 383, 384
 NW African margin 153, 154, 157, 159, 160, 162, 163
 Global Mapper software 25–26, 28, 283
Globigerinoides ruber 157, 212
 GloBouss model 320, 323, 355
 GLORIA seafloor backscatter imagery 47, 49, 207
 gneiss, Frobisher Bay 368, 369
 Godley River delta 416, 418, 423
 Goleta complex 4
 GPS 512
 GPS-A, submarine landslide monitoring 514
 Grand Banks 1929 submarine landslide and tsunami
 5, 315–329, 583–594, 584
 debris flow 585, 591–592
 earthquake trigger 583
 failure area and volume 593, 594
 failure mechanism 585, 593–594
 initial failure 585, 594
 modelling 318–329

- rotational slump source 319, 320–323
- translational landslide model 319–320, 323–329
- tsunami model 320
- retrogressive surficial failure 585, 593–594
- rotational slump 593–594
- St Pierre Slope 314–316, 583–594
- source 585
- turbidity current 585, 593, 594
- see also* St Pierre Slope
- Grand Banks Valley 316, 584, 589, 593
- groundwater flow, Kitimat Arm 574
- Gulf of Alaska, fan systems 72
- Gulf of Lions canyons 335, 341
- Gulf of Mexico, stress and failure behaviour 335–336, 523–534
- Gulf Stream, sediment transport 177

- Haida Gwaii archipelago 71, 72, 73, 78, 79, 80, 81, 85, 88
 - 1949 earthquake 86, 87
 - 2012 earthquakes 72, 87
 - Quaternary glaciation 89
 - sediment densification 103–104
 - submarine slides
 - base of central slope 88, 90–93, 104
 - upper central slope 88, 93–100, 104
- Haisla People settlement 281, 568, 569
- Hall Peninsula 368
- Hartley Bay 278, 279, 283
 - submarine landslide 290
- Hawkesbury Island 278, 279, 290
 - geohazard warning stations 578–579
 - glacial landscape 287–288
 - slope failure 568, 569, 571–572, 577
- hazard assessment 511
- hazard mitigation 9–10
- Hecate Strait 278, 279
 - storm surges 280, 289
- Helicosphaera seminulum* 191
- Hikurangi subduction margin 480
- Hjelset, comparative displacement wave modelling
 - 361–363, 363
- HLLC solver 441, 442
- Holocene, Western Levee MTDs 384–385, 386
- Honshu Arc 242
 - collision with Izu–Bonin Arc 242, 243
- Hoop area 538
 - MTD 538, 540–544
 - P-Cable seismic data 538, 539–544
 - Top-moraine 539–544
- Hopedale–Makkovik failure complex 594
- Horgen 400, 402
 - 1875 landslide MTD 403, 404
- Hudson Apron Slide Complex 177
- Hudson Canyon 341
- Humisol 287
- Hupo Bank 108, 113–114, 115, 117
- Hupo Fault 109
- Hydrate Ridge 50, 57, 59, 63
 - see also* Northern Hydrate Ridge; Southern Hydrate Ridge
- hydrocarbon discoveries, Hoop area 538
- hydrocarbon extraction, threat from submarine landslides
 - 511, 537
- hydrophone monitoring 3, 4, 578, 579
- ice stream oscillation 540, 544
- ice-rafted debris
 - Frobisher Bay 369
 - Laurentian Fan 378
- Icy Point 70, 71, 72
- image analysis 4
- India
 - Krishna–Godavari Basin MTDs 184–192
 - National Gas Hydrate Program Expedition 184, 192
- Indian Plate 184
- InSAR 512, 578
- INSPIRE (Infrastructure for Spatial Information in Europe) 9, 498, 502, 505–506
- International Ocean Drilling Program, southeastern Alaska 72–73
- Ionian slab roll-back 390
- Irishman Creek Fault Zone 414, 415
- Isaac Formation *see* Lower Isaac Formation
- isostatic rebound, Baffin Island 369
- Israel, offshore earthquakes 5, 15–21
- Isumi River, Otaki MTD 244–251, 245
- Izu–Bonin Arc, collision with Honshu Arc 242, 243

- Japan *see* Boso Forearc Basin; Kiwada Formation; Kumano Basin
- Japan Basin 108
- Japan Sea *see* East Sea
- Jean Charcot seamounts 500
- Juan de Fuca Plate, subduction 49
- Jurassic, rifting, N Atlantic Ocean 151

- K–T Boundary, Cape Fear Slide Complex 173, 174, 175
- Kakinokidai Formation 256
- Karoo Basin, Vriesgwaadg Farm outcrop, megaclasts 225, 231–233
- Kasamori Formation 256
- Katsuura Formation 242, 243, 256
 - consolidation 258, 260–262
 - fluid pressure 263
 - MTDs 257
 - porosity 260–262
- Kaza–Isaac transition 266, 271
- Kazusa forearc basin 242
 - Plio-Pleistocene basin fill 255–263
- Kazusa Group 242, 243, 256
 - consolidation 258, 260, 261, 262
 - methane 242, 251, 255
 - MTDs 242, 243, 255, 257
 - porosity 260, 261, 262
- Kii Peninsula 2004 earthquake 38
- Kitamaat village 568
 - 1974 tsunami 283–284, 569, 572
 - 1975 tsunami 569, 572
- Kitimat Arm 284, 568
 - 1974 tsunami 283–284, 567, 571, 572
 - 1975 tsunami 569, 571, 572
 - coastal planning, multidisciplinary advice 567–580
 - geohazards 7, 278, 279
 - warning stations 578, 579
 - landslide and tsunami monitoring 4, 9, 278
 - local communities 279, 281, 567–568, 580
 - MTD survey 569–570
 - palaeotsunami soil horizons 573

- Kitimat Arm (*Continued*)
 slide complex 570–574
 slope failure triggers 573
 surface geology and terrestrial landslides 575–578, 580
see also Kitimat slide complex
- Kitimat fjord *see* Kitimat Arm
- Kitimat Ranges 278, 279
- Kitimat River Delta 281, 285, 571
 numerical modelling 574–575
 sediments 573–574
 slope failure triggers 573, 575
 submarine debris flows and slumps 281–282, 289
 tsunamis 282
- Kitimat slide complex 570–574
- Kiwada Formation 7, 242, 243, 256
 consolidation 258, 262
 MTDs 242, 243, 244, 245, 257
 Otaki MTD 244–251, 245
 porosity 260, 262
- Kokumoto Formation 256
- Kongochi Formation 256
- Korea, Ulleung Basin submarine landslides 107–118
- Krishna–Godavari Basin
 gas hydrates 184
 lithological sequences 184–185
 MTDs 184, 186–187
 nanofossil biostratigraphy 185, 187–188, **189**
 fossil zonation 188–190
 sedimentation rate 190–192
- Kumano Basin 24, 38–39
 bathymetry 24, 26
 landslides
 cross-cutting relationships 25, 27, 28, 31–33
 faults 26, 28, 29, 30–33
 measurement 24–26
 morphological relationships 27, 29–30, 31
 morphology 26–27
 size and distribution 27, 29, 30
- Kuroshio Current 34
- Kurotaki Unconformity 256
- Lake Tekapo 414–415, 416
 basin floor geomorphology 417–418
 basin seismic stratigraphy 418, 420, 421
 faulting 414, 415
 landslides 418, 419, 421–424
 Boundary Stream landslide 421–422, 423, 424
 Cass delta 421–422, 423, 424
 scenario selection 421, 423
 MTDs 8, 415, 418, 420
 sedimentation 415, 418, 421, 422
 tsunami hazard 413–424
 data and methods 415, 416, 417
 debris avalanche model 415, 417
 modelling 421–424
- Lake Zurich 400–401, 401
 bathymetric position index (BPI) 403, 404, 406, 408
 bathymetry 399–400, 402, 403
 digital bathymetric model (DBM) 400, 402, 403, 405
 digital terrain model (DTM) 400
 subaqueous landslides 399–410, **407**, 467, 468
 1875 Horgen MTD 403, 404, 408
 1955 Küsnacht slide 408
 data and methods 401, 403
 head scarp 403, 405, 406
 location and extent 405–406, 408
 translation areas 403–404, 405, 406
 surface texture and age of MTD 408–409
 trigger mechanisms 400, 406, 408
- lakes, MTDs 8
see also Lake Tekapo; Lake Zurich
- landslides *see* postglacial landslides; subaqueous landslides; submarine landslides; terrestrial landslides
- lapilli-tuff, Kiwada Formation 242, 244, 245, 248
- Last Glacial Maximum 279
 Barents Sea 538
 Haida Gwaii archipelago 89
 Tuaheni Landslide Complex 483, 484, 492, 493
- Laurentia, Neoproterozoic deposition 265
- Laurentian Channel 378, 379
- Laurentian Fan 379
 earthquake, 1929 Grand Banks 583, 584
 landslide, complexity 469
 levees 377
 MTDs 8, 377–386
 data and methods 378
 Quaternary, stratigraphy 378
 tsunami, 1929 Grand Banks 7, 315–329, 318, 584
- Laurentian Formation 122
- leakiness, Queen Charlotte Fault 90, 91, 93, 99, 100, 101, 103, 104
- Levant passive continental margin
 earthquakes 15–21
 source 19–20
- levees, Laurentian Fan 377–386
- Licosa Channel 136, 137, 138, 147
 pockmarks 6, 138, 139, 140, 145–146, 147
 sediments 139–140
- Licosa Channel Fault System 144
- Licosa submarine landslide 6, 133–147
 chronological constraints 142–143
 data and methods 134, 135–136
 geological constraints for instability 143
 ash layers 6, 144–145, 147
 basal erosion 143
 earthquake shaking 144, 145, 147
 sea level rise 6, 142, 143–144, 147
 sedimentation rate 146, 147
 subsurface fluid migration 145–146, 147
 lithology 142
 multibeam bathymetric data 135–136, 137
 seismic data 136, 137, 138–139, 140
 sub-bottom CHIRP profiles 136
 tephra 136, 137, 139–140, 141, 142–143, **142**, 145, 146
 thickness 136
- LiDAR surveys, Douglas Channel 571, 577
- Loen Lake, landslide-generated displacement waves 353, 354, **356**
- Lower Isaac Formation
 channel complexes 265, 266, 271, 273
 MTCs 265–274
 Isaac MTC 1 stratigraphy 266–274
 Isaac MTC 2 stratigraphy 271, 273
 Kaza–Isaac transition 266, 267, 271
 stratigraphy 266–267, 270–271
 turbidites 270–271, 272
 first Isaac carbonate 271

- Madeira Abyssal Plain 153, 157, 444
 Madeira Islands 152, 153
 Magdalena Fan MTC, megaclasts 225, 226–228, 236, 237
 Magnaghi Seamount 134, 135
 mapping, seafloor 389
 AUV 514
 margin failure, entrainment of megaclasts 236
 Marsili Seamount 134, 135
 mass transport complexes (MTCs)
 Lower Isaac Formation 266–274
 megaclasts 223–238
 Chacay Melehue outcrop 233–234
 Magdalena Fan 225, 226–228
 Santos Basin 228–229, 230, 231
 Vriesgwaadg Farm outcrop 231–233
 mass transport deposits (MTDs) 1, 121, 183–184
 classification 9, 479–494
 and fault propagation 122
 Penobscot, Scotian Shelf 125, 126–130
 Hoop area, Barents Sea 538, 540–544
 as hydrocarbon reservoir and seal rocks 537, 543
 Kazusa Group 242, 243, 255, 257
 Kitimat Arm 569–570
 Krishna-Godavari Basin 184–185, 186–187
 calcareous nannofossils 185, 187–191
 Lake Tekapo 8, 415
 Lake Zurich landslides 403, 408–409
 lakes, fjords, and coastal areas 8
 Levant passive continental margin 15
 as markers for fault propagation 5, 121–130
 modern and outcrop sedimentology 6–7
 NW African margin 154, 157, 159
 Otaki MTD 244–251, 245
 passive margins 6
 Penobscot, Scotian Shelf 124, 125–126
 and fault propagation 125, 126–130
 pore-fluid pressure 184
 Queen Charlotte Fault 72–81
 St Pierre Slope 591–592
 southern Scotia Sea 195–204
 sills 200, 201
 and tectonics 5–6, 271
 Ulleung Basin 107, 108, 109
 Western Levee MTD, Laurentian Fan 377–378, 380–386, 381
 mass-wasting
 NW African margin 151, 153–165
 Queen Charlotte Fault, British Columbia 91–105
 Ulleung Basin 107–118
 Matuyama Chronozone 188
 Mauritania slide 152, 153, 154, 160, 163, 164
 measurement techniques 2–5
 Median Tectonic Line 24
 Mediterranean Sea *see* Eastern Mediterranean;
 Tyrrhenian Sea
 megaclasts, in mass flows 7, 223–238
 abrasion 236, 237
 entrainment 224–225
 methods 234–236
 Neuquén Basin 236–237
 offshore Colombia 236, 237
 impact on flow behaviour 237–238
 source 224
 Mesima Canyon 390, 392, 393, 394, 395
 Mesisol 284
 Messina Strait 390
 Messinian evaporites 15, 19
 Meta Incognita Peninsula 368
 metamorphism, and gas release 202
 meteotsunami 303
 methane 104
 Cascadia margin 49
 continental margins 33–34
 Dixon Entrance mud volcano 100, 101, 102–103
 Kazusa Group 242, 251, 255
 Middle Miocene Unconformity, Cape Fear Slide Complex 173, 174, 175, 178
 Middle Oligocene Unconformity, Cape Fear Slide Complex 173, 174, 175, 178
 Minette Bay, flooding/tsunami 284–285, 289, 291
 Miocene
 Bay of Bengal MTDs 187–192
 Cape Fear Slide Complex 173, 174, 175, 177, 178
 Ulleung Basin 109, 117
 Mississippi Canyon 524
 Mistake Peak 416, 424
 Miura Group 256
 Mobara gas field 242
 Molasse bedrock 400, 401
 Monte Sacro Formation 142
 Monterey Canyon
 current profilers 3–4
 reworking of landslide deposit 461
 Moon Bay 1975 slump 282, 283, 284, 574
 moraine
 British Columbia 281
 Frobisher Bay 369
 shear margin 544
 Upper Regional Unconformity 540–544
 Moroccan Turbidite System 8, 157, 159, 163
 layer-averaged numerical modelling 444–452
 Motuariki Island 416, 417, 424
 Mount Etna, submarine landslide monitoring 514
 mud, Ursa Basin 524–525
 mudstone, clay-rich, strength 525, 531–534
 multibeam echosounder (MBES) surveys
 Frobisher Bay 367, 369
 Lake Tekapo 415
 Lake Zurich 400–410
 Laurentian Fan 378, 381, 382, 385
 Queen Charlotte Fault Zone 85
 submarine landslide monitoring 514
 Tuaheni Landslide Complex 481
 multibeam swath bathymetry surveys
 Cascadia 47, 49, 51, 52
 EM300 47, 49, 51, 52
 Laurentian Fan 585
 Licosa submarine landslide 135–136
 Queen Charlotte Fault 89–90
 southern Scotia Sea 197, 198
 submarine landslide monitoring 514
 Namihana Formation 256
 consolidation 258, 260–262
 fluid pressure 263
 MTDs 257
 porosity 260–262

- Nankai forearc region
 foraminifera 42
 multi-core sediment characteristics 39–40
 piston core sediment characteristics 40–41
 sediment remobilization by earthquakes 38–43
- Nankai megasplay fault 34, 39
- Nankai Trough 24, 25, 38
 earthquakes 34, 38
 methane and gas hydrates 33–34
 submarine landslides 5, 23–34
- nannofossils, calcareous, Krishna-Godavari Basin 185, 187–188, **189**, 190–191
- National Gas Hydrate Program Expedition, India 184, 192
- Neapolitan Yellow Tuff 143
- Neogene, Ulleung Basin 109
- Neoproterozoic deposition, Laurentia 265
- Neuquén Basin, Chacay Melehue outcrop, megaclasts 225, 233–234, 236–237
- New England Slide Complex 177
- New Zealand, lacustrine tsunami hazard 413
 Lake Tekapo 413–424
- Newfoundland, Grand Banks 1929 tsunami 315–329
- NGI model 361, 362, 364
- Nice EMSO (European Multidisciplinary Seafloor and water-column Observatory) 512
- Nile Delta, sediment 15
- Nitinat Fan 48, 50
- Nootka Fault Zone 48, 58
- Nord-Statland, 2014 submarine landslide 1
- North American Plate 49
 boundary with Pacific Plate 70, 71, 72, 85, 102
 boundary with Pacific Plate and Philippine Sea Plate 242, 243
 rifting from African Plate 122
- North Atlantic Ocean, rifting 151
- North Pacific High pressure system 280
- Northern Hydrate Ridge 63
see also Hydrate Ridge; Southern Hydrate Ridge
- Norway
 geohazard assessment, Bjørnafjorden crossing 549–565
 landslide-generated displacement waves 353–364, 354
- Nova Scotia
 1929 Grand Banks tsunami 318, 319, 321, 322, 324, 325, 329
 Scotian Basin MTDs 122–130
- Noyes Canyon 71, 74, 77, 78, 86
- Nuugaatsiaq, 2017 tsunami 1
- NW African continental margin 151, 152
 earthquakes 163
 mass wasting 151, 153–165
 distribution and style 160–162
 preconditioning factors and triggers 162–163
 timing and hazard potential 163–164, 165
 submarine landslides, database 153
 tsunami potential 163–164
- Nyk Slide 468
- Oberrieden 402
- Ocean Networks Canada (ONC) platforms 2–3
- ODP leg 178 195, 202, 204
- ODP Site 658, Cap Blanc 152, 154, 156, 161, 162
- Ohara Formation 256
 consolidation 258, 260–262
 fluid pressure 263
- MTDs 257, 259
 porosity 260–262
- Oki Bank 108
- Oligocene, Cape Fear Slide Complex 173, 174, 178
- opal diagenesis, BSRs 195, 196–197, 202, 203, 204
- Opstadhornet rockslide, comparative displacement wave modelling 361–363, 363, 364
- Orca Slump slope failure 52, **53–54**, 55
- Oregon, offshore slope failures 48, **54**, **56–57**, 59, 60, 61
- Ormen Lange gas field, geohazard evaluation 9, 537
- Otadai Formation 256
 consolidation 258, 260–262
 MTDs 257
 porosity **260**, 261, 262
- Otaki MTD 242, 244, 245
 distribution and deformation 244
 shear strength 248–250
 slide plane 244, 247, 248, 249–251
- Otrøya, Opstadhornet rockslide, comparative displacement wave modelling 361–363
- outcrops, MTDs 6–7
- overpressure
 and MTDs 6, 33, 169–170, 255
 Cape Fear Slide Complex 178
 southern Scotia Sea 6, 200
see also pore pressure
- P-Cable seismic data 538
 Hoop area 538, 539–544
- Pacific Ocean, British Columbia, storm deposits 280–281, 573
- Pacific Plate
 boundary with North American Plate 70, 71, 72, 85, 102
 boundary with Philippine Sea Plate 256
 convergence with Australian Plate 480
 subduction beneath North American Plate and Philippine Sea Plate 242, 243
- ‘pagoda’ structures, Scan Basin 200, 202
- palaeotsunami, soil horizons 573
- Palmahim disturbance 15, 16–17, 18, 20, 21
- Palu 2018 tsunami 1
- Paritu Basin 480, 482
- particle arrangement, impact on failure behaviour 524
- passive margins
 Levant, earthquakes 15–21
 MTDs 6
 NW Africa 151, 152
 mass wasting 151, 153–165
 USAM 169–179
- peat soils 283, **283**, 284–285, 285, 286–287
- penetrometer *see* free fall cone penetrometer surveys
- Penobscot, Scotian Shelf
 geology 122, 123
 MTDs 124, 125–126
 and fault propagation 125, 126–130
- Peon gas field 537
- Petrace Canyon 390
- Philippine Sea Plate
 boundary with Pacific Plate 256
 subduction beneath Amur Plate 24, 38
 subduction beneath North American Plate 242, 243
- pipelines, threat from submarine landslides 511
- Pleistocene
 Bay of Bengal MTDs 6, 187–192

- glaciation, southeastern Alaska 72
 Ulleung Basin 109, 117
 Western Levee MTDs 384–385, 386
- Plio–Pleistocene
 basin fill, Kazusa Group 242, 255–263
 Nile Delta sediment 15
- Pliocene, USAM 177, 178
- Pliocene Unconformity, Cape Fear Slide Complex
 173, 174, 175
- plough marks, URU moraine 540, 541, 542
- plucking, entrainment of megaclasts 234–235
- pockmarks, Licosa Channel 6, 138, 139, 140,
 145–146, 147
- Pointe-du-Fort Slide 344–346
- pore pressure
 and MTDs 184
 Boso forearc basin 255–263
 and slope failure 4, 6, 169–170, 178, 241,
 346–347, 524
 Kitimat Arm 573, 578
 Kiwada Formation 248, 249, 250, 251
 Licosa submarine landslide 135, 143–144, 146
 NW African continental margin 162–163
 Ulleung Basin 117
- porosity analysis, Ursa Basin, stress level and failure
 behaviour 530–531
- positivity preservation 442
- postglacial landslides, British Columbia 281
- pressure, seafloor
in situ monitoring 4, 513, 578, 579
 numerical modelling 4, 517
- Project 640-S4LIDE 9
- Pseudoemiliana lacunosa* 188, **189**, **214**
- pumice, Otaki MTD 242, 244, 245, **246**, 248
- Quaternary
 British Columbia 89
 Laurentian Fan
 stratigraphy 378
 submarine landslides 377–386
 southeastern Alaska 72, 73, 78, 79, 80, 81
 USAM 172
- Quaternary Unconformity, Cape Fear Slide Complex
 173, 174, 175, 177–178
- Queen Charlotte Fault 70, 71, 72, 85, 86
 earthquakes 72, 86, 87, 102, 104
 slope failure and mass transport processes
 British Columbia 85–105
 fluid flow 102–103
 geomorphology 87–89
 leakiness 90, 91, 93, 99, 100, 101, 103, 104
 MBES data 85, 90, 91, 92, 93, 98, 99,
 100, 105
 multibeam swath bathymetry 89–90
 radiocarbon dating 90, 95, 97, 98, 102, 104
 sediment densification 103–104
 seismic imaging 90, 100
 submarine slides 88, 90–100, 104–105
 tectonics 102
 southeastern Alaska 70–81
 data and methodology 73–74
 margin physiography 74–79
 seafloor morphology 70, 72, 73–79
- Queen Charlotte Terrace 72, 75, 78, 89, 90
- Queen Charlotte–Fairweather Fault System 85, 86,
 278, 280
 MTDs 5
see also Fairweather Fault; Queen Charlotte Fault
- resedimentation experiments, Ursa Basin, stress
 level and failure behaviour 527, 528–530,
 532–534
- Resurrection Bay, submarine slope failures 375
- Reticulofenestra asanoi* 188, **189**
- Reticulofenestra pseudoumbilicus* 188, **189**
- Reticulofenestra umbilicus* 191
- Reynolds number 441
- Richardson number 441
- Riemann Problem 441, 442
- Rift Ridge slide 91, 93, 96, 97, 103
- RITMARE project 135
- Rosby number 451–452
- run-up, correction factor 357
- Sable Sub-Basin 122
- sackung features
 Douglas Channel 571, 577, 578
 Hawkesbury Island 288, 577, 578
- Sahara Seamounts 152, 153
- Sahara Slide 152, 153, 156–157, 158, 160, 161,
 163–164, 465
- St Elias Mountains 73
- St Lawrence Estuary
 submarine slope failure 375
 tsunami modelling 7, 293–300
- St Pierre Slope 589
 1929 Grand Banks submarine landslide 583–594
 acoustic analysis **586**, 589–590
 escarpment systems 592–593
 fault and head scarps 592–593, 594
 missing sediment 587, 590, 593, 594
 morphological analysis 588, 589
 MTDs 591–592
 sediment budget 593
 sediment cores 586–587
 seismic data 585–587, 588
 uncertainty 588–589
 seismic relationships **587**, 589–590
 seismic stratigraphy 590–591
 slumping 315–316
 swath bathymetry 585, 589
 uncertainty 587–588
- Saint-Venant solver 441, 442
- salt tectonics
 Levant passive continental margin 19–20
 NW African continental margin 159
 Santos Basin 229
 USAM 6, 171, 172–173, 175, 177, 178
- Santos Basin 225
 megaclasts 228–229, 230, 231
- Scan Basin 195–196, 196, 197
 CHIRP sonar 197, 198
 MTDs 195, 197–200, 203, 204
 gas hydrates 204
 sills 200, 201
 fluid migration 199, 200, 201, 202, 203
- seismic chimneys 196
- seismic profiles 197, 198–200, 201

- Scilla 1783 landslide 389, 390
- Scotia Plate, boundary with Antarctic Plate 196
- Scotia Sea 195–197, 196
- southern 196
 - BSRs 195, 196
 - magmatism 197, 200, 203, 204
 - MTDs 195–204
 - data and methods 197
 - and overpressure 6, 200
 - sequence and seismic structure 198–200
 - sills 200, 201
- Scotian Basin 122
- MTDs 5–6, 122–130, 124
 - stratigraphy 122, 124
- Scotian Shelf
- geology 122, 123
 - seismic data 122, 123, 124, 125–126
- Scotian Slope, WLWV landslide 385
- SE Australia continental margin (SEACM)
- submarine landslides 207–220
 - see also* Yamba (NSW)
- Sea of Japan *see* East Sea
- sea level change
- isostatic 369
 - and slope failure 117
 - Licosa slide 6, 135, 142, 143–144, 147
 - Ulleung Basin 108, 117
- seafloor deformation measurement 512–515
- numerical modelling 516–518, 519
- seafloor mapping 389
- seafloor modelling 4
- SEAMARK-II seafloor imagery 47, 49
- seamounts, NW African margin 152, 153
- sediment cores
- Kitimat River delta 573–574
 - Licosa slide 136
- sediment particle arrangement, and failure
- behaviour 524
- sediment remobilization, role of earthquakes
- 5, 38–43
- sedimentation rate 184
- Krishna–Godavari Basin 190–192
 - NW African margin 153
 - and slope instability, Licosa slide 146, 147
- Sedimentology of Arctic Fjords Experiment (SAFE)
- 367, 369
- sediments
- formation and strength 334–337
 - consolidation and shear strength 335–337
 - depositional environment 334–335
 - energy and failure mechanisms 337
 - mass movement, turbidity currents 427–436
- Seine Abyssal Plain 152, 153, 157
- turbidity current numerical modelling 440, 444
- seismicity
- Levant passive continental margin 15–21
 - Nankai Trough 24–34
 - Ulleung Basin 109, 117
- seismo-turbidites, Nankai forearc region
- 5, 38, 42
- self-acceleration 427
- shallow gas
- Barents Sea 543
 - geohazard 537
- shear margin moraines 544
 - shear strength 335–337
 - Kitimat Arm 573
 - Otaki MTD 248–250
 - Shimanto accretionary complex 24
 - shore-loading mechanisms 408
 - sills
 - Scan Basin MTDs 200, 201, 202
 - fluid migration 199, 200, 201, 203, 204
 - Sitka Sea Valley 71, 74, 86
 - slide planes
 - Otaki MTD 244, 247, 248, 249–251
 - Ulleung Basin 111
 - see also* failure planes
 - slide scars 207, 342–344
 - Krishna–Godavari Basin 192
 - Kumano Basin 27
 - Licosa submarine landslide 138, 139, 141, 147
 - NW African continental margin 154, 156, 161
 - Scan Basin 198
 - SE Australia 207, 208, 212, 215–220
 - Tyrrhenian Calabrian margin 389–395
 - Ulleung Basin 107, 108, 109, 111, 114
 - USAM 172
 - slides *see* landslides
 - slipstream slope failure 51, 52, 53–54
 - slope failure 4
 - Cascadia margin 5, 47–64
 - blocky (slipstream) 51, 52–55, 57, 58, 59, 60, 63
 - debris-style 52, 53–54, 55, 57, 58, 59, 60, 63
 - methodology 50–51
 - morphological analysis 51–55
 - effects of stress, Ursa Basin 523–534
 - submarine, *in situ* monitoring 512–515
 - see also* submarine landslides, monitoring, *in situ*
 - inner Frobisher Bay 367–375
 - comparison with other regions 375
 - morphological analysis 369, 370–375
 - triggering mechanisms 375
 - numerical modelling 515–518
 - 3D finite element models 515–516
 - failure mechanisms 515, 518–519
 - onset of failure 516
 - seafloor deformation 516–518, 519
 - Resurrection Bay 375
 - Tyrrhenian Calabrian margin 394–395
 - USAM 169–170
 - Cape Fear Slide Complex 170–179
 - slope instability, Bjørnafjorden crossing, geohazard
 - assessment 549–565
- slopes
- accumulated and yield strength 341, 344–346
 - classification 340–341
 - eroded
 - canyons and channels 341–342
 - and intact strength 341–344
 - landslide scars 342–344
 - geomechanical concepts 333–340
 - safety and stability analysis 337–339
 - yield strength and mobility 339–340
 - rock 347
 - sediment formation and strength 334–337
 - consolidation and shear strength 335–337
 - depositional environment 334–335

- energy and failure mechanisms 337
- see also* continental slopes
- slumping
 - 1929 Grand Banks tsunami 315, 317, 319, 320–323, 593–594
 - Eastern Mediterranean margin 15
- Sohm Abyssal Plain, turbidites 585, 593
- soils, British Columbia, geohazard record 279, 283, 284–287, 288
- South Africa, Karoo Basin megaclasts 231–233
- South Sandwich Arc 200, 201
- South Sandwich Trench 200–201
- South Scotia Ridge 196
- South Scotia Sea *see* Scotia Sea, southern
- Southern Alaska Coastal Relief Model 73, 74, 75
- Southern Hydrate Ridge 51, 55, 63
- Spain, GIS catalogue of submarine landslides 499–507
- Sphenolithus furcatolithoides* 191
- Sphenolithus heteromorphus* 191
- Sphenolithus radians* 191
- spillover channel, Western Levee 379, 381, 382
- SPLASH (semi-empirical prediction of landslide-generated displacement wave run-up heights) equation 355, 357–361
 - comparison with other models 361–363
 - in primitive risk analyses 363–364
- Squally Channel, MTD 569
- Squamish Delta
 - current measurement 4
 - numerical modelling 574–575
- Storegga slide 9, 23, 143, 334, 342, 344, 537, 542
- Storfjorden trough mouth fan 538
- storm deposits, British Columbia 280–281
- storm surges, British Columbia 290
- strain, seafloor, modelling 4, 512, 514, 516, 519
- stress, and failure behaviour
 - Kitimat Arm 573
 - Ursa Basin sediments 523–534
- Stromboli Canyon 390, 391
- subaqueous landslides 456–457
 - Lake Tekapo 414–424
 - Lake Zurich 399–410
- morphometric global database 457–471
 - classification schemes 467
 - consistency in measurement **459–461**, 469–471
 - data resolution/landslide scale 462, 463, 464
 - differentiating zones 465, 466, 467
 - geographical and economic bias 461–462
 - landslide scale/survey area 462, 465
 - landslide volumes 467–468
 - metrics and metadata **459–461**, 469–470
 - morphological complexity 468–469
 - morphological modification by burial 468
 - preservational bias 461
 - scale bias 458, 461
 - slope gradient 465–466
 - temporal bias 461
- subduction
 - Cascadia zone 280
 - Nankai Trough 24, 25, 38
- submarine landslides 23, 497–498
 - British Columbia 281–282, 289–290
 - classification 9, 467, 479–494
 - inventories 9, 498–499
- Kumano Basin 24–34
- Levant passive continental margin 15–16, 16–17, 18, 20–21
- Licosa 6, 133–147
- measurement techniques 2–5
- modelling downslope trajectory and velocity 215–218, 219
- monitoring 512–520
 - acoustic ranging 513–514
 - in situ* 512–515
 - numerical modelling 515–518
 - pressure 513, 517
 - seafloor deformation measurement 512–515
 - tilt 513, 517, 519
- Nord-Statland 1
- NW African continental margin 152, 153–159
 - database 153
 - distribution and style 160–162
 - preconditioning factors and triggers 162–163
 - timing and hazard potential 163–164, 165
 - post-failure evolution 479
- Queen Charlotte Fault, British Columbia 91–105
- scars 342–344
 - Tyrrhenian Calabrian margin 389, 392–395
 - failure and post-failure modes 394–395
- SE Australia continental margin 207–220
 - Yamba (NSW) 208–220
- slope failure, numerical modelling 515–518
- southeastern Alaska 70
- Spain GIS catalogue 499–507
 - constraints 503
 - data reliability 503–504
 - geology 502
 - identity 501–502
 - morphometry 502–503, 504
 - spatial representation 503, 504
 - terminology and measurement 505–506
 - turbidites 500, 504
- threat to seabed infrastructure 511
- translational, failure planes 241
- and tsunami generation 303–312, 353
 - 1929 Grand Banks 315–329
 - model 304–305
- Ulleung Basin 107–118
- USAM, Cape Fear Slide Complex 170–179
- submarine slope instabilities, Bjørnafjorden crossing 549–565
- substrate, entrainment of megaclasts 234–236
- Summer Sea Valley 71, 74, 77, 86
- swath bathymetry *see* multibeam swath bathymetry surveys
- Switzerland
 - Lake Zurich landslides 399–410
 - turbidity currents
 - concentration 428, 430, 432, 435–436
 - divergence and vorticity 430, 431
 - ultrasound velocity profiling 428–431, 435–436
- Tafjord, 1934 landslide-generated displacement wave 353, 354, **356**
- Tasman Sea Basin 208
- tectonism, and MTDs 4–6, 271

- tephra
 Licosa slide 136, 137, 139–140, 141, 142–143, **142**, 145, 146
 Tuaheni Landslide complex 491, 493, 494
see also tuff
- terrain stability mapping, Douglas Channel 576, 577–578
- terrestrial landslides, British Columbia 281
- tilt, seafloor
in situ monitoring 4, 513
 numerical modelling 4, 517, 519
- Timiris Canyon 163
- Tjellefonna, 1756 avalanche-generated displacement wave 353, 354
- Tohoku-oki 2011 earthquake 38
- Tonankai 1944 earthquake 38
- Top-moraine 539–544
- topographic position index (TPI) 400
- Traenadjupe Slide 468, 469
- Triassic, rifting, Scotian Basin 122
- triple junction, Honshu Arc 242, 243
- trough–mouth fans, Alaska 72
- tsunami
 1783 Scilla landslide 389
 1929 Grand Banks 315–329, 583–584
 1974 British Columbia 280, 282, 289, 290, 291
 Kitamaat village 283–284
 1977 Gioia Canyon landslide 389
 2017 Nuugaatsiaq 1
 2018 Anak Krakatau 1
 2018 Palu 1
 Black Sea 7, 303–312
 deposits 280
 Fairweather Fault 70
 historic, soil horizons 573
 Kitimat Arm 7, 284
 Lake Tekapo 413–424
 landslide-generated 303–312, 353
 Lawrentian Fan 7
 modelling
 1929 Grand Banks 318–329
 2007 Bulgaria 303–312
 comparison with field data 308–309
 dynamics 306–308
 FNLD model 304, 311
 frequency dispersion effects 309, 311
 simulation concept 305–306, 307
 Betsiamites submarine landslide 7, 293–300
 NW African margin, potential 163–164
 risk assessment 7–8
 Tyrrhenian Calabrian margin 389
 warning 1
 Douglas Channel 578–579
see also displacement waves; Grand Banks 1929 submarine landslide and tsunami; meteotsunami; palaeotsunami
- Tuaheni Landslide Complex 9, 465, 468, 480–494
 debris avalanche material 492, 493
 gravity core data 482–483
 oceanography 480–481
 post-LGM material 483, 484, 492, 493
 sediment characterization 485–491
 depositional context 492–493
 slope instability 481–482
 slope segment classification 483–485
- stratigraphy 480
- tectonic setting 480
- turbidites 491, 493, 494
 volcanic tephra 491, 493, 494
- tuff, and slope instability 241–242
 Kiwada Formation 242, 243, 244–251
- turbidites
 Isaac MTD 270–271, 272
 Laurentian Fan 378, 383
 NW African continental margin 157, 163
 Sohm Abyssal Plain 585
 Tuaheni Landslide Complex 491, 493, 494
 Ulleung Basin 107, 117
 URU moraine 543–544
see also seismo-turbidites
- turbidity currents
 and earthquakes 38
 Grand Banks 1929 tsunami 315
 Grand Banks 583, 585, 593, 594
 measurement 2–4
 acoustic Doppler techniques 4
 numerical modelling
 layer-averaged 8, 439–452
 Basilisk software 441, 442
 empirical relationships 441
 Exner equation 440
 flume simulation 443, **444**
 governing equations 440–441
 HLLC solver 441, 442
 method 441–442
 Moroccan Turbidite System 444–452
 positivity preservation 442
 Saint-Venant solver 441, 442
 well-balanced property 442–443
 sediment transport 427–436
 concentration 428, 430, 432, 434, 435–436
 divergence and vorticity 430, 431
 flow structure 433
 sediment mass flux 432, 434–435
 timeline image and stream function 432
 ultrasound velocity profiling 428–431, 435–436
 velocity distribution 430–431
- Tyrrhenian back-arc basin 135, 390
- Tyrrhenian Sea
 Calabrian margin 389–395, 390
 earthquakes 395
 geology 390–391
 landslide scars 389, 392–395
 data and methods 391–392
 failure and post-failure modes 394–395
 Licosa submarine landslide 133–147
 opening 135
- Ulleung Basin 108
 mass-wasting processes 5, 107–118
 earthquakes 107, 109, 115, 117
 gas hydrates 108, 115
 morphological analysis 109, 111–115
 multibeam echosounder data 109, 110, 111, 112
 preconditioning factors 115, 117
 seismic data 109, 113, 114
 statistical analysis 114–115, 116
 MTDs 107, 108, 109
 sedimentation 109, 117

- Ulleung Fault 109
 Umegase Formation 242, 243, 256
 United Nations Convention on the Law of the Sea (UNCLOS) 377, 386
 Upper Kaza Group 265, 266
 Kaza–Isaac transition 266, 271
 Upper Miocene Unconformity, Cape Fear Slide Complex 172, 173, 174, 175
 Upper Regional Unconformity 538–539
 moraine 540–544
 upwelling, NW African margin 153, 154
 Ursa Basin
 clay-rich mudstone fabric and soil strength 4, 525–526, 531–534
 geology 524–525
 sediment strength tests 525
 stress level and failure behaviour 4, 523–534
 DSS experiments 526–528, 532–534
 porosity analysis 530–531
 resedimentation 527, 528–530, 532–534
 uncertainty 531
 US Atlantic Margin (USAM)
 geology 172
 MTDs 6, 169–179

 Valdes Slide, landslide morphometrics 465, 469–470
 Vancouver Island 48
 megathrust earthquakes 47, 49
 slope failure 48, 50, 53, 55, 56, 59, 60, 61
 Vavilov Seamount 134, 135
 VAW model 361–362, 363, 364
 velocity profiling, ultrasound, turbidity currents 428–431, 435–436
 VENUS (Victoria Experimental Network Under the Sea) observatory 512
Vestimentifera spp 100, 103
 volcanoes
 Discovery Bank 200
 Dixon Entrance 90, 91, 98–100, 101, 102–103, 104–105
 NW African continental margin 153, 156–157, 159, 164
 Vriesgwaadg Farm outcrop 225
 megaclasts 231–233

 Wairarapa Coastal Current (WCC) 480
 Wairarapa Eddy 481
 wash-over fans 280
 Washington State, offshore slope failures 48, 53–54, 56, 59, 60, 61
 wave run-up 353, 355
 Weddell Sea Deep Water (WSDW) 195, 197
 Western Boundary Under Current (WBUC) 177
 Western Levee (WLWV), Laurentian Fan
 flow lineations 381, 383
 morphology 378–380, 381, 382
 MTD 377, 380–386
 blocky debris field 381, 382, 383
 disintegrated blocks 381, 382, 383
 landslide behaviour 381, 383
 ridge and trough morphology 381, 382
 seabed spreading zone 381, 382, 383
 seismic data 379–380
 timing 384–385
 spillover channel 379, 381, 382
 Western Valley, Laurentian Fan 584, 585, 593
 regional setting 378, 379
 Western Levee (WLWV) MTD 377, 380–386
 Windermere Supergroup, Isaac Formation 265–274
 Windermere turbidite system 271
 Wisting area 538
 Wyandot Formation 122, 124, 125, 126

 Yakobi sea valley 71, 72, 73, 81, 86
 Yakutat Shelf 73
 Yakutat Terrane 71, 72
 Yamato Basin 108
 Yamba (NSW), submarine landslides 208–220, 209
 bathymetry 211, 212
 downslope trajectory/velocity 215–218, 219
 nanofossil biostratigraphy 213, 214
 radiocarbon dating 211, 212–213
 scar and slope morphology 212
 sediment cores 208, 209, 210, 211, 212–215
 sedimentation rates 215
 sedimentology 211, 212, 214, 215
 seismic data 208, 210, 211
 TOPAS data 211
 Yangsan Fault 109