

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- adsorption, selenite, Boom Clay 6, 225–236
- advection, gas migration 116, *135, 136*, 137, 141, 317
- air-entry value (AEV) 116, 118, 119, **124**, *128*, 129, 130, 134, *139*, 141
- albite, Boda Claystone Formation 77
- albitic claystone, Boda block 78
- albitolite, Boda block 78
- Alpha-tunnel URL 75
- analcime
  - EBS Claystone Formation 77, 78
  - Gorica block 79, 80
- analcite, Tamusu clay 4, 98
- ANSICHT project 313–327
- Ariet marly limestone 13
- Äspö Hard Rock Laboratory 242
  - BRIE 6, 241, 242, 264, 265, 266–281, 286–291
    - see also* Bentonite-Rock Interaction Experiment
  - EBS Task Force 242
  - Prototype Repository 6, 241–259, 242
  - TASD tunnel 287, 288
  - TASG 242
  - TASO tunnel 264, 265, 286, 287, 289, 291, 294–295
- backfill 2, **3**
  - permeability 256, 257
  - safety measures 316, *317*, 318, 320
- barriers
  - engineered (EBS) 1, 2, 241, 262
    - ERT monitoring, URL Tournemire 7, 331–343
    - FEBEX DP experiment 301–312
    - gas migration 115–116
      - see also* bentonite
    - geological 1, 262
    - interaction with host rock *see* Bentonite-Rock Interaction Experiment (BRIE)
- Bayingebi Basin 94, 95
- Bayingebi Formation 95–99, 96
  - mineral composition 96–97, 98
  - thickness and depth 95–96, 98
  - water content 96, 97
- Belgium, Boom Clay, selenite adsorption and reduction 225, 226
- Benken borehole
  - Opalinus Clay Formation 4, 12
  - well log data 13–23
    - corrected bulk density 13, 16
    - gamma radiation *12*, 13, 16, 21, 22
    - local statistics *14*, 15, 17, 18–21
    - methodology 13–14
    - P-wave acoustic slowness *12*, 13, 16, 21, 22
    - photo-electric factor 13, 16, 21, 22
    - physical properties 21–22
    - potassium content 13, 16
    - principal component analysis 14–15, 16
    - stationary classes 17, 19, **20**, 21
    - thorium content 13, 16
    - transitional classes 17–18, 19–21
- bentonite 2
  - blocks, FE experiment
    - heater, thermal properties 52
    - thermal properties *48*, 52, 53, 56–58
    - in conceptual models 271–272
    - in emplacement tunnel 152
  - FEBEX-DP experiment 301–312
    - corrosion study 306–312
    - Fe diffusion 303, *304*, 306, *308*, *309*, 310–311
    - and gas migration 4–5, 116
    - GAMBIT Club programme 117
    - two-phase model 5, 125–129, *130*, *131*, *144*
  - granulated bentonite mixture (GBM) 40, 41, **43**, *47*, 49
    - thermal properties 51–53, 56–58, 60–61, 64
  - groundwater seepage 206–212
  - Horonobe URL buffer experiments 176–190, *179*
  - interaction with host rock 241, 264
    - see also* Bentonite-Rock Interaction Experiment
  - Na 205–206
  - permeability 241, 254, 255, 256, 257
  - PR experiment 241–259
  - resaturation 251, 252, 254, 256, 259
  - resistivity, and degree of saturation 206, 209
  - suction 251, 252, 253, 254, 255, 256
  - swelling 5, 205, 241, 285
  - thermal conductivity 251, 252
  - wetting 6, 252, 270, 273, 276, 279, 281, 286
    - conceptual model 291–299
    - prediction 295, 297, 298
    - uncertainty 297
  - see also* buffers, bentonite-based
- Bentonite-Rock Interaction Experiment (BRIE) 6, 241, 242, 264, 265, 266–281, 286–291
  - 3D modelling domain 287–288
  - bentonite characterization 290–291
  - boreholes 286, 287, 288, 290, 291, **292**, 295, 297
  - groundwater and tunnel conditions 288
  - host rock fracture characterization 288–289
    - fracture size and transmissivity 289
  - inflow 291, **292**, 294–295
  - numerical implementation 293–294
  - permeability upscaling 294
  - predictive models 292–293, 294–299
  - rock matrix characterization 289–290
- Bishop's effective stress principle 118, 146
- black shale, Neogene, Japan 192
- Boda block 75
  - BCF depositional environment 79
  - BCF mineralogy 75, 77, 78
  - diagenesis 78, 79
  - geology 76, 78
  - rock types 78
- Boda Claystone Formation 4, 75–89
  - analysis
    - adsorption-desorption isotherms 80, 81, 82
    - fractal dimension 82, 84, **85**, 88
    - P- and S-wave velocities 82, 83, 84, **86**, 87
    - permeability measurements 82, 84, 88
    - physisorption tests 82, **85**

- Boda Claystone Formation (*Continued*)
- pore characterization 80, 81–82, 84–88
  - porewater characterization 84–88
    - possible extraction technology 87–88, 89
      - cryodesiccation 87, **88**, 89
    - porosimetry 80, 81, 82, **86**, 88
    - pycnometry 80, 81, **84**
    - reservoir characterization 80–81
    - samples 81
    - technological challenges 80–81
  - depositional environment 79
  - diagenesis 78, 79
  - geology 76, 78
  - mineralogy 75, 77–78
  - molecular diffusion 84
- Boom Clay 2
- selenite adsorption and reduction 6, 225–236
    - analyses 228–229
    - batch experiments 227–228
    - evolution of aqueous selenium 230–232, **235**
    - kinetic model 229, 234, 236
    - particle-size analysis 230, 231
    - sediment samples 227, 230
    - speciation of solid-bound selenium 232–234
- borehole disposal concept 320
- boreholes, ERT 332, 335–336
- BRIE *see* Bentonite-Rock Interaction Experiment
- Bruce nuclear site
- compressibility 103, *104*
  - DGR 102
  - gas-phase methane 102, 107, 111–112
  - gas-phase saturation and vertical gas-pressure profile *110*, 111
  - geological heterogeneity 107–108, *110*, 112
  - low hydraulic conductivity 102, *103*
  - multiphase flow modelling 104–111, **108**
    - alternative conditions 108–109, *110*, 111, 112
    - capillary pressure porosimetry 106, **107**, 108, *109*
    - iTOUGH2 simulator 105, 108, *110*
  - permeability 101, 102, 106
  - pressure-saturation relationship 105, 106, 108, *109*
  - underpressured shale 4, 101–112
    - past modelling 103–104
- buffers 1, 2, **3**
- bentonite-based 205–212, 241, 262
    - low permeability 205
    - resaturation 205
    - resistivity, and degree of saturation 206, 207, *209*
    - saturation distribution 207, *210*
    - saturation fronts 209, 211
    - seepage fronts 207, 209, 211
    - swelling characteristics 205
    - swelling pressure 209–210
    - transition zone 211
    - water uptake 205–212
  - leakage 175–190
    - erosion 175–190
    - piping 175–190
- Callovo-Oxfordian claystone 2, 213, 214
- self-sealing experiment 214–222
    - apparatus 215
    - clay unit (UA) 214–215, 217–218, 220–222
      - silto-carbonated unit (USC) 214, 215, 219–222
      - X-ray nanotomography 215–222
    - transition unit (UT) 214
- Cambrian, sandstone, Bruce nuclear site 102, *103*
- Canada
- Bruce nuclear site, underpressured shale 101–112
  - Lac du Bonnet URL, ESP 348–359
  - radioactive waste management 4–5, 115, **116**
- canisters, spent fuel waste 241
- corrosion 5, 149, 150
  - emplacement 150
  - FE experiment, heating 40, 41, 49, 52
  - safety 315, 316, 320
  - temperature and pressure evolution 152, 163
- capillary pressure porosimetry, Bruce nuclear site 106, **107**, 108, *109*
- carbon steel, corrosion 302–312
- China, high-level radioactive waste, disposal site screening 93–99
- chlorite, Boda Claystone Formation 77, 78
- Chuangjing, clay formation *94*, 95, 98
- clays
- as backfill 2, **3**
  - buffer effect 1, 2, **3**, 225
  - characterization 3–4
  - cracks 5
  - diffusive transport 1
  - gas transport processes 116
    - advection and diffusion 116
    - dilatancy-controlled gas flow 116–117
    - GAMBIT Club Programme 117
    - hydro-/gas-fracturing *116*, 117
    - modelling 117–118
    - pathway dilation 116–117
    - visco-capillary two-phase flow 116
      - hydro-mechanical model 118–146
  - in geological disposal systems 1, 225, 313–327
    - China 93–99
      - selection criteria 94–95, 98
    - heterogeneities 11–12
    - lateral continuity 2
    - low permeability 1
    - retention capacity 1
    - safety demonstration 316–327
    - as seal 2, **3**
    - self-sealing capacity 2, 5, 213–222, 315
    - stability 2
    - vertical homogeneity 2
- claystone
- EDZ 213
  - Opalinus 12–13, 21
  - self-sealing 213–222
    - Callovo-Oxfordian experiment 214–222
      - analysis 216–217
      - initial crack aperture 217
      - X-ray nanotomography 215–222
    - see also* Boda Claystone Formation
- clustering techniques 16
- Cobourg Formation, underpressure and low hydraulic conductivity 102
- colloids 191
- groundwater
    - Horonobe URL 5, 191–202
    - characterization 194

- concentration 195, 196, **197**, 198–199, 200
- particle size distribution 195–198, 200, 201
- stability evaluation 194–195, 199–202
- radionuclide transport 191
- compressibility, Bruce nuclear site 103, 104
- COMSOL Multiphysics R 123, 125, 146
- conceptual models 262–263, 267–269
  - bentonite representation 271–272
  - BRIE 291–293
  - calibration and conditioning 272–273
  - diffusion equations 269
  - fractured rock 270, 278
  - physical processes 267, 269
  - predictive modelling 278–279, 292–293, 294–299
  - Richards' equation 269
  - saturated flow 267, 269
  - simplified saturation method 269
  - simulation results 273, 276, 277
  - software 273, 276, 277
  - subsystem coupling 272
  - two-phase flow formulation 269, 270
  - uncertainty 262–281, **268–269**, 281
- concrete, LHHPC (low-heat, high-performance), ESP 350, 353
- confusion index (CI) 16, 18–19
- ConnectFlow upscaling methodology 245, 246–247, 249, 250, 258
  - BRIE 293–294
- conservation of gas mass 122, 126
- conservation of momentum 121–122, 127
- conservation of water mass 122, 127
- containment-providing rock zone (CRZ), safety 7, 314, 315–318, 327
- continuum porous medium models 264, 270, 271
  - equivalent (ECPM)
    - BRIE 293, 294
    - PR experiment 243, 246–247
- correlation circles 15, 16
- corrosion
  - concrete-reinforcing steel 301
    - electrochemical acceleration 301, 302–312
    - steel waste canisters 5
  - coupling *see* subsystem coupling
- cracks, in clay 5, 213–222
- cryodesiccation, porewater 87, **88**, 89
- crystalline rock, host rock-buffer interaction, modelling 264–266
- Darcy's Law 105, 116, 119–120, 122, 269
- Dean Stark extraction method, Bruce nuclear site 103
- DECOVALEX 117–118
- diatomite, Neogene, Japan 192
- Didwana playa, analogy for Gorica BCF 80
- diffusion, gas migration 116
- diffusivity, of gas in water 120
- dilatancy-controlled gas flow 116–117, 317
- discrete fracture network (DFN) models 264, 270, 271, 273, 274, 278
  - BRIE 288, 291, 293–294
  - PR experiment 243, 244–246, 251–254, 258–259
- DLVO theory 194–195, 200, 201, 202
- Dogger Opalinus Clay 17, 18, 22
- dolomite interbeddings, Boda block 78, 79
- dolostone, Silurian, Bruce nuclear site 103
- electrical resistivity tomography (ERT) 331–332
  - EBS monitoring, Tournemire URL 7, 332–343
- electrochemical acceleration 301, 302
- electrolysis, Faraday's laws 302
- emplacement concepts 319–320
- emplacement tunnels
  - corrosion 151
    - model 152, 153
    - sensitivity analysis 153–159
  - thermo-hydraulic evolution 152
- Engineered Barrier Emplacement Experiment (EB) 241
  - see also* barriers, engineered
- Enhanced Sealing Project (ESP) 7, 347–348
  - Lac du Bonnet 348–359
    - THM monitoring 351, 353–357
  - LHHPC 350, 353
- equivalent continuum porous medium (ECPM)
  - see* continuum porous medium models, equivalent (ECPM)
- erosion, buffer material 5, 175–190
  - dry density influence 183, 185
  - and inflow rates 181–183
  - permeability of host rock 186–187, 189
  - relationship with total drainage volume 187–189
- excavation disturbed zone (EDZ) 41, 42, **43**, **45**, 49, 314
  - claystone 213
  - gas release 152
  - thermal properties 50, 52, 54, 58–59
- facies mapping 25
- Fate Of Repository GasEs (FORGE) project 116
- FEBEX (Full-Scale Engineered Barriers Experiment) 241, 301
- FEBEX-DP project
  - corrosion mechanisms 6, 301, 310–312
    - analysis 308, 310
    - samples 306–308
  - CT-XRD 302, 303
  - SEM-EDX and Raman spectroscopy 303–304, 305, 307, 308, 309, 310
  - X-ray CT 302, 303
- FEP (features, events and processes) catalogue 314, 317, 318, 320–323, 324–325, 326, 327
- Fick's Law 105, 106, 116
- FORM (First-Order Reliability Method) 40, 42, 46, 62, 72, 158–159
- FOSM method 40, 42, **45**, 47–56, 54–61, 70–72
- fractal dimension, Boda Claystone Formation 82, 84, **85**, 88
- fractures, macroscopic
  - gas transport 117
    - see also* hydro-/gas-fracturing; microfractures
- France, Tournemire URL, EBS, ERT 333–343
- full-scale emplacement (FE) experiment 4, 39–72
  - Mont Terri URL 40, 41, 42
    - FORM 40, 42, 46, 62, 72
    - FOSM 40, 42, **45**, 47–56, 55–61, 70–72
    - heating 40, 41, 44, 46–56
      - inverse simulation 51–54, 70
    - liner, thermal properties 49, 52, 53, 58
    - mid-term evaluation 64–70, 72
      - relative humidity 70, 72
      - temperature 64–68, 72
      - water content 68–70, 72

- full-scale emplacement (FE) experiment (*Continued*)  
 Monte Carlo analysis 47–48, 61–62  
 numerical model  
   conceptual uncertainty 39, 48–50, **57**, 63–64  
   parameter uncertainties 39, 42, 46–48  
   predictions 51–64  
   scenario uncertainty 39, 51, **57**, 63–64  
   set-up 41–42, **43**  
   prediction-evaluation a 39–40, 42, **43**,  
     **45**, 51–72  
   thermal properties, inverse simulation 51–54  
   thermal evolution uncertainties 39  
 FUZME software 17  
 fuzziness performance index (FPI) 16, 17  
 fuzzy sets 16
- GAMBIT Club programme 117
- gas  
 bulk modulus 121  
 generation, safety 315  
 generation rate 150–151  
 radioactive  
   migration from repository 115–116  
     FORGE project 116  
 storage coefficient 120
- gas migration 4–5, 116  
 advection and diffusion 116, *135*, *136*, 137, 141  
 dilatancy-controlled gas flow 116–117  
 GAMBIT Club programme 117  
 hydro-/gas-fracturing *116*, 117  
 modelling 117–118  
 pathway dilation 116–117  
 and underpressure 101–102  
 visco-capillary two-phase flow 116  
 hydro-mechanical model 118–146  
   bentonite properties 125–126, *130*  
   boundary conditions 126–127  
   constitutive relations 118–121  
   damage model 121, **141**, *142*, 143–145  
   geometry and mesh 123, 125, **126**, 145–146  
   governing equations 121–123  
   initial value conditions 127–129  
   modelling approach 123, **124**  
   numerical model 123  
   parametric studies *135*, *136*, 137, 141  
   porefluid pressure 131–141, *143*  
   sensitivity analysis 141–146  
   validation study 129–137
- geological disposal facility *see* repository  
 Germany, safety concept 7, 313, 314–316, *317*, 327  
 Gorica block 75  
   BCF mineralogy 77–78, 79  
   depositional environment 79–80  
   diagenesis 78  
   geology *76*, 78  
   rock types 78  
 Gorleben site, ANSICHT project 313, 326  
 governing equations 121–123  
 Green River Formation, analogy for Gorica BCF 80  
 Grimsel test site 301
- groundwater  
 BRIE 288  
 Bruce nuclear site 101  
 Horonobe URL  
   chemistry 192–193, 196, **197**, 198  
   sampling and analysis 193–194, 196, *199*  
   seepage into bentonite 5, 206–212
- halite, Boda block 79  
 heat production, radioactive decay 5, 150, 151  
 heater tests *see* full-scale emplacement (FE) experiment  
 Henry's Law 116  
 heterogeneities  
   clay formations 11–12  
   well log data 12  
     Benken borehole 13–23
- Horonobe URL *177*  
 East Access shaft 193, *194*  
 geological setting 192, *193*  
 groundwater *188*  
 chemistry 192–193, 196, **197**, 198  
 colloids 191–202  
   boreholes 193, 196, 198–199, *200*, 201  
   characterization 194  
   concentration 195, 196, **197**, 198–199, 200  
   particle size distribution 195–198, *200*, 201  
   stability evaluation 194–195, 199–202  
   water rings 193, *196*, **197**, 198–199  
 sampling and analysis 193–194, 196, *199*
- Neogene rock, hydraulic conductivity 192  
 piping and erosion experiments 5, 176–190, **180**  
 bentonite concentration 179, 181  
 dry density influence 183, 185, **187**  
 inflow rates and leakage in buffer 181–183  
 methods and materials 176–177, *179*  
 occurrence process 183, 185–187  
 outflow route 178, *183*  
 permeability of host rock 186–187, *189*  
 relationship with total drainage volume 187–189  
 seepage into buffer material 181  
 swelling pressure 179, 181, *184*  
 water pressure 178–179, 181, *182*, *184*, **187**  
 waterflow rate and water pressure 177, *181*  
 Ventilation shaft 193, *194*  
 West Access shaft 193, *194*
- Hungary, Boda Claystone Formation 75–89  
 hybrid DFN-continuum models 264, 270, 271, 278  
 hydraulic conductivity  
   Horonobe URL Neogene rock 192  
   low, Bruce nuclear site 102, *103*  
 hydro-/gas-fracturing *116*, 117
- illite, Boda Claystone Formation 77, 78  
 ISIBEL project 316, 321  
 iTOUGH2 (inverse Transport of Unsaturated  
   Groundwater and Heat) simulator 41,  
   105, 108, *110*
- Japan  
 Horonobe URL  
   FEBEX-DP 6, 303  
   groundwater colloids 191–202  
   piping and erosion experiments 176–190  
   water uptake into buffer material experiments 205–212
- K-feldspar, Boda block 77, 79  
 KBS-3V HL radioactive waste disposal system 285  
 kernel regression 15

- kernel-based statistical methods 11, 14, 15, 17, 18–19, 21, 22  
 Keuper series 12, 13, 18, 22  
 Koetoi Formation 192, 193  
 Kozeny-Carman law 27, 32, 120  
 Kunigel V1 bentonite 176, 179, 186, 189, **208**, 311
- Lac du Bonnet URL 348, 349, 351, 351  
 Enhanced Sealing Project (ESP) 348–359  
 flooding 354–356  
 geology 348, 350
- Lake Lewis, analogy for Gorica BCF 80  
 Lasgit (large scale gas injection test) 116  
 Lias series 12, 13, 16, 18, 22  
 limestone, clayey 12, 13  
 local statistics 11–12, 14, 15, 17, 18–21  
 London-van der Waals attractive force 194, 195  
 Longdong, clay formation 94, 95  
 Lower Cretaceous clays, German safety demonstration 318–319
- marl, clayey 12, 13, 21  
 Mecsek Mountains 75  
*see also* Western Mecsek Mountains
- methane, gas-phase  
 Bruce nuclear site 4, 101, 102–103  
 modelling 105–111
- Meuse/Haute-Marne URL 213  
 Michigan Basin, Bruce nuclear site 102  
 microbial processes, safety 315  
 microfractures, dilatancy-controlled gas flow 117  
 micropores, Boda Claystone Formation 82, 84  
 models *see* conceptual models; reified models  
 modified partition entropy (MPE) 16  
 Molasse Basin 12, 318, 319  
 Mont Terri URL 4  
 automatic interpretation of well logs 26, 34–37  
 full-scale emplacement (FE) experiment,  
 prediction-evaluation approach 39–72
- Monte Carlo analysis  
 FE experiment 40, 47–48, 61–62  
 SF/HLW repository 150, 156–159, **164**, 165–166,  
 169–170, 171–172
- montmorillonite 2, 241, 285  
 microstructure 211, 212
- Morris Screening 150, 154–156, **157**, 164
- multiphase flow  
 Bruce nuclear site 101–102  
 modelling 104–111
- muscovite, Boda Claystone Formation 77
- Nanbaxian, clay formation 94, 95  
 nanotomography, X-ray, self-sealing claystone 215–222
- Neogene, Horonobe URL 192–202  
 hydraulic conductivity 192
- Netherlands, Boom Clay, selenite adsorption and  
 reduction 225, 226
- North German Basin 318, 319
- nuclear magnetic resonance, Bruce nuclear site 103
- opal, Koetoi Formation 192  
 opaline chert, Neogene, Japan 192  
 Opalinus Clay Formation 2, 4, 12–13  
 Benken borehole data 13–23  
 principal component analysis 14–15, 16
- full-scale emplacement (FE) experiment 39–72, **43**, **45**,  
 47–54, 49
- German safety demonstration 318–319  
 intrinsic permeability 59  
 repository-induced perturbations assessment 149–172  
 self-sealing 214  
 thermal properties 52, 53–56, 59–61, 62, 63, 151
- Opalinus Claystone 12–13, 21
- Ordovician, limestone, Bruce nuclear site 102, 103
- Pareto power law 200, 201  
 pathway dilation 116–117
- permeability  
 Boda Claystone Formation 82, 84  
 of clay 1  
 intrinsic  
 and porosity 120, **124**, 128, 129, 131, 141, 143  
 PR experiment 254  
 low, Bruce nuclear site 101, 102, 106, **107**  
 relative, water and gas phases 120
- physisorption tests 82, **85**
- pipng  
 buffer material 5, 175–190  
 dry density influence 183, 185  
 and inflow rates 181–183  
 permeability of host rock 186–187, 189  
 relationship with total drainage volume 187–189
- porcelanite, Neogene, Japan 192
- porefluid pressure 131–137
- porewater  
 Boda Claystone Formation 84–88  
 possible extraction technology 87–88
- poromechanics, two-phase gas flow 118–119
- porosimetry, Bruce nuclear site 106, **107**
- porosity, and intrinsic permeability 120, **124**, 128, 129,  
 131, 141, 143
- Posidonia Schist 13, 21, 22
- prediction-evaluation approach, FE experiment 39–40, 42,  
**43**, **45**, 51–72
- predictive modelling 292–293, 294–299
- pressure pulse decay (PPD) 82, 84
- principal component analysis, Benken borehole data 11,  
 14–15, 16–18
- Prototype Repository tunnel 241–259  
 bentonite-rock interaction experiment (BRIE) 6, 241, 243  
 experiment  
 3D model 243–244  
 backfill 250–251  
 permeability 254, 255, 256, 257, 259  
 bentonite permeability 254, 255, 256, 257, 259  
 DFN inflow 243, 244–246, 251–254, 258–259  
 upscaling to ECPM 243, 246–247  
 host rock 250–251  
 permeability 254, 255, 256, 257, 259  
 thermal conductivity 254, 256, 257, 259  
 modelling 243, 247–251  
 evaluation 251–254  
 sensitivity analysis 254, 256–258, 259  
 power input 248, 256, 257, 258
- pyrite, and selenite reduction, Boom Clay 226, 229,  
 230, 232
- radioactive decay, heat production 5  
 radioactive gas *see* gas, radioactive

- radioactive waste, high level 1  
 canisters 5, 150  
 FE experiment 40  
 emplacement tunnel model 152, 153  
 analysis 153–159, 163–164, 166–172  
 distance between tunnels 166–168  
 emplacement density 168–171  
 FORM 158–159  
 Monte Carlo 156–159, **164**, 165–166, 169–172  
 Morris Screening 154–156, **157**, 164  
 repository layout 159–160, 162–163  
 FEP catalogue 314, 317, 318, 320–323, 324–325, 326, 327  
 KBS-3V HLW disposal system 285  
 repository concept 319–320  
 repository design 150–152  
 repository model 152–153  
 repository site screening, China 93–99  
 repository-induced perturbations 149–172  
 safety concept, Germany 6–7, 313, 314–316, 317  
 demonstration methodology 6–7, 316–319, 324  
 scenario development 314, 318, 323–326  
 Radioactive Waste Management Funding and Research Centre (RWMC) 205  
 radionuclides, safety 149, 191, 314, 315, 316, 327, 331  
 transport by colloids 191  
 rank correlation 15  
 red beds, Boda block 79  
 reduction, selenite, Boom Clay 6, 226  
 reified models 267, **268**  
 repositories 1  
 construction safety 6, 315  
 deep geological (DGR) 102, 115  
 ‘defence in depth’ 1  
 ESP 347  
 features, events and processes (FEPs) 115  
 gas migration 115  
 sensitivity analysis 149–172, 254, 256–258, 259  
 suitable formations 1, 225  
*see also* Bruce nuclear site; Enhanced Sealing Project; Opalinus Clay Formation  
 design safety 6, 315, 317, 318  
 geology and future evolution 318–319  
 monitoring 7  
 Prototype Repository 241–259  
 repository concept 319–320  
 safety 1, 6–7, 94, 115, 313–327  
 sealing 7, 314–315, 316, 317, 320  
 Enhanced Sealing Project (ESP) 347–359  
 SF/HLW  
 basic design 150–152, 154  
 layout optimization 159–160, 162–163  
 sensitivity analysis 149–172  
 distance between tunnels 166–168  
 emplacement density 168–171  
 FORM 158–159  
 Monte Carlo 156–159, **164**, 165–166, 169–172  
 Morris Screening 154–156, **157**, 164  
 site screening, China 93–99  
 site selection 313, 315  
*see also* Prototype Repository  
 resistivity, and degree of saturation, bentonite buffers 206, 209  
 Richards’ equation 269  
 safety scenario development 314, 318, 323–326  
 saline lake/saline pan, BCF depositional environment 79  
 Sambhar playa, analogy for Gorica BFC 80  
 sandstone, Boda block 78  
 sealing 2, 3  
 ESP 7, 347–359  
 safety measures 314–315, 316, 320  
*see also* self-sealing  
 Sectoral Plan for Deep Geological Repositories (SGT) 149–150  
 seepage, groundwater into bentonite 205–212  
 selenite, reduction and adsorption  
 Boom Clay 6, 225–236  
*see also* Boom Clay, selenite adsorption and reduction  
 selenium  
 gin clay 6, 225–226  
 aqueous 230–232  
 self-sealing  
 bentonite buffers 205  
 claystone 5–6, 213–222  
 Callovo-Oxfordian experiment 214–222  
 X-ray nanotomography 215–216  
 shale, Silurian, Bruce nuclear site 102, 103  
 siderite, and selenite reduction, Boom Clay 226, 230  
 Silurian  
 dolostone, Bruce nuclear site 103  
 shale, Bruce nuclear site 102, 103  
 site screening, China 93–99  
 site selection, safety aspects 313, 315  
 SKB (Swedish Nuclear Fuel and Waste Management Company) Task Force 263  
 Task 8 host rock-bentonite interaction 263–281  
 water uptake test 266  
 soil water characteristic curve (SWCC) 117, 118, 119, **124**, 129, 130, 134  
 spent fuel  
 repository-induced perturbations assessment 149–172  
 emplacement tunnel model 152, 153  
 repository model 152–153  
 storage coefficient  
 gas 120  
 water 120  
 subsurface fluid pressure 101  
 subsystem coupling 272  
 suction  
 bentonite 251  
 matric 116, 117, 120, 129, 130  
 Suhongtu, clay formation 94, 95  
 Sweden *see* Äspö Hard Rock Laboratory  
 Switzerland  
 FEBEX-DP Project 301–312  
 Opalinus Clay  
 Benken borehole 12–23  
 repository-induced perturbations 149–172  
 Tamusu area  
 clay formations 4, 94  
 mineral composition 96–97, 98  
 thickness and depth 95–96, 98  
 water content 96, 97  
 geology 95  
 Task 8 modelling study  
 conceptual model uncertainty 263–281  
 water uptake test 266, 272, 273, 275, 277, 278, 279

- temperature limit, safety measures 315, 316, 318
- Tempoku Basin 192
- thermal conductivity, PR experiment 254, 257
- thermo-hydraulic evolution
  - conceptual uncertainties 39, 48–50
  - emplacement tunnel 152, 153, 163–164
  - parametric uncertainties 39, 42, 46–48
  - PR experiment 247, 249, 251
    - sensitivity analysis 254–259
  - scenario uncertainties 39, 51
- thermo-hydraulic-mechanical evolution, ESP 348, 350, 351, 353–359
- thorium-potassium ratio 31, 35, 36
- Tisza Megaunit 75
- Toniger Lias 13
- TOUGH2 code 41
  - see also* iTOUGH2
- Tournemire URL 332, 333
  - EBS, ERT 333–343
  - geology 332–333
- transmissivity, and fracture size 289, 293
- two-phase flow 116
  
- ultrasonic pulse transmission technique 82
- uncertainty
  - conceptual 39, 48–50, 57, 63–64, 262–263
    - Task 8 modelling study 263–281
  - parametric 39, 42, 46–51
  - scenario 39, 51, 57, 63–64
  - thermo-hydraulic evolution 4, 39
- underpressure
  - Bruce nuclear site 4, 101–112
    - past modelling 103–104
  - and gas migration 101–102
  
- van Genuchten function 106, 108
- van Genuchten-Mualem SWCC 119, 120, 129, 130, 134
- visco-capillary two-phase flow 116
  
- Wakkanai Formation 192, 193
  - hydraulic conductivity 192
- Walsh transform 26, 27, 28–29, 33, 35
- Washburn equation 205
- water
  - bulk modulus 121
  - storage coefficient 120
- water rings, Horonobe URL 193, 196, 197, 198–199
- water uptake test 266, 272, 273, 275, 277, 278, 279
- wavelet transform 26
- Wedelsandstein marly sandstone 12
- well log data 4
  - automatic interpretation 25–37
    - applications 32–37
      - large-scale stratigraphic units 32–34
      - small-scale features, Mont Terri URL 34–37
  - Lanning and Johnson algorithm 26, 28
  - Walsh transform 26, 27, 28–29, 33, 35
  - workflow 26–32
    - facies type and hydrogeology 27, 30–32
    - geostatistical post-processing 27, 32
    - mapping interfaces 27, 28–30, 32–33
    - model parameters 28–30
    - prior operations 26, 27, 28
- Benken borehole
  - classification 15–18
  - Opalinus Clay Formation 13–23
- Wenner's four-electrodes method 206
- Western Mecsek Mountains
  - Boda Claystone Formation 75
  - geology 76
- Whiteshell URL *see* Lac du Bonnet URL
  
- X-ray nanotomography, claystone self-sealing
  - experiment 215–222
  
- Ypresian clays 2