

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Abbottabad Proterozoic succession 43, 45, 48  
acritarchs 40  
adakite 33, 576, 585  
  Gangdese magmatic arc 10, 13, 22, 590, 591  
aeolian deposits, and climate, northern China 632, 633, 635  
Akbaital anticline 610  
Akbaital Formation 613  
Akbaital Valley 610, 617  
Akbaital–Kalaktash rocks 609, 610, 611, 616  
  petrography 605  
Akbaital–Kalaktash Thrust 615, 616, 621  
Alpurai Group 260, 262  
  metamorphism 264–272, 273, 274  
  petrography and mineral composition 264–265, **266**, 267, 268  
  thermobarometry and petrology 268–269, 270, 271–272  
Altyn Tagh fault 3  
  timing of slip 10  
Ama Drime detachment 388, 412, 413, 414  
Ama Drime massif 347, 348, 349, 402, 405, 408, 410, 412, 413, 414, 416  
  eclogite 12, 187, 205, 349  
  granulitized 199, 202, 203  
Ambar  
  Cambrian succession 54  
  Proterozoic succession 45  
Amile Formation 68, 81  
amphibolite, Kaghan Valley 193  
anatexis 256  
  GHS 389  
  NPHM 236–237, 245  
  Pamir 622  
  *see also* crustal melting  
aneurysm model 249  
  Himalayan syntaxes 217, 218, 230, 236, 237, 239, 245, 246  
Aniqiao–Mutuo (Medog) Shear Zone 239, 240  
Annapurna 282  
  GHS 285, 297, 298, 359  
  P–T paths 363, 364  
Annapurna Detachment 355  
Annapurna Formation 382  
  STDS 382  
Annapurna–Manaslu region, metamorphism 353–356  
*Annulusia annulata* 43  
Aptian–Albian seaway 622  
Aravalli Craton 66  
Aravalli Group 40, 41, 42  
Aravalli–Delhi belt 40, 42  
Arun Window 347, 348, 360  
Arunchal Pradesh  
  Cenozoic stratigraphy 81, 86, 87  
  petrography and heavy minerals 89, **90**  
  sediments 96  
Asian margin 22, 185  
  Karakoram–Pamir metamorphism 555  
  Asian monsoon 13, 631–647  
  channel-flow model 631–632  
  and earthquakes 468–470  
  Eocene 100, 632, 635, 638, 646  
  evolution 632, 635, 637–640, 645–647  
  and Himalayan tectonics 100, 640–643  
  intensification triggers 643–646  
  Miocene 635, 637–638, 639, 640, 643, 645, 646  
  Plio-Pleistocene 638, 646  
  summer 632, 637, 643  
  and Tibetan Plateau uplift 11  
  winter 632, 645–646  
  *see also* East Asian monsoon; South Asian monsoon  
Assam 1950 earthquake **434**, 454–455, 456–457, **458**  
Assam syntaxis 248  
Astor Valley 217, 219, 220, 223, 226, 227, 229  
atmosphere, circulation, and Asian monsoon 631  
augen gneiss, GHS 285–286, 286, 287  
  basement complex 286, 287–289  
  Formation III 285, 286, 287, 289, **294**, 296, 298, 353, 354  
Babusar Complex 124  
Badrinath leucogranite 315  
Bahraich Group 40, 42, 43  
Bainang terrane 353, 522–523, **525**, 527, 529, 545, 546  
Balakot Formation 68, 80, 85, 93, 99, 108  
Baltistan Volcanics **142**, 149–150  
Baltoro glacier 563, 569  
Baltoro granites 555, 561, 562, 563, 564, 568, 569, 575  
Bangladesh  
  Cenozoic stratigraphy, provenance changes 96  
  Cenozoic succession 81–82, 87  
  petrography and heavy minerals **90**  
  palaeogeographic tracers 99–100  
Bangong suture zone 13, 157, 621–622, 624  
Bangong–Nujiang Tethyan oceanic lithosphere subduction 585  
  Triassic–Jurassic magmatism 585  
Barail Formation 68, 82, 84, 85, 96, 99, 108  
Baramulla, 1885 earthquake 430, **434**, 445–446  
Barun Gneiss 348  
Bastar Craton 66  
Bazgo Formation 29  
Bengal Basin, Cenozoic stratigraphy 68, 81–82, 83, 86, 87, 88, 92  
Bengal estuary and Fan, source of sediment 76  
Besham Complex 259, 260, 272, 273, 274  
Besham syntaxis 242, 244, 263, **264**  
Bhainskati Formation 68, 81, 83, 95, 98, 105  
  provenance 100  
Bhander Group 42, 43  
Bhimpedi Group 54, 360  
Bhimpedian orogeny 5, 12, 258, 272, 281  
  *see also* Kurgiakhi orogeny  
Bhuban Formation 68, 82

- Bhutan  
 1714 earthquake **433**, 439, **440**  
 crustal structure 496–498, **508–510**  
 Palaeozoic succession 44, 54  
 STDS 384, 386–387
- Bihar 1934 earthquake 9, **434**, 450–454
- Birmanian Formation 41, 43
- Blaini Formation 44, 46, 47
- Blainskati Formation 28
- blueschists 183, 186  
 formation in subduction zones 183, 187, 203  
 ophiolitic mélange 187  
 Tibet 187–188
- Boka Bil Formation 68, 82
- boninites 258
- Brahmaputra River 66  
 catchment geology 71  
 paleo-Brahmaputra 93, 96  
 source of sediment 76, 78
- brittle–ductile transition  
 Eastern Nepal 346  
 NPHM 229, 230, 234, 237–238  
 STDS 384, 389
- Bryozoa* 149
- Budhi Gandaki, STDS 382
- Bundelkhand Craton 66
- Bura Buri granite pluton 307, 315, 357, 358, 389
- Burhi Dihing River, source of sediment 75
- Burhi Gandaki Valley, metamorphism 353–354
- Burma Basin 632, 633
- Buxa Formation 46
- Cambrian stratigraphy 43, 44, 46–54  
 biostratigraphy 46–47, 48, 49, 53  
 craton 47  
 Lesser Himalaya 49  
 Salt Range 44, 45, 47, 49  
 Tethyan zone 44, 45, 49–54  
 zircon age spectra 47
- Cambrian–Ordovician unconformity 50, 51, 53, 54–57
- carbon isotopes  
 Potwar Plateau vegetation 636, 637  
 South China Sea 634, 635
- carbonate platform environment 43, 46, 49, 51
- carpholite 186, 187, 203
- cataclasis, NPHM 234, 235, 237, 238
- Caudosphaera expansa* 43
- Cenozoic, Himalayan Foreland Basin, stratigraphy 68,  
 77–82, 83, 84, 85
- Central Pamir domes 569–570, 577
- Central Pamir terrane 609  
 correlation with Qiangtang terrane 605, 620, 621, 623  
 geochronology 605, 609, 617–619  
 Cretaceous 618–619, 621–622  
 Oligocene or younger 619, 622–623  
 Triassic 617–618, 621  
 geology 608, 609–617, 622  
 Cretaceous 613–614, 621–622  
 Akbaital Formation 613  
 volcanoclastic sandstone 613  
 Oligocene and younger 613–614, 622  
 Paleozoic–Triassic 609, 611, 613  
 Gondwanan affinity 606, 609, 621  
 Karakul–Mazar affinity 609, 611, 613, 619–621  
 structural 614, 615, 616–617  
 mapping 607, 608  
 stratigraphy 615  
 terrane correlation 623–624
- Chalt Volcanic Group 21, 125, 127, 128, 129, 131, 139,  
 140, 141, **142**, 143–148  
 geochemistry and petrogenesis 147–148  
 tectonic model 148, 159
- Chaman Fault 606
- Chamba Formation 44, 46
- Chamba klippe 1
- Chamba Valley, Neoproterozoic succession 46
- Chambal River, source of sediment 75
- Chame detachment 312
- Chame shear zone 354
- Chamoli 1999 earthquake 442, 443
- Changgo dome 403, 405, **406**, 407, 410
- channel-flow model 364, 392, 393  
 Asian monsoon 631–632, 640, 641, 643  
 Early Miocene 1, 8, 9, 30
- Chaudabise Valley 357
- Chayu/Assam 1950 earthquake **434**, 454–455,  
 456–457, **458**
- Chekha Group, STDS 382
- Chenab River, as source of sediment 75
- chert, radiolarian 522–523
- Chilas Complex 21, 125, 127, 134, 166  
 formation 178  
 gabbro norites 7  
 isotopic analysis 170  
 magmatic processes 135  
 fractionation 138
- Chogdo Formation 22, 23, 28, 29
- Choksti Formation 29
- Chomolhari 9
- Chomrong Thrust 311, 314, 356
- Chongdoi Formation 519, 520, 521, 546
- Chongra 220, 221, 227, 236
- Chulung-la redbeds 22, 28, 68, 83, 99
- Chumatang dyke 21, 595
- Cimmerian unconformity, South Pamir 607, 623
- classification 102–103
- climate–tectonic interaction 631  
 models 631–632
- coesite  
 formation 183, 203, 204, 204  
 Himalaya 183–184, 186, 191, 204  
 Kaghan Valley 193, 198  
 Stak 197  
 Tso Moriri 191
- Comei igneous province 529
- common conversion point stacks 487, 488, 490,  
 491–492, 493, 495
- Confluence and Parri granite sheets 223, 228
- cooling ages, metamorphism 340
- C<sub>RAT</sub> proxy, South China Sea 634, 635
- cratonization, Karakoram–Pamir–Tibet  
 575–576
- critical taper models 9
- crust formation, island arcs 154–156, 165
- crustal melting  
 GHS 8–9, 30, 305, 315–318, 389  
 see also anatexis
- crustal structure 483–511  
 Bhutan and Northeastern India Himalaya 496–498,  
**508–510**

- Eastern Nepal and Sikkim Himalaya 493–496,  
**505–508**
- Garhwal–Kumaon Himalaya 490–493, **503–505**
- Nanga Parbat syntaxis 489–490, **502–503**
- seismological data analysis 486, 487–489
- Western Himalaya 489–490
- crustal thickening 483
- eclogite formation 183, 203, 204
- high pressure granulite formation 183, 203, 204
- India–Asia collision 1, 27–28, 30, 32, 203
- see* India–Asia collision, crustal shortening/  
thickening
- Cruziana nabataeica* 47
- Cryogenian Snowball Earth 46
- Cyclamena* 153
- Dadeldhura klippe 357, 359, 361
- Dagshai Formation 68, 81, 84, 85, 94, 105
- Daling–Shumar Group 46
- Damtha Group 42, 43
- Dang Chu klippe 386
- Darjeeling klippe 1, 3
- Darondi Valley, metamorphism 353, 354
- Darvaz Fault 606
- Dassu gneiss dome 555, 562, 564, 565
- Dauki Fault 107
- Dazhuku terrane 523
- Deccan Traps 66
- décollement slip 428, 429, 463–464, 465–467
- deformation, and syntectonic erosion 217
- delamination, Kohistan–Ladakh arc 178
- Delhi Group 40, 42
- Delhi supracrustal rocks 66
- Delhi–Sarghoda Ridge 66, 107–108
- Deorali Detachment 355
- Deosai Volcanics 150
- desertification, Asian monsoon 632, 633, 643,  
645, 647
- Deshchiling Formation 44, 54
- Dhansiri River, source of sediment 75
- Dharamsala Formation 68, 81, 84, 86, 89, 95, 101, 644
- Dhaulagiri 380, 386
- Diamir shear zone 227–228, 229
- Dianzhong Formation 587–589, 598
- diorite, Kohistan–Ladakh arc, isotopic analysis  
170–171
- Dir volcanic suite 21
- Dir–Utror Volcanics 140, **142**, 159–160
- disconformity
- Paleocene–Eocene 68, 79, 105, 108
- Proterozoic 40, 46
- dolerite, coronitic 193, 197
- dolostone 49, 51, 52, 53
- Dongjui–Milin Shear Zone 239
- Dongqiong ophiolite 24
- drainage, Himalayan Foreland Basin 69, 70, 71, 75–76,  
83–85
- Dras Volcanics 140, **142**, 149, 150–153, 159–160
- Dras–Kohistan arc 7, 19, 21, 30, **31**, 32, 185, 560
- Indian Plate subduction 256
- Drosh Volcanics 140
- Dudh Kosi Valley, GHS 346–348
- Dumri Formation 22, 68, 81, 84, 89, 95, 105
- Dunkeldik alkaline intrusions 572, 576
- Dupi Tila Formation 68, 82, 83, 92
- dykes
- basic
- Gangdese batholith 587
- Kohistan arc 127, 128, 129
- Thelichi Formation 141
- Tso Morari 189
- diabase 587, 594
- leucogranite 8, 29–30, 129, 561–562
- HHL 315, 316
- Karakoram Metamorphic Complex 567
- Dzaka Chu, STDS 348, 384, 385, 390
- earthquakes 9, 12–13, 423–474, 427
- 1123 Kashmir 430, 436
- 1505 Kabul 432
- 1505 Nepal 432, **433**, 437
- 1555 Kashmir **433**, 435, 436, 438–439
- 1714 Bhutan **433**, 439, **440**
- 1803 Garhwal **434**, 439–444
- 1833 Nepal **434**, 444–445
- 1885 Kashmir 430, **434**, 445–446
- 1897 Shillong 430, **434**, 446–448
- 1905 Kangra 430, **434**, 448–450, 451
- 1934 Bihar 9, **434**, 450–454
- 1950 Chayu/Assam **434**, 454–455, 456–457, **458**
- 1988 Udaipur 428
- 1991 Uttarkashi 442, 443
- 1999 Chamoli 442, 443
- 2005 Kashmir 243, 244, **434**, 455, 458, 459
- 2015 Gorkha 9, 12, 423, 428, **434**, 444, 455–458,  
460–462, 467
- 2015 Nepal **434**, 444, 453
- elastic energy 467
- and slip 467–468
- fatalities, and building construction 470, 471
- Hindu Kush–Pamir seismic zone 572–573
- historical 428–432, **433–434**, 434–439, **440**
- and Indian monsoon 468–470
- intensity 430–431, 465
- magnitude 464–465
- nineteenth century 439–448
- palaeoseismic studies 462–473
- rupture propagation and nucleation 468
- slip deficit 468, 469
- slip potential and future rupture forecasting 470–473
- twentieth century 448–462
- East Asian monsoon 632, 644, 645
- Eastern Ghats Belt 66
- Eastern Himalayan Syntaxis *see* Namche Barwa syntaxis
- Eastern Mahabharat crystallines 360–361
- eclogite 183, 184, 186–187
- boudins 190, 193, 196
- Eastern Himalaya 199–203
- formation 183, 186, 204
- granulitized 201, 205–206
- Himalaya 183, 184, 186–187, 203–206
- ITSZ 187–188
- Kaghan Valley 7, 12, 32, 192–195, 197, 198, 203, 204,  
205, 228
- Stak 195–197, 199, 205, 223, 226, 227, 228
- Tso Morari 7, 12, 32, 188–192
- UHP 7, 12, 20, 21, 30, 32, 33
- Ediacaran
- fossils 43, 46
- stratigraphy 43, 44

- elastic energy 467–468  
 Enba Formation 68, 79, 99  
 Eocene  
   unconformity 68, 81, 105  
   *see also* Asian monsoon, Eocene  
 Eohimalayan Stage 68, 77, 78, 84, 98, 101, 108, 404  
 erosion  
   syntectonic, and deformation 217  
   weathering 631–632, 635  
     mass flux 635, 636, 637, 640  
 evaporites 43  
 Everest 282, 380  
   early studies 4  
   GHS 285, 297, 298, 346–348  
   STDS 380, 384, 385, 386  
   Yellow Band 52, 54, 57, 297, 298  
 Everest–Nuptse–Makalu massif 9  
 exhumation  
   channel-flow model 1, 640, 641, 643  
   deformation and erosion, tectonic aneurysm model 217  
   GHS 95, 101, 186, 317–318, 344  
   and high-pressure metamorphism 203, 204–205  
   ITSZ 187, 192, 194  
   Kaghan Valley 194, 200  
   Kohistan arc 131  
   NPHM 227  
   Stak 196  
 Fergana Basin 558  
 flexural bulge 105  
 flexural-wave model, Himalayan Foreland Basin  
   104–105, 106, 107, 110  
 flysch  
   Central Pamir 611, 613, 614, 621  
   nomenclature 102  
 foliation, GHS 309  
 foliation intersection axes 262  
 foraminifera  
   India–Asia collision 7, 11, 28, 32, 33, 149  
   Tethyan zone 79, 80  
 forebulge 105  
 foredeep, nomenclature and classification 102, **103**  
 foreland basins  
   nomenclature and classification 102, **103**  
   subsidence, and passive loading 104, 105, 106, 107  
 fractionation, Kohistan arc 136, 137–138, 139  
 gabbro  
   coronitic 197  
   Gangdese arc 587  
   Kohistan–Ladakh arc, isotopic analysis 171  
 Galchi Shear Zone 384  
 Gandak River, as source of sediment 76  
 Ganga River 41, 66, 93  
   catchment geology 70  
   as source of sediment 76, 78  
 Gangdese batholith 9–10, 13, 33, 166, 239, 584,  
   585–587, 593  
   emplacement and migration 585–586, 598  
   as source of sediment 74, 539, 544  
   *see also* Kohistan–Ladakh–Gangdese granite batholith  
 Gangdese Belt 185, 583, 584  
 Gangdese magmatic arc 13, 70, 517, 518, 519, 526,  
   544–546, 583–599  
   Cretaceous–Cenozoic stratigraphy 22  
   ocean ridge subduction 591, 592  
   slab breakoff 591–595, 597–598  
   slab rollback 589–591, 592  
   tectonic model 544–546  
   Tibetan Plateau 584–585  
 Gangdese Thrust 584, 586  
 Gangolihat Dolomite 42, 43  
 GARB thermometer 312, 327  
 Garhwal, 1803 earthquake **434**, 439–444  
 Garhwal–Kumaon Himalaya, crustal structure 490–493,  
   **503–505**  
 garnet 89, 191  
   fractionation 176, 178  
   Kaghan Valley 193  
   Kohistan arc 132  
   Namche Barwa 201  
   Stak 195  
   Tso Moriri 189, 191, 192, 204–205  
 Gashu–Confluence Volcanics 141, **142**  
 GASP geobarometer 312, 327  
 Gd/Yb<sub>N</sub> ratio 176, 178  
 geodesy  
   India–Asia collision  
     GPS 424–426  
     historical 424, 425  
     horizontal motion 423–426  
     vertical motion 426  
 geothermobarometry 326–327, 338–339  
   Alpurai Group 268–269, 270  
   GHS 312, 351–352, 354, 355  
   Kohistan arc 131, 132  
   NPHM 231  
   Tso Moriri 191, 193  
 Gez Shear Zone 567  
 Ghizar Formation 128, 131, 140, **142**, 144, 145–147, 159  
 Gilgit Complex 125, 127, 134, 166  
 Gilgit Formation 141, 144  
 glaucophane 186, 187, 189, 191–192, 198, 203  
*Globigerina bulloides*, proxy for summer monsoon  
   upwelling 636, 637  
 gneiss, migmatitic, NPHM 218, 222, 223  
   *see also* augen gneiss  
 gneiss domes 12, 401–417  
   classification 415–417  
   North Himalayan 387, 402, 403, 404, 405–412,  
     415–417, 416  
   *see also* North Himalayan gneiss domes  
   orogen-parallel 402, 404, 405, **406**, 408, 412–417, 416  
   Pamir 565–566, 577, 607  
     Central Pamir 569–570, 577  
     North Pamir 567, 577  
     South Pamir (Shakh-dara) 570, 571, 572, 577  
   regional metamorphism timing 10  
 Gondwana  
   break-up 24, 26, 606, 609  
   formation 55  
 Gondwana Supergroup 66, 73  
 Gopu La granite 315  
 Gorkha, 2015 earthquake 9, 12, 423, 428, **434**, 444,  
   455–458, 460–462, 467  
 Gosainkund–Helambu, metamorphism 352–353  
 GPS, geodesy 9, 424–426, 458, 461, 465, 483  
 granite 22  
   NBGPM 239  
   NHGD **406**, 407

- NPHM 222, 223, 227, 228, 230–231, 232–233, 236–237  
*see also* leucogranite  
 granodiorite, Ladakh 185  
 granulites, high pressure 183, 240  
 Great Assam earthquake (1879) 2  
 Great Counter Thrust 72, 518, 519, 527, 529, 533, 584, 586  
*see also* Main Zaskar backthrust  
 Great Trigonometrical Survey of India 2, 424, 425  
 Greater Himalaya Sequence (GHS) 2, 72, 185, 186, 325–365  
 Annapurna 285, 297, 298  
 crystalline nappes 186, 187  
 deformation 307, 309–312  
 eastern Nepal 346–350  
 emplacement 344  
 Everest 285, 297, 298, 346–347  
 exhumation 95, 101, 186, 317–318, 344  
 geology 22, 70, 71, 283–286, 306, 307, 308  
 hinterland–foreland transition 345–346, 365  
 Langtang 286–287  
 augen gneiss  
 basement complex 286, 287–289, **290**  
 Formation III 285, 286, 287, 289, **294**, 296, 298  
 geochronology 287–296  
 metamorphism 283–285, 296  
 pelite 286, 287, 289, **294**, 296, 297  
 psammitite 286, 287, **294–295**, 296, 297  
 quartzite 286, 287, 289, **290–293**, 296  
 Lower 343, 344, 345, 364  
 metamorphism 1, 22, 27, 39, 205–206, 283, 296, 312–314, 342–346, 561  
 crustal melting 305, 314–316, 389  
 and channel flow 8–9, 30, 305, 364–365  
 and wedge extrusion 305  
 and wedge insertion 305  
 heat input 363–364  
 PTt paths 312–314, 316, 325, 353, 355, 363–365  
 timing 7, 22  
 Nepal 325–365  
 patterns and lateral variation 361, 362  
 palaeogeography/reconstruction 24–25, 27, 32, 283  
 protolith lithostratigraphy 281, 296–299  
 shear zones 309–312, 316, 317–318  
 as source of sediment 73  
 Upper 343, 344, 364–365  
 temperature structure and P–T paths 363, 364  
 ‘Greater Indian (Himalayan) Basin’ 5, 24, 27, 32, 560  
 Gurla Mandhata core complex 356–357  
 Gurla Mandhata detachment 415  
 Gurla Mandhata Dome 387, 402, 403, 405, 408, 410, 413, 415  
 Gurla Mandhata–Humla Fault System 356–357, 358  
 Gyala Peri 238, 239  
 Gyirong Basin 633, 645
- Haimanta Series 7, 9, 27, 49, 53, 414  
 Haramosh massif 219, 221  
*see also* Nanga Parbat–Haramosh massif  
 Hazara syntaxis 79, 93, 108, 216, 242–245, 246, 247, 248  
 internal structure 243, 244  
 hematite/goethite weathering proxy 634, 635  
 Hemis Formation 23, 29
- Hf isotopic analysis  
 Kohistan–Ladakh arc evolution 170, 171, 173, 174, 175, 176, 178  
*see also* Lu/Hf zircon dating  
 HiCLIMB 10, 495  
 High Himalayan Discontinuity (HHD) 12, 71, 72, 101, 307, 308, 314, 316–318, 344–345, 354, 358, 359, 361–365  
 mylonite 309, 310, 311, 316  
 High Himalayan Leucogranite 315, 318  
 High Himalayan Thrust 72  
 Higher Himalaya *see* Greater Himalaya Sequence (GHS)  
 Higher Himalaya Crystalline Nappes 186  
 Himachal Pradesh, Cenozoic stratigraphy 80, 81, 82, 84, 86, 87, 89  
 Himalaya Orogen 1, 4, 378  
 and Asian monsoon 631, 644–645  
 Cretaceous–Cenozoic stratigraphy 22  
 crustal structure 483–511  
 crustal thickening 27–28, 30, 31, 204, 485  
 detachment structure 379–380  
 early history 248  
 geology 2, 3, 184–187, 306, 307, 308, 402–404, 641  
 high-pressure metamorphic rocks 183, 186–206  
 history of research 2–5  
 mapping 3–4, 5  
 Indian Plate 561  
 NW  
 Cenozoic succession 79  
 Pakistan  
 architecture 256, 258  
 geology 257  
 seismic structure 489–498  
 seismicity 12–13  
 structure 72, 378–379  
 subdivision 184  
 syntaxes 215–218, 216, 245–250  
 accessibility and limitations to research 217–218  
 models 245, 246, 247–248  
 as source of sediment 73, 83  
 tectonic evolution  
 Nanga Parbat–Haramosh massif 218–250  
*see also* tectonic aneurysm model  
 tectonics  
 and Asian monsoon 640–643  
 and global ocean isotopes 57–59  
 uplift 9, 19, 644–645, 646  
 upper mantle 501, 510  
 Himalaya–Karakoram–Tibetan (HKT) orogen 185–187  
 comparison with other continental collision orogens 11  
 subdivision 184–187  
 Workshop meetings 5, 6  
 Himalaya–Tibet–Pamir orogen 606  
 Himalayan arc 216, 217, 245, 483, 484, 485  
 Himalayan Foreland Basin 65–110, 66  
 Cenozoic basin 77–82  
 comparison with modern basin 82–97  
 stratigraphy 68  
 Lesser Himalaya/Sub-Himalaya 79–82, 83–86  
 Tethyan zone 78–79, 82, 83  
 diagenetic bias 85, 87–89, 92  
 disappearance of marine seaways 103–104  
 drainage network 69, 70, 71, 75–76  
 complexity 83–85  
 palaeodrainage 92–93

- Himalayan Foreland Basin (*Continued*)  
 exhumation 101–102  
 flexural-wave model 104–105, 106, 107, 110  
 heavy minerals 88, 89, 92  
   database 67, **90–91**  
 modern basin 69–76, 82–83  
   comparison with Cenozoic basin 82–97  
 molasse sedimentation 100–101  
 nomenclature and classification 102–103  
 palaeogeography tracers 97–100  
 peripheral bulge 105  
 provenance  
   change 93–97  
   controversial issues 97–102  
 sandstones  
   nomenclature 67  
   petrographical database 67  
 source of modern sediments 69, 71, 73–76, 82–83  
   Bengal estuary and Fan 76  
   Brahmaputra River 76  
   Extra-Himalayan 74  
     Indian Shield and Shillong Plateau 75  
     Karakorum and Hindu Kush 74  
     Kirthar–Suleiman and Indo-Burman ranges 75  
     Kohistan arc 74  
     Lhasa terrane 74–75  
     Trans-Himalayan arc 74–75  
   Ganga River 76  
   Himalayan 71, 73–74  
     Greater Himalaya 73  
     Himalayan syntaxes 73  
     Lesser Himalaya 73–74  
     Sub-Himalaya 74  
     syntaxes 73, 83  
     Tethys and northern Himalaya 73  
   Indus River and Fan 75–76  
 tectonic issues, controversial 102–108  
 thermochronology 640, 642  
 thrust dating 101–102  
 unconformity 644  
 uplift 102  
   *see also* Indo-Gangetic Plain  
 Himalayan margin, pre-collisional reconstruction 39–59  
 Himalayan Metamorphic Core 342–346  
 HIMNT data 495  
 HIMPROBE geophysical programme 203  
 Hindu Kush Range 556  
   DEM 557  
   as source of sediment 74  
 Hindu Kush–Pamir seismic zone 572–573, 576, 577  
*Hippurites* 149  
 hornblende  
   Kohistan–Ladakh arc 127, 128, 129, 135–136, 139  
   isotopic analysis 170  
   Stak 196  
 Humla Karnali Valley 356–357  
 Hunza complex 555  
 Hunza dykes 561, 565, 566  
 Hunza Formation 131, 140, 141, **142**, 143–144, 145, 159  
 Hunza Valley, metamorphism 561, 569  
 Hushe gneiss 561, 565, 569  
 Hushe granite 565  
 hydrothermal system, NPHM 229, 230  
 imbrication  
   GHS 285, 299, 643, 644, 647  
   Indian Plate 261, 263, 272  
 INDEPTH 5, 10, 203, 387, 393, 494  
 India  
   Cenozoic succession 68  
     petrography and heavy minerals **90–91**  
 NE  
   Cenozoic stratigraphy 81  
     provenance changes 96  
   crustal structure 496–498  
 NW  
   Cenozoic stratigraphy 80–81  
     provenance changes 94–95  
   palaeogeography tracers 99–100  
   rifting from Gondwana 24, 26  
 India–Asia collision 1, 5, 11, 19, 27, 205, 247, 248, 255, 404, 559  
   convergence rate 168, 178, 423–426, 428, 463–464, 483, 561, 594  
   crustal shortening/thickening 1, 2, 7, 10, 27–28, 30, 31, 32, 203, 204, 217, 555, 558, 559  
   décollement slip 428  
   definition 20  
   Gangdese magmatism 585, 589–595, 592  
   geochronology 595–598  
   geodesy 423–426  
   geodynamic processes, Gangdese arc 589–595, 592  
   hard/soft model 24, 27, 108, 560  
   high-pressure metamorphic rocks 203, 204  
   impact on Asian monsoon 631  
   Indus suture zone, timing 7, 11  
   Kohistan–Ladakh arc 166, 168, 175–178, 258  
   marine–continental transition 28, 185  
   microdiamond 184  
   molasse sedimentation delay 100–101  
   palaeomagnetic constraints 24–28  
   pole of rotation 424  
   provenance analysis 93–97, 98  
   reconstruction 24–25, 26, 27, 98, 592, 594–598  
   seismicity 426–432, 427  
     earthquakes 428, 463–464  
   tectonic model 30–32  
   timing 7, 12, 19, 20–21, 24, 28–30, 31, 32–33, 166, 255, 258, 560  
   two events 24, 27, 108  
 India–Kohistan–Asia collision 166, 560–561  
 Indian margin 20, 281  
   evidence of collision 78–79  
   faults 282  
   geological history 282–283  
   Neoproterozoic rifting and sedimentation 282  
   pre-collisional reconstruction 39–59, 282, 283  
 Indian monsoon *see* Asian monsoon  
 Indian Ocean, South Asian monsoon 632  
 Indian Plate 2, 185–186, 255–275  
   collision with Karakoram–Pamir 559, 560–561  
   collision with Lhasa 24, 239, 240, 245, 246, 559  
   earthquakes 428  
   friction and slip 465–466  
   geology 12  
   high pressure rocks  
     far from ITSZ 199–203  
     near ITSZ 188–199  
   Himalaya 561

- motion 424  
 NW Pakistan  
   leading edge model 272–275  
   metamorphic enigma 256, 261–275  
   stratigraphy 258–260  
   structural framework 261–263, **264**  
 ophiolite obduction 7, 31–32  
 palaeogeography 5, 20, 24, 27  
 Proterozoic–Paleozoic evolution 5  
 subduction 21, 30, *31*, 186, 205, 227, 228, 261,  
   465–466, 555, 591  
 Indian Shield *71*  
   as source of sediment 75  
 Indo-Burman ranges *71*  
   as source of sediment 75, 76  
 Indo-Gangetic Plain  
   depositional ages 40, *41*, *42*  
   *see also* Himalayan Foreland Basin  
 Indus Gorge  
   amphibolite-facies shear zone 221, 222, 223, 224,  
     225, 227, 229  
   incision 231, 234  
   leucogranite pegmatites 232  
 Indus molasse basin 19, 21, 23, 28, 29, *31*, 33, 185  
 Indus River 66  
   catchment geology 69  
   landslip 220, 234  
   NPHM 217, 219, 220, 221  
   erosion 231, 234  
   paleo-Indus 92–93, 94, 108  
   as source of sediment 75–76, 77  
 Indus (–Yarlung Tsangpo) suture zone (ITSZ) 1, 2, 3, 7,  
   19, 21, 23, *31*, 33, 72, 125, 185  
   Cenozoic stratigraphy 68  
   closure of Neo-tethys 11, 19, 32, 97  
   continental sedimentation 20, 21, 23, 28–29  
   geology 69, 257  
   high-pressure rocks 186, 187–188  
   island arcs 19, 21  
   marine sedimentation 20, 21, 22–24, 28, 32, 97  
   ophiolites 22–24, 185, 187, 190  
   *see also* Yarlung Suture Zone  
 Infra-Krol Group *44*, 46  
 InSAR, seismicity 9, 458, 465  
 Intertropical Convergence Zone (ITCZ) 633  
   and monsoon intensification 643  
 Ishkoman Volcanic Tuff 145–147  
 island arcs  
   evolution, and continental crust formation  
     154–156, 165  
   Indus suture zone 19, 21  
   Kohistan–Ladakh terrane 123, 152, 154–156, **157**, 158,  
     165–178, *167*  
   maturation 165  
 isotopes  
   global oceans, and Proterozoic–Cambrian tectonics  
     57–59  
   Kohistan–Ladakh arc evolution 165–178, *167*  
     Hf analysis 170, 171  
     Sr–Nd–Pb analysis 169  
     U–Pb zircon dating 168–169, 171  
 Jaglot Group 125, 127, 129, *130*, 139, *140*, 141, **142**, *144*  
   geochemistry and petrogenesis 147–148  
 Jajarkot klippe 360, 361  
 Jaunsar Group *44*  
 Jhelum Group *44*, *45*, 49  
 Jhelum River, as source of sediment 75  
 Jialazi Formation 519, 520, 521  
 Jiale fault, timing of slip 10  
 Jijal complex 7, 21, 124–125, 125–126  
   magmatic processes 135  
   mantle–crust boundary 131, 136  
 Jumla, metamorphism 358  
 Jungbwa ophiolite 22, 24  
 Jurutze Group 28, 185  
 Jutal dykes 127, *128*, 129  
  
 K2 gneiss 558, 561, 565  
 Kabul 1505 earthquake 432  
 Kaghan Valley  
   eclogite 7, 12, 32, 189, 192–195, *196*, *197*, *198*, 203,  
     204, 205, 228, 560  
   metamorphism 194–195, *199*, 204–205,  
     227, 258  
   exhumation 194, *200*, 205, 560  
   geology 192, *195*  
   nappes 193  
 Kailas Formation 70, 99, 518, *641*, 644  
   arc magmatism 519  
 Kaimur Group 40, *42*  
 Kalaktash Valley *610*, 616  
 Kali Gandaki  
   metamorphism 355–356  
   P–T paths 363, *364*  
   STDS 382  
 Kalopani Shear Zone 317, 355  
 Kameng River, as source of sediment 96  
 Kamila amphibolites 21, *125*, 126–127, 129  
   magmatic processes 135  
   fractionation 138  
 Kamlial Formation 68, 80, *84*, 86, 89, 93, 108  
 Kampa dome 403, 405, **406**, 407, 409, *410*, 411  
   STDS 387  
 Kangchenjunga granite massif 9, 315, *347*, 349  
 Kangchenyao *380*  
 Kangmar dome 405, **406**, 407, *408*, 409, 411, 561  
   STDS 386, 387, *403*  
 Kangra 1905 earthquake 430, **434**, 448–450, *451*  
 Kangra Sub-basin 81, 101, 109  
 Kangshung Valley *347*, 348  
 kaolinite, weathering proxy, South China Sea *634*  
 Karakoram batholith 69, 166, 555, 558, 561, *565*  
 Karakoram Fault 2, 3, *413*, 414, 415, 566, *606*  
   offset 605  
   timing of slip 10–11  
 Karakoram Metamorphic Complex 10, *150*,  
   561, *562*  
 Karakoram Range 13, *556*, 561–565  
   DEM 557  
   geology 558, *562*–563  
   metamorphism 10, 555, 561–563, 565, *569*  
   as source of sediment 74, 77  
 Karakoram–Kohistan suture *125*  
 Karakoram–Pamir  
   crustal shortening and thickening 560, 575  
   structure and metamorphism 573, 575  
   tectonic synthesis 573–575  
 Karakoram–Pamir–Tibet, cratonization 575–576  
 Karakorum Highway 217

- Karakul–Mazar strata 607  
 Central Pamir 606, 609, 619, 621  
   flysch 611, 613, 614, 621  
   undifferentiated mélange 610, 611, 612, 613, 621
- Karnali klippe 358, 359–360, 361
- Karnali River, as source of sediment 76, 96
- Karora Complex 259, 260
- Karsha Formation 44, 51, 52, 53, 55
- Kasauli Formation 68, 81, 85, 89, 95
- Kashala Formation 260
- Kashmir 2  
   1123 earthquake 430, **433**, 436  
   1555 earthquake **433**, 435, 436, 438–439  
   1885 earthquake 430, **434**, 445–446  
   2005 earthquake 243, 244, **434**, 455, 458, 459
- Kathmandu Nappe 5, 9, 12, 41, 54, 346, 352, 360, 361  
   Galchi Shear Zone 384
- Katzarah Formation 150
- Kaurik–Chango Fault 414, 415
- Kesariya Stupa, earthquake damage 431
- Khardung Volcanics 140, **142**, 149, 150, 153, 159–160
- Kharta 347, 348  
   granulitized eclogite 187, 199, 202, 203
- Khula Kangri granite 315
- Kiogar (Amlang-la) ophiolite 21, 22, 24
- Kirthar–Suleiman ranges 215, 216  
   as source of sediment 75
- Kiru Sequence 126–127
- Kishar Unit 259
- Kishtwar Window 2, 8
- klippen 1  
   Lesser Himalaya 5, 9  
   Nepal 359–361  
   STDS 384, 386
- Kohistan arc 2, 11, 19, 125, 560  
   crustal chemistry 133–135, 153–154  
   evolution 7, 93, 156–159, 228  
   geothermobarometric data 131, 132  
   Indian Plate subduction 256, 258, 261, 262  
   magmatic processes 124, 135–139, 153–154, 166, 185, 228  
   fractionation 136, 137–138, 139, 154, 166  
   juvenile accretion 137  
   mantle wedge 139, 176, 228  
   water 138–139
- obduction 560
- P-wave velocity 131–132, 133, 134
- petrology 153–154
- plutonic rocks 123–149  
   as source of sediment 74, 77  
   subduction 135, 139, 166, 227  
   supra-crustal evolution 139–149, 159–160  
   tectonic models 156–159  
   thickness and crustal accretion 129, 131–132, 154–156, 157–158  
   trace elements 135  
   volcanics 21, 139–149  
   *see also* Dras–Kohistan arc; Kohistan–Ladakh arc
- Kohistan batholith 125, 127, 128, 129, 130, 166, 185  
   acid sheets 127, 129, 130  
   chemical composition 134, 135, 154  
   fractionation 138  
   thickness 155–156, 157–158  
   *see also* Gangdese Batholith;  
   Kohistan–Ladakh–Gangdese granite batholith
- Kohistan–Ladakh arc  
   boundary with NPHM 223, 224, 225, 227, 228  
   crustal thickening and thinning 176, 178  
   formation 166, 168  
   geodynamic reconstruction 166, 168  
   geological time frame 166  
   India–Asia collision 166, 258  
   isotopic evolution 165–178, 167  
   Hf analysis 170, 171  
   Sr–Nd–Pb analysis 169  
   U–Pb zircon dating 168–169, 170–174  
   subduction-related magmatism 166, 168, 228  
   *see also* Kohistan arc; Ladakh arc
- Kohistan–Ladakh arc terrane 123–160  
   research 123, **124**  
   supra-crustal rocks 139–149, 150
- Kohistan–Ladakh–Gangdese granite batholith 7, 9–10, 13, 21, 22, 23, 29, 185, 560  
   as source of sediment 75  
   subduction zone 19, 31  
   magmatism 20, 29–30, 33  
   *see also* Gangdese batholith; Kohistan batholith;  
   Trans-Himalayan batholith
- Kong Formation slates 28, 68, 83, 99
- Kongur Shan dome 567, 571
- Kopili Formation 68, 81, 83, 98, 99
- Kopili shear zone, seismicity 428
- Krol Group 43, 44, 45, 46, 49  
   Cambrian biostratigraphy 48, 49
- Kula Khangri 9
- Kumaon Himalaya 53–54
- Kung Co 403, 413  
   orogen-parallel extension 405
- Kunlun fault, timing of slip 10
- Kunlun magmatic arc 606
- Kunlun terrane 13
- Kurgiakh Formation 44, 51, 53
- Kurgiakh orogeny 40, 53, 54–57, 59  
   timing 55, 56, 57  
   *see also* Bhimpedian orogeny
- Kurgovat dome 567
- Kuru Member 51, 53
- Kuunga orogeny 55
- Ladakh  
   blueschists 24, 187  
   Cretaceous–Cenozoic stratigraphy 22  
   Indus Suture Zone 21
- Ladakh arc, as source of sediment 77
- Ladakh batholith 21, 22, 23, 29, 31, 166, 185  
   as source of sediment 75  
   *see also* Gangdese batholith;  
   Kohistan–Ladakh–Gangdese granite batholith
- Ladakh ophiolites 22–24
- Ladakh Volcanics **142**, 149–153
- Ladakh–Zaskar region, early studies 4, 5
- Lamayuru Complex 20, 21, 22, 23, 25, 32, 185, 187
- landslip, 1840–41 Indus Valley 220, 234
- Langtang slide 458, 460
- Langtang Thrust 285, 352
- Langtang Valley 281, 284  
   GHS 12, 283–298, 351–352  
   lithostratigraphy 286–287



- lava, pillow  
 Chalt Volcanic Complex *143, 144*  
 east of Nanga Parbat *150, 151, 152, 153*
- lawsonite *186, 187, 203*
- Layered Unit, NPHM *223, 227*
- Leo Pargil dome *387, 402, 403, 405, 408, 410, 413, 414–415, 561*
- Leo Pargil shear zone *414*
- Lesser Himalaya fold and thrust belt *1, 2, 3, 9, 39, 71, 72, 185, 186, 282–283, 343, 345*  
 Cambrian biostratigraphy *48, 49*  
 Cambrian stratigraphy *44, 45, 49*  
 Cenozoic stratigraphy *22, 68, 77, 79–82, 82, 83, 84, 85, 86*  
 correlation with Tethyan zone *46*  
 erosion *57–59, 102*  
 geology *70*  
 MCT zone *345*  
 Os levels *57–59*  
 palaeogeography *27*  
 Proterozoic succession *41, 42, 43, 44*  
 as source of sediment *73–74*
- leucogranite *12, 30, 256*  
 and crustal melting *315–316*  
 GHS *1, 9, 22, 307, 314–316*  
 HHL *315*  
 Langtang Valley *283, 284*  
 Karakoram *561, 563, 568*  
 Kohistan arc *127, 129, 135*  
 Kohistan–Ladakh arc, isotopic analysis *171*  
 NPHM *230, 232–233, 236–237*  
 orogen-parallel domes *410, 414–415*  
 STDS *388–389, 390*
- Lhagoi Kangri dome *387, 403, 405, 406, 407, 409, 413*
- Lhasa terrane *13, 70, 71, 518, 521, 522*  
 central subterrane *584, 590, 591*  
 collision with Indian Plate *24, 239, 240, 245, 246, 589–595*  
 collision with Qiangtang terrane *24, 585, 606*  
 Gangdese magmatic belt *584, 585, 590–591*  
 northern subterrane *584, 590, 591*  
 palaeomagnetic data *24*  
 as source of sediment *74–75, 539*  
 southern subterrane *584, 585, 587, 590, 591*
- tectonic reconstruction  
 Cretaceous *544–546, 590–595*  
 pre-Cretaceous *544–546*
- ‘Lhasaplano’ plateau *632*
- Lhotse *52*
- Lhotse detachment *380, 384, 390*
- Liachar Thrust and Shear Zone *219, 220, 227, 229, 230, 234, 235, 236, 237, 249*  
 leucogranite pegmatites *233, 235*
- Likhu Khola, metamorphism *351*
- Lingshi klippe *1, 383, 385, 386*
- Linzhou Basin, Linzizong volcanic succession *587–589*
- Linzizong volcanic succession *9, 13, 28, 70, 160, 584, 587–589, 593*  
 geochemistry *589, 590*  
 geochronology *587–588, 598*
- Liuqu Conglomerate *99, 519, 522, 527, 529, 533*
- Lockhart Formation *68, 79*
- Loe Sar Dome *259, 262, 263*
- Loess Plateau *635*  
 monsoon proxy *637, 638, 639*  
 Red Clay Formation *637*
- Lohit batholith *585*
- Lohit River, source of sediment *76*
- Lopu Range *526*  
 high pressure metamorphism *197–198, 203*  
 low-velocity layer *495–496*
- Lower Dolpo, metamorphism *357, 358, 358–359*
- Lu–Hf zircon dating, Central Pamir, Oligocene *605, 609, 619, 623*
- Luobadui–Milashan Fault *585*
- Luobusa ophiolite *22, 24, 186, 188*
- Luogangcuo Formation  
 geochronology *542, 543*  
 petrography *541*  
 trench fill *528, 539, 546*
- Mabja shear zone *407*
- Mabja–Sakya dome *387, 403, 405, 406, 407, 408, 409, 410, 411, 561*
- Machhapuchhare Detachment *355*
- Madhubani Group *40, 42, 43*
- magma, primitive arc *165, 166*
- magmatism  
 Cretaceous–Cenozoic *585, 587, 590*  
 Gangdese arc *584–599*  
 ocean ridge subduction *591*  
 slab breakoff *591–594, 597–598*  
 slab rollback *589–591*  
 Pamir *555, 558, 607, 621–622, 622–623*  
 subduction-related *166, 519, 560, 585*  
 Triassic–Jurassic *585*
- Mahabharat Thrust *360*
- Main Boundary Thrust *1, 2, 3, 71, 72, 102, 186, 378, 484, 485*  
 Hazara syntaxis *242, 243, 244, 246*  
 Proterozoic succession *41, 43*  
 timing *9*
- Main Central Thrust *1, 2, 3, 71, 72, 73, 186, 281, 351, 352, 378, 484, 485, 518, 640, 641*  
 channel-flow exhumation *640, 641, 643*  
 ductile shear zone *30, 32, 316, 560*  
 GHS protolith lithostratigraphy *284, 285*  
 initiation *101*  
 inverted metamorphism *8, 30, 186*  
 palaeogeography *24–25, 27*  
 Proterozoic succession *41, 43*  
 synchronicity with STDS *381*
- Main Central Thrust Zone *1, 307, 309, 345, 347–348, 352, 358–359, 361, 362, 365*
- LHS *345*
- Main Dun Thrust *460, 465*
- Main Frontal Thrust *2, 72, 186, 246, 247, 378, 427, 428, 429, 484, 485*  
 earthquakes *437, 441, 451, 454, 462*  
 palaeoseismic excavation *463*
- Main Himalayan Thrust *72, 465, 466, 484, 485, 490, 498–501, 511*  
 earthquakes *9, 428, 441, 451, 454*
- Main Karakoram Thrust *2, 257*

- Main Mantle Thrust 2, 7, 193, 194, 195, 223, 227, 229, 246, 256, 257  
 Indian Plate metamorphic enigma 256  
 Indian Plate subduction 258, 261, 263  
 Pakistan 259
- Main Pamir thrust system 565
- Main Zaskar backthrust 2, 31, 33  
*see also* Great Counter Thrust
- Makalu granite 315, 347, 348
- Malani Igneous Suite 43
- Malashan dome 387, 403, 405, 406, 407, 409, 410
- Maldives carbonate platform 637
- Manaslu massif 9, 389, 390
- Mandhali Formation 42, 43
- Maneting Formation 44, 54
- Mangri Shear Zone 310–311, 314, 358
- Manjir Formation 44, 46, 47, 55
- Mansehra granite 260
- mantle  
 depleted 176–177  
 upper 501, 510
- mantle flux 176, 177
- mantle–crust boundary  
 Kohistan arc 136–137, 176  
 Jijal complex 131–132
- Marghazar Formation 260
- Marinoan glacial event 46, 55
- Marsyangdi Valley 353  
 shear zone 311–312, 354–355
- Martoli Group 53–54
- Marwar Supergroup 43, 47
- Masang Kang 9
- Masherbrum gneiss 562, 565
- Masherbrum leucogranite 565
- Masherbrum sill complex 555
- Matum Das pluton 127, 128, 129  
 mineralogy 135–136  
 tonalite isotopic analysis 170, 177  
 trondhjemite 135–136
- Maxiang, unconformity 589
- Medog Shear Zone *see* Aniqiao–Mutuo (Medog) Shear Zone
- mélanges  
 Kiogar ophiolite zone 21  
 ophiolitic, ITSZ 185, 187, 190, 535  
 siliciclastic–matrix 523, 524–525, 526, 527, 528, 529, 530  
 contact with Tethyan Himalaya 532, 533, 534  
 geochronology 526, 538  
 petrography 541, 542  
 provenance 539, 540–541  
 undifferentiated, Central Pamir 609–613
- Mesoproterozoic succession 40, 42
- Mesothethys Ocean 607
- metamorphism  
 Barrovian-type  
 Eocene 27, 30, 256, 260, 404, 405, 409, 411, 576  
 Ordovician 260  
 Cambrian–Ordovician 5  
 geochronology 339–340  
 cooling ages 340  
 monazite 339, 340, 347  
 petrochronology 339  
 rutile 340  
 titanite 340  
 zircon 339–340
- GHS 283–299  
 and crustal melting 305–318  
 timing 7  
 high-pressure 183, 204  
 Eastern Himalaya 199–203, 205  
 Indus suture zone 186, 187–188  
 Indian Plate 561–575  
 enigma 256  
 integrated approach to orogenic belt evolution 326–342  
 inverted, Main Central Thrust 8, 272  
 Karakoram Range 555, 557, 561–563, 565, 569  
 Kohistan arc 126, 256  
 kyanite grade 1, 2, 7, 10, 12, 22, 30, 32, 33  
 microstructures 341–342  
 NBGPM 240  
 Nepal 325–365  
 NHGD 408, 409, 410, 411  
 NPHM 219, 222, 223, 226, 230–231  
 Pamir 558–559, 607  
 sillimanite grade 1, 2, 7, 10, 12, 22, 30, 32, 33  
 STDS 384  
 UHP 20, 21  
 Hindu Kush seismic zone 572, 576, 577  
 Late Paleocene 1, 11, 12, 30, 32, 33
- metapelite, Kaghan Valley 192, 193, 195, 196
- metasediments, NPHM 222, 223
- microdiamond  
 formation 183, 188  
 India–Asia collision 184
- microstructures, metamorphism 341–342
- Mid Miocene Climatic Optimum (MMCO) 635, 637, 645
- migmatites 1, 12, 30  
 GHS 8–9, 9, 27, 28, 389  
 NHGD 414  
 NPHM 218, 222, 223, 230–231
- Milam Formation 53
- Modi Khola  
 metamorphism 355, 356  
 P–T paths 363, 364
- Moho 126, 154, 485, 490, 495, 496  
 teleseismic receiver function analysis 486, 487, 493  
 upwarping, NPHM 227, 230  
*see also* palaeo-Moho
- molasse  
 Indus Suture Zone 7  
 Kurgialkh orogeny 55  
 nomenclature and classification 102, 103
- molasse sedimentation, and delay since collision onset 100–101
- monazite, chronology, metamorphism 339, 340, 347, 359
- monsoon *see* Asian monsoon
- Morondova mantle plume 594
- Mugu granite pluton 315, 357
- Mugu Karnali Valley 357, 358  
 P–T paths 363, 364
- Muji graben 567
- Mulbeck exotics 21
- Murgab Basin 613
- Murree Formation red beds 68, 80, 84, 85, 89, 93, 242
- Muskol dome 13, 569, 571, 607, 616, 621
- Muslimbagh ophiolite 75

- Muzaffarabad, 2005 earthquake 243, 244, **434**, 455, 458, 459
- Muztagh Ata dome 567, 571  
zircon dating 607
- Muztagh Tower gneiss 558, 562, 563, 564
- mylonite, HHD 309, 310, 311, 316
- Nagaur Sandstone 44, 45, 47  
Cambrian biostratigraphy 47, 48
- Nam-La Thrust 240, 242
- Namche Barwa 238, 239
- Namche Barwa Complex 240
- Namche Barwa syntaxis 1, 216, 217  
metamorphism 205  
  high pressure 198–199, 201  
  timing 7, 199  
as source of sediment 73, 76, 83
- Namche Barwa–Gyala Peri massif (NBGPM) 216, 217, 238–242, 239, 245, 246, 248–249  
accessibility 217–218  
comparison with NPHM 238–242  
cross-sections 241  
exhumation 240–242  
internal structure 240  
margins 239–240  
metamorphism 186, 240  
tectonic aneurysm model 239  
thermochronology 240–242
- Nanga Parbat 220, 221, 633
- Nanga Parbat–Haramosh massif (NPHM) 216, 217, 218–242, 221, 245–250  
accessibility 217, 218  
boundary with Kohistan–Ladakh arc 223, 224, 225, 227, 228  
brittle–ductile transition 237–238  
comparison with NBGPM 238–242  
cross-section 234, 236  
evolution 247–248  
  active tectonism 231, 234, 235  
  anatexis 236–237  
  basement structure 218–219, 222, 223  
  early Himalayan 227  
  erosion 231, 234  
  exhumation 231, 232–233, 234, 235, 236–237  
  geomorphology and thermochronology 231  
  pre-exhumation 218–227, 228, 247–248  
  tectonic aneurysm model 218, 230, 236, 237  
  thermorheological model 237–238  
  uplift 227–228, 229, 237  
geology 218, 219, 247–248  
hydrothermal system 229, 230  
internal structure 227, 229, 230  
metamorphism 219, 222, 223, 226, 230–231, 232–233
- Nanga Parbat–Haramosh syntaxis 1, 12, 108, 131, 140, 186, 215–250, 216  
crustal structure 489–490, **502–503**  
east of, volcanics 140, 149–153  
metamorphism, timing 7  
as source of sediment 73, 77, 83
- nappes, Indian Plate 186, 187, 189, 193, 261
- Nd isotopic analysis, Kohistan–Ladakh arc 169, 173, 175, 177, 178
- Neelum Valley  
eclogite 192–195, 203  
geology 192, 195
- Neo-Tethys Ocean  
closure 1, 11, 19, 24, 28, 185, 258, 560  
opening 24  
slab breakoff 592, 593–594  
subduction 185, 203, 483, 517, 560  
  Gangdese arc 584–585, 590–595, 592  
Trans-Tethyan subduction 166, 168
- Neohimalayan Stage 68, 77, 78, 84, 86, 98, 101, 108, 404
- Neoproterozoic succession 40, 42, 43, 44, 45, 46
- Nepal 12  
1505 earthquake 432, **433**, 435, 437  
1833 earthquake **434**, 444–445  
2015 earthquake 9, 12, 423, **434**, 444, 453, 455–458, 460–462, 467  
Annapurna–Manaslu 353–356  
Cambrian succession 54  
Cenozoic stratigraphy 68  
  provenance changes 95–96  
Cenozoic succession 81, 83, 86, 87  
  petrography and heavy minerals 89, **90**  
central, GHS 351–356  
east-central, GHS 350–351  
eastern, GHS 346–350  
geology 326  
  mapping 4  
GHS 281–299, 342–365  
metamorphic core 342–346, 362  
metamorphism 325–365  
southern klippen 359–361, 362  
Western 356–359  
*see also* Langtang Valley
- Nepal and Sikkim Himalaya, crustal structure 493–496, **505–508**
- Ngamring, siliciclastic mélange 526, 527
- Ngamring Formation 519, 520, 521, 546
- Nianbo Formation 587–589, 598
- Nidar ophiolite 22, 24, 186, 188
- Nigali Dhar Proterozoic succession 45
- Nindam Formation 31, 152
- Nindam Ophiolitic Mélange 185, 187  
nomenclature 102–103, 248
- North Himalayan Antiform 402, 403  
gneiss domes 404, 405
- North Himalayan gneiss domes 70, 387, 401–402, 403, 404, 405–412, 415–417, 416, 561  
core 407, 409  
crustal thickening and metamorphism 21  
deformation 405, 407, 411  
formation 411–412  
metamorphism and P–T–D paths 408, 409, 410, 411  
petrology and geochronology **406**  
structure 404
- North Karakorum Belt 69
- North Muskol Shear Zone 569–570, 607
- North Pamir domes 567, 577
- North Pamir/Karakul–Mazar terrane 605, 606, 606
- Nummulites* 153
- Nummulitic limestone 22, 23, 28, 29, 81–82, 185, 560
- Nuptse granite pluton 315
- Nurla Formation 22, 23, 29
- Nyainqentanglha Mountains 22, 585
- Nyalam, metamorphism 350–351
- Nyalam Thrust 350–351
- Nyonno Ri detachment 347, 412, 413, 416

- ocean currents, and Asian monsoon 631  
oceanic crust, altered 176–177  
oceanic ridge subduction 24, 30, 589, 591, 592  
oceans, isotopic change, and Proterozoic–Cambrian tectonics 57–59  
offsets, strike-slip faults 8, 10–11, 605  
Oligocene unconformity 77, 98, 105, 108  
olistostromes, Yarlung Suture Zone 528  
omphacite 204  
    Eastern Himalaya 201  
    Kaghan Valley 193, 198  
    Stak 195, 197  
    Tso Morari 191, 192  
ophiolites  
    Indus Suture Zone 185, 186  
        blueschists 187  
        Late Cretaceous–Paleocene 1, 22–24  
    obduction 1, 19, 21, 22, 31–32, 203, 555  
        timing 2, 7, 11, 24, 261  
    suture zone 22, 24  
    Yarlung Suture Zone 517, 518, 522, 545, 546  
*Orbitolina* 149, 151  
Ordovician, stratigraphy 43, 44  
orogenic belts  
    continental collision 1  
    integrated metamorphic evolution 326–342  
    syntaxes 215  
orthogneiss, Kaghan and Neelum Valleys 192, 193, 196, 203  
Os, global oceans 57–59  
Oxisol 68, 105  
oxygen isotopes, Asian monsoon 636, 638, 645  
P–T paths  
    Alpurai Group 268–269, 270, 271–272  
    GHS 8, 312, 313, 314, 316, 325, 327, 328, 333–334, 353, 355, 363, 364, 365  
    NBGPM 242, 243  
    NPHM 237, 238  
Padana Formation 519, 520, 521  
Pakistan  
    Cambrian succession 54  
    Cenozoic succession 68, 79–80, 87  
        petrography and heavy minerals 89, 91  
    earthquakes 434  
    eclogite 192, 195–197, 203  
    Indian Plate 255–275  
    metamorphism 256  
    NW, geology 257, 259  
    NW Himalayan architecture 256, 258  
    ophiolites 75  
    ophiolitic mélange blueschist 187  
    palaeogeography tracers 99–100  
    sources of sediment 75  
    stratigraphy  
        Cenozoic 68, 79–80, 87  
        provenance changes 93–94  
        Indian Plate 258–260  
    *see also* Karakoram Range; Nanga Parbat syntaxis; Nanga Parbat–Haramosh massif  
palaeodrainage, Himalayan Foreland Basin 92–9394  
palaeogeography, arc and ophiolite detritus as tracer 97–100  
paleo-Brahmaputra 93, 96  
paleo-Indus 92–93, 94, 108, 922–923  
paleo-Moho, Kohistan arc 131, 132  
Paleo-Tethys Ocean 282  
    subduction 585, 606, 621  
Paleocene–Eocene boundary, disconformity 68, 79, 105, 108  
Paleoproterozoic succession 40, 42  
Pamir gneiss domes 565–566, 567–572, 577, 607  
    metamorphism, timing 10  
Pamir mountains 13, 556, 565–572  
    DEM 557  
    geology 558  
    magmatism 555, 558  
    metamorphism 558–559  
    strike-slip faulting 566  
    uplift 573  
    *see also* Central Pamir domes; Central Pamir terrane; North Pamir terrane; South Pamir terrane  
Pamir salient 605, 606  
    tectonic history 606–607  
Pana Formation 587–588, 593  
Panjal Trap basalts 7, 186, 189, 195, 196  
Parahio Formation 44, 45, 46, 49, 50, 51, 52, 54, 55, 57  
    Cambrian biostratigraphy 48, 49  
    palaeoenvironment 49  
Paratethys retreat, and monsoon intensification 643  
passive loading 105–106  
Patala Formation 68, 79, 99  
Pb isotopic analysis, Kohistan–Ladakh arc 168–174, 178  
pegmatites, leucogranite, NPHM 230, 232–233, 236, 237  
Pele La Group 54  
Pengqu Formation 28  
peridotite, serpentinized 205  
Peshawar Basin 2, 306  
petrochronology, metamorphism 339  
Phaplu augen gneiss 285, 298  
phase diagrams, isochemical 327–338  
    bulk composition determination 328–329  
    closure in suprasolidus systems 338  
    datasets 329–333  
    departures from equilibrium behaviour 333–335  
    uncertainty on fields and isopleths 335–338  
Phe Formation 44, 46, 47  
phengite 187  
Photang thrust sheets 32  
Photoksar Thrust 24, 33  
Phulchauki Group 360  
Phuparash Shear Zone 223, 224, 227, 228, 236, 247  
pillow lava  
    Chalt Volcanic Complex 143, 144  
    east of Nanga Parbat 150, 151, 152, 153  
plutonic rocks, Kohistan 123–149  
plutons  
    High Himalayan leucogranite 315  
    Kohistan batholith 127, 128  
    STDS 389  
pollen proxies, Central Asia 634, 635  
Pomunong mélange 523, 524  
post slab-detachment accretionary belt 641  
Potwar Plateau 489, 490, 511  
Precambrian–Cambrian boundary 44, 46  
precipitation  
    Asian monsoon 637–640  
    and mountain belts 631

- Proterozoic, Upper, geology 40–46
- Proterozoic–Paleozoic  
Himalayan tectonics, and global isotopic composition  
of oceans 57–59  
pre-collisional margin 39–59
- Protohimalayan Stage 68, 77, 82, 98, 100, 108, 404
- Pshart Fault 615, 617
- P–T–D paths  
NHGD 402, 408, 409, 410, 411  
STDS 8, 325, 384, 385, 387
- Puga Gneiss 189, 190, 191
- Pulan Basin 633, 645
- Qiangtang terrane 13, 24  
collision with Lhasa Block 24, 585, 606  
correlation with Central Pamir 605, 606, 620, 621, 623
- Qinling–Dabie Mountains 606
- Qomolongma Detachment 346, 380, 384, 390
- Qtub Minar, earthquake damage 431–432, 440
- Quartzite Formation 44, 54
- Qubeiya Formation 519, 520, 521
- Quxia Formation 519, 520, 521
- Radi klippe 386
- radiolarite 522–523
- Raikhot Valley 219, 220, 221, 226, 231, 235
- rainfall *see* precipitation
- Rajasthan, Neoproterozoic successions 43, 44, 45
- Rajmahal Traps 66
- Rajmahal–Sylhet igneous province 528–529
- Ralam Formation 44, 53, 54
- Ramba dome 403, 416–417
- Ramechap–Okhaldhunga Window 360
- Ramgarh Thrust 352
- Ravi River, as source of sediment 73, 75, 95
- red beds  
Tethyan zone 68, 80–81  
*see also* Chulung-la redbeds; Muree Formation
- Red Clay Formation, Loess Plateau 637
- Redlichia* 49, 53
- Renbu mélange 523, 524, 526
- Renbu–Zedong Thrust 519
- retroarc basin, nomenclature and classification  
102, 103
- Rewa Group 42
- Ribil–Zildat Fault 189, 190
- river capture 93
- Rodinia, break-up 44
- Rongbuk Valley 281, 346, 390
- Rongmawa Formation 527, 529, 531, 533, 538, 546  
geochronology 542, 543  
petrography 541, 542  
provenance 539, 541  
trench fill 520, 524, 528
- Rupal glacier 220, 222
- Rupal shear zone 227–228, 229, 236, 249
- ruptures, propagation and nucleation 468
- Rushan–Pshart Suture Zone 566, 607, 623, 624
- rutile, chronology, metamorphism 340
- Salt Range 215, 216, 489  
Cambrian biostratigraphy 48, 49  
Cambrian succession 44, 45, 47, 49  
Neoproterozoic succession 43, 44, 45  
uplift 93
- Salt Range Thrust 49
- Saltoro Formation 129, 153, 157
- Sangdanling Formation 28, 68, 79, 83, 527, 533
- Sangsang,  
blueschist 186, 187–188  
siliciclastic-matrix mélange 526, 527, 540
- Sangzugang Formation 519, 521
- Sanugba Group 53
- Sapat Complex 124, 125, 126  
crust–mantle magmatic pipes 136–137, 138
- Sapat ophiolite 21
- Sapi-la glaucophane schist 21
- Sapi–Shergol, blueschist 187
- Sapt Kosi River, as source of sediment 76
- Sarangar Gabbro 126, 127
- Sarez dome 569, 571
- Sarghoda High *see* Delhi-Sarghoda Ridge
- sea level change 53
- seaways 77  
Aptian–Albian 622  
disappearance 103–104, 108
- sedimentary basins, nomenclature and classification  
102–103
- seismicity 12–13  
Hindu Kush–Pamir 572–573  
India–Asia collision 426–432, 427  
NPHM 229, 231, 234  
*see also* earthquakes
- seismites 430
- seismological data analysis 487–489
- Semri Group 40, 42  
fossils 43
- serpentinites, UHP, ITSZ 188
- Seti Khola Valley 357
- Shaanxilithes* 46
- Shahbatot Fault System 219, 234
- Shakh dara dome *see* South Pamir (Shakh dara) dome
- Shamran Volcanic Group 21, 131, 140, 142, 144,  
148–149, 159–160
- Shang granite 260
- Shangla, blueschists 187
- Shatput dome 569
- Shenti Shear Zone 567
- Shexing Formation 587, 589
- Shian Formation 44, 50, 53, 55
- Shillong 1897 earthquake 430, 434, 446–448
- Shillong Plateau  
as source of sediment 75, 76  
uplift 107–108
- Shimla Group 46
- Shirot pluton 127, 128
- Shisha Pangma 281, 285  
leucogranite 9, 315
- Shivling–Bhagirathi mountains 9
- Shunji Pluton 149
- Shyok suture zone 2, 69, 129, 149, 150, 152, 157,  
258, 560  
evolution 7, 156, 157
- Shyok Volcanics 129, 142, 150, 150, 153, 159
- Siberian High 632
- Sikkim Himalaya, crustal structure 493–496, 508–510
- sills, leucogranite, GHS 9
- Simla Slate 42
- Singhbhum Craton 66
- Sirban Formation 43, 45, 46

- Siwalik foreland basin 1, 12  
 dating 9
- Siwalik Group 22, 68, 73, 77, 80, 81, 86, 87, 89, 92, 93, 94,  
 95, 96, 101, 640
- slab breakoff 30, 108, 109, 641  
 Himalayan rebound 644–645, 646  
 and monsoon intensity 645  
 India–Asia collision 32, 108, 560, 591–595, 592,  
 597–598, 644–645
- slab flux 176–177
- slab pull 589, 591
- slab rollback 108, 168, 641, 644  
 Gangdese arc 589–591, 592, 593
- slip  
 aseismic 428  
 décollement 428, 429, 463–464, 465–467  
 surface 465
- slip deficit 468, 469
- Snowball Earth 46
- Son River, source of sediment 75
- Son Valley 40, 41
- Songpan–Ganzi terrane 605, 606  
 correlation with Central Pamir 623
- South Asian monsoon 632, 644, 645
- South Karakorum Belt 69
- South Muskol Shear Zone 616, 617
- South Pamir (Shakh dara) dome 570, 571, 572, 577
- South Pamir/Karakoram terrane 605, 606, 606  
 Cimmerian unconformity 607, 623
- South Tibetan Detachment (STD) 1, 2, 3, 12, 46, 71, 72,  
 186, 246, 281, 306, 307, 377–395  
 accessibility 379  
 brittle detachment 8  
 Cambrian succession 54  
 cessation of motion 647  
 channel-flow exhumation 8, 640, 641, 643  
 definition 389, 391  
 discovery 378–379  
 displacement 387–388  
 ductile shear zone 30, 343, 346, 347, 348, 355,  
 357–358, 359–361, 381, 382, 383, 384  
 metamorphic field gradient 384, 385  
 formation mechanism 391–394  
 geochronology 381  
 GHS Langtang 282, 284  
 history of research 377–379, 384  
 initiation and cessation of movement 388, 389  
 nature and timing of motion 8  
 offsets 8  
 orogen-wide detachment 379–380  
 partial melt on GHS 388–389, 390  
 shear sense 381, 383  
 structure, deformation and metamorphism 384  
 synchronicity with MCT 381
- Southern Amphibolites 125
- Southern Plutonic Complex 125, 126, 134, 166  
 magmatism 138
- Spiti Proterozoic succession 45  
 Cambrian biostratigraphy 48, 49
- Spiti Valley, correlation with Zaskar Valley 53
- Spong andesitic arc 22, 23, 24, 30, 31, 32
- Spontang ophiolite 2, 7, 20, 22–24, 25, 30, 31,  
 32, 33
- Sr, global oceans 57–59
- Sr–Nd–Pb isotope analysis 169, 173, 175, 178
- Stak 219  
 eclogite 186, 195–197, 199, 205, 223, 227, 228  
 metamorphic conditions 196–197, 223, 226, 227
- strain, elastic 467
- stromatolites 51
- Sturtian glacial event 46
- sub-Himalaya 1, 39, 48, 72, 185  
 Cenozoic stratigraphy 22, 68, 77, 79–80, 82, 84, 85, 86  
 formation 186  
 geology 70  
 as source of sediment 74
- Subathu Formation 28, 68, 80, 94, 99
- Subathu Sub-basin 80, 108
- subduction  
 blueschist formation 183, 187, 203, 204  
 Central Pamir 613  
 Gangdese arc 584–585, 589, 590–594  
 Indian Plate beneath Asian continent 19, 21, 30, 31, 32,  
 108, 205, 258, 272, 555  
 Kohistan arc evolution 166, 168, 175–176, 258  
 Kurgiakh orogeny 55  
 oceanic ridge, Gangdese arc 589, 591, 592  
 ‘Trans-Tethys’ 166, 168  
 Yarlung Suture Zone  
 accretion complex 517, 518, 522–526, 528, 541  
 geochronology 542–544  
*see also* slab breakoff
- subsidence, foreland-basin 104, 105, 106, 107
- Suleiman Range *see* Kirthar–Suleiman ranges
- Sumayar granite 561, 565
- Sumda Formation 28–29
- Surichun Member 51, 53
- Surma Group 68, 82
- Sutlej Basin 2, 306
- Sutlej River, as source of sediment 75, 78
- Swabi  
 Cambrian succession 54  
 Proterozoic succession 45
- Swat, metamorphism 262, 264
- Swat Valley granite 259, 260
- Sylhet Nummulitic limestone 68, 81
- syntaxes, Himalayan 215–218, 216, 245–250  
 Assam 248  
 Besham 242, 244  
 early tectonic history 248  
 exhumation 249  
 Hazara 242–245, 246, 247, 248  
 models 245, 246, 247–248  
 tectonic aneurysm 217, 218, 236, 245,  
 246, 249  
 Namche Barwa–Gyala Peri massif 238–242, 245, 246,  
 248–249  
 Nanga Parbat–Haramosh massif 218–242,  
 245–250  
 nomenclature 248  
 as source of sediment 73, 83  
 structure 248–249
- Tadjik Basin 558, 565, 573  
 DEM 557  
 uplift 573
- Tajikistan, Central Pamir terrane 605–624
- Tal Group 44, 45, 46, 49  
 Cambrian biostratigraphy 48, 49  
 osmium enrichment 57, 59

- Tama Kosi, metamorphism 351  
Tanawal Formation 260, 264, 272, 273, 274  
Tang Chu klippe 54  
Tanymas Fault 607, 621  
*Tappania* 40  
Tar Formation 28  
Tar Group 185  
Tarim Basin 556, 558, 565, 573  
    DEM 557  
    desertification 633, 643, 645, 647  
    uplift 573  
Tato leucogranite pluton 230, 232, 236  
tectonic aneurysm model, Himalayan syntaxes 217, 218, 230, 236, 237, 239, 245, 246, 249  
tectonic synthesis 640, 641  
teleseismic receiver function analysis 486, 487–489, 502–509  
Temesgam Formation 29  
Teta Member 51, 53  
Tethyan Himalaya 2, 3, 39, 71, 185, 186, 282–283, 343  
    age 55  
    Cambrian biostratigraphy 48  
    Cambrian stratigraphy 44, 45, 49–54  
    depositional cycles 49, 51, 52, 53  
    Cenozoic stratigraphy 22, 68, 77, 78–79, 82, 83  
    correlation with Lesser Himalaya 46  
    crustal thickening 30  
    Northern 70, 72  
    palaeogeography 27  
    tracers 97, 99  
    Proterozoic stratigraphy 43, 44  
    as source of modern sediment 73  
    Southern 70, 72  
Tethyan Himalayan strata  
    contact with siliciclastic-matrix mélange 532, 533, 534, 538  
    geology 22, 528–529, 532, 533  
    petrography 541  
    tectonic model 545, 546  
Thakkola Basin 633, 645  
Thango Formation 51  
Thelichi Formation 141, 142  
THERMOCALC modelling 8, 327, 334, 351  
thermometry, independent single-phase 338  
Thidsi Dolostone Member 51, 52, 53  
Thongmon 347, 348  
Ti/Ca flux, South China Sea 634  
Tibet  
    blueschist 186–188  
    Cambrian succession 54  
    Cenozoic stratigraphy 68, 78–79, 83  
    petrography and heavy minerals 91  
    crustal shortening 28  
    earthquakes 427, 428, 430  
    high-pressure metamorphism 197–199  
    mapping 4–5  
    southern, geology 326  
    strike-slip offsets and timing 10–11  
    UHP serpentinite 188  
    Yarlung Suture Zone 517–547  
    see also Namche Barwa-Gyala Peri massif; Namche Barwa syntaxis  
Tibet–Pamir orogenic system 605  
Tibetan Plateau 4  
    deformation 404  
    early studies 4–5  
    Gangdese magmatic arc 584–585  
    lithospheric structure 575–576  
    North Himalayan gneiss domes 402  
    orogen-parallel domes 412  
    relation to Pamir units 605  
    structure and metamorphism 575  
    underthrusting 10, 28, 108  
    uplift 10, 19, 28, 576  
    and Asian monsoon 11, 631, 640, 643–646  
    timing 10  
Tien Shan 556, 557  
    uplift, and Asian monsoon 644, 645, 646–647  
Tila shear zone 359  
Tinau River, sand 95–96  
Tipam Formation 68, 82, 83, 86  
titanite, chronology, metamorphism 340  
Tochi River, source of sediment 75, 77  
Toijem Shear Zone 359  
    mylonites 310–311, 313  
tonalite, Kohistan–Ladakh arc, isotopic analysis 170, 177  
Tons River, source of sediment 75  
Tons Thrust 39, 42, 43  
Tora Tiga Complex 124  
*Trachyhystrichosphaera aimika* 43  
Trans-Aravalli succession 43, 47  
Trans-Himalayan Arc 69, 71, 72  
Trans-Himalayan arc–trench system 108  
    as source of sediment 74–75, 93, 94–95, 97, 99, 100  
Trans-Himalayan batholith 2, 184, 185  
    volcanism and magmatism 7, 29–30, 33  
    see also Gangdese batholith; Kohistan–Ladakh–Gangdese granite batholith  
Trans-Indus Range 215, 216  
Trans-Tethyan subduction system 166, 168  
transgression, Tethyan zone 79  
*Treptichnus pedum* 47, 49  
triangulation 424, 425  
Tso Morari dome 189  
    nappes, h-p indicators 189–190  
    as source of sediment 73  
Tso Morari eclogite 7, 12, 32, 186, 188–192, 203, 204  
    exhumation 192, 194, 204, 205, 560  
    geochronology 192  
    geothermobarometry 191, 193  
Tso-Jiangding Group 519, 521  
tuff  
    Chalt Volcanic Group 141, 142, 144, 145–147  
    east of Nanga Parbat 151, 152, 153  
Tura Formation 100  
turbidites  
    east of Nanga Parbat 153  
    GHS 297  
    Sangdanling Formation 79, 108  
    Songpan–Ganzi complex 606  
    Yarlung Suture Zone 108, 528, 531, 539, 546  
TZARS barometer 354  
U–Pb zircon dating  
    Central Pamir 10, 13, 605, 609, 617–619  
    Cretaceous strata 618–619

- U–Pb zircon dating (*Continued*)  
 Oligocene or younger strata 619, 622–623  
 Triassic strata 617–618  
 GHS sediments 8, 287, 288  
 India–Asia collision 28  
 Kohistan–Ladakh arc 29, 168–169, 170–174, 175, 176, 178  
 ID-TIMS 168  
 LA-ICP-MS 168–169  
 Ladakh granites 29  
 Tibetan Plateau  
 relation to Pamir units 605  
 uplift 10  
 Yarlung Suture Zone 535, 537, 538, 543  
 Udaipur 1988 earthquake 428  
 Ulleri augen gneiss 285, 297, 298  
 unconformity  
 Cambrian–Ordovician 50, 51, 53, 54–57  
 Cimmerian, South Pamir 607, 623  
 Dianzhong–Shexing formations 589  
 Eocene 68, 81, 105  
 Himalayan Foreland Basin 644  
 Nianbo–Dianzhong formations 598  
 Oligocene 77, 98, 105, 108  
 Paleocene–Eocene 28  
 Proterozoic 40, 42, 43  
 unroofing 101, 102, 109  
 uplift 217  
 Himalaya Orogen 9, 19, 644–645, 646  
 NPHM 227–228, 229, 237  
*see also* exhumation  
 upwelling, oceanic 637  
 Ura klippe 383, 386  
 Uta granite 260  
 Utror volcanic suite 21  
 Uttarkashi 1991 earthquake 442, 443  
 Varanger event 46  
 Vindhyan Basin succession 40, 41, 42, 43  
 fossils 40  
 Vindhyan Supergroup 66  
 volcanism  
 Kohistan–Ladakh terrane 139–149, 150, 159–160  
 Pamir, Dunkeldik intrusions 572  
 Waziristan ophiolite 69, 75, 77  
 weathering  
 chemical 100, 636, 637–638  
 and Asian monsoon 634, 635  
 South China Sea 634  
 Tibetan Plateau 631–632  
 wedge extrusion 305, 392, 393  
 wedge insertion 305, 392, 393  
*Wengania* 43  
 Westerly Jet 632  
 Western Himalayan syntaxis *see* Nanga Parbat syntaxis  
 wildflysch 523, 525  
 xenoliths  
 Dunkeldik intrusions 572  
 Kohistan arc 127, 128  
 Xialu chert 522–523, 525, 529  
 Xianshui-he fault, timing of slip 11  
 Xiazha Formation 518, 520, 527, 533, 535, 536, 544  
 petrography 541, 542  
 provenance 539, 540  
 tectonic model 544, 545–546  
 Xigaze forearc basin 517, 518, 519, 520, 521–522, 527, 529, 538, 539, 543–544, 586  
 geochronology 542, 543  
 tectonic model 545  
 width 586  
 Xigaze Group 519  
 Xigaze ophiolites 22, 24, 590–591  
 Xining Basin, aeolian deposits 635  
 and winter monsoon 632, 633  
 Xiukang mélange 523, 524  
 Yamdrok mélange 523, 524–525  
 Yamuna River, as source of sediment 76  
 Yardoi dome 387, 403, 405, 406, 407, 408, 409, 410  
 Yarlung Suture Zone 13, 517–547, 520  
 geochronology 535, 537, 538  
 geology 518–535, 527  
 mapping 527, 529  
*see also* Xiazha Formation  
 ophiolite belt 517, 518, 522, 535, 536, 545, 546  
 petrography 541, 542  
 provenance 539–540, 541  
 siliciclastic-matrix mélange 523, 524–525, 526, 527, 528, 529, 530, 534, 539, 540–541, 542, 545  
 subduction complex 517, 518, 522–523, 524–525, 526, 528, 541, 545  
 geochronology 542–544  
 tectonic model 544–546  
 Tethyan Himalayan strata 528–529, 532, 533, 534, 541  
 trench fill 520, 524, 528, 539, 542, 542, 545  
 geochronology 542, 543, 544  
*see also* Rongmawa Formation  
 Yarlung Tsangpo Mantle thrust 518, 522, 527, 529  
 Yarlung Tsangpo River 93, 238, 239  
 as source of sediment 76  
 Yasin Group 125, 129, 139, 140, 144  
 Yazgulom dome 569, 571  
 Yellow Band 52, 54, 57, 297, 298  
 Ypresian, India–Asia collision 28, 29  
 Zanskar  
 Cenozoic stratigraphy 68  
 Proterozoic succession 45  
 Zanskar Range 28, 32, 79, 99  
 Cenozoic succession, petrography and heavy minerals 91  
 Zanskar River section 23, 24, 25  
 Zanskar Shear zone 1, 2, 379–380, 390  
 Zanskar Shelf Basin 21  
 Zanskar Valley  
 Cambrian biostratigraphy 48, 49, 51  
 Cambrian stratigraphy 51, 52  
 correlation with Spiti Valley 53  
 Zedong arc 13, 519, 520  
 tectonic model 544–546  
 Zedong ophiolite 22  
*see also* Luobusa ophiolite  
 Zedong–Gyangze Thrust 528  
 Zhada Basin 633, 645



Zhaguo Formation 68, 79, 99  
Zhepure Shan Formation 28  
Zheya Formation 68, 79, 83  
Zheb ophiolite 75  
Zhongba ophiolite 24  
Zhongba terrane 70  
Zhongba–Gyangze Thrust 518

zircon dating  
  Central Pamir magmatism 622–623  
  GHS sediment dating 287–289, **290–295**, 296  
  metamorphism 339–340  
  *see also* Lu–Hf dating; U–Pb zircon  
  dating  
Zongpu Formation 68, 79

