

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- 2D imaging 3, 5
- 3D electron imaging 3
- 3D imaging 3, 5
- 3D XCT 3
- Agilent instruments 98–101
- Agilent Q-TOF 98, **99–100**, 101
- Aligent 7890B 98
- alkanes
 - bitumen formation 146–147
 - isotope composition 59–62
- amorphous organic matter (AOM)
 - characterization of the thermal maturity of dispersed organic matter Raman spectra 108, *111*, 113
 - mudrocks 179
- analytical techniques
 - application to petroleum systems 1
 - case studies 4
 - fluid and isotope geochemistry 1–2
 - future research directions 4–5
 - imaging 3
 - organic geochemistry 2–3
 - sediment provenance 3–4
- apatite, sediment provenance analysis 260, 262, 263–267
- aromatic compounds
 - bitumen formation 149, *151*
 - mass spectrometry 77
 - maturity assessment 81–83
- artificially stimulated shale reservoirs 241
- Ashmore Platform, Australia 46
- aspect ratio, pore space characteristics 209–212, **214**, **215**, 224–225
- asphaltene (bound) phase hydrocarbon biomarkers 147–149
- atomic force microscopy (AFM) 121, 133, 134
- aureoles
 - igneous intrusion 295
 - making oil from magma
 - conclusions 300–302
 - discussion 300–302
 - geological context 296
 - methods 296–298, 299
 - results 299–300
- automated mineralogy 3
- backscattered electron (BEI) secondary electron (SE) images 230
- backscattered electron (BSE) detectors
 - calcite cement in marine-deltaic sandstones 310, *317*
 - digitization of mudrocks *168*, 169, *170*, *172–174*, 174, *175*, 179, *181–183*
 - pore networks 242
 - pore space characteristics *219*
- backscattered scanning electron microscopy (BSEM) 190–192, 199
- Barcoo Sub-basin, Browse Basin, Australia 30–31, 32
- Barents Shelf case studies
 - geological setting 258–260, 259
 - mineral fertility and bias in sedimentary provenance studies
 - analytical methods and samples 260–262, **261**
 - discussion 264–269
 - results 263–264
- Barnett Shale, Fort Worth Basin 129
- barrels of oil equivalent (BOE) 298
- basin modelling, understanding variations in reservoir porosity 229, 236, 236–237
- basin scale geochemistry 124–127
- Beetaloo Sub-basin, Australia 51, 52, 54–56, 58–59
- Beryl Field, North Sea 124, *125*
- big data 3, 5
- biochemical pathways 134
- biogenic gas 54
- biomarkers
 - asphaltene (bound) phase hydrocarbon biomarkers 147–148
 - depositional environment/lithofacies 88
 - mass spectrometry 76–77
 - maturity assessment 81–83
 - single well formation characterization 122–123
 - solvent extractable (free) phase hydrocarbon 146–147
- bitumen
 - formation in the Elgin-Franklin complex, North Sea 139–142, 160
 - discussion 149–160
 - geological setting 143
 - hydropyrolysis and the scope of the investigation 142–143
 - methodology 143–146
 - petroleum charging 158–160
 - results 146–149
 - mineral matrix vs. OM-hosted porosity 223–226
 - organic geochemistry 2–3
 - ultra-high resolution mass spectrometry in petroleum fluid assessment 77–79
- Blackstone Shale, Yorkshire 177, 179, *182*
- Bowen basin, Australia 51, 52, 53–54, 56, 59–69
- Brent Group reservoir, Heather oil field, North Sea calcite cement in marine-deltaic sandstones
 - conclusions 312–322
 - discussion 322–331
 - materials and methods 309–312
 - oil field data 309
 - porosity-destroying calcite in the Heather Field 305–308
 - results 312–322
 - location *306*, 306–307
- brines, high-salinity water inclusions 45
- broad ion-beam SEM (BIB-SEM) 3
 - pore space characteristics 208, 209
 - suitability for microstructural investigations 216–223

- Browse Basin, Australia 30
see also Caswell Sub-basin
- burial history models
 Beetaloo Basin, Australia 58, 67
 bitumen formation 151–158, 153
 Brent Group reservoir, Heather oil field, North Sea 307
- calcite cement in marine-deltaic sandstones, Heather Field, North Sea
 conclusions 312–322
 discussion 322–331
 materials and methods 309–312
 oil field data 309
 porosity-destroying calcite in the Heather Field 305–308
 results 312–322
- calcite cementation 4, 46
- Canterbury Basin, New Zealand 166, 171, 174
- carbon dioxide (CO₂) content, gas reservoirs 44–45, 46
- carbon isotope composition 51, 52, 56, **57**, **61**
- carbon isotope ratio
 methane 52
 organic geochemical research analytics 104
- carbon isotope reversal 47, 51
- carbonates
 digitization of mudrocks 171
 nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds 90–92
- carboxylic acids 71–72
- Caswell Sub-basin, Browse Basin, Australia
 fluid inclusion to investigate gas charge 29, 44–48
 geological context 30–33
 sampling 33, 37–44
 stratigraphy 30–33, 32, **33**
- catalytic hydropyrolysis (HyPy) 142, 147–149
- cathodoluminescence (CL) detectors 169
- Chalk Group 10–11, 12
- chamosite 189, 196
- charge contrast image (CCI) maps 171, 173
- chemical mapping 130–132
- chlorite
 definition using a modified SIP library 194
 imaging and analysis in reservoirs 200–202
 analysis techniques comparison 190–192, **191**
 compositions and interpretations 194–200
 QEMSCAN SEM-EDS analysis 192–194
 in reservoirs 189–190
 in sedimentary rocks 190–193
- Chlorite Consortium, University of Liverpool 189–190, 198–200
- chromatography *see* gas chromatography (GC); liquid chromatography
- circularity, pore space characteristics 209–212, **214**, **215**, 224–225
- climate change 1
- clinocllore 189, 196
- coal-bearing basins 53–54
- coal, carbon isotope reversal 51
- coal seam gas (CSG), Bowen and Beetaloo basins, Australia 52, 54, 56, 57
- compound-specific-isotope (CSI) curve 51, 68–69
- crude oil analyses
 molecular imaging 133–134
 organic geochemical research analytics 104
 at varying scales 124–127
- data collection
 digitization of mudrocks 181–184
 geochemical fingerprinting 13, 14
 production geochemistry 9, 10
see also sampling
- depositional environment/lithofacies 88
- desorption electrospray ionization (DESI) 128
- detrital grain U–Pb geochronology 256–257
- diagenesis
 calcite cement in marine-deltaic sandstones 328–329
 dispersed organic matter
 composition **109–110**
 Raman spectroscopy 107–118
 siltstone 276
- dibenzothiophene (DBT) 88
- dichloromethane (DCM)–methanol (MeOH) 143–145, 146, 147–148, 148
- digital rock physics (DRP) models 174, 176, 185
- digitization of mudrocks
 workflow model 165
 action-output-potential use workflow 167
 discussion 181–185
 examples of use 171–181
 materials and methods 166–170
- dispersed organic matter in diagenesis
 composition **109–110**
 Raman spectroscopy 107–108, 118
 analytical techniques 108–112
 automated methods 117
 correlations against depth and thermal maturity 112–116
 discussion 116–117
 source rocks and kerogen 108
- Dniepr-Donets-Basin (DDB) 205, 206, 208–209
see also Upper Visean ‘Rudov Beds’
- double bond equivalent (DBE) 83–86, 84–85, 87, 89, 90–92
- downhole fluid identification 23
- drill stem test (DST) 14
- Eagle Ford Formation, Texas
 analytical techniques 76–77
 depositional environment/lithofacies 88
 Fourier transform ion cyclotron resonance mass spectrometry 2, 92
 geological setting 230
 location 72, 73
 nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds 76, 88–92
 non-pyrolic nitrogen compounds 83–86
 petroleum system processes 71, 72
 reservoir porosity 229–230
 discussion 233–237
 pore image analysis 232–233
 scanning electron microscopy (SEM) 229, 230–232
 results and discussion 77–92
 samples from 73–76, **74–75**
 as study area 72–73
 summary 92
 vanadyl porphyrins 86

- Eagle Ford Shale 3
 East African geology 276–277
 see also Mesozoic Mandawa Basin, southeastern Tanzania
 electron microprobe analysis 192
 electrospray ionization
 desorption electrospray ionization (DESI) 128
 Eagle Ford Formation, Texas 71, 72, 77, 77, **78**, 79, **80**, 81, 92
 nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds 72, 83, 88–89
 petroleum fluid assessment 2, 71, 72
 elemental mapping
 digitization of mudrocks 177, 185
 organic geochemistry at varying scales 132, 132
 Elgin-Franklin complex, North Sea
 location 139, 140
 organic geochemistry 2–3
 energy-dispersive spectrometry (EDS)
 calcite cement in marine-deltaic sandstones 312
 chlorite in reservoirs 190–193
 energy-dispersive X-ray spectroscopy-transmission electron microscopy (EDS-TEM) 132, 132–133
 energy-dispersive X-ray (EDX) techniques
 chlorite in reservoirs 193–194
 digitization of mudrocks 166, 169, 183, 184–185
 large-area mapping (LAM) 177, 178–179, 180, **181**, 184
 pore space characteristics 210
 equivalent circular diameter (ECD) 171
 Euler characteristic 245–246, 250
 extractable organic matter (EOM)
 igneous intrusion 296, 297–298, 298
 organic geochemical analysis 122
 pore space characteristics 216, 221, 226

 fault/baffle breakdown 17–18
 Fe-rich chlorite 189, 190, 192, 193, 199
 Feldkamp-Davis-Kress (FDK) 242
 field mixing, geochemical fingerprinting 15–16, 18–19
 file sizes, image montages 184
 fingerprinting *see* geochemical fingerprinting
 Fischione 1060 SEM ion-mill 166
 flame ionization detector (FID) 102–103, **104**
 fluid connectivity
 geochemical fingerprinting 14–15
 production geochemistry 9
 within-well 10
 fluid geochemistry 1–2
 fluid inclusion
 calcite cement in marine-deltaic sandstones 312, 320–322, 326, 326–327
 gas reservoirs 29–30, 44–48
 Caswell Sub-basin, Browse Basin, Australia 30, 37–48
 pressure 44–45
 salinity 30, 33–34, 35, **36**, 44–45, 45
 technical challenges 33–37
 petrography 2
 fluid residence time 20–23, 22, **23**
 focused ion beam SEM (FIB-SEM), pore networks 3, 232, 232, 242, 244, 249–250
 Forties reservoir, geochemical fingerprinting 20, 21

 Fourier transform ion cyclotron resonance mass spectrometry (FT-ICR-MS)
 analytical techniques 76
 Eagle Ford Formation, Texas 2, 71, 72, 92
 nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds 83
 petroleum fluid assessment 71, 72
 full width at half maximum (FWHM) ratio 113–114, 118
 Fulmar Formation 142
 Fulmar reservoir, geochemical fingerprinting 20, 21
 future research directions 4–5

 Gannet A Field 19
 garnet-mica schist 194–195, 195
 garnet typing 283, 284, 286, 288
 gas analyses, organic geochemical research analytics 102–105
 gas chromatography (GC)
 geochemical fingerprinting 12–13, 13
 molecular and isotopic composition of oil and gas 97
 organic geochemical research analytics 97, 98–105, 101
 techniques 56
 gas chromatography-mass spectrometry (GC-MS)
 analytical techniques 76–77
 bitumen formation 142, 146–147
 igneous intrusion 297
 nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds 71, 79, 89
 gas deasphalting 159–160
 gas dryness index 60, 62
 gas flow through shales 129–130
 gas inclusions 29–30
 gas reservoirs
 composition, pressure and density 29
 fluid inclusion 29–30, 44–48
 Caswell Sub-basin, Browse Basin, Australia 30, 37–48
 pressure 44–45
 salinity 30, 33–34, 35, **36**, 44–45, 45
 technical challenges 33–37
 gas richness, water inclusion 30, 37
 gas saturation, fluid inclusion in gas reservoirs 30, 37, 38, 42–43, 45–46
 gas-to-oil ratio (GOR) 67
 gaseous secondary electron (GSE) detectors 169, 173
 geochemical fingerprinting
 production geochemistry 12–14
 basic rules 14
 production-related applications 19–26
 reservoir surveillance 14–19
 geochemistry *see* fluid geochemistry; isotope geochemistry; organic geochemistry; production geochemistry
 glycerol dialkyl glycerol tetraethers (GDGTs) 134
 Gondwana 126–127
 Gulf of Mexico basin 124–126, 126

 Havert formation, Barnet Shelf 262–263
 Heather Field *see* Brent Group reservoir, Heather oil field, North Sea
 Heather Formation 124, 125
 heavy mineral analysis 177, 281–282, **282**, 283, 286, 288

- helium ion microscopy (HIM) 130, 131
- herbaceous fragments (CHF), characterization of the thermal maturities of dispersed organic matter
Raman spectra 108, 111, 113
- high-performance liquid chromatography (HPLC) 86
- high-resolution imaging techniques
2D and 3D imaging 5
pore-scale imaging 241, 242, 243
pore space characteristics 205–208
time v. resolution conundrum 184
- high-resolution mass spectrometry 4–5, 71, 77–92
- high-salinity water inclusions 45
- high temperature-high pressure (HP-HT) area,
North Sea 139
- horizontal field of view (HFOV) 169
- hydraulic connectivity in pore networks 249–250
- hydrocarbon composition 58–59, 59, 63–64
- hydrocarbons
asphaltene (bound) phase hydrocarbon biomarkers 147–148
gas and liquids in organic geochemical research analytics 98, 102–105
geochemical fingerprinting 14
IsoTubes 10–12
solvent extractable (free) phase hydrocarbon 146–147
- hydrodynamic sorting 4
- hydrogen index (HI) 237, 298, 300
- hydropyrolysis (HyPy) 142, 142–143, 147–149
- igneous intrusion
extractable organic matter 296, 297–298, 298
making oil from magma 295
conclusions 300–302
discussion 300–302
geological context 296, 297
methods 296–298, 299
results 299–300
- Illite formation 158–159
- image analysis
digitization of mudrocks 171, 185
image montages 174, 177
pore space characteristics 209–212
- image montages
digitization of mudrocks 169, 171, 172–174, 177, 178
file sizes 184
image analysis 174, 177
time v. resolution conundrum 184
- imaging
high resolution 5
machine-learning image segmentation 242–243
molecular techniques 133–134
in petroleum systems 3
pore-scale 241, 242, 243
- inductively coupled mass spectrometry (ICP-MS) 256–257, 269
- Integrated Ocean Drilling Program (IODP) 166, 170, 174, 175–176
- intergranular pore networks
comparison to organic-hosted 241
graphs of geometric differences 246, 248–250
materials and methods 242–246
results and discussion 246–251
- ion beam SEM analysis *see* focused ion beam SEM (FIB-SEM)
- ion milling
digitization of mudrocks 171, 184
imaging techniques 3
- iron oxides v. pyrite 177–179
- Irumide Belt (IB) 277, 288
- isotope composition of gas
alkanes 59–62
Beetaloo Basin, Australia 56
Bowen basin, Australia 54
influences on 62–69
sampling 56–58
stability 51–52
- isotope geochemistry 1–2
- isotope ratio analysis (U–Pb, Pb–Pb)
sediment provenance
Barents Shelf case studies 260–269
historical perspective 256–257
limitations 255–256
temperature range for isotopic closure 258
- isotope ratio mass spectrometer (IR-MS) 98, 101–102, 103–104, 105, 132
- isotope reversal
carbon 51
gas isotope study 2
- isotopic mapping 130–132
- IsoTubes
molecular and isotopic compositions 56
organic geochemical research analytics 98
production geochemistry 9, 10–12
overburden 10–12
within-well fluid connectivity 10
- Judy Field, North Sea 154, 159
- K–Ar dating 158–159
- K-feldspar
calcite cement in marine-deltaic sandstones 312–313, 316, 318–319, 322, 324, 325, 329
mineral fertility and bias in sedimentary provenance studies 255, 257
sediment provenance 260, 262, 263, 263–264, 266, 267–269
- kaolinite, calcite cement in marine-deltaic sandstones 307, 312–313, 316–317, 326, 330
- kerogen
bitumen formation 149, 154
characterization of the thermal maturity of dispersed organic matter Raman spectra 107, 108, 109–110, 111, 116–117
Eagle Ford Formation, Texas 72–73
oil–oil and oil–source rock correlations 124, 126–127, 128
- Kibaran Belt (KB) 277
- Kimmeridge Clay Formation (KCF)
bitumen formation 140, 142–143, 152, 152, 156, 158
oil–oil and oil–source rock correlations 124, 125
production geochemistry 10, 11, 12
- kinetic fractionation 63
- Kobbe formation, Barent Shelf 262–264, 266
- Kyalla Formation 54, 59, 64, 68
- large-area mapping (LAM), energy-dispersive Xray (EDX) techniques 177, 178–179, 180, 181, 184

- large complex fields, geochemical fingerprinting 16–17
- laser ablation inductively coupled mass spectrometry (LA-ICP-MS) 256–257, 269, 280–281
- laser ablation, sediment provenance analysis 255
- laser desorption ionization (LDI) 128
- laser desorption ionization mass spectrometry (LDI-MS) 128
- LDI–time of flight mass spectrometric analysis (LDI-ToFMS) 129
- Le Chatelier's principle 154
- liptinite 58
- liquid chromatography 212–213
- lithofacies, Eagle Ford Formation, Texas 88
- lithological composition 4
- Lower Eagle Ford (LEF) 230, 233
see also Eagle Ford Formation, Texas
- Lower Jurassic Cleveland Ironstone Formation 196
- Lower Jurassic Cook Formation, North Sea basin 195–196
- Lower Triassic Sherwood Sandstone 197, 200
- maceral fluorescence 46–47
- machine-learning image segmentation 242–243
- magmatism 4
see also volcanism
- Maps software 168, 169, **169**
- marine phytoplankton (MPH), characterization of the thermal maturity of dispersed organic matter Raman spectra 108, *111*, 113
- marine sandstones *see* calcite cement in marine-deltaic sandstones
- mass spectrometry
with atomic force microscopy 134
geochemistry core characterization 127–128
high resolution techniques 4–5
scale 121
U–Pb geochronology 256–257
ultra-high resolution mass spectrometry in petroleum fluid assessment 71, 77–92
see also Fourier transform ion cyclotron resonance mass spectrometry (FT-ICR-MS); gas chromatography-mass spectrometry (GC-MS)
- MATLAB 171, *175*
- matrix-assisted laser desorption ionization (MALDI) 128
- maturity assessment
biomarkers and aromatic compounds 81–83
Eagle Ford Formation, Texas 79–81
molecular parameters 81, **82**, 83
nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds 71, 83–86
vanadyl porphyrins 86, 88
- medium pressure liquid chromatography (MPLC)
procedure 76, 98
- Mesozoic Mandawa Basin, southeastern Tanzania
quantitative provenance analysis of siltstone 275–276
conclusions 289
discussion 286–289
evolution of the Mandawa Basin and its sediment provenance 277–280
results 281–286
sampling and methods 280–281
regional geology 276–277, *279*
- metamorphic rocks
chlorite compositions 194–195, 201–202
making oil from magma 295, *299*
- methane
carbon isotope ratio 52
fluid inclusion in gas reservoirs 30, 34–35, **36**
Caswell Sub-basin, Browse Basin, Australia 37–38, 42–44, 45–46
PVT (pressure-volume-temperature) methodology 35–37
- methylphenanthrene index (MPI-1) 149
- Mg-rich chlorite 189, 192, 193
- microbial ecology 134
- microthermometric measurement 47
- millimetre scale geochemistry 127–129
- mineral fertility
Barents Shelf case studies
analytical methods and samples 260–262, **261**
discussion 264–269
geological setting 258–260
results 263–264
bias in 256, 257–258
sediment provenance 4
- mineral matrix porosity
mineral-associated porosity 233
OM–mineral interface pores 234–237, *236*
pore space characteristics of the Upper Visean 'Rudov Beds' 208, 211–212, 213
relationships between mineralogy, mineral matrix porosity and OM-hosted porosity 223–226
- Modular Dynamic Tester (MDT) 14
- molecular fractionation 51
- molecular imaging techniques 133–134
- montages *see* image montages
- Mozambique Belt (MB) 276, 277, 288
- mud gas isotopes 2, 10–11, *11*
- mudrocks
mineral-associated porosity 233
naming conventions and types 165–166
workflow model 165
action-output-potential use workflow *167*
discussion 181–185
examples of use 171–181
materials and methods 166–170
- multi-well/outcrop formation characterization 123
- multidimensional gas chromatography (MDGC)
technology 12–13, *13*, 15–16, 19
- multidimensional scaling (MDS) 281, 284, 286, 287, 288, 288–289
- multiple linear regression, thermal maturity of dispersed organic matter Raman spectra 112, 115–116, *116*
- nanoSIMS 130–132
- Ness Formation 4
- nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds
bitumen formation 146
carbonates 90–92
Eagle Ford Formation, Texas 76, 88–92
electrospray ionization 72, 83, 88–89
gas chromatography-mass spectrometry 71, 79, 89
maturity assessment 71, 83–86
organic geochemical research analytics 98, 104
in petroleum fluids 71, 72
pore space characteristics 212–213, 216, 226
non-pyrrolic nitrogen compounds 83–86

- oil
 - making from magma 295–296
 - conclusions 300–302
 - discussion 300–302
 - geological context 296, **297**
 - methods 296–298, 299
 - results 299–300
- oil analyses
 - molecular imaging 133–134
 - organic geochemical research analytics 101–102, 104 at varying scales 124–127
- oil base mud (OBM) 14
- oil generative fraction (OGF) 298
- oil-to-gas cracking hypothesis 141–142, 159–160
- oil volume calculations 298
- oil-water partitioning 72
- optical microscopy
 - calcite cement in marine-deltaic sandstones 310–311
 - overview of uses 3
- organic geochemical research analytics of the petroleum industry 105–106
 - analytical techniques 97–98
 - experimental 98–104
 - gas chromatography 97, 98–105, *101*
 - results 104–105
- organic geochemistry
 - igneous intrusion 302
 - in petroleum systems 2–3
 - pore space characteristics 212–213, 216, **220**
 - implications for the occurrence of OM-hosted porosity 226
 - Raman spectroscopy 4
 - scale 2, 121
 - centimetre to global scale 121–127
 - future research directions 134
 - millimetre to ångstrom resolution 127–134
- organic-hosted pore networks
 - 'bubble' porosity 242, 245, 245, *247*
 - comparison to intergranular 241
 - graphs of geometric differences 246, 248–250
 - materials and methods 242–246
 - results and discussion 246–251
- organic matter porosity
 - Eagle Ford Formation, Texas 229, 230, 235–237
 - OM–mineral interface pores 234–237, *236*
 - pore space characteristics 208, 211–212, 213, **214**, *216*, *218–219*, *221–222*, 223, 225, 226
- original TOC (OTOC) 123, *123*
- Orogen, Barnett Shelf 260, 264–267
- orogenesis 266
- outcrop formation characterization 123
- overburden, IsoTubes 10–12
- oxygen-containing compounds, maturity assessment 86
 - see also* nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds
- palaeo-drainages, Mesozoic Mandawa Basin 287–288
- palaeofluids, fluid inclusion 29
- Palaeoformation water, fluid inclusion techniques 29, 47–48
- palaeotemperatures, Caswell Sub-basin, Browse Basin, Australia 47, 47
- palaeoweathering 177
- particle analysis
 - file sizes 184
 - mudrocks 169–170
 - heavy mineral analysis 177
 - organic matter 179–181
 - pyrite v. iron oxides 177–179
- Pb-Pb isotope ratio analysis 255, 257–258, 258, 268–269
- Penguin A Field, North Sea 14–15, *15*
- Penguin C Field, North Sea 15, *16*
- Penguin Fields, North Sea, geochemical fingerprinting 14–15, 20–23, 22, *24–25*
- Pentland Formation 159–160
- perfluorotributylamine (PFTBA) 101
- petroleum charging 158–160
- petroleum fluid assessment *see* ultra-high resolution mass spectrometry in petroleum fluid assessment
- petroleum products 1
- petroleum systems 1
 - analytical techniques
 - fluid and isotope geochemistry 1–2
 - future research directions 4–5
 - imaging 3
 - organic geochemistry 2–3
 - overview 1
 - sediment provenance 3–4
 - artificially stimulated shale reservoirs 241
 - igneous intrusion 295
- phenanthrene 88
- phytane, depositional environment/lithofacies 88
- Pierce Field, North Sea
 - geochemical fingerprinting 16, 16–19, 17, *17*, *18*
 - mud gas isotopes 10, *11*
 - well tests 26, 26
- pixel resolution
 - digitization of mudrocks **171**, 184
 - time v. resolution conundrum 184
- plagioclase, calcite cement in marine-deltaic sandstones, the Heather Field 313, 318, 330
- plate tectonics
 - igneous intrusion 295
 - making oil from magma
 - conclusions 300–302
 - discussion 300–302
 - geological context 296
 - methods 296–298, 299
 - results 299–300
 - oil-oil and oil-source rock correlations 126–128, *127*
- point count analysis, calcite cement in marine-deltaic sandstones 313–318, **314–315**, *317–318*, 322
- polar compounds in a petroleum system
 - nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds
 - carbonates 90–92
 - Eagle Ford Formation, Texas 2, 76, 88–92
 - electrospray ionization 72, 83, 88–89
 - gas chromatography-mass spectrometry 71, 79, 89
 - maturity assessment 71, 83–86
 - in petroleum fluids 71, 72
- polycyclic aromatic hydrocarbons (PAHs) 108, *111*, 113, 133–134
- pore-connectivity analysis 241–242, 243–251, 245, *247*
- pore image analysis 232–233
- pore networks
 - across different rock types 241–242

- organic-hosted vs. intergranular 241
 - materials and methods 242–246
 - results and discussion 246–251
- pore-scale imaging 241, 242, 243
- pore-shape analysis 242
- pore space characteristics
 - Upper Viséan ‘Rudov Beds’
 - discussion 216–226
 - geological setting 208–209
 - high-resolution imaging techniques 205–208
 - results 213–216
 - samples and methods 209–213
- pore sphericity (ϕ) 244
- porosity
 - digitization of mudrocks 175
 - Elgin-Franklin complex, North Sea 139
 - gas flow through shales 130, 131
 - geometry factors **215**
 - imaging 3
 - isotope composition of gas 63
 - mineral matrix vs. OM-hosted 208, 211–212, 213, 223–226, 234–237, 236
- porosity segmentation 223
- porphyrins, vanadyl 86, 88
- Pr/Ph ratio 88
- pressure, fluid inclusion in gas reservoirs 44–45
- pressure-volume-temperature (PVT) methodology 35–36
- principal component analysis (PCA) 281
- pristane, depositional environment/lithofacies 88
- production allocation 19
- production geochemistry 9–10, 27
 - data collection 9, 10
 - geochemical fingerprinting 12–14
 - IsoTubes in 9, 10–12
 - production-related applications 19–26
 - reservoir surveillance 14–19
- pyrite v. iron oxides 177–179
- pyrolic nitrogen compounds 86

- quadrupole time-of-flight (Q-TOF) spectrometer 98, **99–100**, 101
- Quantitative Evaluation of Minerals by SCANning electron microscopy (QEMSCAN) 3
 - calcite cement in marine-deltaic sandstones 311–312, 318–319, 322
 - chlorite in reservoirs 190, 192–194, 195, 195–196
 - digitization of mudrocks 184–185
 - sediment provenance 4
 - siltstone 276, 280–281
- quantitative provenance analysis of siltstone
 - Mesozoic Mandawa Basin, southeastern Tanzania 275–276
 - conclusions 289
 - discussion 286–289
 - evolution of the Mandawa Basin and its sediment provenance 277–280
 - regional geology 276–277
 - results 281–286
 - sampling and methods 280–281
- quartz cementation, Caswell Sub-basin, Browse Basin, Australia 38, 39, 46, 47–48

- radiometric dating, K-Ar 158–159
- Raman spectroscopy 2
 - characterization of the thermal maturity of dispersed organic matter 107–108, 118
 - analytical techniques 108–112
 - automated methods 117
 - automatic curve fitting 112
 - correlations against depth and thermal maturity 112–116
 - discussion 116–117
 - source rocks and kerogen 108
 - digitization of mudrocks 185
 - fluid inclusion in gas reservoirs 30, 34, 34–35, 44–45
 - organic geochemistry 4
 - real-time fluid analyses 5
 - RSCM geothermometer 108
 - sediment provenance 4
 - siltstone 276, 280
- Raman Spectroscopy of Carbonaceous Material (RSCM) geothermometer 108
- Ravenglass estuary sediment 198–200
- real-time fluid analyses, analytical techniques in petroleum systems 4–5
- Realgrunnen Subgroup, Barnet Shelf 262, 264, 267–268
- reservoir characterization 9
- reservoir connectivity 14–16
- reservoir management 1–2
- reservoir porosity
 - Eagle Ford Formation, Texas
 - discussion 233–237
 - pore image analysis 232–233
 - scanning electron microscopy (SEM) 229, 230–232
 - variations in the Eagle Ford Shale 229–230
 - geological setting 230
- reservoir quality and provenance
 - chlorite imaging and analysis 189–190, 200–202
 - analysis techniques comparison 190–192, **191**
 - compositions and interpretations 194–200
 - QEMSCAN SEM-EDS analysis 192–194
 - chlorite in 189–190
 - reservoir surveillance, production geochemistry 14–19
- resolution
 - 2D and 3D imaging 5
 - comparison of techniques 184–185
 - digitization of mudrocks 168, 168–169, 171, **171**, 172–174, 184
 - high-resolution mass spectrometry 4–5, 71, 77–92
 - pore-scale imaging 241, 242, 243
 - pore space characteristics 205–208
 - time v. resolution conundrum 184
- rig-site analyses 4
- ‘Rudov Beds’ *see* Upper Viséan ‘Rudov Beds’
- rutile
 - heavy mineral assemblages 286
 - sediment provenance analysis 260, **265**, 267–269

- salinity, fluid inclusion in gas reservoirs 30, 33–34, 35, **36**, 44–45, 45
- sampling
 - calcite cement in marine-deltaic sandstones 309–312
 - coal seam gas 56
 - fluid inclusion in gas reservoirs 33, 37–44
 - igneous intrusion 296–297
 - organic geochemical research analytics 98
 - pore space characteristics 209–213
 - production geochemistry 9, 10, 13, 14, 27

- sampling (*Continued*)
 reservoir porosity 230
 scale 121–122
 sediment provenance 256, 260–264
 siltstone provenance analysis 280–281
- sandstones
 calcite cement in marine-deltaic sandstones
 conclusions 312–322
 discussion 322–331
 materials and methods 309–312
 oil field data 309
 porosity-destroying calcite in the Heather Field
 305–308
 results 312–322
 chlorite compositions 189, 190, **191**, 195–200, 202
 pore networks 241, 242, 243, 246, 249–250
 sediment provenance analysis 260–269
- Sassendalen Group, Barnet Shelf 260–262, 263, 264–266
- scale
 imaging 3, 133–134
 mudrocks 165–166, 171
 organic geochemistry at varying scales 2, 121
 centimetre to global scale 121–127
 future research directions 134
 millimetre to ångstrom resolution 127–134
- scanning electron microscopy backscattered electron (SEM-BSE) 39, 40
- scanning electron microscopy cathodoluminescence (SEM-CL) 38, 39, 40
- scanning electron microscopy-energy-dispersive spectrometry (SEM-EDS) 311–312, 318–319, **321**, 322, 322, 323, 324
see also QEMSCAN
- scanning electron microscopy (SEM)
 calcite cement in marine-deltaic sandstones 310, 311–312
 chlorite in reservoirs 192
 analysis of sedimentary rocks 192–193
 compositions and interpretations 195–196, 195–200
 defining chlorite Fe–Mg composition 193–194, 201
 digitization of mudrocks 165, 166, 168, 177, 183–184, 185
 organic geochemical analysis 129, 130
 overview of uses 3
 pore space characteristics 205, 208, 221, 223, 226
 reservoir porosity 229, 230–232, 235
 sediment provenance 260
see also QEMSCAN
- schistose, garnet-mica schist 194–195, 195
- secondary electron (SE) detectors
 pore networks 242, 243
 reservoir porosity 230, 231
- secondary ionization mass spectrometry (SIMS)
 organic geochemistry at varying scales 130–132, 132
 sediment provenance 4
 U–Pb geochronology 256
- sediment dispersal pathways, Mesozoic Mandawa Basin 287–288
- sediment provenance 276–277
 aims of analysis 255, 257
 Barents Shelf case studies
 analytical methods and samples 260–262, **261**
 discussion 264–269
 geological setting 258–260
 results 263–264
- bias in 256, 257–258
 chlorite in reservoirs 193
 in petroleum systems 3–4
 quantitative provenance analysis in the Mesozoic
 Mandawa Basin 275–276
 conclusions 289
 discussion 286–289
 evolution of the Mandawa Basin and its sediment
 provenance 277–280
 regional geology 276–277
 results 281–286
 sampling and methods 280–281
- sedimentary rocks
 chlorite compositions 195–200, 201–202
 chlorite in 190–193
 conglomerates 275
 pore networks 241–242, 242
- SEM *see* scanning electron microscopy
- shale
 artificially stimulated reservoirs 241
 Beetaloo Basin, Australia 54–56
 carbon isotope reversal 51
 pore networks 241, 242, 243, 250–251
 sampling 56
- shale gas flow 129–130
- shale gas system, Eagle Ford Formation, Texas 72
- Shell
 multidimensional gas chromatography (MDGC)
 technology 12–13
 production geochemistry 9
- Sherwood Sandstone Group 197–198, 200
- siliciclastic rocks 189
- siltstone
 provenance studies 275–276
 quantitative provenance analysis in the Mesozoic
 Mandawa Basin 275–276
 conclusions 289
 discussion 286–289
 evolution of the Mandawa Basin and its sediment
 provenance 277–280
 regional geology 276–277
 results 281–286
 sampling and methods 280–281
- single-grain compositional analysis 286
- single well formation characterization 122–123
- SIP library 193–194, 201
- Skagerrak Formation sandstones 197–198, 200
- small-angle neutron scattering (SANS) 121, 130, 131
- Snadd formation, Barnet Shelf 262–264
- software control, organic geochemical research
 analytics 98
- solvent extractable (free) phase hydrocarbon biomarkers
 146–147
- source rocks
 characterization of the thermal maturity of dispersed
 organic matter Raman spectra 108
 igneous intrusion 295, 298, 299, 301
 isotope composition of gas 51
 maturation modelling 229
 mineral-associated porosity 233
 oil-source rock correlations 124–127
 organic matter 63, 64
 pore networks 241
 pore space characteristics 205

- stable isotope analysis
 - calcite cement in marine-deltaic sandstones 312, 319–320, **321**, 327–328
 - carbon isotope composition of natural gas 51, 52
- Storfjorden Subgroup, Barnett Shelf 260–262, 263, 264–266
- stratigraphy
 - Beetaloo Basin, Australia 55
 - Bowen basin, Australia 53
 - Browse Basin, Australia 30–33, **32**, **33**
 - calcite cement in marine-deltaic sandstones, the Heather Field 330
 - characterization of the thermal maturity of dispersed organic matter Raman spectra *111*
 - chlorite in reservoirs 196
 - Elgin-Franklin complex, North Sea *144*, *145*
 - multi-well/outcrop formation characterization 123
 - sediment provenance 4
 - single well formation characterization 122–123
- sulphur-containing compounds, maturity assessment 86
 - see also* nitrogen-, sulphur- and oxygen- (NSO) containing organic compounds
- sulphur-depleted pyrite 179
- synthetic pore networks 244, 247, 248–249

- Tanzanian Craton 276–277
- Tanzanian geology 276–277, 278
 - see also* Mesozoic Mandawa Basin, southeastern Tanzania
- tectonics *see* plate tectonics
- thermal aureoles 4
- thermal conductivity detector (TCD) 102–103, **104**
- thermal ionization mass spectrometry (TIMS) 256
- thermal maturity
 - bitumen formation 139–140, 142, 146, 149, 151–158, *159*
 - characterization of the thermal maturity of dispersed organic matter Raman spectra 107–108, 118
 - analytical techniques 108–112
 - automated methods 117
 - correlations against depth 112–116
 - discussion 116–117
 - source rocks and kerogen 108
 - isotope composition of gas 51–52, 56–59, 65
 - organic geochemistry 2
 - pore networks 250–251
 - porosity modelling 229–230, 233, *234*
- thermal oil cracking *141*, 141–142
- thermochemical sulphate reduction (TSR) 77–79, *132*, 132–133
- thermogenic gas 54
- TK relationship 108
- total ion chromatogram (TIC)
 - bitumen formation 149, *150*
 - oil analyses 101, *102*
- total organic carbon (%TOC)
 - digitization of mudrocks 179
 - igneous intrusion 296, 299–300
 - mineral-associated porosity 233
 - organic geochemical analysis 122, 123
 - porosity *211*, 213, 221, 221–222, 236
- tourmaline, heavy mineral assemblages 286
- Trainable Weka Segmentation (TWS) 174

- U–Pb geochronology
 - Barents Shelf case studies 267–269
 - detrital zircon 267–268, 269, 281, 283–286, 285
 - historical perspective 256–257
 - limitations of technique 255–256
 - temperature range for isotopic closure 258
- ultra-high resolution mass spectrometry in petroleum fluid assessment 71, 77–92
- underburden, IsoTubes 10–12
- unresolved complex material (UCM) 142
- unresolved complex mixture (UCM) 147
- Upper Eagle Ford (UEF) 230, 233
 - see also* Eagle Ford Formation, Texas
- Upper Jurassic Corallian Group 196–197, *199*
- Upper Viséan ‘Rudov Beds’
 - geological setting 208–209
 - location 205, *206*, 208–209
 - pore space characteristics 205–208, 226
 - discussion 216–226
 - results 213–216
 - samples and methods 209–213
- Uralian orogenic belt, Barents Shelf 260, 264–267
- Usagaran-Ubendian Belt (UUB) 277, 289

- vanadyl porphyrins 86, 88
- Velkerri Formation 54–56, 58, **61**, 62, *64*, 68
- Vienna-Peedee Formation Belemnite (VPDB) 308, 312, 319, 325, 328
- vitritine reflectance (VR)
 - bitumen formation *152*, 154
 - C isotopic composition of gas 52
 - characterization of the thermal maturity of dispersed organic matter Raman spectra 107
 - coal seam gas 56, 58, 59, *63*
 - and petroleum system modelling 149
 - temperature and depth *155*, 158, *158*
- volcanism
 - making oil from magma
 - conclusions 300–302
 - discussion 300–302
 - geological context 296
 - methods 296–298, 299
 - results 299–300
 - rifted margin basins 295–296

- well tests, geochemical fingerprinting 23–26
- Western Interior Seaway (WIS) 230
- within well allocation 20–21
- within-well fluid connectivity 10
- wooden fragments (CWF), characterization of the thermal maturity of dispersed organic matter Raman spectra 108, *111*, 113
- workflow model
 - digitization of mudrocks 165
 - action-output-potential use workflow *167*
 - discussion 181–185
 - examples of use 171–181
 - materials and methods 166–170

- X-ray absorption analysis (XANES) 79
- X-ray computed tomographic imaging (XCT) 3
- X-ray diffraction (XRD)
 - bulk geochemical parameters **207**
 - chlorite definition 194

X-ray diffraction (XRD) (*Continued*)

- chlorite in reservoirs 190
- organic geochemical analysis 122
- pore-scale imaging 243

X-ray microcomputed tomography (μ -CT) 129–130

ZEISS Zen IntelleSis 242–243

zircons

heavy mineral assemblages 286

sediment dispersal pathways 288

sediment provenance analysis 4, 260, 262, 263–269,
265, 281single-grain compositional analysis
286–287U–Pb geochronology 267–268, 269, 281,
283–286, 285