

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accommodation structures 25, 26, 32, 95  
Alberta Foothills 210, 212  
Allan Mountain Limestone Formation 190, *193*,  
*194*, 212, 233  
    cleavage 249, 251  
    Teton anticline 247  
Alpine orogeny 293  
Amazyahu Fault 82, 83  
amplitude, slump folds 91, 93, *96*, 97  
AMS (anisotropy of magnetic susceptibility) studies 179  
    Sawtooth Range 4, 189, *195*, 196–205, **196–197**  
Andes, enhanced gravity disturbances 329  
André Detachment Fault 294, 296, 298  
angel wings/mushroom refold patterns 87, 88, 95  
Anschutz Ranch East oilfield 25, 26  
antiforms 27, 28, 30  
    bed thickness measurement 114  
    Incahuasi anticline 30–33  
    Livingstone anticlinorium 33, 34  
    nucleation 33, 35, 36, 37  
    Swift Reservoir Anticline 210, 212–226  
    Teton Anticline 229–258  
antisymmetry, perturbations 61, 64  
<sup>40</sup>Ar/<sup>39</sup>Ar geochronology 291  
    conjoint inversion 298, 301, 303, 309  
    excess <sup>40</sup>Ar 308  
    quantitative thermochronology, South Cyclades shear  
        Zone 295, 298–305  
    ultra-high-vacuum diffusion experiments 298,  
        301, 305, 308, 309  
Arabian Plate 83  
Argon Partial Retention Zone 303, 305  
Asmari Formation carbonates 209, 224  
asymmetry  
    longitudinal ( $\varphi$ ) 61, 63, *64*, 65  
    and folding 69–74, 75, 77  
    transversal (A') 61, 63, 65  
    and folding 66–69, 73–74, 75, 76, 77  
availability bias 38, 40  
  
balanced cross sections 22  
    Den's Door outcrop 118, *119*, 120, *121*  
Baraboo Quartzite 156, *157*  
    effective viscosity, and cleavage refraction 160,  
        163–167  
    microstructure **159**, 160, **161**, *162*, 163, 164–165  
    quartz abundance 156, **159**, 160, **161**, *162*,  
        163, 164, 167  
Baraboo syncline 156–157  
basin inversion 263  
Beaver Thrust *191*, *192*  
    AMS *200*, *202*, *203*  
bed thickness, Den's Door outcrop 114–117  
bed-length balancing 22  
bias 38, 39, 40–41  
biotite formation, South Cyclades Shear Zone 305, *306*,  
    307–308, 309  
Blackfoot Tribal 12-1 well 213, *214*  
Blackleaf Formation 213, 233  
Blixrud backthrust *237*, *241*  
blueschist-greenschist facies 306, 307, 309  
boudins  
    asymmetrical 61, 62, 63, 76  
    Baraboo syncline 157–158  
breakthrough folds *106*, *121*  
Broadhaven *110*  
    fault-fold interaction 3, 107–124  
Brown Sandstone Peak-Brady trend *231*, *232*, *234*  
buckle folding 3, 21, 23–33, 37–38, 39–40, 39, 124  
    Baraboo syncline 156, 157–158  
    competent layer 23, 24, 25, 27, 28  
    contact strain 23, *24*  
    control units 23, 25, 28, 29, 32  
    Dead Sea Basin slump folds 89, *90*, 91, *94*, 95, 97  
    distinction from detachment folding 27–28,  
        29, 30, 37–38  
    faulting 25  
    fold trains 25, 27, 28, 33, 37  
    Incahuasi anticline 30–33  
    multilayer 24, 40  
    numerical modelling 24, 28, 30  
    'regional' 28, 29, 30, 32  
    single layer 23, *24*  
    stress-strain evolution 24, 25  
    Teton Anticline 229, 230, 232, 257  
    transversal and longitudinal asymmetries 73–74  
  
Canadian Cordillera  
    fold-thrust belts 22  
    Livingstone anticlinorium 33  
Cap de Creus, irregular fold geometry 62, 76–77  
Cardium Sandstone 229  
Castle Reef Dolomite Formation 190, *193*, 212, 215,  
    218, 233, 235  
    fracture distribution 215–226, 247  
    lithological controls 221–224, 225–226  
    structural controls 218–221, 224–225  
centroid moment tensor (CMT) database 318  
Changhua thrust 286–287  
Chaochou fault 286  
Chiali fault system 286  
chlorite  
    Rhoscolyn anticline 128  
    SCSZ 307  
citations  
    fold-thrust structures 37, 38  
    'Folding and Fracturing of Rocks' 11–16  
cleavage, disjunctive 249, 251  
cleavage fanning 155  
    and deformed quartz veins 139, 141, *142*, 145, *148*, 149  
cleavage refraction 59  
    effective viscosity contrasts 154–156, 158–167  
    layered quartzite and phyllite 3, 153–167  
        Baraboo Quartzite 160, 163–167  
    polyminerale rock 154–156, 158, 160, 163  
Col de la Bataille, folding 33, 35

- Col de Sanetsch, folding 33, 35  
 Colorado Group Shale 193, 233  
 competence, thermomechanical 319, 320, 321  
 concretions, fractured 247, 249, 250, 252, 255  
 confirmation bias 38  
 conjoint inversion, quantitative thermochronology 298, 301, 303, 309  
 contact strain 23, 24  
 convection 333  
 convergent margins 317, 329  
 Cordilleran Orogeny 210  
 core complexes, metamorphic 329  
   Ios 295–298  
   Tethyan 295–296  
 Crab Butte Thrust 237, 239, 241  
 crack-rupture speed 321  
 Cretaceous Interior Seaway 232–233  
 Cycladic Archipelago 291–295, 293  
   high-angle normal faults 293, 296, 298  
   metamorphic evolution 294  
   *see also* South Cyclades Shear Zone
- Dead Sea Basin 82–83, 85  
   slump folds 85–101  
     dip-isogon analysis 87, 89, 90, 92  
     soft-sediment folding 3, 83, 95, 98  
     viscosity contrasts 99–101  
 Dead Sea Fault 82, 83  
 décollement 22, 27, 29, 32, 38  
 deformation  
   AMS studies 179  
   Baraboo syncline 156–158, 163–165  
   brittle 4, 292  
   crustal-scale 4  
   disharmonic 25, 27  
   fabrics 318–319  
   Great Falls Tectonic Zone 232  
   hydroplastic 82, 95  
   non-passive 180  
   progressive 16, 25, 89  
     Den's Door outcrop 121  
   pure shear 132, 134, 137–143, 145, 146, 148, 149  
     Rhoscolyn quartz veins 130–150  
     strain variation 3–4, 143, 145, 147, 148, 149  
   Sawtooth Range 210–212  
   simple shear 15–16, 130–132, 133, 135–137, 139, 140, 141, 143, 144, 145, 147, 149  
   soft-sediment 81–101  
   'thin-skinned', work of Dahlstrom 22, 37  
   two-tier 30  
   *see also* strain
- Delanay Triangulation 175  
   Nearest Neighbour Method 177, 178  
 Den's Door outcrop, Broadhaven  
   bed thicknesses 114–117, 122  
   cross-section balancing 118, 119, 120, 121  
   data interpretation and projection 111, 112–113, 123  
   digital mapping and measurement 110–112, 123  
   displacement-distance profiles 108, 113, 120, 121, 122  
   fault-fold evolution 3, 107–124  
   fault-propagation model 120  
   fracture intensity 117, 118  
   fracture orientation 118, 119, 121  
   geology 109, 110  
   mechanical stratigraphy 120, 122, 123  
   shortening 120  
 detachment faults  
   crustal 329  
   metamorphic core complexes 296  
   thermal evolution 305–306, 307  
 detachment folding 21, 23, 105, 106  
   distinction from buckles 27–28, 29, 30, 37–38  
 DG-2 (differential grade-2) materials 315, 316, 319–320, 322, 334–335  
   dynamics 336–337  
   mechanics appendix 335–340  
     diharmonic structural theory 340  
     equations of motion 337  
     heat transfer 337–338  
     leading-order behaviour 339–340  
     mathematical symbology 336  
     poloidal evolution 338  
     poloidal-toroidal coupling 338  
     quasistatic momentum balance 338  
     seismogenesis 340  
     toroidal evolution 338–339  
   thermomechanical competence 319, 320, 321  
 diffusional mass transfer 163, 164, 167  
 diharmonic structural theory 319, 320, 340  
 dip-isogon analysis, slump folds 87, 89, 90, 92  
 directional isotropy 326–329  
 dislocation creep 163, 164, 167  
 displacement-distance profile 106–107, 108  
   Broadhaven 108, 113, 120, 121, 122  
 Diversion Thrust, Sawtooth Range 191, 192, 194  
   AMS 200, 202, 203  
 dolomite *see* Castle Reef Dolomite Formation  
 dome and basin re-fold patterns 87, 88, 95  
 ductile bead model 106–107  
   Broadhaven 109, 121, 122  
 Dupuyer Creek Unit 212
- Eagle Creek Imbricate Zone 213, 214  
 Earth  
   directional isotropy 326–329  
   geoid 316, 324  
   layering 322–323  
   rheological properties 4  
   viscoelastic properties 4  
 earthquakes 317, 322  
   and strain energy 330  
 eclogite-blueschist belt, Ios 292–293, 308, 309  
 elastic plate model 315  
 elastodynamic models 320  
 Ellipsefit program 176  
 ellipsoid of revolution 316, 324  
 Ellis Group 193, 232, 233  
 Emigrant Gap anticline, fractures 230  
 equations of motion 337  
 European Union of Geosciences, 2017  
   Vienna meeting 1, 2  
 exhumation 287  
   core complexes, SCSZ 292, 293, 294, 295–296, 306, 309  
 extensional-detachment-related structures  
   versus thrust faults  
   palaeotemperature 291, 292, 306–308  
   *see also* South Cyclades Shear Zone

- fabrics, linear-planar tectonite shape 318  
 Farallon Plate 296, 329  
 fault reactivation 263, 287  
 fault-bend folds 23, 32, 37, 39, 105, 106, 107  
 fault-fold interaction 105–124  
   Broadhaven 107–124  
   displacement-distance profiles 106–107, 108  
   Broadhaven 108  
 fault-propagation folds 21, 23, 33, 37, 39, 40,  
   105, 106, 107, 121, 257  
   constant thickness 106, 107  
   fixed-axis 106, 107  
 faults  
   normal, and superimposed thrusts 282, 284  
   versus extensional-detachment-related structures,  
     palaeotemperature 291, 292, 306–308  
 Fish Lake Thrust 213, 214, 215  
 fish-hook folds 59, 60, 77  
 Flathead Range Complex 231, 232  
 flexural slip 16  
 Flinn Plot 175, 179  
 flow, post-buckle 99  
 fluid flow  
   and fracture intensity 209–210, 221  
   *see also* porosity  
 fold amplification 33, 48, 49, 52–53, 64  
 fold asymmetry 59–60, 60  
 fold classification 15, 17, 87–91, 97–99, 101  
 fold curvature 253  
   and fracture intensity 218–221, 224, 230, 235  
 fold hinges 24, 25, 26, 27, 36, 37, 67–69  
   bed thickness measurement 114  
   Dead Sea Basin soft-sediment deformation 85  
   Dead Sea slump folds 85, 86, 87  
   migration 65, 69–70, 71  
 fold polarity 59  
 fold trains 25, 27, 28, 33, 37  
   Dead Sea MTDs 86, 87, 90, 91  
 fold-thrust structures 21–41, 39, 105–124  
   Broadhaven 107–124, 110  
   bed thicknesses 114–117  
   citations 37, 38  
   cyclic 33, 34  
   low-viscosity layers 29, 30  
   upscaling and downscaling 22–23  
   work of Dahlstrom 22  
 folding  
   3D, nucleation 33–37  
   analysis 17, 60, 91, 93  
   concentric 22, 39  
   disharmonic  
     Dead Sea Basin slump folding 82, 85, 86, 93  
     Den's Door outcrop 117, 122  
   fault-related 2, 22, 23, 37  
     Teton anticline 230, 232, 233–235, 257  
   finite-amplitude 63–64, 65  
     numerical modelling 65–66  
   flexural-slip mechanism 16  
   harmonic, Dead Sea Basin 85, 86, 87, 88, 93, 95  
   layer thickness variation 15, 23, 91, 93  
   multilayer  
     buckling 25, 26, 28, 100  
     geometry 3, 23, 76  
   single-layer 60, 100  
     longitudinal asymmetry 69–73, 75  
     transversal asymmetry 66–69, 75  
   soft-sediment 3, 81–101  
   superimposed 13, 15  
   viscous 45  
   *see also* buckle folding; detachment folding; fault-bend  
     folding; fault-propagation folding; kink-band  
     folding  
 folds 318–319  
   interaction with thrust faults 105–124  
 'foothills family' 22, 37, 40  
 forced folding 39–40  
 fracture intensity  
   and fluid flow 209–210, 221  
   and fold curvature 218–221, 224, 230, 235  
   structural and lithological controls 210, 218–226  
 fracture networks  
   hydrocarbon reservoirs 209–210  
   Swift Reservoir Anticline, fracture  
     distribution 215–226  
 fractures 105, 107  
   Den's Door outcrop  
     intensity 117, 118  
     orientation 118, 119, 121  
   Swift Reservoir Anticline 215–226  
   *see also* Teton anticline, fractures  
 French Thrust, Sawtooth Range 191, 192, 194  
   AMS 200, 202, 203  
 Fry Plot 175, 177  
  
 Gabieira beach, geometrical heterogeneities 62  
 garnet, South Cyclades Shear Zone 305, 306, 308, 309  
 Gateway Pass Unit 212  
 geodynamics 333–334  
 geoid 316, 324  
 Gleason Thrust 241  
 global positioning system 316  
 Gordon Formation 232, 233, 241  
 grabens  
   deformation during inversion 280–282  
   Jiuxi foreland basin, modelling 265–267  
   pre-existing  
     oblique inversion 263–287  
       fold-and-thrust belt development 277–280  
       graben deformation 280–282  
     *see also* half grabens  
   gravity 4, 315–316, 317  
   compensated disturbances 317, 325–326  
   enhanced disturbances 317, 326, 327, 329  
   global models 318  
   long-wavelength disturbances 317, 323–324  
   regional disturbances 324–325  
   and topography 321–329  
   uncompensated disturbances 317, 326  
 Great Falls Tectonic Zone 232, 233  
 greenschist facies rocks 128, 163, 294, 296, 306, 309  
  
 half grabens, Northern Quilian belt 264, 265  
 hard-rock deformation  
   tectonic folds 81, 82, 95  
   viscosity contrasts 99–100, 101  
 Helvetic Alps, buckle fold train nucleation 33  
 Hexi corridor 264  
 High Plains Province 231, 232

- Himalaya-Tibet, enhanced gravity disturbances  
326, 327, 329
- hinges *see* fold hinges
- Holy Island Group 128–129
- Holyhead Quartzite Formation 128, 143
- Home Thrust, Sawtooth Range *191, 192, 194*
- hook re-fold patterns 87, 88, 93
- Hsinhua transverse zone 287
- Huamampampa Formation 30, *31, 32*
- Hydrocarbons, fractured reservoirs 209  
Alberta 210
- Icla Formation *31, 32*
- Incahuasi anticline, as buckle fold 30–33
- Indian Head Thrust *237, 240, 241*
- instability, interfacial  
velocity perturbation 47–49  
and viscous folding in heterogeneous layers 45–57  
numerical modelling 46, 47–57
- inversion, oblique, pre-existing grabens 263–287
- Ios  
basement terrane 4, 294, 296, 309  
eclogite-blueschist belt 292–293, 294, 296,  
298, 308, 309  
metamorphic core complex 295–298  
South Cyclades Shear Zone 294, 296–298  
<sup>40</sup>Ar/<sup>39</sup>Ar thermochronology 298–305, 308–309  
detachment faulting, evolution 305–306, 307  
palaeotemperature estimation 296, 298  
Rb-Sr thermochronology 308–309
- Ios Detachment Fault 294, 296, 297, 298, 306
- isostatic compensation 321, 323, 324, 325
- isotropy, directional 326–329
- Jefferson Formation *193, 232, 233*
- Jiudong Basin 264, 265
- Jiuquan foreland basin 264, 265
- Jiuxi foreland basin 264, 265  
graben modelling 265–267  
after extensional phase 267, 268  
pre-existing graben deformation 272, 274–277  
shortening  
cross-section 268–272, 273, 274, 275  
map view 267–268, 269, 270
- joints, Teton anticline 234, 235–258
- Jura Mountains, detachment folding 37, 38
- kaolinite, and fracture intensity 221–224, 225
- karst fractures, Castle Reef Formation 215
- kinematic modelling 16
- kinematics, in spacetime 335–336
- kink-band folding 33
- Kootenai Formation 213, 214, 232, 233, 239
- Kuanglin synform 287
- Lake Lisan 82, 85
- layer parallel shortening 59, 61, 189, 196, 204, 205
- layer-interface geometry 60–61  
perturbation 61–63, 66–73  
and single-layer folding 59–77  
longitudinal asymmetry 69–73  
numerical modelling 65–66  
transversal asymmetry 66–69
- layering  
competent 322–323, 335  
Thermomechanical Earth Reference Model  
322, 324–325
- layers  
mechanically heterogeneous, viscous folding 45–57  
slump folds 91, 93, 96  
thickness variation 60, 61, 62
- Lewis-Eldorado-Hoadley Thrust system *190,*  
195, 210, *211, 232*
- limb rotation *24, 25*
- Lisan Formation 82, 83, 84  
slump folds 85, 101  
post-buckle modification 89, 90, 98  
viscosity 99  
wavelength and amplitude 100
- lithosphere  
continental, folding 326  
ocean, thickness 326  
thickness 315
- Little Teton anticline 230, 231, 232, 237  
fractures 247–249  
evolutionary model 254–258  
subsurface geometry 236–242  
surface geometry 235
- Livingstone anticlinorium 33, 34
- Livingstone thrust 33, 34, 40
- Lode Ratio 175–176
- Los Monos Formation 30, *31, 32*
- Lower Coal Measures Formation, Den's  
Door outcrop 109, *110*
- Lower Mississippian deposition  
Swift Reservoir Anticline 210  
mesa-type ('M'-type) displacement profile 122  
stratigraphy 212
- MacArgon* program 301, 303, 305
- McNamara Fallacy 39
- macro-fracture systems, Teton anticline 229,  
230–231
- Madison Group 190, *193, 212, 231, 232, 233,*  
236–237  
AMS studies 196–205  
cleavage 249, 251
- Major Steel Backbone Thrust 213, *214, 215*
- Masada area 82, 83  
MTDs 85  
slump folds 85, 86
- mass transport deposits 81  
Dead Sea Basin 82, 83, 85  
slump folds 85–101
- mathematical approach, use by Ramsay 1, 4, 40
- mathematical symbology 336
- Mazatzal Orogeny 156
- Mean Radial Length method 174, *177, 178*
- metamorphic folds 81  
viscosity contrasts 99–100, 101
- metamorphism, Baraboo Quartzite 156, 163
- Mitten Lake Thrust *214, 215*
- Monian Supergroup 128
- Morrison Formation *193, 232, 233, 235, 236, 239*  
fractured concretions 247, 249, 250, 252, 255
- Mount Pablo Formation 232, 233, 239
- multilayers  
buckling and thrusting 25, 26, 28

- fold geometry 3, 23
- muscovite 308, 309
- mylonite 294, 297, 307, 308, 309
- Nádai-Hsu Plot 175–176
- necking 63, 65, 67
- New Harbour Group 128–129
- normalized depth-moment release (NDMR)
  - curves 322, 331
- North American Cordillera 189, 190
  - enhanced gravity disturbances 329
- Northern Disturbed Belt 231–232
- Northern Quilian thrust belt
  - evolution 264–265
  - half grabens 264, 265
- Norwegian Thrust 191, 192
  - AMS 200, 202, 203
- nucleation 33, 35, 36, 37
- nucleation amplitude 48
- Nugget Sandstone 25, 26
- ocean basins, thermal isostasy 325–326
- oceanic ridges 316
- Old Man Thrust 213–214, 214, 215
- Oslo Fjord, thrusting 25
- Palau-Yap-Mariana Islands, gravity disturbance
  - and seismicity 329–330
- Pamburn well data 236, 239, 240
- particulate flow 82, 95
- Pendroy Fault Zone 231, 232
- Peratzim area 82, 83
  - Lisan Formation 84
  - MTDs 85
    - refold patterns 87
    - slump folds 85, 89
- pericline, fractures, Teton anticline 230
- perturbations
  - layer-interface
    - and asymmetry 60, 61
    - geometry 61–63
    - and single-layer folding 63–66
- phase-change, shear-mediated 330–331
- phengite geochronology 308, 309
- phyllite
  - layered
    - Baraboo Quartzite 156–158
    - cleavage refraction 153–167
- Pico Formation, accommodation thrusts 25, 26
- pinch and swell structures 61, 62, 63, 67, 70–71, 72, 73, 75, 77
- Pine Butte Thrust 237, 241
- plate dynamics, global 333–334
- plate tectonic theory 317
- poloidal evolution 338
- poloidal motion 320, 323, 330, 334
- poloidal-toroidal coupling 319–320, 333–334, 338
- polymineralic rock
  - cleavage refraction 154–156, 158, 160, 163
  - strength 154
- pore fluid-pressure 81
- porosity, and fracture intensity 221–223, 225
- Port Beach high-angle normal fault system
  - 296, 297, 298
- Preliminary Reference Earth Model (PREM)
  - 322, 330, 331
- Preuss/Stump Formation, accommodation faulting 25, 26
- pyrophyllite 156, 158, 159, 160, 163, 164, 167
- Qingxi inverted graben, comparison with
  - model 284–286
- quartz
  - and fracture intensity 221–224, 225–226
    - see also* Baraboo Quartzite
- quartz veins, Rhoscolyn Anticline 127–150
  - cleavage fanning 139, 141, 142, 145, 148, 149
  - progressive deformation
  - pure shear model 132, 134, 137, 138, 139–143, 145, 146, 148, 149–150, 149
  - simple shear model 130–132, 133, 135–137, 139, 140, 141, 143, 144, 145, 147, 149–150, 149
  - strain variation 143, 145, 147, 149
  - timing of vein formation 143
  - vein location 143, 144, 146
- quartzite, layered
  - Baraboo Quartzite 156–158
  - cleavage refraction 153–167
- Quilian Orogen, geology 264–265
- Ramsay, John G.
  - biography 1–2
  - et al.* *The Techniques of Modern Structural Geology* (1983, 1987, 2000) 9, 12
  - Folding and Fracturing of Rocks* (1967) 1, 2–3, 4, 7–9, 8, 127
  - citations 11–16
  - research impact 11–18
- Imperial College London, MSc course in Structural Geology and Rock Mechanics 9
- Journal of Structural Geology 9
- mathematical approach 1, 4, 40
- strain analysis 171, 172–173
- Tectonic Studies Group 9
- Rb-Sr thermochronology 308–309
- recrystallization, dynamic 160, 161, 162, 163
- refold patterns 87, 88, 93, 95
- refraction *see* cleavage refraction
- reservoirs, fractured 209–210
- rheology
  - information from cleavage refraction 153–167
  - and mineral content 3
- Rhoscolyn Anticline 127–150, 128
  - evolution 129
  - geology 127–130
  - pure shear model 132, 134, 137, 138, 139–143, 145, 146, 148, 149–150, 149
  - quartz vein evolution 3, 129–150
  - simple shear model 130–132, 133, 135–137, 139, 140, 141, 143, 144, 145, 147, 149–150, 149
  - strain variation 143, 145, 147, 148, 149
  - timing of vein formation 143
  - vein location 143, 144, 146
- Rhoscolyn Formation 128
- Rierdon Formation 233, 239
- Romanche Fracture Zone, directional isotropy 328
- SAPE program 176
- Sawtooth Formation 233, 239

- Sawtooth Range 190, *191*, *194*, 195–196, 231, 232  
 AMS studies 189, *195*, 196–205, **196–197**  
 burial and stress history 210–212  
 deformation front 254  
 detachment surface 232  
 fractures 210, 215–226  
 geology 189–190, *192*, *193*, *194*, 195–196, 202, 210, *211*  
 strain partitioning 4  
 stratigraphy 190, *192*, *193*, 233  
 Swift Reservoir Anticline 4, 210, 212  
 Teton Anticline 229–258  
 unconformity *193*, 211–212, 232, 233
- Scapegoat-Bannatyne trend *231*, 232  
 seafloor spreading hypothesis 316–317  
 seismicity 4, 315, 316–317  
 catalogues 318  
 normalized depth-moment release (NDMR) curves 322, *331*  
 and phase-changes 330–331  
 seismogenesis 320, *321*, 340  
 selvage seams 160, *161*, *162*, 163  
 Sevier Orogeny 231, 233, 252
- shear  
 post-buckle 98–99  
 pure, Rhoscolyn quartz veins 4, 132, *134*, 137, *138*, 139–143, 145, *146*, *148*, 149–150, **149**  
 simple 15–16, 98  
 Rhoscolyn quartz veins 3, 130–132, *133*, 135–137, **139**, *140*, *141*, 143, *144*, 145, *147*, 149–150, **149**
- shear bands 291, *306*, 307, 319  
 shear zones 16–17, 291, 319  
<sup>40</sup>Ar/<sup>39</sup>Ar geochronology 291, 298–305  
 ductile 296, 305–306  
 sense of shear 291, 296, 297, 305  
*see also* South Cyclades Shear Zone; Great Falls Tectonic Zone
- Sheep Mountain Anticline, fractures 229  
 shortening, layer-parallel 23, 24, 25, 32, 39, 45–57, 59–61, 189, 196, *204*, 205
- slump folds 81, 82, Dead Sea Basin 85–101  
 dip-isogon analysis 87, 89, *90*, 92  
 disharmonic 85, 86, 93  
 fold styles 95, 97, 98  
 harmonic 85, 86, 87, 88, 93, 95  
 layer thickness, amplitude and wavelength 91, 93, *96*, 97, 98, 100, 101  
 post-buckle modification 89, *90*, 91, *94*, 95, 97–99  
 flattening 95, 97–98, 99  
 flow 99  
 shearing 98, 99  
 recumbent 85, 86, 87, 89, 91, 93, 98  
 re-fold patterns 87, 88, 93, 95, 101  
 viscosity contrasts 99–101
- soft-sediment deformation  
 comparison with hard-rock deformation 81, 95  
 folding  
 Dead Sea Basin 3, 82–101  
 styles 95, 98  
 viscosity contrasts 99–101
- South Cyclades Shear Zone  
 core-complex model 292–293  
 eclogite-blueschist belt 292–293, 294, 296, 298, 308, 309  
 extensional shear zone 4, 292  
 formation 296  
 Ios *294*, 296–298  
<sup>40</sup>Ar/<sup>39</sup>Ar thermochronology 298–305, 308–309  
 palaeotemperature estimation 296, 298  
 Rb-Sr thermochronology 308–309  
 tectonic sequence diagrams 294–295  
 tectonic mode switch 294
- South Stack Formation 128, *129*  
 spacetime 335  
 kinematics 335–336
- spherical harmonics 317–318, 321–322, 325  
 State well data **236**, 239
- strain  
 and cleavage refraction 155, 158, 160, 163, 164  
 finite 3, 145  
 determination 16, 171–181  
 R<sub>f</sub>/Ø method 16  
 work of Ramsay 171, 172–173  
 infinitesimal 178  
 partitioning, during progressive deformation 3–4  
 variation, Rhoscolyn quartz veins 143, 145, *147*, *148*, 149–150, **149**
- strain analysis 171–181  
 3D methods 178  
 application 178–179  
 automation 176–178  
 Continuous Function Method 178  
 Delaunay Triangulation 175  
 Nearest Neighbour Method *177*, 178  
 folded layers 17  
 history 171  
 Mean Radial Length method *174*, *177*, 178  
 nearest-neighbour (centre-to-centre) method *172*, *173*, 174–175, 177–178  
 Normalized Fry Method 16, 174, 175, *177*  
 R<sub>f</sub>/Ø method 16, 173, 174, 177, 179, 180  
 SURFOR method 178  
 unresolved issues 179–181  
 non-passive deformation 180  
 primary fabrics 179  
 volume change 180–181  
 work of Ramsay 40, 172–173
- strain ellipsoid 23, 171, 175–176  
 graphical representation 175–176  
 Flinn Plot 175, 179  
 Lode Ratio 175–176  
 Nádai-Hsu Plot 175–176  
 Robin and Shan method 175
- strain hardening 40  
 strain markers 171, *172*, 179, 180  
 strain partitioning 4, 180  
 strain theory, advances 178–179
- stress 4  
 structural analysis 318–319  
 structural inheritance 74  
 stylolites, Sawtooth Range *194*, 251, 252
- Subalpine fold-thrust belt, buckle fold train nucleation 33, 35
- subduction  
 Palau-Yap-Mariana Islands 329–330  
 South Cyclades Shear Zone 292, 294, 296  
 Sunda Plate 331–333  
 Sun River Dolomite 239

- Sun River Valley, layer parallel shortening 189, 204, 205
- Sun River Valley Complex 231, 232  
deformation front 232
- Sunda Plate, subduction 331–333
- SURFOR method 178
- Súria anticline, irregular bedding 62
- SW Taiwan fold-and-thrust belt, oblique inversion 286–287
- Swift Reservoir Anticline 4, 210, 212–226, 214  
fold-thrust deformation 212  
fracture intensity 215–226  
lithological controls 221–224, 225–226  
structural controls 218–221, 224–225  
lithology 212, 213, 215, 216, 217, 218, 219  
and fracture control 221–224, 225–226  
unconformity 211–212, 215
- Swift Sandstone Formation 233, 239
- Swift Thrust 213, 214, 215
- Switchback Formation 232, 233
- symmetry, perturbations 61, 63, 64
- synclines, bed thickness measurement 114
- synforms 27–28, 29, 30  
Dead Sea Basin slump folds 99
- Syrian Plate 83
- Taiwan *see* SW Taiwan fold-and-thrust belt
- tectonic folds 81
- Teton anticline 229–258, 237  
formation 230, 232, 257  
fractures 4, 229, 233–236, 242–247  
central traverse 243–247  
evolutionary model 242, 254–258  
northern traverse 242–243, 247, 252, 253  
sets 255–258  
southern traverse 245, 247, 248  
geology 231–232  
subsurface geometry 236–242  
surface geometry 235
- Teton Canyon area 232, 236, 237, 238, 240, 241, 247  
deformation 232, 237
- thermal isostasy, ocean basins 325–326
- thermochronology *see*  $^{40}\text{Ar}/^{39}\text{Ar}$  geochronology
- thermomechanical competence 319, 320, 321
- Thermomechanical Earth Reference Model (ThERM) 322, 324–325, 326, 329, 331, 335
- Three Forks Formation 193, 232, 233, 239
- thrust belts  
accommodation faults 25  
*see also* fault-fold interaction; faults; fold-thrust structures
- Tithonian limestone, folding 33, 35
- topography 4, 315, 316, 320  
and gravity 321–329
- toroidal evolution 338–339
- toroidal motion 320, 334
- transform faults 317
- transpression 319
- transtension 319
- trishear 23, 105, 106, 107
- turbidites, Rhoscolyn Formation 128
- Twin Creek Limestone 25, 26
- ultra-high-vacuum diffusion, experiments 298, 301, 305, 308, 309
- unconformity  
Sawtooth Range 193, 232, 233  
Swift Reservoir Anticline 211–212, 215
- Urgonian limestone, folding 33, 35, 37
- Variscan deformation, Den's Door outcrop 109, 110
- velocity perturbation, interfacial instability 47–49, 52–53, 55
- Ventura Avenue Anticline, accommodation structures 25, 26
- viscosity  
effective 45  
contrasts, cleavage refraction 153, 154–156, 158–167  
heterogeneities 59  
and interfacial instability 46–57  
numerical modelling 46, 47–57  
soft-sediment slump folds 99–101
- Volcano Reef Thrust 232, 235, 237
- wavelength, slump folds 91, 93, 96, 97
- wavelength selection 48, 49, 53, 59, 60, 65
- Western Coastal detachment 294
- Wickware-1 well 214
- Wunderkind* inversion routine 301, 303
- Wyoming Overthrust Belt 25, 26
- Xuxian antiform 287
- Yichu fault system 286
- Yichu oblique ramp 287
- Zagros fold-thrust belt, fractured hydrocarbon reservoir 209, 224
- Zagros Simply Folded Belt, fractures 230
- Zin area 82, 83  
Lisan Formation 84  
MTDs 85  
slump folds 85