

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Abathomphalus intermedius* 136, 137, 138  
*Abietinaepollenites* 82, 88, **90**  
Aboine River, Lower Benue Trough 235  
  biostratigraphy 237, 247  
  lithology 236  
  microfacies analysis **240–241**, 242–244  
  sea-level change 248, 249  
*Acaeniotype* 170, 176  
*Acanthoceras* 159  
*Acroteuthis?* 108, 111, 113  
*Actinomma* 176  
Afowo Formation 234–235, 250  
  lithofacies 244–245  
  lithology 236  
Afowo-1 well 235  
Agrofenovka 105  
  fossil molluscs 111  
Albian, Late  
  transgressive event 221, 225–229  
  controlling factors 227–229  
  *see also* Western Interior Seaway  
  Saratov–Samara fossils **102**  
Albian–Cenomanian, East European Platform  
  microfossils 168–173  
  palaeogeography 173  
Albian–Cenomanian boundary  
  Gault Clay Formation/Cambridge Greensand 148–160  
  ammonites 159–160  
  foraminifera 153–154, 155, 159–160  
  sea-level change 157–160  
  stable isotope analysis 154–155, 157  
Albian–Maastrichtian, East European Platform 165–182  
  algae, green **218**, 219, 220–221, 226  
  algal cysts, Yellow Cat Member 83, 88, **89, 91**  
*Alievium* 167, 174, 175, 176  
*Alisporites bilateralis* **90**  
*Allocioceras annulatum* 237  
aluminium, pelagic sediment proxy 46  
*Ammobaculites* 168, 169, 170, 171  
*Ammodiscus cretaceus* 137, 194  
ammonites  
  Jurassic–Cretaceous, habitat depth and temperature  
  **102–103**, 108, 109–113, 114  
  Albian–Cenomanian boundary 159–160  
  Jurassic–Cretaceous, carbon isotopes 108, 117, **118–119**  
ammonoids 227  
*Amphymenium* 180  
*Amphypyndax stockii* 175, 176  
*Anachoreta sagitta* 170, 172  
Anatolian Plate, border with Arabian Plate 190  
Anemiaceae 83, 92  
angiosperms, Yellow Cat Member 91  
ankylosaurs, Cedar Mountain Formation 76  
anoxia  
  Albian 173  
  Cenomanian–Turonian boundary event 173, 190, 200,  
  204, 205  
  Lower Benue Trough 250  
  mid-Cretaceous 28  
  OAE-1 165  
  OAE-1d 154, 157, 173, 180  
  OAE-2 26, 27, 165, 173, 180, 190, 200, 204, 205  
  pelagic sediments 40  
Anthropocene Epoch 4, 9, 12, 13  
*Appendicisporites* 83, 92, 93, 94  
Aptian  
  OAEs 27, 165  
  Saratov–Samara fossils **102–103**, 111–112, 114, 115  
aquifer-eustasy 2, 3, 10, 11, 14, 15, 16, 17, 18–32  
  definition and overview 18–23  
  evidence for 23–28  
  weathering cycles 23  
  interplay with glacio-eustasy 18, 19, 22–23  
  rates of sea-level change 28–29  
  recent progress 22–23  
  recent water storage trends 29–30  
  timescale 18  
<sup>40</sup>Ar/<sup>39</sup>Ar geochronology, Cedar Mountain  
  Formation 83, 91  
Arabian Carbonate Platform 189–205  
  *see also* İnışdere section  
Arabian Plate  
  border with Anatolian Plate 190  
  CTBE 204  
*Aragonia* 138  
aragonite 105, 108–109, 111–112  
Araucariaceae 82, **89, 90**  
*Archaeoglobigerina* 167, 174, 176, 177, 178, 179  
*Archaeospongoprimum* 167, 170, 175, 176  
Arctic, palaeoclimate 4, 58, 59  
*Arenobulimina* 150, 154, 155, 156  
aridity, Yellow Cat Member 93–94  
arido-eustasy 19, 21–22, 27  
*Arkhangelskiella* 133  
Arlesey borehole  
  Cambridge Greensand 151, 153, 154  
  Gault Clay Formation, biostratigraphy 154  
*Ascoliella quadrata* 215, 217  
astrochronology 30, 40  
*Ataxophragmium* 175, 176  
Atlantic meridional overturning circulation 10  
Atlantic Ocean, South, Cenomanian–Coniacian  
  233–234, 249  
Awgu Formation 234  
  lithology 236  
Axel Heiberg Island, palaeotemperature 67  
Azhang section 212, 213  
  biostratigraphy 215  
  Late Albian transgressive event 225  
  microfacies 220, 221, 224, 225  
  palaeoenvironment 221, 225  
*Bacinella* **218**, 220  
Bajocian–Callovian, Saratov–Samara fossils,  
  palaeotemperature trends 112–113  
Bargy Conglomerate 159–160

- Barremian–Aptian, Saratov–Samara fossils **103**, 114  
 Barrington Quarry, Cambridge Greensand 152, 153  
 Bastion Ridge Formation 59, 60, 61  
   palaeolatitude 67–68  
   siderite  
     diagenetic interpretation 62, 64–67  
     electron microprobe analysis 61, 62, 65  
     palaeotemperature authigenesis 67–69  
     petrography 61, 62, 63, 64  
     stable isotope analyses 61, 62, 65–67  
 Bathonian, Saratov–Samara fossils **103**, 109, 114  
   epipelagic palaeotemperature trends 112–115  
*Belbekella* **102**  
*Belemnella* 108, 112, 115  
*Belemnite*? **102**, 107  
 belemnites, Jurassic–Cretaceous  
   carbon isotopes 108, 109, 110–111, **118–119**, 120  
   habitat depth and temperature **102**, **103**, 107, 108,  
     111–116  
 Benue Trough 233–234  
   tectonism 234  
   see also Lower Benue Trough  
*Berthelina berthelini* 168  
*Biancone* 41  
 Bisaccite pollen **89**  
 bivalves  
   Jurassic–Cretaceous  
     carbon isotopes **103**, 109–111, 117, **118–119**  
     habitat and temperature **103**, 112–113  
     Langshan Formation **218**, 219, 220  
*Bolivinoidea* 137, 138, 177  
 Bonarelli Event 27  
 Book Cliffs 78  
*Botryococcus* 83, **91**  
 brachiopods, Jurassic–Cretaceous  
   carbon isotopes 117, **118–119**  
   habitat and temperature **103**  
   temperature trends 112, 115  
*Braunella* 136  
 Breistroffer Event 154, 157  
*Broinsonia parca* 133, 134, 135, 137, 139, 140, **142**  
 Brushy Basin Member  
   palynology 92  
   U–Pb geochronology 83  
*Buccicrenata subgoodlandensis* 217  
*Buchia* 109–110, 111, 113  
 Buckhorn Conglomerate Member 76, 77  
*Bulimina ventricosa* 170  
  
 calcispheres marlstone 215, **218**, 219–220, 226  
 calcite 105, 108–109, 110–112  
 calcium, Sr/Ca ratio, pelagic sediment proxy 46–47  
 calcium isotopes, and sea-level 48  
*Calculites obscurus* 133  
*Callialasporites dampieri* 82, 88, **90**  
 Callovian, Saratov–Samara fossils **103**, 109, 110  
    $\delta^{13}\text{C}$  values 116–117  
   palaeotemperature trends 112–113  
 Cambridge Greensand 5, 147–160, 158  
   Albian–Cenomanian boundary 148, 159–160  
   fauna 147–148, 153  
   foraminifera 147  
   phosphates 147  
 Cameroon Basement Complex 249  
  
 Campanian, Saratov–Samara fossils 112, 114, 115  
 Campanian–Maastrichtian boundary  
   cooling trend 165, 180, 181, 182  
   East European Platform, palaeogeography 179–180  
   Mudurnu–Göynük Basin 130, 132  
     age-depth plot and sedimentation rates 138–139  
     biostratigraphy 133–138  
     sea-level control and palaeoclimate 141–143  
     stage boundary 140–141  
 carbon, total organic (TOC) 41  
 carbon burial 27  
 carbon cycle 26–27  
 carbon isotopes 20, 26–27  
   Albian–Cenomanian boundary,  $\delta^{13}\text{C}$  154, 155, 157  
   Bastion Ridge Formation 62, 65–66  
   Cedar Mountain Formation 78, 80, 82, 89, 94  
   Cenomanian–Turonian boundary event  
     East European Platform 173  
     İnişdere section 190, 192, 199–201, 204, 205  
   Jurassic–Cretaceous molluscs  
      $\delta^{13}\text{C}$  values 116–117, **118–119**, 120  
     Saratov–Samara region 108–112  
   negative excursion 18, 22, 27  
   positive excursion 27, 104, 120  
   and sea-level 48  
   Yellow Cat Member 78, 94  
      $\delta^{13}\text{C}$  80, 82, 89  
 carbonate compensation depth (CCD) 41, 42  
   variation 43  
 carbonate platforms  
   depositional environment  
     Langshan Formation 225  
     Lower Benue Trough 249–250  
   diagenesis 28  
   drowning unconformity 189–190  
     İnişdere section 190–205  
   humid–arid weathering cycles 23, 24  
   sea-level change 212  
 carbonates  
   Mudurnu–Göynük Basin 130, 132  
   pelagic 41  
*Cavaspongia* 170, 172–173, 176  
 Cedar Mountain Formation 76, 77  
   chronostratigraphy 4–5, 76–94  
   dinosaur fossils 76  
   geological setting 77, 78–79  
   palaeoclimate interpretation 93–94  
   palynology 76, 81, 82–83, 87, 88, 89–94  
   stable isotope chemostratigraphy 78–80, 81–82, 83–87,  
     89, 94  
*Cenodiscus* sp. 172  
 Cenomanian  
   Early Cenomanian cool episode 157  
   Middle Cenomanian warm episode 157  
   OAE2 event 27, 165  
   sea-level change rate 29  
 Cenomanian–Coniacian, sea-level change 233–237,  
   247–250, 248, 251  
 Cenomanian–Turonian  
   Arabian Carbonate Platform, drowning unconformity  
     190–205, 191, 192  
   East European Platform, palaeogeography 173  
   sea-level 129  
   change rate 29

- temperature 2, 13, 67  
 hothouse state 18, 22, 28, 57, 129
- Cenomanian–Turonian boundary event (CTBE) 190, 200  
 anoxia 181, 204  
 microfossils 193, 194, 195–197, 205  
 palaeogeography 173  
 sea-level change 29, 181, 202, 203, 204–205
- cephalopods, habitat depth and temperature **102–103**,  
 104, 109
- Ceratolithoides aculeus* 133, 135
- Cerebropollenites mesozoicus* 82, **89**, **91**
- chalcedony 41
- Chalk Group 148
- Channel Tunnel construction, Gault Clay biostratigraphy  
 148–149, 150, 153, 154, 157, 159
- charophyte fossils, Yellow Cat Member 76, 78
- Chaswood Formation, palynology 92
- Cheirolepidiaceae 93–94
- Chernetovskaya Formation 174, 176
- chert–shale couplets 41, 42
- Chondrites* 168, 173
- chronostratigraphy, Yellow Cat Member, Cedar Mountain  
 Formation 76–94
- Cibicides* 168, 169, 170, 175, 176
- Cibicoides* 138, 175, 176, 177
- Cicatricosisporites* 83, 88, **90**, 91, 92, 93
- Cinula* 111, 115
- Citharinella* 150, 154, 155, 156
- Classopollis* 82, 83, 88, **89**, **90**, 93–94
- Clavatipollenites hughesii* 91
- clay, pelagic 41  
 grain-size 45, **50**  
 mineral content 47–48, 49, **50**
- clay minerals, weathering 24
- climate  
 as driver of sea-level change 3, 9, 10  
 cyclicity 14–16  
 humid-arid cycles 3, 23, 24, 42, 49, 51
- climate change, anthropogenic 17
- Cloverly Formation, palynology 93
- clumped isotope technique 101
- CO<sub>2</sub>  
 Cedar Mountain Formation 78  
 volcanic 104, 120
- Colville Basin, Alaska 58–59, 68
- Concavissimisporites* 83, 88, **90**, 91, 92, 93
- conglomerates, Mudurnu–Göynük Basin 130, 132
- Coniacian–Santonian 174, 178, 182  
 OAE-3 28
- Conicorbitolina* 213, 215, 216
- continental elevation problem 27–28
- contourites, Lower Benue Trough 244
- Contusotruncana* 134, 136, 137, 138, 140, 167,  
 178, 180
- ‘coprolites’, Cambridge Greensand 147
- Copt Point, Folkestone, Gault Clay Formation/Chalk  
 Group 149–150, 151, 153
- corals **218**, 219, 220, 226
- CORBs (Cretaceous oceanic red beds) 41
- Coronatispora valdensis* 93
- Couperisporites* 83, 88, **90**, 91, 92
- Cretaceous Period  
 cold snaps 28  
 greenhouse world 1–2, 10, 12  
 climate fluctuation 12–13  
 as laboratory for modern conditions 12–13  
 short-term sea-level fluctuation cycles 17–18
- hydrological cycle 19  
 Mid, hothouse 22–23, 28, 58, 67, 165  
 sea-level change 2, 3, 211–212
- Cretaceous Thermal Maximum 13, 29, 67, 129, 165
- Cribratina cylindracea* 155, 156
- Cribrostomoides nonioninoides* 150, 155, 156
- Crolanium* 170, 172, 173, 180
- Cromyodruppa* 176
- Crucella* 167, 170, 175, 176
- Crybelosporites vectensis* 91
- Cryptamphorella gilkeyi* 170
- Cuneolina* 193, 197, 198, 213, 215, 216, 217
- currents, bottom 41  
 cycles 43
- Cyathidites* 83, **90**, 91
- cyclicity 2, 3, 30–31  
 orbital 3, 30, 39, 45  
 see also Milankovitch cycles
- cyclostratigraphy 30  
 pelagic sediments 40, 42–43
- Cylindroteuthis* **103**
- Cyprina?* 111, 115
- Dahomey Basin 233, 237  
 depositional history 250
- Dallina* **102**
- Dansgaard temperature relationship 58
- Daxia cenomana* 215, 216
- Daxiong Formation 212
- Değirmenözü Member 130, 132
- Densoisporites* 83, 88, **90**, 91, 92
- Derdere Formation 190, 191, 192  
 CTBE 201, 203  
 microfacies 197–199, 201  
 ramp deposits 201, 202, 204
- deserts, humid–arid weathering cycles 3, 23, 24
- Deshayesites* 111–112, 114, 115
- diagenesis 42  
 karst 28  
 smectite–illite 49
- Dicarinella* 173–174, 175, 176, 177, 179, 193, 194, 195,  
 196, 199, 237, 239, 247
- Dictyomitra* 170, 172, 175, 176
- dilution cycles 43, 44
- Dimitobelus?* **102**
- dinosaur fossils, Cedar Mountain Formation 76
- Diploceras cristatum* 159
- dissolution cycles 43
- Dorothia* 137, 150, 155, 156, 170
- Dorypyla* 170
- Douvilleiceras* sp. **102**
- drowning unconformity 189–190  
 İnışdere section 190–205
- Duoni Formation 212, 213
- dysoxia 165
- Earth System  
 greenhouse/hothouse state 9–10, 11  
 models 57, 58, 69  
 see also greenhouse state; hothouse phase; icehouse  
 phase; water, ‘surface’ resources

- East European Platform 166
- Albian–Cenomanian
    - microfossils 168–173
    - palaeogeography 173
    - seaway 173, 181
  - Albian–Maastrichtian 165–182
    - micropalaeontology 166–168
    - calcareous nannofossils 167
  - Campanian–Maastrichtian boundary, palaeogeography 179–180
  - Cenomanian–Coniacian, micropalaeontology 175, 176
  - Cenomanian–Turonian, palaeogeography 173
  - foraminifera 166–168, 169, 170, 171, 173–174, 177–182
    - benthic 166, 167, 168, 170, 171, 173
    - planktonic 166, 167, 168, 170, 171
  - radiolaria 166, 167, 168, 169–170, 172–174, 175, 176, 178–182
  - Santonian–Campanian
    - micropalaeontology 174, 177–178
    - palaeogeography 178–179
  - Turonian–Coniacian
    - micropalaeontology 173–174, 175, 180–182
    - palaeogeography 174
- eccentricity, and sea-level change 27, 40, 43, 233, 246, 250, 251
- echinoderms 218, 219, 220–221
- Eiffellithus* 133, 134, 135, 137, 139, 140, 142, 194, 197
- El Niño Southern Oscillation (ENSO) 29, 43
- Eolambia* 91
- epeiric seas, sea-level change 212
- Eponides* 138, 176
- equilibrium species 239, 247
- erosion surfaces, Gault Clay Formation/Chalk Group boundary 157–159
- Euchitonina santonica* 175, 176, 178
- Eucyrtis* cf. *cornegiense* 170, 172
- eustasy
  - Cretaceous 2
  - history and significance 3–4
  - see also aquifer-eustasy; glacio-eustasy; limno-eustasy; sea-level change, eustatic; thermo-eustasy
- evaporation, recent trends 29–30
- Everticyclammina* 216
- Exesipollenites* 82, 83, 88, 89, 91, 94
- Eze–Aku Formation 234
  - lithology 236
- Ezillo Siltstones 234, 235, 242, 249
- Favusella washitensis* 215, 216, 217
- Fish Canyon Tuff, zircon U–Pb geochronology 80
- floatstone 240–241, 244, 245
- flood basalt, and CO<sub>2</sub> 120
- Flourensina intermedia* 150, 155, 156
- Folkestone see Copt Point, Folkestone
- foraminifera
  - Arabian Platform 193, 194, 195–197, 198, 199, 201
  - as deep-water indicators 239, 245–247, 248
  - East European Platform 166–168, 169, 170, 171, 173–174, 175, 176, 177–182
    - benthic 167, 168, 173
    - P/B ratio 166, 167, 169, 174, 177, 180
    - planktonic 167, 179
  - Gault Clay 149–150, 153–154, 155, 157, 159–160
  - Langshan Formation 213–221, 226, 227
  - Mudurnu–Göynük Basin 131–139
    - benthic 137, 138
    - planktonic 131, 133–134, 136, 137–138, 139
  - Nkalagu Formation 237, 238–239, 245–247, 248
    - P/B ratio 239, 245–247, 248, 251
  - X-Well, Lower Benue Trough 238–239, 245, 247, 250
- Foraminisporis* 83, 88, 90, 91, 92, 93, 94
- Gangdese arc 212
- Gansserina gansseri* 134, 136, 137, 138, 139, 140, 141, 142
- Gamjericeras catenulatum* 111
- gastropods, Aptian, habitat depth and temperature 103, 109
- Gaudryina* 168, 175
- Gault Clay Formation
  - biostratigraphy 149–150, 153–154
  - Chalk Group boundary 148, 152
  - sea-level change 157–160
  - stable isotope analysis 154–155, 157
  - erosion surfaces 157–159
- Gaudryinopsis filiformis* 170
- Gavelinella* 137, 138, 150, 155, 156, 168, 169, 170, 171, 175, 176
- Germanic Basin, sea-level change 27
- Glacier Fiord 59, 60
- glacio-eustasy 3, 10, 11, 14, 15, 17, 248
  - interplay with aquifer-eustasy 18, 19, 22–23
- glauconite, Gault Clay Formation 147, 157
- Glauconic Marl 149, 150, 151
- global warming, anthropogenically accelerated 9–10
- Globigerinelloides* 154, 155, 157, 167, 175, 177, 178, 179
- Globorotalites multiseptus* 175
- Globotruncana* 134, 136, 137, 139, 140, 142, 167, 177, 178
- Globotruncanella* 136
- Globotruncanita* 136, 137, 178, 180
- Glomospira* 137, 171
- Glomospirella gaultina* 168
- Glyndebourne borehole, Gault Clay Fm 149, 154
- GOCE 2009–13 (Gravity Field and Steady-state Ocean Circulation Explorer) satellite gravimetry 10, 22
- Goniocamax* sp. 112
- Göynük see Mudurnu–Göynük Basin
- GRACE 2002–17 (Gravity Recovery and Climate Experiment) satellite gravimetry 3, 10, 22, 29
- grainstone, bioclastic 218, 219, 221, 226
- greenhouse gases
  - anthropogenic 9
  - volcanic, Cretaceous 12, 104, 120
- greenhouse state 1, 9, 10, 11
  - aquifer-eustasy 22
  - cool 11, 13, 16, 20
  - Cretaceous 1–2, 12–13
  - orbitally controlled 27
  - sea-level change 211–212
    - mechanisms 15, 16, 17, 18, 23
  - warm 11, 13, 16, 20
- greensand see Cambridge Greensand
- groundwater
  - as part of ‘surface’ water 14, 15, 16
  - global mass 11, 18–19
  - groundwater-eustasy 2, 3, 10
- Gümbeltria* 239

- Haplophragmoides* 150, 155, 156, 168, 169, 170, 171  
*Haplostiche sherborniana* 155, 156  
 Hassel Formation 59, 60  
*Hedbergella* 134, 155, 167, 175, 215, 217, 239  
*Heliosporites* 91  
*Helvetoglobotruncana* 193, 194, 195, 196, 199  
 hemipelagites 40, 41  
   composition 40–41  
   depositional environments 41–42  
   grain-size 45–46  
   proxies 45, 46, 51  
*Heterohelix* 177, 180, 194, 237, 239, 247  
*Hibolites* 113  
 highstand, pelagic sediments 44, 45  
*Histiastrum* 175, 176  
 Hitch Wood event 18  
 Holocene Epoch, sea-level change 27  
*Holocryptocanium barbui* 170, 172  
 hothouse phase 9, 10, 11, 14  
   humid 27  
   Mid Cretaceous 22–23, 28  
 humid–arid cycles 23, 24  
 hydro-eustasy 10, 18, 19  
 hydrocarbons  
   Lower Benue Trough 250  
   Sverdrup Basin 66–67  
 hydrological cycle 13–14, 16, 18  
   Cretaceous 19, 228–229  
   <sup>18</sup>O values 58–71  
   measurement 10  
   recent trends 29–30  
*Hyperammina gaultina* 168, 169  
*Hysterocheras* 159  
 ice, as part of ‘surface’ water 14  
 ice sheets 14  
   and sea level change 1, 3, 10, 14, 15, 228  
   Cretaceous controversy 2, 13, 22, 28  
 icehouse phase 11  
   glacio-eustasy 22  
   sea-level change 20, 22, 23  
   mechanisms 15, 16  
 IGCP 609 Climate-environmental deteriorations during  
   greenhouse phases: Causes and consequences  
   of short-term Cretaceous sea-level changes  
   1, 2–4, 13  
 iguanodonts, Cedar Mountain Formation 76  
 illite, weathering 24, 49  
*Impardecispora apiverrucata* 83, 88, 90, 92  
 İnışdere section 190–205  
   biostratigraphy 190, 193  
   calcareous nannofossils 194, 195, 197  
   chemostratigraphy 199–201  
   drowning unconformity 190, 203, 204–205  
   foraminifera  
     benthic 193, 194, 197  
     planktonic 193, 194, 195–197  
   geology 190, 191, 192  
   isotope ratios 190, 192, 199–201  
   maximum flooding surface 204  
   ramp deposits 201–202  
   sequence stratigraphy and sea-level change 202, 203,  
   204–205  
*Interulobites* 90  
*Ischyosporites* 90, 91, 92  
 Isimkuma Sandstones 234, 235, 242  
 Jingzhushan Formation 212, 213  
 Jurassic–Cretaceous  
   fossil isotopic composition 104  
   Saratov–Samara region, stratigraphy 104, 106  
 K-strategists 239, 247  
 K/Pg Boundary 18, 142  
 Kanguk Formation 60  
 kaolinite, weathering product 24, 49  
 Karababa Formation 190, 191, 192  
   carbon isotope excursion 201  
   CTBE 201, 203  
   foraminifera 193, 194, 195–197, 198, 199, 201, 203  
   microfacies 199  
   ramp deposits 201–202, 202, 204  
 Karaboğaz Formation 190, 191  
 karst diagenesis 28  
 Kashpir 105  
   fossil molluscs 110, 114  
 Khvalynsk quarry 105  
   Maastrichtian fossils 112  
 Krasnyj Oktyabr quarry 105  
   Campanian fossils 107, 108, 112  
 La Niña 29  
*Lagenammina distributa* 168  
*Lagonibolites* 113  
 lagoon environment 220, 221, 224, 225, 226  
 Lake Madsen 79  
 lake-level change 3–4, 20, 21  
   limno-eustasy cycles 23–25  
   proxies 23–25  
   Turonian 228  
 Langshan Formation 212, 213  
   Late Albian transgressive event 221, 225–229  
   lithostratigraphy and biostratigraphy 213, 214, 215,  
   216, 217  
   microfacies 214, 215, 218, 219–221, 222, 223, 224, 226  
   palaeoenvironment evolution 221, 224–225  
 large igneous provinces 227–228  
*Lenticulina macrodisca* 168  
*Leptolepidites* 90, 91, 93  
 Letie section 213  
   biostratigraphy 215, 217  
   Late Albian transgressive event 225  
   microfacies 220, 223, 225  
   palaeoenvironment 221, 225  
 Levant Platform, weathering cycles 23  
 Lhasa terrane  
   geological setting 212, 213  
   stratigraphy 212  
 limestone  
   Lower Benue Trough 243–244  
   pelagic 41  
 limestone–marl couplets 41–42, 43  
 limno-eustasy 3, 19, 21–22, 23  
   cycles 23–25  
*Lingulogavelinella* 155, 156, 168, 169, 170, 171  
 Linzizong volcanic rock 213  
 lithium isotopes, and sea-level 48  
*Lithocodium* 218, 220

- Lithostrobos* 167, 176  
*Lithraphidites* 133, 134, 135, 137, 139, **142**  
 Little Ice Age 10  
 Lower Benue Trough  
   biostratigraphy 235, 237, 238–239  
   Cenomanian–Coniacian sea-level change 233–237, 247–250, 249, 251  
     and subsidence 248–249, 250, 251  
   deep-water indicators 239  
   facies analysis 238  
   geology 235  
   sedimentation 234, 250, 251  
 lowstand, pelagic sediments 44, 45  
*Lucianorhabdus maleformis* 194, 197  
 Luobadui–Milashan Fault 212, 213  
*Lycopodiadites baculatus* **90**, 91
- M11 construction, Cambridge Greensand 148, 152–153  
 Maastrichtian  
   base 140–141  
     *see also* Campanian–Maastrichtian boundary  
   Saratov–Samara fossils 112, 114, 115, 116–117  
 magnetic susceptibility (MS), in cyclostratigraphy 48  
*Mallanites? triquetrus* 172  
 Malokan pier 105  
 manganese, pelagic sediment proxy 46, **50**, 51  
*Mantelliceras* 159  
 mantle, water flux 14, 15  
*Marginotruncana* 167, 173, 174, 175, 176, 177, 178, 179, 193, 194, 195, 196, 199, 239, 247  
*Marginulina* 168  
*Marginulinopsis* aff. *gracilissima* 171  
 Marine Isotope Stages 17, 39  
 marl, Mudurnu–Göynük Basin 130  
 marlstone  
   Lower Benue Trough 243–244  
     *see also* calcispheres marlstone  
*Marssonella ozawai* 155, 156  
 Maryevka-1 105  
   fossil molluscs 109–110, 111, 114  
 Medieval Warm Period 10  
*Melchiorites* **103**  
*Mesohibolites* **102**, **103**  
*Mesorbitolina* 213, 215, 216, 217  
*Microhedbergella* 167  
*Microhabdulinus ambiguus* 137  
*Micula murus* 133  
 mid-ocean ridges, and sea-level rise 12, 15  
 Milankovitch cycles 3, 4, 12, 17–18, 27, 28, 29, 30, 31  
   pelagic sediments 39–40, 42–44, **49**  
 miliolids **218**, 219, 220–221, 226  
 mineralogy, as climate indicator 48–49, 51  
*Mjatlukaena gaultina* 170  
 monsoon climate 3  
   mega-monsoon phases 3, 27  
   super-monsoon, Triassic 27
- Morrison Formation 76, 77  
   palynology 89, 91, 92  
   U–Pb geochronology 83  
 mudstone  
   Gault Clay Formation 157  
   Lower Benue Trough **241**  
   Mudurnu–Göynük Basin 130, 132  
   Yellow Cat Member palaeosol 76, 79–94
- Mudurnu–Göynük Basin  
   biostratigraphy 131–143  
   foraminifera  
     benthic 137, 138  
     planktonic 131, 133–134, 136, 137–138, 139  
   nannofossils 131, 133, 134, 135, 137, 139  
   Campanian–Maastrichtian  
     age-depth plot and sedimentation rates 138–139  
     sea-level control and palaeoclimate 141–143  
     stage boundary 140–141  
   Cemetery section 130  
   geological setting 130–131  
   Göynük Road section 130  
   NE road 130–131, 133  
   stratigraphy 130–131, 132  
*Muricohedbergella* 168, 169, 171, 175, 237  
 Mussentuchit Member 76, 77
- nannofossils, calcareous  
   Arabian Platform 194, 195, 197  
   East European Platform 167  
   Mudurnu–Göynük Basin 131, 133, 134, 135, 137, 139  
 Nanushuk Formation 58–59  
*Nautilus pompilius* **102**  
 nekton, pelagic sediments 40  
 Neo-Tethys Ocean 130, 212  
*Neobelelemnella* 112, 115  
 neodymium, isotope ratio, sediment proxy 47, **50**  
*Neohibolites* **102**, **103**  
*Neostlingoceras carcitanensis* 159  
*Nephrolithus frequens* 133, 134, 135, **142**  
*Nevesisporites vallatus* 91  
*Nezzazata* 213, 215  
*Nezzazinella picardi* 193, 197
- Nigeria  
   Cenomanian–Coniacian sea-level change 233–234  
   geology 234, 235
- Nkalagu Formation 234, 235  
   biostratigraphy 235, 237, 238–239  
   facies analysis 238  
   foraminifera P/B ratio 239, 245–247, 248, 251  
   lithology 236  
   sea-level change 247–250  
     and subsidence 248–249
- Nkalagu Shales 234, 235  
*Nodobacularia nodulosa* 150, 155, 156  
 North Atlantic Oscillation (NAO) 43
- obliquity 27, 40, 43  
 ocean circulation systems 10  
 oceanic anoxic events (OAEs) 18, 27, 28, 104, 180, 189, 190, 200, 205  
   OAE-1 165  
   OAE-1d 154, 157, 173, 180  
   OAE-2 26, 27, 28, 165, 173, 180, 181, 190, 200, 201, 204, 205
- ooze  
   calcareous 40, 41  
   siliceous 40, 41
- opportunistic species 239, 247  
*Oranicerias besnosovi* 109, 113  
*Orbiculiforma* 170, 172, 175, 176  
 orbital forcing 3, 13  
   *see also* cyclicity, orbital

- Orbitolina* 215, 216  
orbitolinids 215, **218**, 219, 220–221, 226  
*Orbitolinopsis* 215, 216  
*Osangularia* 177  
osmium isotopes, and sea-level 48  
ostracod fossils, Yellow Cat Member 76–78  
outgassing, volcanic 14, 15  
oxygen isotope ratio 20, 23, 25–26  
<sup>18</sup>O values 4, 13, 101, 228  
    Bastion Ridge 62, 65–67  
    Cedar Mountain Formation 78  
    Gault Clay Formation/Chalk Group 157  
    Jurassic–Cretaceous molluscs 108–112,  
    114–116  
    Lower Benue Trough 239  
    palaeoprecipitation, greenhouse worlds 69–71  
    Sverdrup Basin 57–71  
ice-related excursion 20, 26  
İnişdere section 190, 192, 201  
and sea-level 48, **50**  
*Oxyteuthis?* 111, 115  
*Oxytoma tenuicostata* 178  
*Oxytropidoceras* **102**
- Pachydiscus* 140, 141  
*Pachyteuthis* **103**, 109, 113  
Pacific Decadal Oscillation 29  
palaeoclimate  
    Campanian–Maastrichtian, Mudurnu–Göynük Basin  
    141–143  
    Cedar Mountain Formation 93–94  
palaeoelevation 27–28  
palaeoprecipitation, polar  
<sup>18</sup>O values 58–71  
ancient greenhouse worlds 69–71  
palaeosols 60, 61, 69  
    Yellow Cat Member 76, 79  
    U–Pb geochronology 79–80  
palaeotemperature  
    epipelagic settings  
    Bajocian–Callovian 112–113  
    Barremian–Aptian 114  
    Campanian–Maastrichtian 114  
    Tithonian 113–114  
    Jurassic–Cretaceous fossils 104–120  
Paleocene–Eocene Thermal Maximum 18  
*Palorbitolina* 213, 215, 216, 217  
*Palorbitolinoides* 215, 216  
palynology, Cedar Mountain Formation 76, 81, 82–83, 87,  
88, 89–94  
Pangea  
    breakup, and sea-level change 12  
    mega-monsoon 27  
*Parahoplites* sp. **103**  
*Paramegateuthis bella* 109, 113  
Paramonovo Formation 173  
*Patellula* 175, 176  
*Patulibracchium* 175  
pelagites 40, 41  
    depositional environments 41–42  
    grain-size 45–46  
    see also sediments, pelagic  
permafrost 11, 14, 19  
*Pernostrea* **103**, 109, 113  
*Pessagnobrachia* 170, 172  
*Phaseliforma* 175, 180  
phosphates  
    Cambridge Greensand 147  
    Gault Clay Formation 157, 159–160  
*Phylloceras* **102**  
phylosilicates, pelagic 41, **50**  
*Pilosisporites* 83, 88, **90**, 91, 92  
*Pinna* 109, 111, 115  
*Pinuspollenites* **90**  
*Pithonella globosa* 180  
*Planacoxa* 76  
*Planoglobulina* 137  
*Planoheterohelix* 134, 175, 176, 177, 178, 179  
*Planomalina* 154, 155, 157  
plate tectonics, and sea-level change 12, 15  
    Lower Benue Trough 233–234, 249  
*Plectina mariae* 150, 155, 156  
Plenus Cold Event 28, 173, 201  
Plešovice quarry, zircon U–Pb geochronology 80  
*Plicatula* 243, 250  
*Podocarpidites* **90**  
Poison Strip Member 76, 77, 83  
    dinosaur fossils 76  
    stable isotope geochronology 83  
population, critical zone 10  
*Porodiscus kavilkinensis* 170, 172  
Potomac Group 91  
*Praeconocaryomma universona* 175, 176  
*Praeglobotruncana* 237, 239, 247  
*Praegublerina acuta* 136  
*Praeorbitolina* 213, 215, 216  
precession 40  
    pelagic-hemipelagic sediment cycles 42, 44, 51  
precipitation, recent trends 29–30  
productivity  
    cycles 43  
    oceanic 41, 42  
*Protostenioeina* 175, 176  
proxies see sea-level change, proxies  
*Prunobrachium* 167, 170, 172, 178  
*Psammisiphonella cylindrica* 137  
*Pseudoaulophacus* 167, 170, 172, 175, 176, 178  
*Pseudochoffatella* 213, 215, 216  
*Pseudocyclammina* 216  
*Pseudodictyomitra* 167  
*Pseudogavelinella* 177  
*Pseudoguembelina* 136, 137, 141  
*Pseudotextularia* 134, 136, 137, 138, 140, 167  
pull-apart basins, Benue Trough 233, 234, 249  
*Pullenia* 138
- Quadrigastrum* 176  
*Quadrum gartneri* 194, 197  
*Quenstedtoceras* **103**, 109, 110, 113, 113
- r*-strategists 238, 239, 247, 248  
*Racemiguembelina* 134, 136, 137, 138, 139, **142**  
radiolaria 41  
    East European Platform 166, 167, 168, 169–170,  
    172–174, 175, 176, 178–182  
radiolarite-shale couplets 41–42  
*Radotruncana calcarata* 137–138, 140  
red clay 40, 41

- regressions 17, 23, 27, 39  
   pelagic sediments 44, 45  
   work of Suess 3  
*Reinhardtites* 133, 134, 135, 137, 139, 140  
*Reophax deckeri* 168, 169, 171  
*Retitriletes* 91  
*Reussella* 137, 175  
*Rhombastrum* 167, 180, 182  
*Rhopalastrum* 175, 176  
 rhythmites, pelagic/hemipelagic 41–44  
*Rotalipora* 216, 237, 239, 247  
*Rotalipora cushmani* 157  
   extinction event 201  
 Ruby Ranch Member 76, 77  
 rudists **218**, 219, 220, 226  
 rudstone **218**, 219, 220, 226, **240–241**  
*Ruffodiaspora* 83, 88, **90**, 91, 92, 93  
*Rugoglobigerina* 134, 136, 137, 138, 167, 180  
 Russian Platform, Saratov–Samara region 5, 104–105
- Sabaudia* 215, 217  
 Sakarya Terrane 130  
*Salfeldiella* **103**  
*Salpingoporella dinarica* 216  
 San Rafael Swell 77, 78  
 sandstone  
   Lower Benue Trough 242, 244  
   Mudurnu–Göynük Basin 130, 132  
 Sangzugang Formation 213  
 Santonian–Campanian  
   cooling trend 165, 178–179  
   East European Platform  
     foraminifera and radiolaria 174, 177–178  
     palaeogeography 178–179  
*Saraceneria* 168  
 Saratov–Samara region  
   fossil mollusc palaeothermometry 104–120  
   epipelagic temperature trends 112–114  
   <sup>13</sup>C values 116–117, **118–119**, 120  
   comparison with mesopelagic <sup>18</sup>O 114–116  
   material and methods 105, 107–109  
   oxygen and carbon isotopes 108–112  
   geological setting and stratigraphy 104–105, 106  
 sauro pods, Cedar Mountain Formation 76  
*Savaryella* 170, 172  
*Scaglia Rossa* 41  
*Schizophacus* 83, **91**  
 sea-level  
   Cretaceous 12–13, 226, 227  
   recent trends 29–30  
 sea-level change  
   Albian–Cenomanian boundary 157–160  
   Albian–Maastrichtian, East European Platform  
     165–182, 181  
   altimetry and gravimetry 3, 10, 11–12, 13  
   Campanian–Maastrichtian, Mudurnu–Göynük Basin  
     141–143  
   Cenomanian–Coniacian 233–237, 247–251  
   Cenomanian–Turonian boundary event (CTBE) 202,  
     203, 204–205  
   critical zone for society 10  
   cyclicality 13, 17, 30–31  
   during hot-house conditions 2, 3  
   epeiric seas 212  
   eustatic 14, 17, 20, 247–248, 250  
     and turbidite sedimentation 250  
     global nature of 3  
     greenhouse conditions 3–4, 211–212  
     marginal marine depositional systems 39–40  
     mechanisms 2–3, 9, 15, 16  
     mantle flux 14  
     melt water 1  
     modern 9  
     proxies 2, 4, 12, 13, 23, 40–51  
     rates of change 28–29  
     short-term cyclicality 16–18  
       see also aquifer-eustasy  
     Triassic 27  
   seafloor topography, and sea-level change 12, 15  
   seawater, thermal expansion and contraction 1, 3, 4, 15, 17  
   Seben Formation 130, 132  
   sedimentary cycles, Cretaceous 17  
   sediments  
     hemipelagic see hemipelagites  
     pelagic  
       composition 40–41  
       depositional environments 41–42  
       rhythmic deposition 41–44  
       and sea-level change 40–51  
       accumulation rates 44  
       depositional depth 44  
       fan growth 44  
       grain-size 45–46, **50**  
       proxies 44, 45  
       chemical 46–47, **50**  
       hothouse v. coolhouse 51  
       mineralogical 47–49, **50**  
       relation to sea-level 48–49, **50**, 51  
       sequence boundaries 44  
       siliciclastic input systems 44  
     shallow-water 39–40  
   Sevier Orogen 78, 93  
   shale  
     black, pelagic 41  
     Lower Benue Trough 234, 243–244  
     Mudurnu–Göynük Basin 130, 132  
   shale-marl couplets 41–42  
   Shirokij Buerak 105  
     fossil molluscs 109, 111  
   silicates, pelagic 41  
   siliciclastics, pelagic 40, 41  
     grain-size 45  
     terrigenous input 44  
*Sinzovia* 111, 112, 115  
   smectite 49  
   Sokur quarry 105  
     mollusc fossils 109  
   Songliao Basin, limno-eustasy 24–25  
   sponge spicules **218**, 219, 220–221, 226  
*Spongoprimum* 176  
*Spongopyle* 170, 172  
*Spongotripus* 176  
*Spongurus* 167, 180  
*Staplinisporites relatus* 83, 88, **90**, 92  
*Stensioeina* 137, 138, 170, 177  
*Stichocapsa ambifaria* 170  
*Stichomitra* 170, 172, 172, 175, 176  
   Strand Fiord Formation 61



- strontium  
 $^{87}\text{Sr}/^{86}\text{Sr}$  ratio, pelagic sediment proxy 47, **50**  
 Sr/Ca ratio, pelagic sediment proxy 46–47, **50**
- Stylodictya placentalis* 175  
*Stylotrochus* 175
- Suess, Eduard (1831–1914), eustasy 3, 39  
 super-monsoon, Triassic 27
- Sverdrup Basin 4, 58–59, 67, 68  
 petroleum system 66–67
- Takela Formation 213  
 Tarakli Formation 132
- temperature, global rise 10  
*see also* palaeotemperature
- Tethys Ocean, East European Platform 174  
*see also* Neo-Tethys Ocean
- TEX86 proxy 13, 28, 57, 67, 101,  
 113, 114, 116
- Textularia chapmani* 171  
*Thalassinoides*-like burrows 243, 244  
*Thalmaninella* 155, 157, 169  
*Theocampe* 180  
*Theocapsomma amphora* 175
- thermo-eustasy 3, 4, 10, 15, 16, 18, 22
- thorium, pelagic sediment proxy 48
- Tibetan Plateau 212
- titanium, pelagic sediment proxy 46, **50**, 51
- Tithonian, Saratov–Samara fossils  
 109–111, 113–114
- TOC (total organic carbon), pelagic/hemipelagic 41
- Todisporites minor* **90**
- topography, dynamic 4, 15, 17
- Torculum dengoi* 170, 172
- Tranolithus orionatus* 133, 134, 135, 137,  
 139, **142**
- transgressions 17, 27, 39  
 Benue Trough 234  
 CTBE 202, 203, 204  
 Late Albian  
 controlling factors 227–229  
 Langshan Formation 221, 225–229  
 pelagic sediments 44, 45, 165  
 Turonian, East European Platform 173, 174  
 work of Suess 3
- Triassic Period, sea-level change 27
- Tricolocapsa* 176
- Trilobosporites* 83, 88, **90**, 91, 92–93, 93, 94
- Trinitella scotti* 134, 136, 137, 140–141
- Triplopopella* 216
- Tritaxia* 155, 156, 171
- Trochammina imiataensis* 168
- Trocholina altispira* 215, 217
- Tuberositriteles* **90**, 93
- Tubilustrium* cf. *transmontanum* 172
- turbidites  
 Lower Benue Trough 236, **240–241**, 243–244,  
 249–250  
 eustatic sea-level change 250, 251  
 Mudurnu–Göynük Basin 130, 132
- Turonian  
 Saratov–Samara fossils 112, 115  
 $\delta^{13}\text{C}$  values 116  
 sea-level change rate 29
- Turonian–Coniacian, East European Platform  
 foraminifera and radiolaria 173–174, 180–182  
 palaeogeography 174
- Turrilites* 159
- Uniplanarius* 133, 134, 135, 137, 139,  
 140, 141, **142**
- uranium  
 pelagic sediment proxy 47, 48, **50**  
 U–Pb geochronology 30  
 Yellow Cat Member 76, 79–82, 83–87, 89, 94
- Utahrapator Ridge 79
- Valvulineria* 176
- Vercorsella arenata* 215, 216, 217
- Verneulina kasahstanica* 168
- Vertumniceras* 108, 109, 110, 113, 113
- Vitreisporites pallidus* 82, **91**
- volcanism  
 ash beds 79  
 as source of CO<sub>2</sub> 104, 120  
 as source of ‘surface’ water 14, 15
- Volga region *see* Saratov–Samara region
- Volgian *see* Tithonian
- wackestone **240–241**, 244, 245  
 bioclastic **218**, 219, 220, 221, 226
- Waste Gate Formation, palynology 93
- water  
 ‘biological’ 14, 19  
 glacial 14, 15, 16  
 hydrated minerals 14  
 mantle 14  
 ‘surface’ resources 13–16  
 non-ocean 10, 11, 12, 13–16  
 ocean 10, 11, 14  
 volumes 10, 11, 14, 16, 17  
*see also* groundwater
- water storage, recent trends 29–30
- Weissert Oceanic Event 28, 89, 94
- Western Interior Seaway 76, 79, 93  
 anoxia 40, 41  
 carbon isotope ratio 27  
 cyclicity 43
- Whiteinella* 167, 174, 175, 176, 177, 178, 179, 193, 194,  
 195, 196, 237, 239
- Working Group on the Anthropocene 9
- X-Well, Lower Benue Trough 233, 234, 236, 250  
 biostratigraphy 237  
 foraminifera 238–239, 245, 247, 250  
 microfacies analysis 244–245, 251
- Xigaze forearc basin 212, 213
- Xitus* 170, 175, 176
- Yellow Cat Member 76, 77  
 C-isotope chemostratigraphy 80, 89, 94  
 Cedar Mountain Formation, chronostratigraphy 4–5,  
 76–94  
 dinosaur fossils 76  
 geological setting 77, 78–79  
 ostracod fossils 76–78  
 palaeoclimate and palaeoenvironment 78,  
 93–94  
 palynology 76, 81, 82–83, 87, 88, 89–94

Yellow Cat Member (*Continued*)

U–Pb geochronology 79–80, 81,  
82, 83–87, 89

Yenipazar Formation 130, 132

*Zhamoidellum testatum* 170

Zhizdrinskaya Formation 174

zircon geochronology, Cedar Mountain Formation 76, 79–94

zirconium, pelagic sediment proxy 46, 50, 51

Zulong section 213

biostratigraphy 215, 216

Late Albian transgressive event 225

microfacies 220, 221, 222, 224

palaeoenvironment 224–225