

# Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Acoustic Doppler Current Profilers (ADCP) 606, 611, 613
- Adriatic Basin, offshore submarine landslides **175**
- Aegean Sea *see* Nisyros Volcano, Santorini eruption
- Aeolian Islands, landslides 64
- AFEN Slide **174**, 177–178, 178, 179, 180, 181, 182, **183**, 184–187
- Africa, SE (offshore), continental margin 267
- Africa, West (offshore) *see* Congo Canyon
- Agulhas currents 268
- Agulhas Slump 268
- Agulhas–Falkland Fracture Zone 268
- Alaska *see* Lituya Bay *also* Taan Fjord
- Alborán Basin 497, 499  
submarine landslide morphometric study 501, 504, 508
- Alboran Sea, submarine landslides **175**
- Alentejo Basin hydrogeological modelling 290  
methods 291–292  
results 294–296  
results discussed 296–298  
summary 298
- Alpha Ridge (Arctic Ocean) 7, 323  
mass wasting study 324–337, **326**, 327, 329
- alpine environments *see* glacial
- alpine lake study *see* Wörthersee
- Anak Krakatau 1–2, 14, 41, 195
- Antarctic Peninsula, submarine landslides **175**
- Arctic Intermediate Water (AIW) 177, 178
- Arctic Ocean 323  
Alpha Ridge 7, 323  
submarine landslides **174**
- Argentina, offshore submarine landslides **175**
- Atlantic Frontiers Environmental Network (AFEN) 1996 survey *see* AFEN Slide
- Atlantic margin, subaqueous mass movement studies 101–103
- Augias megabed 342
- Australia (SE) continental margin 4  
geological setting 28–29  
tsunamigenic potential *see* Byron slide
- Austria *see* Hallstatt, Lake; Wörthersee
- Azores 42
- Baffin Bay, subaqueous mass movement studies 103, 105
- Bahamas Bank, offshore submarine landslides **175**
- Balearic Abyssal Plain 341  
megabed 343–355, 343, **344**, 345, 346, 347, 348, 349, 350, **351**, 352
- Balearic Basin 7
- Barra Fan Ice Stream (BFIS) 569, 580
- basal lineations 515
- Basilisk model 30–31
- Beaufort Gyre 323
- Beaufort Sea, subaqueous mass movement studies 104, 105
- Bermuda 42
- BIG'95 508
- BingClaw model 42–44
- Borneo (Kalimantan) *see* Makassar Strait
- British Columbia *see* Douglas Channel; Fraser River Delta
- British–Irish Ice Sheet (BIIS) 569
- Bulli slide 27–28
- Busu River delta (PNG) 219–228, 220, 221, 227, 228, 229
- Bute Inlet (Canadian Pacific Coast), turbidity current study 609, 610, 613
- Byron Slide (Australia) 4, 28–38, 28, 29, 30, 31, 33, 34, 36
- Cádiz, Gulf of 497  
submarine landslide morphometric study 501, 504, 508, 509
- Caldas Tear 312
- California, river systems 455, 456, **457**
- Canada  
Arctic Ocean *see* Alpha Ridge  
Pacific Coast *see* Bute Inlet; Douglas Channel; Fraser Delta; Squamish prodelta  
subaqueous mass movement studies by region  
Atlantic margin 101–103  
Baffin Bay and Baffin Island Fjords 103  
Beaufort Sea 104
- Canadian National Subaqueous Mass Movement Database 104–108
- Canary volcanic province 496, **498**  
submarine landslide morphometric study 501, 503, 507
- Cantabrian margin (Spain) 496, **498**  
submarine landslide morphometric study 501, 504, 508
- Cape Verde Islands 15  
*see also* Fogo Volcano
- carbonate sediments 210
- Caribbean Plate, subduction 311
- Cascadia Subduction Zone 7, 454, 455–459, 467–471, 479
- Eel Basin 461, 461, 463
- Eel Canyon 466, 467
- Eel Plateau 460, 466–467, 466
- Rogue and Sixes canyons 459–461, 459, 460

- Cascadia Subduction Zone (*Continued*)  
 Smith and Klamath canyons 460, 461–463, 462  
 Trinidad Canyon 460, 463–464, 464, 465
- cat claw marks 515
- Catalan–Balearic margin 499
- channels, defined 219
- Chile 115, 116, 118  
*see also* Villarica, Lake
- clay 302–308
- climate and climate change, role of  
 failure planes 186–187  
 sediment build-up 7
- Colombia–Ecuador Trench 312
- Confined Storegga Slide (CSS) *see under* Storegga Slide
- Congo Canyon (West Africa) turbidity current study 609, 610, 611, 613, 616, 617, 618
- contourites  
 defined 173  
 key characteristics 176  
 Makassar Strait 208–209, 208  
 slope instability factors 176  
*see also* AFEN Slide study
- convergent (subduction) margins 7, 115
- Coruña seamounts 497, **498**  
 submarine landslide morphometric study 501, 504
- Costa Rica, plate margin 119
- Crete, AD 365 earthquake 342
- debrite 516
- dewatering, role in slope instability 14
- Donegal Barra Fan (DBF) 567, 568, 569, 570–579, 572, 574, 575, 576, 577, 581–583
- Douglas Channel (Canada) 427, 428, 429–430  
 fjord system 4, 7, 431–448, 432, **433**, **435**, 436, 437, 438, 440, 441, 442, 443, 444  
 Kitimat Arm 99–100, 105–107  
 Kitimat tsunamis 427
- earthquakes 63, 477  
 seismicity, role in landsliding 7  
*see also* Villarica, Lake
- Eastern Rhone Interfluvial Slide 360
- Etna, Mount 4
- Falkland Islands **213**
- Faroe Bank Channel 177, 178
- Faroe Drift 178, 178
- Faroe–Shetland Channel 177, 178  
*see also* AFEN Slide
- Faroe–Shetland Channel Bottom Water (FSCBW) 177, 178
- fjords 7  
*see also* Douglas Channel (Canada)
- Flores Island (1992) submarine landslide 41
- flume experiments 302, 303–304, 306–308
- Fogo Volcano 4, 15–16, 15, 16, 18, 19–23, 19, 20, 21
- foraminifera 7, 378–389, 379
- Fram Slide Complex **174**
- Fraser River Delta (Canadian Pacific Coast) 100, 609, 610–611, 613, 616, 617, 625
- Galicia margin 496–497
- gas  
 hydrates, role in submarine landslides 102, 478–479  
 marine sediments, impact of gas on 278, 278  
 overpressure and free gas 139–140  
 role in sediment shear strength 6  
 role in submarine landsliding 129, 277, 278, 278
- Geneva, Lake, AD 563 landslide tsunami 81, 82
- Giant Foresets Formation (GFF) 149
- glacial environments, tsunami hazard 4
- glacial processes, role in submarine sliding 255
- glacial–interglacial cycles, role in submarine slope failure 256
- glacigenic debris flows (GDF) 255
- glide tracks 8, 515
- GloBouss long-wave model 44–45
- Gorda Plate 455, 455
- Grand Banks, Newfoundland (1929 event) 6, 41, 42, 45–58, 81, 98, 213, **213**, 301, 551
- Great Chile (1960) earthquake 115, 118
- Grenada Basin hydrogeological modelling 290–292, 294–298
- Hallstatt, Lake 7, 406, 407, 408–411, 411, 412, 413, 414–419, 417, 418, 419, 420, 421–423
- Herodotus Basin 341
- Hikurangi Margin (New Zealand) 8, 479, 480, 486, 489, 490, 551, 552–553  
 Tuaheni Landslide Complex (TLC) 4, 8, 129, 481, 551, 553–557, 555, 556, 557, 558, 559, 560, 560–561, 562, 563–564
- Hinlopen–Yermak Slide **174**
- homogenite 342, 418
- Howe Sound 98–99, 99
- Hundalee Fault 2
- hurricanes 587–590
- hydrogeological modelling 290–298
- ice-sheet dynamics and submarine slumping 257–259, 260–264
- Indonesia  
 2004 tsunami 63, 195  
 2018 tsunami 195, 301  
 Anak Krakatau 1–2, 14, 41, 195  
 Makassar Strait submarine landslides 195–196, 196, 196–199, 200, 201, 202, 203, 206, **207**, 208, 210–214
- Indonesian Throughflow (ITF) 196, 198, 211–212
- Ionian Sea 341, 342
- isostatic rebound, role in slope failure 256

- Israel, offshore 7, 378–389, 379,  
Italy  
Stromboli, landslides 64  
*see also* Sicily
- Jaco Scar 119
- Japan, tsunamigenic landslide 213, **213**
- Java, tsunami hazards 195 301
- Jean Charcot seamounts 497, **498**
- Kaikoura Earthquake (2016) 2
- Kalimantan (Borneo) *see* Makassar Strait
- knick point formation 6
- Labrador (offshore), subaqueous mass movement studies 102
- lacustrine landslides 235, 405  
Hallstatt, Lake 7, 406, 407, 408  
Lucerne, Lake 84–92  
Wörthersee 236, 237  
Villarica, Lake 130–143
- lakes, peri-alpine  
landslide tsunami 81  
Lucerne, Lake 81, 82
- Last Glacial Maximum 7  
Balearic Abyssal Plain 344  
Donegal Barra Fan 568, 578–579, 582  
Douglas Channel 429  
Lions, Gulf of 360
- Lembata Island (1979) 41
- Lesser Antilles *see* Martinique
- Levant Basin **175**
- Lions, Gulf of 7, 360
- Lisbon (1755) tsunami 63
- Lituya Bay (Alaska) 4, 8
- Lucerne, Lake 81, 82  
*see also* lacustrine landslides
- Mahakam Delta 196, 197, 210–211
- Makassar Strait 195–196, 196, 196–198
- Martinique, offshore (Grenada Basin) 14
- Maule 2010 earthquake 115, 118
- Mediterranean Outflow Water 290
- Mediterranean Sea  
Stromboli, landslides 64  
*see also* Balearic Abyssal Plain; Israel (offshore);  
Lions, Gulf of; Santorini eruption; Sicily
- megabeds 341, 342
- megaclasts in MTD 515–516
- megaturbidite 341
- Messina coast, 1169 tsunami 64
- Messinian Salinity Crisis 344, 360
- Mexico, Gulf of, Ursa Basin 290–291
- Mississippi River Delta Front (MRDF) 38, 587, 588, 589  
*see also* Mexico, Gulf of
- modelling  
hydrodynamic, Basilisk model 30–31  
hydrogeological modelling 290  
long-wave, GloBouss 44–45  
numerical  
viscoplastic, BingClaw 42–44  
*see also* Grand Banks; Lucerne Lake
- Modified North Atlantic Water (MNAW)  
177, 178
- Monte Amarelo debris avalanche 15, 15, 16
- Monterey Canyon (USA Pacific Coast) 609, 610, 611, 612, 613, 614, 615, 618, 619, 620
- morphometric studies, submarine landslides  
496–499, 501, 503, 504, 507, 508, 509  
methods 499, 500, **500**, 501, **501**  
results 501–503, 502, **503**  
results discussed  
continent margin environment impact  
508–509  
error assessment 509  
geology v. physiography 504–505  
size factors 505–507  
spatial distributions 503–504  
volcanic environment impact 507–508  
summary 509–510
- Natal Valley 267, 268, 269, 270, 271, 272, 272, 273–274
- Nazca Plate, subduction 311
- New Zealand  
eastern seaboard, 478, 479–480  
Hikurangi Margin (New Zealand) 8, 551, 552–553  
Tuaheni Landslide Complex (TLC) 4, 8, 129, 551  
Kaikoura 2016 Earthquake 2  
Ruatoria Debris Avalanche 115, 117  
Taranaki Basin (Deepwater) 148, 149–151, 516, 517
- Newfoundland (offshore) 102  
*see also* Grand Banks
- Nice 1979 airport collapse 551
- Nisyros Volcano (Aegean Sea) 13
- North Atlantic Water (NAW) 177, 178
- North Faroes Slide Complex 569
- Northern Faroe Slide Complex **174**
- Norway, offshore **174**, 177, 178, 256, 257  
*see also* Storegga Slide
- Nova Scotia (offshore) 101–102  
St Pierre Slope 42
- Nyk Slide **174**
- ocean bottom currents 6  
contourites 173, 176, 176  
Faroe–Shetland Channel Bottom Water (FSCBW) 177, 178  
Indonesian Throughflow (ITF) 196, 198, 211–212  
Makassar Strait 208–209, 208  
*see also* AFEN Slide study

- Ormen Lange gas field 531  
 overpressure 139–140, 477  
   interpretation from modelling 289–298
- Pacific Ocean margin 98–101, 116  
   Canadian Pacific Coast *see* Bute Inlet; Douglas Channel; Fraser Delta; Squamish prodelta  
   USA Pacific Coast *see* Monterey Canyon
- Palermo (Sicily)  
 Palu (2018) tsunami 195, 301  
 Palu-Koro fault plane 210  
 Papua New Guinea  
   gully development *see* Busu River delta  
   submarine landslide (1998) 41, 81, 213, **213**
- Parrita Scar 119  
 Peach Slide 569  
 Petit Rhone Canyon 360  
 Pianosa Ridge, offshore submarine landslides **175**  
 Portugal, offshore *see* Alentejo Basin  
 pressure of gas and overpressure 139–140, 289, 477  
   hydrates, role in submarine landslides 102, 478–479  
   marine sediments, impact of gas on 278, 278  
   overpressure and free gas 139–140, 477  
   interpretation from modelling 289–298  
   role in sediment shear strength 6  
   role in submarine landsliding 129, 277, 278, 278
- Probabilistic Tsunami Hazard Assessment (PTHA) 64
- Reloca Slide (Chile) 118  
 reverse waves 213  
 Ritter Island 1888 event 1  
 Rockall Bank Slide Complex (RBSC) **174**, 567, 568, 569–570, 570, 571  
 Rockall Trough 8, 567, 568, 569, 580  
   marginal slides 569–570  
 Ruatoria Debris Avalanche 115, 117
- sackungen 427, 429  
 St Lawrence Estuary 102–103  
 Sandra Ridge 311–313, 312, 314, 315  
 Santorini eruption 342  
 SEACM (SE Australian continental margin) seismoturbidites 453  
 Sicily 6, 7, 393–398, 394, 395, **397**, **398**, 399, 399–401  
   Palermo 65–76, 66, 69, **73**, 77–78  
 Sklinnadjuped Slide **174**  
 South Africa 267  
 South American Plate 311  
 Spain, offshore 499–510  
   submarine landslide morphometric study 496–499
- Squamish delta (Canadian Pacific Coast) 3, 609, 610, 613, 620, 621, 622, 623
- Storegga Slide 8, 27, 81, 115, **174**, 176, 255, 256, 531, 533, 534, 569  
   frontal emplacement style 532, 532  
   intact slump model development 534–535, 535–538  
 striations 515, 524–525  
 subduction (convergent) margins 7, 115  
 submarine canyons 311, 477  
   *see also* Cascadia Subduction Zone; Sicily, offshore NE  
 Sulawesi earthquake (2018) 2, 3  
   *see also* Makassar Strait  
 Sumatra, tsunami hazards 195
- Taan Fjord (Alaska) 4  
 Tampen Slide **174**  
 taphonomy, defined 378  
 Taranaki Basin (Deepwater) 148, 149, 516, 517  
 tephra 14  
 Tōhoku (2011) tsunami 63  
 Traenajupet Slide **174**  
 Transkei Basin 268, 269  
 Transpolar Drift 323  
 trough mouth fans (TMF) 256, 567  
   North Sea Trough Mouth Fan (NSF) 256  
   Storfjorden Trough Mouth Fan (SF) 256
- tsunami 3, 4, 27, 28, 41, 44–45, 63, 81  
   Grand Banks 6, 42  
   Indonesia (2004) 63  
   Kitimat 427  
   Lisbon (1755) 63  
   Tōhoku (2011) 63  
   Worst-Case Credible Tsunami Scenario Analysis (WCTSA) 64
- tsunami deposits, Cape Verde archipelago 16  
 tsunamigenic potential *see* Fogo; Lucerne; Makassar Strait; Palermo
- Tuaheni Landslide Complex (TLC) 4, 8, 129, 551, 552–553
- turbidites and mud turbidites 14, 341, 453, 455, 468, 469, 471  
   Fogo 14, 15, 16, 19, 22  
   Hallstatt Lake, MTD correlative deposits 416, 417, 418, 419, 420, 421, 423  
   Makassar Basin 197, 198, 200, 201, **207**  
   Mediterranean Sea 367, 369, 370, 371, 372, 395  
   Balearic Abyssal Plain megabed 341, 342, 344, 345, 348, 350, 351, 354  
   Villarica, Lake (Chile) 129, 130, 131, 137, 138, 140  
   Wörthersee (Austria) 240, 242, 243, 244, 247, 249
- turbidity currents 447  
   Grand Banks (1929) 42, 605  
   history of study 605–606, 606, **607**  
   monitoring project 611, 612, 613–615  
   platform design

- cabled observatories 624–625
- single-point moorings 615–620
- suspended systems 620–624
- New Zealand margin 149, 480, 561, 563
- Storegga Slide 532, 533, 534
- Tyrrhenian Basin 65–66, 66, 67
- Tyrrhenian Sea, tsunami hazard 64
  - see also* Palermo
- Ursa Basin 290–291
- Uruguay **175**
- USA coast 42
  - Atlantic 479
  - Pacific *see* Monterey Canyon
  - see also* Mississippi Delta
- Valdes Slide (Chile) 116, 118
- Var Delta 3
- Villarica, Lake (Chile) 130–131
  - MTD study 131–143
- volcanic ash 14
- volcanic eruptions, as submarine landslide triggers 477
- West Shetland Drift 178, 178
- Worst-Case Credible Tsunami Scenario Analysis (WCTSA) 64
- Wörthersee (Austria) 236, 237
  - landslide deposit study 236–251
- Zurich, Lake 82

