

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Acanthosphaera* 128
Acanthostomella norvegica 181, 201
Acarinina 272
Acartia 183, 185
 bifilosa 184
 tonsa 183, 183, 184
acetolysis 66–67, 69, 70, 71–72, 125
Achomospaera 203
acid digestion 64, 68–69, 69, 70, 125
Acritarcha 16–17, 16, 160, 163–169, 166, 323–324
 in deltaic environments 209
 geological age range 5, 6, 174, 175
 history of research 2, 4
 in low salinity, semi-enclosed seas 205, 207
 polar assemblages 170, 171, 172, 193, 194, 195, 196
 sediment types 46
 temperate assemblages 197–198, 200, 201
 tropical assemblages 202, 203
Acrogenospora 110
aDNA analysis 48
Adnatosphaeridium multispinosum 286
aeciospores 100
Agaricus bisporus 98
Agrostis 32
Aimia 331
Akinbo Formation 286
Aktumsuk, Uzbekistan 288, **289**
Alexandrium 164
 tamarense 162
algal pigments 48
Alinya Formation 333
alkali digestion 65, 69, 71, 71
Alnus 34
Alona rustica 30
Alternaria 109
 alternata 101, **104**
 brassicicola 94
Ambrosia 138, 141, 142
Ammobaculites ponticus **168**
Ammonia 186
 ammoniformis **168**
 compacta **168**
 tepida **168**
Amphisphaerella dispersella 36, 36
Amphitrema
 flavum 26, 26
 wrightianum 26, 153
Amuri Limestone Formation 291
Anabaena 19, 19, **123**, 128, 131, 138, 139, 140, 195, 205, 207
Ancyrochitina 18
Anglo-Welsh Basin 311, 314, 315, 316
Angmaat Formation 332
Angochitina 18
annelids *see* scolecodonts
Annella
 capitata 44
 pulchra 44
Antarctic, marine non-pollen palynomorphs 172–173, 178, 179, 190, 196–197, 208–209, 213
Anthering, Austria 283, **285**, 292
Anthostoma turgidum 102
Anthostomella fuegiana 35
Anuraeopsis fissa 31, 32
Apectodinium 293–295
 augustum 273, 274, 275, 275, 276, 277, 278–280, 282, 283, 286, 287, 288, 289, 291, 292
 homomorphum 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 286, 287, 288, 289, 290
 longispinosum 290
 paniculatum 280, 286, 287, 288, 289
 parvum 276, 279, 280, 281, 283, 284, 286, 287, 288
 quinquelatum 276, 278, 279, 280, 281, 283, 284, 286, 288, 289
 summissum 279, 286, 287, 288
 see also Paleocene/Eocene Thermal Maximum (PETM)
Aphanizomenon 19, 128, 131, 139, 140, 205
Apiosordaria 41, 237, 238, 240, **248**, **254**
 verruculosa 39, 40, 235
Aquadulcum awendae 185
Arborispora 111
arbuscular mycorrhizal fungi (AMF) 44–45, 44, 235
Arcella 26, 154, 199
 artocrea 153, 154
 stellaris 154
arcellinids 26, 26, **124**, 129, 133–134
Archaea 321, 327
Archeomonas 166, 208
Archerella 154
 flavum 154
Arctic
 marine non-pollen palynomorphs 170–171, 179, 192–196, 194, 208–209, 213, 215–217
 PETM deposits 274, 278–279, **278**, **285**, 287, **289**
Areoligera senonensis 274
Arnium 39, 40, 41, 235, 238, **248**, 249, 250, **254**, 257
Arthrinium 236
 puccinioides 35–36
arthropods 27, 29
 geological age range 5, 6
 oribatid mites 27, 29, **46**, 246, 258, 259
 sediment types 46
 see also crustaceans; insects
Ascaris 30, 31, 238
Ascobolus **248**, **254**, 257
 furfuraceus 102
 immersus 102
Ascodesmis 41, **248**, 250, **254**
Ascomycota 34, 92–93, 92
 coprophilous fungi 40, 102, 237–238, 247, **248**, **254–256**
 in freshwater environments 109–110, 110
 parasitic fungi 42–43, 43
 spore release and dispersion 101–102, 102, **104–105**
 spore types and features 92, 94, 95–98, 97, 97
 in terrestrial environments 108–109
 wood-decay fungi 36–37
Ascotaivania 110
Ascozonus **248**, **254**
Asgard archaea 327
Assulina 155
 muscorum 26, 26, 155
 scandinavica 155
 seminulum 26, 155
Astrononion gallowayi **168**
Atar Group 331, 332
Ataxiodinium choane 213
Atrotorquata lineata 38
Australia
 marine non-pollen palynomorphs 201, 202
 PETM deposits 290, **291**
 Precambrian non-pollen palynomorphs 322, 325, 326, 328, 329, 330, 333, 336
Austria, PETM deposits 283, **285**, 292

- Balanion masanensis* 177
ballistospores 98–99, 99, 102–103
Baltic Sea 181, 182, 183, 204, 206–207, 213
Baltisphaeridium 16, 201
Banda Sea 185, 188, 191, 201–202
Bangiomorpha pubescens 332
Barberton Greenstone Belts 325
Bashi Member 276–277
Basidiomycota 34, 92–93, 92
 coprophilous fungi 40, 103, 237, 247
 rust fungi 41–42, 42, 46, 100, 103
 smut fungi 42, 43, 46, 100
 spore release and dispersal 98–99, 99, 102–103,
 104–105
 spore types and features 92, 94, 98–100, 98
 wood-decay fungi 36
Bass River, New Jersey 274–275, **278**
Bastani Lake, Corsica 236
Bastrop County, Texas 277, **278**, 292
Beaufort–Mackenzie Basin, Canada 274, 292
Belgium, PETM deposits 282–283, **285**
Belt Supergroup 330
Beltrania 111
Beringiella **170**, **171**, **172**, 179–180, 200
 fritilla 179–180, 181, 182
Betula 32, 34
biomarkers 48, 246
Bitetatodinium spongium 200, 203, 211, 212
Black Sea 161, 167, **168**, 174, 178, 180, 181, 184, 185, 186, 188,
 189, 190, 191, 204–206, 207, 209, 213, 258
Blackheath Formation 281
Blastanosphaera kokkoda 331
Blysmatodinium argoi 202
Bolivina pseudopunctata **168**
Bombardioides **41**, **248**, 250, **254**, 257
Bosmina 129, 130, 181, 188, 209
 longirostris 189
 longispina 206, 207
Botryococcus 20, 21, **46**, **123**, 132, 136, 137, 137, 138, 142, **170**,
 171, **172**, 195, 197, 203, 204, 205, 207, 208
 braunii 20, 128
 neglectus 21
Brachionus 32
Brachysporisporites 37
Brachysporium 37
 bloxami 36, 37
 brevius 37
 britannicum 37
 pendulisporum 36, 37
 pulchrum 37
Branchinella longirostris 336
Brazil
 marine non-pollen palynomorphs 199, 210
 megaherbivore studies 259
 PETM deposits 277
Brazilea 132
Breomia rexroadii 16
Brigantedinium 162, 202, 203, 204, 208, 211
 simplex 164
Brizalina subaeriensis **168**
bryophytes 32, 312–314, 315
Bryophytomyces sphagni 43–44, 43
budworm, spruce 28, 48
Bulbochaete 21
Bulimina
 exilis **168**
 marginata **168**
Bullinella elegantissima **168**
Bullinularia indica 153
Bylot Supergroup 329
Bysmatrum 161
Byssothecium circinans 236
Calanus finmarchicus 215
calcareous nannofossils *see* Paleocene/Eocene Thermal Maximum (PETM)
Camarosporidiella mackenziei 94
Cameroon, PETM deposits 286, **287**
Camposporium pellucidum 111
Canada
 Lake Simcoe, Ontario 137, 140, 141, 142
 marine non-pollen palynomorphs 192–196, 194, 215–217
 PETM deposits 274, **278**, 292
 Precambrian non-pollen palynomorphs 328, 329, 332
Canalisporium 38
 pulchrum 38, 38
Canthocamptus 30
Capillaria 30, 31
Carbon Isotope Excursion (CIE) 137, 270–271, 272–273, 292
carbonicolous fungi 40, 41, **46**, 48, 235–237
Carcinomyces 98
Cariaco Basin 201, 203, 204, 211, 214–215, 216
Caryospora callicarpa 36, 37
Caspian Sea 188, 204–205, 209, 212–213
Cassidulina laevigata **168**
Caucasus
 PETM deposits 288, **289**
 textile fibres 45, 45
Cenococcum geophilum 45
Central America
 PETM deposits 277
 see also Mexico
centrifugation 64–65, 66, 70, 72
Centropages 185
 hamatus 183
 typicus 210
Centropyxis **124**, 154
 aculeata 129, 153
 constricta 129
 elongata 26
 spinosa 26
Cephalodella exiqua 32
Ceratiopsis speciosa 274
Ceratophyllum 33, 33
Ceratophyton 335
Cercophora 39, 40, **41**, 235, 236, 237, 238, 240, **248**, 253, **254**
Cerebrosphaera 322, 333
 buicki 328
Chaetomidium **248**, **254**
Chaetomium 39, 40, **41**, 235, 237, 238, 240, **248**, 253, **254**
Chaetosphaeria elsikii 106
Changcheng Group 322, 326, 329–330
chaoborids **124**, 135, 136
Chaoborus **124**
Charophyta 21–22, 22
 in lacustrine sediments **123**, 128, 131, 131, 132, 136–137,
 141, 142
 in marine sediments 195
 in peat deposits 22
 sediment types **46**
Chatonella 201
Cheilymenia **248**, 251, 253, **254**
Chicotepec Formation 277
Chicxulub impact crater 277
Chile
 marine non-pollen palynomorphs 200, 210
 PETM deposits 277
China
 PETM deposits 289–290, **291**
 Precambrian non-pollen palynomorphs 322, 326, 328, 329–331,
 330, 332, 333, 334, 335–336
chironomids 28, 29
 in lacustrine sediments **124**, 130, 135, 142
 in marine sediments 190, 196, 205
 pastoralism studies 239

- Chironomus* **124**, 130
 Chitinozoa **5**, 18, 18, 174–176, 174, 214
Chlamydomonas **170**
Chlamydomonas glacialis 195, 208
Chlorophyllum molybdites 94
 Chlorophyta 19–21, 20
 geological age range **5**, 6
 in lacustrine sediments **123**, 128, 131–132, 131, 136, 137, 137, 138, 139, 140, 141, 142
 in marine sediments
 in deltaic environments 209
 in lacustrine sediments 206–207
 nearshore–offshore gradients 210
 palaeoproduction studies 214
 polar assemblages 195
 temperate assemblages 201
 tropical assemblages 204
 sediment types **46**
 see also *Botryococcus*; *Coelastrum*; *Pediastrum*; prasinophytes; *Scenedesmus*; *Tetraedron*
- Chomotrilletes* 205
 minor 165
 Chrysophyceae **5**, 6, 23, **46**
 Chuar Group 330, 333, 334
 Chytridiomycetes 43, 44
Cibicides lobatulus **168**
Cicatricosisporites 278
 Ciliophora 177–181, 180, 181, 182
 climate change studies 215–217
 in low salinity, semi-enclosed seas 207
 molecular studies 177, 213
 polar assemblages **170**, **171**, **172–173**, 193–195, 194, 197, 208
 temperate assemblages 198–199, 201
 see also tintinnids
- cladocerans 28–30
 in lacustrine sediments **124**, 130, 135, 136, 140
 in marine sediments 181, 209
 sediment types **46**
- Cladophora* 332
Cladosporium 109
 herbarum **105**
- Clutha Formation 325
 Cobham Lignite Bed 280
Cobricosphaeridium 184
 spiniferum 184, 185, 205
- Cochleatina* 336
Cochlodinium polykrikoides 201, 204, 211
- Codinaea*
 aristata 106
 paniculata 106
- Codonaria* 210
Codonella **123**, 133, 210
 cratera 24, 25, 129, 137, 142
- Codonellopsis* 178, 201, 210
 glacialis **172**
 pacifica 176
 pusilla 178
- Coelastrum* 20, 21, 132, 136, 137, 138, 139, 205
 reticulatum 128, 136, 140
- Colletotrichum* 106
 graminicola 106
- Concentricystes* 17, 198, 205
Concentricystis 165, 198, 199, 202, 203, 205
Coniochaeta **41**, 235, 236, 238, **248**, 250, **254**, 257
 lignaria 39, 40, 235
 xylariispora 235
- Conochilus*
 hippocrepis 32
 natans 32
- Conomelus* 28
Constrictitubulus 311
- copepods 29, 30
 in freshwater environments 135
 geological age range 174
 in marine sediments 174, 181–185, 183, 184
 climate change studies 215
 low salinity, semi-enclosed seas 205, 207
 nearshore–offshore gradients 210
 palaeoproduction studies 214–215, 216
 polar assemblages **170**, **171**, **173**, 196, 197, 208
 temperate assemblages 198, 200, 201
 tropical assemblages 202, 203, 204
 in peat deposits 30
 sediment types **46**
- Coprinus* 103
Copromyces **248**, **254**
 coprophilous fungi 39–40, 39, **41**, 245–260
 competition with other dung-dwelling organisms 252
 environmental conditions and 47, 251–252, 253
 growth 251–252
 human impact studies 234, 235, 236, 237–240, 239
 megaherbivore studies 245–247, 247, 258–260
 correlation with other proxies 258
 Late Quaternary extinctions 258–259
 past megafauna diet 259–260
 pre-Last Glacial records 258
 preparation methods 253–257
 quantification 257–258
 reproduction 249–251, 251
 sediment types **46**
 spore characteristics 253–257, **254–256**
 spore dispersal and transportation 102, 103, 252–253
 spore identification 249, 250
 spore types 247–249, **248**
- Coprotus* **248**, 253, **254**
 Corsica, pastoralism 236
Cosmarium **123**, 142, **170**, **171**, 195
 botrytis 22, 142
 controversum 22
 formosulum 128
 protractum 22, 142
 pyramidatum 142
 sportella 22
 turpinii 22, 22
- Côte d'Ivoire, PETM deposits 286
 Crimea, PETM deposits 288
- crustaceans
 in marine sediments 174, 181–185, 183, 184, 191
 climate change studies 215
 low salinity, semi-enclosed seas 205, 207
 nearshore–offshore gradients 210
 ostracods 188, 189, 190, 196
 palaeoproduction studies 214–215, 216
 polar assemblages **170**, **171**, **173**, 196, 197, 208
 temperate assemblages 198, 200, 201
 tropical assemblages 202, 203, 204, 211
 see also cladocerans; copepods
- Cryodinium meridianum* 197, 208
 Cryogenian glaciations 333–334, 335
Cryptocaryon irritans 177
Crytostrombidium 201
Ctenodaphnia 136
Ctenosporites 37
Cumulospora 110, 110
 marina 98
- Curvularia* 109
 cyanobacteria 19, 19, 195, 315–316
 evolution of 326
 geological age range **5**, 6
 in lacustrine sediments **123**, 125–131, 128, 136, 138, 139, 140
 in marine sediments 207, 209
 sediment types **46**
- Cyathinema digermulense* 335

- Cyclopsiella* **170**, **171**, **172**, 195, 199
Cylindrocystis brebissonii 22
Cymatiosphaera 132, 160, 167, 169, **171**, **172**, **173**, 194, 195, 197, 201, 207
 cristatum 167
 globosa 166, 167, 209
 globulosa 20, 21
 icenorum 166
 invaginata 166, 175
 latisepta 175
Cymatocylis 213
 affinis **172**
 convallaria **172**, 178
Cyrtostrombidium boreale 201
- Dababiya, Egypt 284, **287**, 292
Daedalosphaera 332
 Dahomey Basin, Nigeria 286, **287**
 Danube Delta 181, 189, 204, 205–206, 209, 213
Daphnia 30, **124**, 130, 136
 pulex 30
Dapsilidinium pastielsii 211
Debarya 22, 132, 199
 glyptosperma 22
 deep-time palynology *see* Precambrian non-pollen palynomorphs
Delitschia **41**, 235, 236, 237, 238, 240, **248**, 250, **254**, 257
 griffithsii 39, 40
 marchlii 39, 40
 Denmark, PETM deposits 282
 desmids 22, 22
 in lacustrine sediments **123**, 128, 132, 136–137, 141, 142
 in marine sediments 195
 in peat deposits 22
 sediment types **46**
Desmochitina minor 18
Desmodesmus 201
Diaptomus
 sanguineus 185
 spatulocrenatus 185
 diatoms 136, 206, 214
Dicrocoelium 30, 31
Dictyoarthrinium sacchari 35
Dictyocysta **172**, 210
 mitra 176
Dictyosphaera 330
 macroreticulata 328, 330
Dictyosporites 37, 38
Dictyosporium 37
 australiense 36, 37
 digitatum 36, 37
 heptasporum 36, 37
Dictyotidium 165
 dictyotum 167
 Dieppe Basin, France 137, 281–282, **285**
Diexallophasis remota 16
Diffugia oblonga 129
 Dikarya 92, 92, 94
 see also Ascomycota; Basidiomycota
 Dilwyn Formation 290
 dinoflagellates 23–24, 24
 geological age range **5**, 6, 174
 history of research 2, 4
 human impact studies 237
 in lacustrine sediments **123**, 129, 130, 132–133, 136, 137, 137, 142
 life cycle 161, 161
 in marine sediments 160–163, 161, 163, 164, 174, 181
 climate change studies 215
 low salinity, semi-enclosed seas 204–205, 206, 207
 molecular studies 212–213
 nearshore–offshore gradients 209, 210
 palaeoproduction studies 213–215, 216
 polar assemblages **170**, **171**, **172**, 193, 194, 196–197, 208
 temperate assemblages 197–201
 tropical assemblages 202–204, 211, 212
 upwelling areas 210–211
 nomenclature issues 78, 162
 sediment types **46**
 see also Paleocene/Eocene Thermal Maximum (PETM)
 dinosporin 23, **123**, 132, 161, 327
Diphyllobothrium 30, 238
Diplocadiella 110
 scalaroides 111
 Diptera **124**, 130, 135
 chaoborids **124**, 135, 136
 chironomids 28, 29
 in lacustrine sediments **124**, 130, 135, 142
 in marine sediments 190, 196, 205
 pastoralism studies 239
Discoaster
 anartios 272
 araneus 272
 DNA studies 48, 212–213, 238, 246
 Doel borehole, Belgium 283, **285**
Domasiella 203
 Douala Basin, Cameroon 286, **287**
 Doushantuo Formation 334, 335–336
Drechslera 109
Dubridinium 194, 198
 dung beetles 47, 246, 252
 dung fungi *see* coprophilous fungi
Dyctiosporium 94
- early land plant phytodebris 309–317
 dispersed cuticles and cuticle-like sheets 310, 311, 312–315, 313
 dispersed spores 312
 dispersed tubular structures 310, 311, 313, 315–316
 early fungal phytodebris 310, 313, 317
 nematophytes 310, 311, 313, 314, 315, 316
 origin and early evolution of land plants 310–312
 stratigraphical distribution 310
Echinidinium 162, 164, 203, 204, 211
 granulatum 164
 karaense 208
 ectomycorrhizal fungi 44, 45, 103, 108–109
 Egypt, PETM deposits 284, **287**, 292
 El Mreiti Group 331, 332
 El Niño Southern Oscillation 204, 210–211
 Elles, El Kef Basin, Tunisia 284, **287**
Elphidium
 excavatum **168**
 incertum **168**
Endophragma collapsa 37
 England
 marine non-pollen palynomorphs 199
 PETM deposits 280–281, 281, **285**
Ensiculifera carinata 201
Entolingulina deplanata **168**
Epelidinium
 brinkhuisii 289
 pechoricum 287, 288
Ephydatia fluviatilis 27
Epicoccum 109
 nigrum 94
Epilidinium 273
Equisetum 34
 ericoid mycorrhizal fungi 44, 44, 45, **46**
Eriophorum 33
Euastrum 142
 ansatum 22
 bidentatum 128, 142
 insulare 22
 oblongum 22

- Eucalamus elongatus* 185
 euglenid loricae **5**, 6, 23, 23, **46**, **123**, 133
Euglypha 199
 cristata 153
 eukaryote evolution *see* Precambrian non-pollen palynomorphs
Eupoikilofusa striatifera 16
Eurycercus 140
 glacialis 30
 lamellatus 30
Eurytemora affinis 183
 eustatic sea-level rise 272, 284, 292
 eutrophication
 Baltic Sea 206, 207
 cultural 136–142, 138, 139, 140, 141, 237
 indicators
 cladocerans 135
 cyanobacteria 19, 136, 207
 dinoflagellates 137, 206, 237
 flatworms 134
 green algae 21, 136–137
 rotifers 31
 testate amoebae 26, 133
 tintinnids 24, 137, 169
 evolution of early life 5
 see also Precambrian non-pollen palynomorphs
Excultibrachium concinnum 16
 extraction techniques *see* processing techniques
- Farrell Quartzite 325
Fasciola hepatica 30, 31
Favella 210
 serrata 177
 Fifteenmile Group 334
 File Haidar Formation 335
Filinia 32, 130, 140, 181, 209
 longiseta 32, 206
Fimetariella **248**, **254**
Fissurina
 fragilis **168**
 lucida **168**
 flatworms *see* Platyhelminthes
 Florissant Beds 136
 foraminifera 24–26, 25, **168**, 186–188, 187
 geological age range **5**, 6, 174
 history of research 2
 in low salinity, semi-enclosed seas 204, 205–206
 nearshore–offshore gradients 209–210
 palaeoproduction studies 214–215, 216
 polar assemblages **170**, **171**, 195–196, 197, 208
 sediment types **46**
 temperate assemblages 198, 199, 200, 201
 tropical assemblages 202–203, 204
 see also Paleocene/Eocene Thermal Maximum (PETM)
 Forties Formation 280
 France
 pastoralism in Corsica 236
 PETM deposits 137, 281–282, **285**
Frasnacritetrus 35
 freshwater environments
 fungi 37–39, 38, **46**, 109–111, 110
 human impacts on 136–142, 138, 139, 140, 141, 237
 sponges **5**, 6, 26–27, 27, **46**
 see also lacustrine sediments
 Freshwater West Formation 311
 Frysjaodden Formation 278
 FTIR *see* micro-Fourier transform infrared (FTIR) spectroscopy
 Fungal Names **82**, 85
 fungi 34–45, 91–112
 assemblages and diversity patterns 107–111
 in freshwater environments 109–111, 110
 functional approach 107–108, 112
 in terrestrial environments 108–109
 earliest fossil record 310, 313, 317, 332
 functional guilds 107–108
 geological age range **5**, 6
 history of research 2, 4
 human impact studies 234, 235–240, 235, 236, 239
 identification problems 93–95
 life cycle 93
 melanins and preservation 105–107
 modern v. palaeo approaches to ecology 107
 mycorrhizal fungi 44–45
 arbuscular 44–45, 44, 235
 ectomycorrhizal 44, 45, 103, 108–109
 ericoid 44, 44, 45, **46**
 nomenclature issues 15, 34, 78–80, 85, 95
 in peat deposits 34–35, 34, 37, 40, 43–44, 45, 46, 47
 plant parasites 41–44, 234, 236
 other parasitic fungi 42–44, 43, **46**
 rust fungi 41–42, 42, **46**, 100, 103
 smut fungi 42, 43, **46**, 100
 saprotrophs 34–41, **46**
 carbonicolous fungi 40, 41, **46**, 48, 235–237
 freshwater fungi 37–39, 38, **46**, 109–111, 110
 on herbaceous plants 35–36, 35
 in peat bogs 34–35, 34
 soil fungi 40–41, 42, **46**, 109
 wood-decay fungi 36–37, 36, **46**
 sediment types **46**
 spore release and dispersion 98–99, 99, 100–103, 102, **104–105**, 252–253
 spore types and features 92, 94, 95–100, **97**, 97, 98, 247–249, **248**, 253–257, **254–256**
 see also coprophilous fungi
Fusififormisporites 38
Fusiperidinium **123**
 wisconsinense 129, 132
Fusopsis 176
- Ganoderma*
 applanatum **104**
 australe **104**
Geiselodinium 132, 136, 281
 tyonekensis 132
Gelasinospora 40, **41**, 41, 237, **248**
 cratophora 40
 dictyophora 40
 reticulispora 41, 235
Gemmulooides 331
Geoglossum sphagnophilum 34, 34
 Georgia, textile fibres 45, 45
 Germany
 lacustrine sediments 132, 135, 136, 137
 PETM deposits 283
Germinosphaera 329
 Ghana, PETM deposits 286
Gigantosphaeridium 327, 330–331
 Gilsonryggen Member 278
Gleocapsomorpha 203
Gleotrichia 205
 global warming *see* Paleocene/Eocene Thermal Maximum (PETM)
Globobulimina auriculata **168**
Gleomargarita 136
Gleotrichia 19, 19
 gloiospores 101–102
 Glomeromycota 34, 44–45, **46**, 47, 235
Glomosporium leptideum 42, 43
Glomus 41, 44–45, 44, 47, 234–235, 258
 fasciculatum 44
Glyptotendipes
 glaucus 28
 pallens 28

- Gonyaulax*
baltica 205, 213
polygramma 213
verior 213
- Grand Banks, Canada 274
- Great Oxidation Event 326
- green algae *see* Charophyta; Chlorophyta; prasinophytes
- Green River Formation 136
- Greenland
 Lake Igaliku 239
 marine non-pollen palynomorphs **170–171**, 179, 192–196, 194
 pastoralism and erosion 239
 PETM deposits 274, 278–279, 292
- Gromia* 186
- Gubbio, Italy 284, **285**
- Gulf of California 200, 202, 210, 214
- Gulf of Mexico 185, 203, 210, 211, 276, 277
- Gyalosphaeridium* 336
- Gymnoascus* **248**, 253, **254**
- Gymnodinium* 164
nolleri 204
- Gymnopilus* 94
- Gyratrix* **124**, 130, 134
- Habrotrocha angusticolis* 30, 31
- Halenospora* 94, 110, 110
varia 98
- Halodinium* **170**, **171**, **172**, **173**, 177, 180, 182, 193–195, 194, 197, 199, 200, 201, 203, 204, 207, 208
major 207
minor 182, 201
scopaeum 199
verrucatum 177, 182
- Halosphaera* 21, 164, 167, 336
- Hampshire Basin, England 280–281, 281, **285**
- Hapalophragmites* 42
- Harknessia* 94
- Harpacticoida* 30
- Harrell Core, Mississippi 276–277, **278**
- Harwich Formation 280
- Hatchetigbee Formation 276–277
- Hebeloma* 94
- Helianthus* 142
- Helicodendron paradoxum* 111
- Helicoon pluriseptatum* 34, 34
- Helicoörites* 34–35
- Helicosporiates* 35
- Helicostomella* 201, 210
subulata 176
- helminth eggs **5**, 6, 30, 31, **46**, 177, 178, 238
- Hemileia vastatrix* 103
- Hesperodiptomus* 30
- Hexarthra mira* 32
- Hexasterias* **170**, **171**, 177, 180–181, 180, 195, 199, 201, 207
problematica 177, 182, 198
- Hilidicellites* 42
- history of palynology 2–5, 3
- Hoegisphaera* 176
- Holmehus Formation 282
- Holzer Formation 283
- Hooper Formation 258
- human impacts 233–241, 235
 erosion 234–237
 fire 235–237
 on freshwater ecosystems 136–142, 138, 139, 140, 141, 237
 literature review 233–234
 modern-analogue studies 238–240
 pastoralism 236, 237–238, 239, 240
 on peatlands 237
 textile fibres **5**, 6, 45, 45, **46**
- Hyalosphenia* 154
papilio 153
subflava 26
- Hypocopra* **248**, **254**
stercoraria 250
- Hypomyces lactifluorum* 102
- Hypoxylon*
fragiforme 102, 102
howeanum 102
- Hypoxylonites* 36–37
- Hystrichosphaera* 24
- identifying acronyms (IAs) 14–15, **14**, 79, 81, 85
- Igaliku Lake, Greenland 239
- Imo Shale Formation 286
- Impagidinium* 202, 210, 211, 213
aculeatum 211, 212
caspiense 205
pallidum 193, 197, 208, 213
variaseptum 208
- Impagidium, caspiense* 212–213
- Inapertisporites decani* 42
- Index Fungorum **82**, 83–85
- India
 PETM deposits 288–289, **289**
 Precambrian non-pollen palynomorphs 322, 329, 330
- Indonesia
 Banda Sea 185, 188, 191, 201–202
 PETM deposits 290
- ingoldian fungi 110, 110
- Inocybe lacera* 103
- insects 27–28, 29, **46**
 lepidopteran wing scales 28, 29, 48, 204
see also Diptera
- International Code of Nomenclature for Algae, Fungi, and Plants (ICN) 77, 78, 79, 80–81, **80**, 83–85, 84, 162
- International Code of Nomenclature of Prokaryotes (ICNP) **80**, **80**
- International Code of Zoological Nomenclature (ICZN) 77, 78, 80–81, **80**, 83, 84
- International Society of Protistologists 80
- Iodophanus* **248**, 253, **254**
- Isla Grande de Tierra del Fuego, Argentina 111
- Islandiella helenae* **168**
- Islandinium*
cezare 198, 208
minutum 193, 194, 197, 208, 213
- Isochrysis galbani* 167
- Isthmospora spinosa* 43, 43
- Italy, PETM deposits 283–284, **285**
- Itersonilia perplexans* 98, 98
- Jacutianema* 332–333
- Jadammina macrescens* **168**
- Juniperus communis* 32
- Kaibabia* 333
- Kallo borehole, Belgium 283, **285**
- Kaltasy Formation 330
- Kamo Group 330
- Kamyshin Formation 288
- Kazakhstan, PETM deposits 288, **289**
- Kellicottia* 31
longispina 130
- Keratella* 32, **124**, 201
cochlearis 130, 134
earlinae 130
hiemalis 130
quadrata 130
- Kernia* **248**, 253, **254**
- Khasi Hills, India 289, **289**
- Kilwa Group 286
- Kionochaeta* 111

- Kivinje Formation 286
Kosmymatamyces alatophylus 94
Kretzschmaria deusta 47, 234, 236
Kwoniella 98
- Laackmanniella* 213
 naviculaefera 178
Labidocera 185
 aestiva 183
Laboea 215
 Labrador Shelf, Canada 274
Laccaria laccata 103
Lactarius rufus 103
Lacunalites 132
 lacustrine sediments 45–46, **46**, 47, 121–143, 122
 common non-pollen palynomorphs 125
 arcellinid tests **124**, 129, 133–134
 cladoceran appendages, carapaces and eggs **124**, 130, 135, 136, 140
 cyanobacteria **123**, 125–131, 128, 136, 138, 139, 140
 dinoflagellate cysts **123**, 129, 130, 132–133, 136, 137, 137, 142
 dipteran head capsules **124**, 130, 135, 142
 euglenid loricae **123**, 133
 flatworm egg cases **124**, 130, 134
 green algae **123**, 128, 131–132, 131, 136–137, 137, 138, 139, 140, 141, 142
 nematode eggs **124**, 134, 137
 rotifer loricae and resting eggs **124**, 130, 134, 140
 tintinnid loricae **123**, 129, 133, 137, 142
 methodological considerations 125
 palaeolimnological applications 135–142, 137, 138, 139, 140, 141
 quick identification guide 126–127
- Lagena mollis* **168**
 Lakadong Sandstone Member 288, 289
 Lakhanda Formation 331, 333
 Lambeth Group 280
Lanulatisphaera 333
 laufeldii 330
Lasiobolidium **248**, **255**
Lasiobolus **248**, **255**
Lasiodiplodia 43
Lasiosphaeria caudata 37
Lavradospaera 169
 crista 175
 lucifer 175
 rockallensis 175
Lecaniella 199
Leiofusa stoumonensis 16
Leiosphaera 193, 195
Leiosphaeridia 165, 167, **170**, **171**, **172**, 194, 195, 197, 199, 208
 kulgunica 330
 Lentini and Williams Index of Fossil Dinoflagellates 81, 162
 lepidopteran wing scales 28, 29, 48, 204
Leposida ponomarenkoi 135
Leprotintinnus 210
 pellucidus 176
Leptodorosida zherikhini 135
Leptosphaeria acuta 102
Leydigia 30
Lingulodinium
 machaerophorum 24, 24, 164, 198, 200, 204, 205, 211, 212
 polyedrum 206
 Lista Formation 280
 Liulaobei Formation 333
 Lodo Formation 276
 Lodo Gulch, California 276, **278**, 292
 Lomonosov Ridge, Arctic 274, 287, **289**
 London Basin, England 280–281, 281, **285**
- London Clay Formation 280, 281, 281
Longinebela tubulosa 153
Lophocolea heterophylla 32
 loricate Euglenophyta **5**, 6, 23, 23, **46**, **123**, 133
Lycoperdon perlatum 98
Lycopodium 257
- Macrobiotus* 27
 ambiguous 28
 hufelandi 28
 Mallapunyah Formation 329
Mantoniella squamata 167
 marine non-pollen palynomorphs 45, **46**, 159–217
 applications 191–217
 biomolecular studies 212–213
 climate change and seasonality shifts 215–217
 deltaic environments 209
 low salinity, semi-enclosed seas 204–207
 nearshore–offshore gradients 209–210
 palaeoproduction and food webs 213–215, 216
 polar assemblages **170–171**, **172–173**, 191–197, 194, 208–209
 temperate assemblages 197–201
 tropical assemblages 201–204, 211, 212
 upwelling areas 210–211
 overview of groups 160–191
 acritarchs 160, 163–169, 166, 174, 175
 arthropod exoskeletons 191
 chitinozoans 174–176, 174
 crustacean and copepod eggs 174, 181–185, 183, 184
 dinoflagellates 160–163, 161, 163, 164, 174, 181
 flatworm eggs 190–191
 foraminifera **168**, 174, 186–188, 187
 ostracods 188, 189, 190
 other ciliophorans 177–181, 180, 181, 182
 prasinophytes 160, 163–169, 166, 174
 scolecodonts 174, 188–190, 190
 tintinnids 169–177, 174, 176, 178
 see also Paleocene/Eocene Thermal Maximum (PETM)
- Marlboro Clay 275
 Marmara Sea 161, 164, 174, 204–205, 206
 Massanutten Sandstone 315
 Mauritania, Precambrian non-pollen palynomorphs 331, 332
 Mead Stream, New Zealand 291, **291**
Mecsekia 165, **172**, 197
Mediaverrucites 37
 megaherbivore studies 245–247, 247, 258–260
 correlation with other proxies 258
 Late Quaternary extinctions 258–259
 past megafauna diet 259–260
 pre-Last Glacial records 258
Megalohypha aqua-dulces 37–38, 38
Melanconis alni 44
 melanins, fungal 105–107
Melanospora **248**, 249, **255**
Meliola 94
 ellisii 42–43, 43
Meliolinites 43
Melitasphaeridium choanophorum 211
Melonis zandami **168**
 Messel Beds 132, 135, 136, 137
Messelodinium thielepfeifferae 132, 136
Metacylis 210
 Mexico
 lacustrine sediments 131
 marine non-pollen palynomorphs 202–203, 209–210
 PETM deposits 277
 see also Gulf of Mexico
Micodalyellia 130, 134
Micrhystridium 16, 165, 199, 201, 202, 203
 bifurcatum 167
Microcrocis 128

- Microcystis* **123**, *128*, *131*
 micro-Fourier transform infrared (FTIR) spectroscopy *161–162*,
169–174, *177–179*, *180*, *181*, *200*, *213*, *327*, *332*, *333*
- Micromonas* *167*
- Microthyrium* *236*
- Miliammina fusca* **168**, *187*
- Miroedikha Formation *333*
- mites *see* oribatid mites
- Molinaea* *43*
- Mongolia, Precambrian non-pollen palynomorphs
333–334, *335*
- Monodictys paradoxa* *37*
- Monodinium* *215*
- Mont Bernon Group *281*
- Moodies Group *325*
- Moor Cliffs Formation *311*
- Morozovella* *272*
- Mortemer Formation *281*
- Mougeotia* *22*, *22*, *128*, *136*, *199*, *207*
- mounting techniques *68*, *70*, *72*
- Moyeria* *133*
- Multiplicisphaeridium* *16*
- Muribasidiopora* *98*
- Muscochitina* *18*
- Muzzle Group *291*
- Mycoarctium* **248**, **255**
- Mycobank **82**, *83–85*
- mycorrhizal fungi *44–45*
 arbuscular *44–45*, *44*, *235*
 ectomycorrhizal *44*, *45*, *103*, *108–109*
 ericoid *44*, *44*, *45*, **46**
- Naiadinium polonicum* *129*
- Nanfen Formation *332*
- Nanhermannia nanus* *27*
- Nannobarbophora walldalei* *166*
- Nebela flabellulum* *153*
- Nectria lagodes* *96*
- nematodes, eggs *30*, *31*, **124**, *134*, *137*
- Nematosketum* *316*
- Nematosphaeropsis* *202*, *211*
labyrinthus *164*, *211*
- Nematothallus* *313*, *314*, *316*
- Neorhabdocoela *see* Rhabdocoela/Neorhabdocoela
- Netherlands, PETM deposits *282*, **285**
- Neurospora* *40*, **41**, *41*, *48*, *235*, *237*
- New Zealand, PETM deposits *290–291*, **291**
- Nigeria, PETM deposits *284–286*, **287**
- Nigrosabulum* **248**, **255**
- Nkapa Formation *286*
- nomenclature *77–86*
 challenges *78–80*
 citing taxonomic names *85*
 codes *77*, *78*, *79*, *80–81*, **80**, *83–85*, *84*, *95*
 erecting new taxa *81–85*, *84*
 identification resources *81*, **82–83**
 identifying acronyms (IAs) *14–15*, **14**, *79*, *81*, *85*
 taxonomic housekeeping *85*
- Nonesuch Formation *333*
- Nonion matagordanus* **168**
- North America
 cyanobacteria *315*
 early terrestrial animals *317*
 lacustrine sediments *128*, *129*, *130*, *136*, *138*
 Lake Simcoe, Ontario *137*, *140*, *141*, *142*
 marine non-pollen palynomorphs *192–196*, *194*, *215–217*
 megaherbivore studies *258–260*
 PETM deposits *274–277*, **278**, *292*
 Precambrian non-pollen palynomorphs *328*, *329*, *330*, *330*, *332*,
333, *334*
- North Atlantic Igneous Province (NAIP) *278–279*
- North Atlantic Oscillation (NAO) *199*, *206*
- North Sea
 marine non-pollen palynomorphs *166*, *177*, *185*, *190*, *207*
 PETM deposits *277*, *279–280*, *292*
- Norway, Precambrian non-pollen palynomorphs *335*, *336*
- Nostoc* *131*
- Nucicla umbiliphora* *197*
- Nunatsiaquus* *332*
- Nussbaumersee, Switzerland *137–140*, *139*, *142*
- Nyborg Formation *335*, *336*
- Nymphaeaceae *33*, *33*
- Oedogoniales *20*, *21*, **46**
- Oedogonium* *20*, *21*
henriquesiisimilar *21*
ibadanense *21*
pseudo-cleveanum *21*
sphaerocephalum *21*
subspirale *21*
- Oldhaven Formation *280*
- Olpidium pendulum* *44*
- Ølst Formation *282*
- Operculodinium*
centrocarpum *24*, *162*, *164*, *194*, *200*, *207*, *211*, *212*, *213*
israelianum *211*, *212*
- Ophryotrocha* *190*
orensanzi *197*
- Orbilina* **248**, **255**
- organic-walled microfossils (OWM), use of term *324*
- oribatid mites *27*, *29*, **46**, *246*, *258*, *259*
- Orthomorphina*
calonesis **168**
drammamensis **168**
- Orthosphaeridium chondrododora* *16*
- Oshosun Formation *286*
- Østerrende Clay *282*
- Ostracods *188*, *189*, *190*, *196*
- Ostreichion* *96*
- Otway Basin, Australia *290*, **291**
- Ourasphaira* *322*, *337*
giraldae *328*, *332*
- Ovoidites* *136*, *201*
- oxidation *67*, *70*, *72*, *125*
- Pachysphaera* *167*
- Pacific Decadal Oscillation (PDO) *211*
- Pacillina arctica* *179*
- Pakistan, PETM deposits *288*
- Palacanthus ledanoisii* *166*, *167*
- palaeoenvironmental DNA (PalEnDNA) studies *246*
- Palaeoperidinium pyrophorum* *278*
- Palaeostomocystis* **170**, **171**, **172**, *179–180*, *180*, *195*, *203*
frutilla *129*, *133*, *179*, *180–181*
reticulata *179*
subtilithea *179*, *180–181*, *182*
- Palambages* *165*
- Paleocene/Eocene Thermal Maximum (PETM) *269–297*
Apectodinium *272–297*, *273*, *275*
 Africa *284–286*, **287**, *292*
 Arctic *274*, *278–279*, **278**, **285**, *287*, **289**
 Australia *290*, **291**
 Central America *277*
 Central Asia *288*, **289**
 China *289–290*, **291**
 New Zealand *290–291*, **291**
 North America *274–277*, **278**, *292*
 North Atlantic Igneous Province (NAIP) *278–279*
 North Sea *277*, *279–280*, *292*
 Russia *287–288*, **289**
 South America *277*
 South Asia *288–289*, **289**
 South East Asia *290*
 Spitsbergen *278*, **285**, *292*

- Paleocene/Eocene Thermal Maximum (PETM)
 (Continued)
 Western Europe 280–284, 281, **285**, 292
 calcareous nannofossils 272, 275
 Africa 284, 286, **287**
 Central America 277
 Central Asia 288, **289**
 New Zealand 291, **291**
 North America 275, 276, 277, **278**
 North Sea 279
 Russia 287, **289**
 South Asia 288
 Western Europe 280, 283, 284, **285**
 foraminifera 270, 271, 272, 275
 Africa 284, 286, **287**
 Australia 290, **291**
 Central America 277
 Central Asia 288, **289**
 China 289, **291**
 New Zealand 291, **291**
 North America 276, **278**
 South America 277
 Western Europe 283, 284, **285**
 global warming 270, 291–292
 biological effects 271, 272–273, 292
 Carbon Isotope Excursion (CIE) 137, 270–271,
 272–273, 292
 climate effects 271–272, 292
Paleopyrenomyces devonicus 96
Papulospora sepenoides 98
Papulosporonites mohgaensis 42
Paracalanus 185
Parafavella 169, 177
denticulata 176
Parafissurina
dzemetinica **168**
lateralis **168**
 Paris Basin, France 137, 281–282, **285**
Parundella caudata 176
Parvodinium 132
inconspicuum 129, 132
umbonatum 130
 pastoralism 236, 237–238, 239, 240
 peat deposits 46, **46**, 48
 copepods 30
 desmids 22
 freshwater sponges 27
 fungi 34–35, 34, 37, 40, 43–44, 45, 46, 47
 human impacts on 237
 rotifers 30, 31
 testate amoebae 26, 48, 152, 154
 vascular plant remains 33, 34, 46
 Pebble Point Formation 290
Pediastrum 20, 20, **123**, 132, 136, 137, 137, 138, 139, 141, 142,
170, **171**, **172**, 193, 194, 195, 198, 199, 200, 204, 205, 207,
 208, 281, 282
angulosum 20
argentinense 20
biwae 201
boryanum 20, 128, 205, 206–207
duplex 20, 206
gatumense 137
kawraiskyi 206–207
simplex 201, 205, 206
 Pember Mudstone 290
Penium 22
Pentapharsodinium
dalei 162, 197, 200
faroense 167
tyrrhenicum 201
Peridinium **123**, 237
bipes 129
cinctum 129, 212
faroense 167
gatumense 129
limbatum 129
ponticum 24, 206
willei 129, 132, 137
Pestaliopsis 94
Pestaliopsis guepinii 111
Petriella **248**, **255**
Peziza **248**, 253, **255**
Phaeosphaeria nodorum **104**
Phakopsora pachyrhizi 103
Phomatospora **248**, **255**
Phragmidium violaceum 94
Phragmites 33
Phryganella 154
nidulus 154
 phycomata 20, 21, 165–167, 166, 195, 214, 331
Phytophthora 47
Picea 33
Pinus 32, 33, 33
Pistillipollenites macgregorii 283
Pithomyces chartarum 36, 43
Placocista spinosa 153
Plagiocampa 177
Planorotalites pseudomenardii 286
 plants, vascular 32–34, 33
 bark and xylem remains 33, 34
 conifer stomata 33, 33, **46**
 epidermal cells and hairs 33, 33, **46**
 geological age range 5, 6
see also early land plant phytodebris
 Platyhelminthes 30, 31, 32, 32
 geological age range 5, 6
 human impact studies 238
 in lacustrine sediments **124**, 130, 134
 in marine sediments 177, 178, 190–191, 196
 sediment types **46**
Pleuroascus **248**, **255**
Pluricellaesporites 39
 Poaceae 33
Podosordaria **248**, **255**
Podospora 40, **41**, 235, 237, 238, 239–240, **248**, 250,
255, 257
anserina 39, 40
decipiens 39, 40, 102, 102
fimiseda 102, 102
inflatala 39, 40
Polarella glacialis 193, 197, 208, 213
 Polosataya Formation 288
Polyadosporites suescae 42
Polyancistrodorus cf. intricatus 16
Polyarthra dolichoptera 32
Polyasterias **172**, 197
problematica 24, 25, 177
 polychaete worms *see* scolecodonts
Polykrikos 162, 164, 208, 211
kofoidii 200
schwartzii 164
 polymerase chain reaction (PCR) methods 212–213
Polysphaeridium zoharyi 198, 202, 210, 211, 212
Pontella 185
mediterranea 183, 183
 Ponto-Caspian seas 204–206, 209, 212–213
see also Black Sea; Marmara Sea
Populus tremula 32
Poronia **248**, **255**
Porosonion subgranosus **168**
Potamogeton 33
Potamozyces 37
nepalensis 38
 Prasinophyceae 20, 21, 132, 167

- prasinophytes 20, 21, 131
 geological age range 174
 history of research 2, 4
 in marine sediments 160, 163–169, 166, 174
 molecular studies 213
 nearshore–offshore gradients 210
 polar assemblages 172, 173, 194, 195, 197, 208
 temperate assemblages 198, 199, 200, 201
 sediment types 46
- Precambrian non-pollen palynomorphs 321–337
 anatomy of 323, 326
 Archean Eon 322, 325–326
 early eukaryote evolution 321, 322–323, 326–334
 cellular complexity 326–329, 328
 Mesoproterozoic Era 322, 327, 328, 330–332, 330
 multicellularity 322, 332–333, 335, 336, 337
 Neoproterozoic Era 322, 328, 330, 332–334, 335
 ocean oxygenation and 326, 331, 333, 334
 Paleoproterozoic Era 322, 322, 326, 329–330, 329
 eukaryotic diversity through Proterozoic 334
 identification of early eukaryotes 326
 preparation methods 324–325, 324
 protistan and animal evolution at the Ediacaran–
 Cambrian transition 322, 335–337, 335
 terminology 323–324
- Preussia* 40, 238, 248, 249, 255
- processing techniques 63–72
 acetolysis 66–67, 69, 70, 71–72, 125
 acid digestion 64, 68–69, 69, 70, 125
 alkali digestion 65, 69, 71, 71
 centrifugation 64–65, 66, 70, 72
 enzymes 67
 heavy liquid separation 64–65, 69, 70–71
 mounting 68, 70, 72
 oxidation 67, 70, 72, 125
 sieving and filtering 65–66, 70, 72, 154
 sonication 66, 71
 for specific groups
 coprophilous fungi 253–257
 lacustrine sediments 125
 Precambrian non-pollen palynomorphs 324–325, 324
 testate amoebae 153–155
- Prorocentrum* 161
- Proterocladus* 337
 antiquus 332
- Protoceratium reticulatum* 213
- Protocolletotrichum* 106
- Protoperidinium* 162, 200, 202
 americanum 164, 211
 fukuyoi 204
 stellatum 167, 204, 215
- Protorhabdonella* 201
- Prototaxites* 316
- Pseudoarachniotus* 248, 254
- Pseudocalanus elongatus* 185
- Pseudokomewuia* 132
 granulata 133
- Pseudobrophila* 248, 255
- Pseudoschizaea* 16, 17, 165, 199
 rubina 201
- Pterosperma* 164, 167, 172, 197, 198, 201
 cristatum 20, 21, 167
 marginatum 20, 21
 moebii 20, 21
 moesii 166
 vanhoeffenii 21
- Pterospermella* 160, 165, 194
- Pterospermopsimorpha* 329, 331
 insolita 328
- Pterosphaera* 198
- Ptychocylis* 178, 201
- Puccinia* 41, 42, 103
- graminis* 42, 103
 sorghii 41–42
 striiformis 103
- Pyramimonas* 167
- Pyxidiniopsis*
 psilata 24, 205, 213
 reticulata 211
- Pyxidiophora* 248, 255
- Qimugen Formation 289–290
- Quinquecupis concreta* 24, 164
- Radiosperma* 24, 129, 170, 195, 197, 198, 199, 201, 205, 207
 corbiferum 24, 136, 173, 177–179, 182, 207
- Ramochitina* 18
- Reading Formation 280
- Red Hot Truck Stop (RHTS) exposure 276
- Reindeer Formation 274
- Reophax scottii* 168
- Rhabdocoela/Neorhabdocoela* 5, 6, 32, 32, 46, 124, 130, 134, 177,
 190–191, 196
- Rheno-Danubian Group 283
- Rhombaster*
 calcitrapa 272
 spineus 272
- Rhyncomeliola lomatae* 94
- Rhynie Chert 45, 96, 132, 310, 313, 316, 332
- Rhysotritia ardua* 27, 29
- Rivularia* 19, 19, 207
- Rockall Plateau, North Atlantic 279
- Roper Group 330, 331
- rotifers 30–32, 31
 geological age range 5, 6
 in lacustrine sediments 124, 130, 134, 140
 in marine sediments 181, 206, 209
 in peat deposits 30, 31
 sediment types 46
- Russia
 PETM deposits 287–288, 289
 Precambrian non-pollen palynomorphs 330, 333
- rust fungi 41–42, 42, 46, 100, 103
- Ruyang Group 328, 330–331, 330
- Sabinetown Formation 276
- Sables et Argiles à Ostracodes et Mollusques (SAOM) 282
- Saccobolus* 41, 248, 250, 253, 255, 257
 citrinus 39, 40
- Saepotodinium* 132
- Salisbury Embayment 271, 274–275, 296
- Salix* 32
- Saturni* 198
- Savoryella* 110
- Scaglia Rossa Formation 284
- Scenedesmus* 20, 21, 128, 132, 138, 205, 207
- Schizofusa* 329
- Schizothecium*
 aloides 102
 conicum 102
 tetrasporum 102
- Scleroderma citrinum* 98, 98
- scolecodonts 18–19, 18, 188–190, 190
 geological age range 5, 6, 174
 in low salinity, semi-enclosed seas 205
 palaeoproduction studies 214
 polar assemblages 196, 208
 temperate assemblages 199
 tropical assemblages 204
- Scopinella pyramidospora* 94
- Scotian Shelf, Canada 274
- Scotland
 cyanobacteria 316
 early fungal fossils 45, 96, 332

- early land plant phytodebris 313, 316
 early terrestrial animals 317
 green algal palynomorphs 132
 PETM deposits 279
- Scrippsiella* 162, 212
plana 212
- sea-level rise 272, 284, 292
 sedaDNA analysis 48
- Selenopemphix*
antarctica 197, 208
nephroides 200
- Selimia* **248, 255**
- Semidelitschia* **248, 255**
- Semri Group 329
- Senegalinium obscurum* 278
- Septobasidium* 98
- Sergipe Basin, Brazil 277
- Shaler Supergroup 328, 332
- Shuiyousphaeridium* 322, 330, 331
macroreticulatum 328
- Sialis lutaria* 28
- sieving and filtering 65–66, 70, 72, 154
- Sigmoidipollis* 165, **171**, 195, 199, 202, 207
psilatam 205
psilatus 193
- Simcoe Lake, Ontario, Canada 137, 140, 141, 142
- Simia* 331, 333
- Simocephalus* 30
- Sirobasidium* 98
- Sluice Pond, Massachusetts 128, 129, 136, 138
- small carbonaceous fossils (SCF) 322, 324, 325, 335, 336
- Smirnovidaphnia testacea* 135
- smut fungi 42, 43, **46**, 100
- Snowball Earth events 333–334, 335
- soil deposits 46–47, **46**
 soil fungi 40–41, 42, **46**, 109
- Soissonais Formation 281
- Solisphaeridium* 202
- Sololovsky, Kazakhstan 288, **289**
- sonication 66, 71
- Sophismatia conopia* 274
- Sordaria* 40, **41**, 235, 236, 237, 238, 239–240, **248**, 249, 250, 252, 255, 257, 259
fimicola 39, 40, 238
macrospora 102
- South Africa, Precambrian NPP 325
- South America
 megaherbivore studies 259
 PETM deposits 277
- South Dover Bridge, Maryland 275, **278**
- Spain, PETM deposits 284, **285**
- Spegazzinia tessarthra* 35, 35
- Spegazzinites* 35
- Sphaerodes* 41
episphaeria 40–41
retispora 40, 42
- Sphaeronaemella* **248, 255**
- Sphaeropleales 19–21, 20, **46, 123**
see also Coelastrum; Pediastrum; Scenedesmus; Tetradron
- Sphagnum* 22, 30, 31, 34, 43–44, 46, 48, 152, 154
- Spiniferites* 162, 194, 197, 202, 203, 207, 213, 215, 286
bentorii 24, 164
bulloideus 200, 202
cruciformis 24, 204, 205
delicatus 200
elongatus 181
mirabilis 164, 200, 211, 212
ramosus 200, 211, 213
scabratus 203
- Spirogyra* 22, 22, 132, **172**, 199, 205
- Spiroplectammina biformis* **168**
- Spitsbergen, PETM deposits 278, **285**, 292
- sponges, freshwater 5, 6, 26–27, 27, **46**
- Spongila lacustris* 27
- Sporisorium scitamineum* **105**
- Sporormia* **248, 255**
- Sporormiella* 40, **41**, 235, 236, 237–238, 239–240, 239, **248**, 249, 250, 252, 253, **255**, 257, 258–259
intermedia 39
- Sporoschisma*
nigroseptatum 38–39
saccardoii 38, 38–39
- statismospores 98, 99, 102
- Staurostrum* 22, 132, 201, 207
chaetoceras 142
pentacerum 128
planctonicum 142
- Staurodesmus patens* 22, 22
- staurospores 94, 101–102
- Stelladinium robustum* 212
- Stenosemella* 169, 177, 207, 210
- Stephanoceros eichhornii* 31
- Stichodinium* 273
parisiense 289
- Stolle Klint Clay 282
- Stratosphaeria* 107
- Strattonia* **248, 255**
- Strelley Pool Formation 326
- Streptophyta 5, 6
see also desmids; Zygnematophyceae
- Striatosphaeria, castanea* 106, 107
- Strombidium* 174, 178, 201, 209, 215
crassulum 199
- Strombomonas* 23, **123**
- Strongylostroma* 134
- Sturtian glacial event 334
- Subbotina* 286
- Suillus*
brevipes 103
tomentosus 103
- Svalbard
 PETM deposits 278, **285**, 292
 Precambrian non-pollen palynomorphs 332–333
 Svanbergfjellet Formation 332–333
- Sweden, Precambrian non-pollen palynomorphs 333, 335
- Switzerland
 Nussbaumersee 137–140, 139, 142
 PETM deposits 283
- Sylhet Limestone 288
- Taenia* 238
- Taishir Formation 333–334, 335
- Taiwan, PETM deposits 290
- Tanana Formation 328
- Tanarium* 327
anozos 328
- Tanytarsus* 130
- Tanzania, PETM deposits 286, **287**
- Tappania* 322, 327, 330, 331
plana 328
- tardigrades 27, 28
 geological age range 5, 6
 in marine sediments **173**, 181, 197, 208
 sediment types **46**
- Tarim Basin, China 289–290, **291**
- Tasman Sea 290, **291**
- Tasmanites* 21, 160, 165, **172**, **173**, 197, 198
- Tawanui, New Zealand 290, **291**
- Tectatodinium pellitum* 24
- Teleutospora* 42
- teliospores 41, 42, 43, 94, 100, 103, **105**
- Temora* 185
discaudata 185
longicornus 185

- terrestrial animals, early 317
- testate amoebae 26, 26, 151–156, 152, 153
 geological age range 5, 6
 human impact studies 237
 in lacustrine sediments **124**, 129, 133–134
 in peat deposits 26, 48, 152, 154
 preparation methods 153–155
 sediment types **46**
- Tethys Ocean 287–288, 289–290
- Tetraedron* 20, 139, 205
minimum 20, 128, 132, 136, 140
trigonum 128
- Tetraploa* 94, 101–102, 110, 110, 111
aristata 35, 35
- Tetraporina* 132
- textile fibres 5, 6, 45, 45, **46**
- Thanet Formation 281
- Thecaphora* 42, 43
- Thecotheus* **248**, **256**
- Thelebolus nanus* 102, 102
- Thelephora americana* 103
- Thomsonipollis magnificus* 283
- Tienen Formation 282, 283
- Tilletia caries* 42, 43
- Tintinnidium* 209
- tintinnids 24, 25
 geological age range 5, 6, 174
 in lacustrine sediments **123**, 129, 133, 137, 142
 in marine sediments 169–177, 174, 176, 178
 low salinity, semi-enclosed seas 207
 molecular studies 213
 nearshore–offshore gradients 210
 palaeoproduction studies 214–215, 216
 polar assemblages **170**, **171**, **172**, **173**, 195, 197, 209
 temperate assemblages 198–199, 200, 201
 tropical assemblages 202, 204
 sediment types **46**
- Tintinnopsis* 169, 207, 210
- Trachelomonas* 23, 23, 133
hispida 23
similis 23
- Trachyhystichosphaera* 331–332
aimika 331–332
polaris 331–332
vidalii 132
- Transversopontis pulcher* 288
- Trichocerca* 31, 32
- Trichodelitschia* **41**, 235, 238, 240, **248**, 250, **256**, 257
- Trichuris* 30, 31, **124**, 134, 137, 238
- Trinovantidium* 197
variable 200
- Tripterospora* **248**, **256**
- Tripterosporella* **248**, **256**
- Trochammina inflata* **168**
- truffles 94, 108–109
- Tuber* 94, 108–109
aestivum 94
melanosporum 94
- Tuberculodinium vancampoae* 212
- Tumey Gulch, California 276, **278**
- Tunisia, PETM deposits 284, **287**
- Turbellaria *see* Rhabdocoela/Neorhabdocoela
- Tuscahoma Formation 276–277
- Tuscarora Formation 317
- Upnor Formation 280, 281, 281
- uredospores 41, 42, 100
- Urocystis* 42, 43
- Uromyces*
appendiculatus 42
pisi-sativi 94
- Urotricha* 177
- USA
 cyanobacteria 315
 lacustrine sediments 128, 129, 130, 136, 138
 megaherbivore studies 258–260
 PETM deposits 274–277, **278**, 292
 Precambrian non-pollen palynomorphs 330, 330, 333, 334
- Ustilago*
maydis 42, 43, 100, 142
nuda **105**
- Ustulina deusta* 36, 36, 102, 102
- Uzbekistan, PETM deposits 288, **289**
- Valeria* 322, 329
lophostriata 329
- Valkyria* 333
- Vallodinium* 273
picardicum 289
- van Geel types *see* identifying acronyms (IAs)
- Van Mijenfjorden Group 278
- Vaugirard Formation 281
- Velatasphaera hudsonii* 196
- Venetian Pre-Alps, Italy 283–284, **285**
- Venturia inaequalis* **104**
- Veryhachium* 194
trispinosum 16
- Vincetown–Marlboro formation boundary 274–275
- Vindhyan Supergroup 329, 330
- Visingsö Group 333
- Votadinium*
calvum 194
pontifossatum 164
spinosum 181
- Walden Pond, Massachusetts 128, 129, 130, 136
- Wangerrip Group 290
- waterfleas *see* cladocerans
- Wetzelia* 274, 286
articulata 274
astra 273, 279, 281, 294, 295–296
hyperacantha 279, 280, 284, 290, 296–297
meckelfeldensis 280
- wetzeliielloideans 273, 289
- Wilcox Group 258, 276–277
- Wilson Lake, New Jersey 274–275, **278**, 292
- Wiwaxia* 322, 335, 336
- Woensdrecht, Netherlands 282, **285**
- wood-decay fungi 36–37, 36, **46**
- Woolwich Formation 280
- Woolwich Shell Beds 280, 281, 281
- xerospores 101
- Xylaria*
longipes 102
polymorpha 102
- Xylomyces*
chlamydosporus 38, 39
giganteus 39
- Xylosphaeria polymorpha* 102
- Zoobank 83
- Zopfella* 35, **248**, **256**, 257
submersa 35, 35
- Zumaya, Spain 284, **285**
- Zwieselalm Formation 283
- Zygnema* 22, 22, **123**, 128, 132, 136, 199, 207
- Zygnematophyceae 21–22, 22, **46**, **123**, 128, 131, 132, 136
see also desmids
- Zygomycota 34, 40, 237, 247
- Zygopleurage* **248**, **256**, 257
- Zygospermella* **248**, **256**