

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- adakites 11
 - adakite-like characteristics 143–144, 146
- Adriatic passive margin 275
- Aegean arc 275
- Aegean subduction system 275
- Africa-Eurasia collision 239, 241, 272, 274
- aillikite 5, 6, 7
 - Bohemian Massif ultramafic lamprophyres 244, 245, **250–251**, 252, 253, 254, 255, 256, 258, 259
 - Kaapvaal Craton 37
- Alakit-Markhinsky diamondiferous field 71–72
- Alazeya-Oloy fold system 324
- Alboran Basin 273, 274
- Aliyabad lamproite, age **159**
- alkaline magmatism
 - Deccan LIP 381, 383, 405, 406, 407, 413–414
 - EDC 104, 106, 117, 133, 171
- alkaline rock 103
 - deformed, with carbonatites (DARC) 351
 - deformed (DAR) 351
 - EDC 134, 160
 - see also* Bohemian Massif, lamprophyres, alkaline; Chaitma Alkaline Complex
- allanite 282, 283
- Almeria, lamproites 276
- alnöite 3, 5, 6, 7, 237, **238**, 244
 - composition 9
- Alpine Orogeny 239, 240, 262, 275
- Alpine-Himalayan orogenic belt 12, 217, 228, 229
 - lamproites 272
 - Li isotopes 211
- Alpine-Mediterranean Belt 273, 274
- Amba Dongar carbonatites 414, 415, 445
 - see also* Phenai Mata Igneous Complex
- Amgaon/Bengpal/Sukma gneiss 352
- Amireddipalle kimberlite pipe **213**, 215
- Anyui zone 325, 326
- Anyui-Chukotka fold system 324
- Apennine chain 273, 275
- Apennine-Maghrebian compression front 273
- appinite suite 5
- Aravalli Craton 352
- arc magmatism, PAP 104, 106, 116
- Archean calc-alkaline lamprophyre 119, 121
- Archean cratons 8–11
 - Kaapvaal Craton 18
- Aries micaceous kimberlite 62
- Au-Ag deposits, Siberia 326, 327, 336
- Au-Cu deposits, Phenai Mata 462, 463
- Au-Cu-U mineralization, Thanewasna 199
- Au-Pt enrichment 13, 465, 469
- back-arc magmatism
 - EDC 104, 106, 115
 - Rapuru lamprophyres 125
 - Western Mediterranean 273, 274–275
- Baimka Shear Zone 325
- Baimka Trend 323–324, 324
 - geology 325
 - magmatism and mineralization 327
- Balaghat-Bhandara Granulite Belt 352
- Balkan region, lamproites 275, 278
- Banganapalle conglomerates 160
 - age 168, 171
 - alluvial diamonds 160, 161
 - lamproites 212
- Barberton Supergroup 18
- Barner alkaline complex 415, 432, 436
- basalt
 - back-arc basin (BABB) 123–124
 - continental flood
 - Deccan large igneous province 381
 - Ni-Cu-PGE deposits 443
 - mid-ocean ridge (MORB), Rapuru lamprophyres 104, 116, 119, 121, 122–123
 - ocean island (OIB)
 - Bohemian Massif 241
 - Rapuru lamprophyres 119, 121, 122–123
 - Western Carpathians 318
- Bastar Craton 158, 351, 352
 - geological setting 180–182
 - Group II kimberlites 405
 - lamproites 11, **159**, 171, 172
 - mafic magmatism 180
 - see also* Central Bastar Orogeny; Eastern Bastar Craton; Kodomali orangeite pipe; Western Bastar Craton
- bauxite 352
- Bellary-Cuddapah Fault 134, 135
- Bengal Group 180
- Beni Bousera, crust-mantle mélange 286
- Betic-Rif chain 273, 274
- Betul supracrustal belt 352
- Bhima Basin 171
- Bhima kimberlite cluster 211
- Bhuj alkaline complex 414, 415
- Bibai volcanics 405
- Bilaspur-Raigarh supracrustal belt 352, 353
- Bohemian Cretaceous Basin 241, 244
- Bohemian Massif 240
 - Alpine Orogeny 11, 12, 241
 - asthenospheric upwelling 12, 242
 - lamproites, orogenic Variscan
 - Th-Hf-Nb 55, 59
 - trace element composition 55, 57, 58
 - lamproites, lamprophyres and lampyrites 223, 224, 225
 - Li isotopes 211, 216–217, 226, 228–229, 228, 229
 - lamprophyres 216–217, 221, 223, 228
 - alkaline 237–239, 246–248, 249, 254, 255, 260, 262
 - aillikite 244, 245
 - anorogenic 11–12, 222, 223
 - clinopyroxene 244, 245, 249
 - comparison with other regions 261–262, 313
 - gautite **238**, 246, 249, 260
 - kaersutite 217, 246, 247, 252
 - phlogopite 244, 245

- Bohemian Massif (*Continued*)
 post-Variscan 11–12, 237–264
 chemical analysis 249, **250–251**, 251, 254, 255, 256
 compositional interpretation 258–261
 mantle source 262–263
 major and trace elements 252–253, 254, 255
 origin and emplacement 262–263
 petrography and geochronology 251–252
 REEs LILEs HFSEs 252–253, 255, 256, 259, 260
 Sr-Nd-Pb isotopes 253, **257**, 258, 259, 263
 ultramafic 11, **238**, 239, 242–246, 245, 249, 255
 late Cretaceous/Cenozoic volcanism 240, 241–242, 262–263
 palaeostress and sedimentation 241–242
 leucolamprophyres 247, 249, 252, 253, 260
 monchiquite 237, **238**, 245, 246, 249, **250–251**, 253–256, 258, 259, 260
 nephelinite **238**, 242, 244, 246
 polzenite 237, **238**, 242, 243–244, 245, 258–260
 composition 9, 258–260, 262
 upper mantle 239
 bostonite **238**, 246, 260
 Bouvet mantle plume 406
 Bundelkhand Craton 158, 352
 lamproites **159**, 171
 Bunder lamproite, age 171
 Bushveld Complex
 geological background 19–20
 orangeite dykes 8–9, 18, 19, 20–38
 andradite garnet 24, 29
 clinopyroxene 24, 25, 27, 28, 36
 electron probe analysis 20–21
 element analysis 20–21, **22–23**, 35
 element compositions 29–32, 35, 36, 37
 magma evolution 33, 35–36
 metasomatism 36, 37
 mica 27, 28
 mineral compositions 26–29
 olivine 20, 24, 25, 26–27
 fractionation 18, 31, 33, 35–36
 and lack of diamonds 36
 petrography and classification 24, 25
 phlogopite 24, 25, 27, 28
 serpentine 24, 25
 spinel-group minerals 25, 27, 28, 29
 Sr-Nd-Hf isotopes 21, **22–23**, 24, 32, 34, 36, 37
 terminology: orangeite v. lamproite 37–38
 XRF and CO₂ concentration 21, **22–23**
- Cambay Rift 404, 405, 413, 415
 camptonite 5, 6, 7, 13, 237, **238**, 260
 České středohoří Mountains 246, 249
 magma differentiation 13
 Mundwara Alkaline Complex 13, 423, 424, 426–429, 431–437
 Phenai Mata Igneous Complex 446
 camptonite-monchiquite-maenite series
 magma 262
 Ralská Pahorkatina Volcanic Complex 247–248, 255, 256, 260
 Roztoky Intrusive Complex 246, 260
 cancalite 3, **4**
 Capraia lamproites 273, 276
 carbonatite
 Chaitma Alkaline Complex 373, 374
 Deccan Large Igneous Province 405
 South Purulia shear Zone 353
 cedricite **4**
 Central Asian Orogenic Belt 64
 Central Bastar Orogeny 180
 Central Bohemian intrusive centres
 lamprophyre geochemistry 260–261
 mantle source 260–261, 263, 264
 Sr-Nd-Pb isotopes 248, 253, **257**, 258, 260
 ultramafic lamprophyres 244
 Central European Volcanic Province, Late Cretaceous and Cenozoic volcanism 239, 240, 241
 Central Indian Shear Zone 352
 Central Indian Tectonic Zone 12–13, 158
 geological setting 352–353, 354
 lamprophyres 104
 subduction and orogenesis 373–374
 Čertovica line 298
 České středohoří Mountains 239, 242, 246, 249, 262, 264
 camptonite 246, 249
 Chaitma Alkaline Complex 12–13, 351–375
 amphibole 359–360, **362**, 364, 365, 366, 368, 370–371, 372
 basaltic underplating 373
 biotite 359, **360–361**, 365, 372
 carbonatite metasomatism 373, 374
 clinopyroxene 359, **360–361**, 364, 365, 366, 368, 370–371, 372
 feldspar 354, 355, 359, **360**, 364, 366, 367, 372
 field relations 353–355
 gabbro 13, 353, 355, 356
 fractional crystallization 372
 geochemistry 355, **357–358**, 361, 365, 366, 367, 369
 magma emplacement 367–368
 magma source 373
 mantle source 373
 petrogenesis 367, 371, 372
 petrography/mineral chemistry 355, 359, **360–361**, 365
 recrystallization and foliation 359, 365
 geodynamic models 373–374
 geological setting 352–353, 354
 gneissic foliation 355
 hornblende 359, 364
 magma
 composition 368, 370–372, 373
 emplacement 367–368
 layering 354, 355, 367
 mixing 356, 367–368
 perthite 359, 364
 plagioclase 359, 364, 365, 368, 370
 REEs and LILE 365–366, 369, 371, 372, 373
 subduction and extension 374
 syenite 13, 353, 354, 355, 356
 crustal origin 372–373
 fractional crystallization 368, 370–372
 geochemistry 355, **357–358**, 361, 365–366, 367–370
 magma emplacement 367, 368, 374, 375
 magma source 372–373
 petrogenesis 367, 368, 370–372

- petrography/mineral chemistry 355, 359,
360–362, 364
 recrystallization and foliation 359, 364
 U-Pb zircon dating 355–356, 359, **363**, 366, 373, 375
 Chakratiao alkaline complex 415
 Chatuabhavna Granulite Belt 352, 353, 374
 garnet 353
 Chelima lamproitic dyke 11, 158, 160, 161, 162, 212
 age **159**, 161, 162, 168, 171, 172
 Ar/Ar dating 164–166, **169**
 carbonate 162, 163
 diamonds 162
 mantle source region 168, 171
 olivine 162
 petrography 162, 163
 phlogopite 162, 163
 Chhaktalao lamprophyre 395
 Chhattisgarh Basin 158, 172
 Chhattisgarh Supergroup 352
 Chhota Udaipur alkaline carbonatite subprovince 445
 Chhota Udepur lamprophyre 116, 122, 381, 382, 395, 405,
 414, 415
 Chhotanagpur Gneissic Complex 351, 352–353
 alkali feldspar granite 353
 equigranular monzo- to syeno-granite 353
 foliated monzogranite 353
 granite gneiss 353
 pyroxenite 353
 tectonometamorphic events 353, 373, 374
 Chhotanagpur Mobile Belt 158
 lamproites **159**
 Chigicherla kimberlite cluster 211, 212
 pipes 211, 212, **213**, 214–215
 Chilpi Group 352
 Chimakurthy complex 106
 Chintalacheruvu syenites 134
 Chintalampalle kimberlite pipe **213**, 214, 215
 composition **220**, 222
 Li 226, 227
 Chitradurga Boundary Fault 158
 Chitradurga schist belt 104
 Chitradurga shear zone 134, 135, 160
 Chomurdakh kimberlite field 72
 chromite, UG2 reef 19–20
 Chukchi Peninsula 325, 326
 Chukotka fold belt 324, 326
 Chukotka microcontinent 324
 see also Western Chukotka
 Chukuk sedimentary suite 73
 Cimmerian Orogeny 274, 275
 coccite 5
 Columbia Supercontinent
 breakup 11, 104, 106, 172, 227, 229, 373
 and diamond emplacement 229
 formation 10, 104, 125, 172, 373
 Columbia-Nuna supercontinent, breakup 160, 171–172
 contamination, crustal
 Rapuru lamprophyres 117, 120–121
 Western Carpathian lamprophyres 313, 318
 copper deposits
 Cu-Mo ± Au 323–346, 326
 Fe-Ni-Cu-PGE 443–469
 Cornacy lamproites 273, 276, 277, 279
 Corsica, lamproite 273, 276, 277, 279
 Cretaceous-Paleogene Boundary, magmatism 406, 407
 crust-mantle mélanges 286–287
 Cu-Mo ± Au deposits, Siberia 323–346, 326
 Cuddapah Basin 10, 11, 104, 105, 106, 134, 135, 158,
 160, 161
 1.4 Ga tectono-magmatic event 168, 171, 172
 diamonds 160, 171, 172
 formation models 160
 lamproites 157, **159**, 162–172, 212
 lamprophyres 104, 216
 mantle plume 172
 metasomatized lithospheric mantle 125, 171
 Cuddapah Intrusive Province 106
 lamprophyres 185, 186
 Cuddapah Supergroup, sedimentation age 161
 Cumbum Formation 160, 171, 172

 Daldynski diamondiferous field 71, 72
 Damodar rift 353
 Damodar Valley lamproite 353
 age **159**
 damtjernite 5, 6, 7
 Dancherla alkaline complex 10–11, 134, 160
 emplacement age 117, 125, 151
 syenites 119, 133, 134, 135, 151
 Danduvaripalle syenite 10–11, 134, 135, 136
 actinolite 140
 adakitic affinity 143–144, 146, 149–150
 apatite 140, 141
 feldspar 140
 fractional crystallization 145–146, 147, 149, 150
 geochemistry **137–138**
 La/Yb ratio 144–145, 146
 magma source region 147–150
 Nb-Ta-Ti anomaly 148
 ¹⁴³Nd/¹⁴⁴Nd ratio 143, 145, 148
 petrogenesis 144, 145–146
 petrography and mineralogy 140, 141
 pyroxene 140, 142
 REEs 142, 144, 145
 Sm-Nd isotopes **139**, 149
 Sr-Nd isotopes 143
 Sr/Y ratio 144–145, 146, 147
 titanite 140, 141
 Darlimunda lamproite 158
 age **159**
 Deccan large igneous province 13, 211, 444
 alkaline magmatism 405, 406, 407, 413–414
 carbonatites 405
 contemporaneous with Mundwara Alkaline Complex
 432, 435, 436
 flood basalt tholeiites 135, 158, 352, 381, 383, 403, 404,
 405, 406
 hydrothermal alteration 464
 lamprophyres 104, 383, 405, 414
 Mundwara Alkaline Complex 415, 416
 Sarnu-Dandali Complex 383
 magma
 fractional crystallization 462, 464, 465
 generation 462, **467**
 subvolcanic magma chambers 437, 462
 sulfur saturation 459, 461–462
 mineralization 443–445
 Ni/Cu ratio 465, 466

- Deccan large igneous province (*Continued*)
 Pd/Ir ratio 465, 466
 PGE concentration 459, 464, 465
 sulfur outgassing 461, **467**
see also Chhota Udaipur alkaline carbonatite subprovince
- Deccan Super Pole 399, 403, 436
- Deccan Traps 352, 381, 382, 445
 dykes 445
 eruption 414, **467**
- Deimos pipe 72, 73, 75, 76–78, 79, 80–85, 86, 88, 89
- Delitzsch Complex, ultramafic lamprophyres 240, 244, 246, 262
- Devil's Walls dykes 243, 244, 249
 melilitic rocks 259–260
 Sr-Nd-Pb isotopes 260
- Dharwar Batholith 104, 211
 TTG rocks 104–105
- Dharwar Craton 352
 dyke swarms 151
 geological setting 104–106, 105, 134, 135, 160–162
 lamprophyres 104, 188
 mantle plume 151
 TTG gneiss 134, 135, 160
see also Eastern Dharwar Craton
- diamonds
 Eastern Dharwar Craton 158
 Group I kimberlite 18
 Indian cratons 11
 Ingashi lamproite dykes 53
 Karelian Craton 46, 55
 kimberlite, Upper Muna field 9–10, 71–97
 lamproites 45
 Ingashi field 9, 46–65
 Kostomuksha field 45, 46
 Siberian Craton 46
 stability field 227
see also Ingashi diamondiferous lamproite dykes; Upper Muna diamondiferous kimberlites
- Dibbasanipalle kimberlite pipe **213**, 215
- Dinarides 273, 275
- Dongargaon lamprophyres 414, 415
- Dongargarh granite 180
- Dongargarh volcanics 352
- Dora Maira massif 275
- Doupovské hory Mountains 242
- Draksharama-A high 172
- Dubná skala lamprophyre 298, 299, **312–313**, 314, 315
- durbachite 5
- Dvůr Králové nad Labem Intrusive Centre
 ultramafic sill 240, 244
 geochemistry 260, 261
- East Chukotka terrane 324
- Eastern Bastar Craton 180
- Eastern Dharwar Craton 10–11
 CLLA signature 10, 226–229
 continental lithospheric mantle 211
 diamonds 158, 160, 229
 geological setting 104–106, 134, 135, 158, 160–162, 211
 lamproites/kimberlites 157–158, **159**, 211, 212
 lithium 11, 224–226, 227–229
 olivine composition 220–221, **220**
 whole rock geochemistry **218–219**, 221–224
 major oxides **218**
 trace elements **218–219**
- lamprophyres 104, 110, 113, 115, 116, 119, 211, 212, 216
 lithium 11, 224–226
 whole-rock geochemistry 221–224
- magmatism 117
- mantle plume 172
- subcontinental lithospheric mantle 125, 227–229
- syenites 133–152
 adakitic affinity 143–144, 145, 146, 147, 148–150
 classification 143
 crustal assimilation 143, 144, 148
 fractional crystallization 144, 145–146, 147, 148–149
 geochemistry **137–138**, 140–143
 magma source region 147–150
 subduction-modified 148
 underplating 149
 metasomatism 148–149
 Nb-Ta-Ti anomalies 143, 147–148
 petrogenesis 145–147
 petrography and mineralogy 139–140, 141
 REEs 136, 142, 144
 rutile 148
 Sm-Nd isotopes **139**, 149
 Sr-Nd isotopes 136, 143
 TNT anomalies 143, 147–148
 trace elements 136, 141
 TTG rocks 104–105
see also Danduvuripalle syenite; Narayanpet kimberlite field; Peddavaduguru syenite; Raichur kimberlite field; Tungabhadra kimberlite field; Vanneddodi syenite; Wajrakarur kimberlite field
- Eastern Ghats Mobile Belt 104, 105, 134, 158, 160, 161, 172, 211
- Eastern Goldfields Superterrane, CALs 119, 124
- Egdykgych Complex 325, 326
- Eger Graben *see* Ohře Rift
- Elbe Fault System 241, 242
- Elbe Zone 240, 242
- Ellendale 2 lamproite
 olivine 227
 trace element composition 55, 57, 58, 222
- Endamuru-A high 172
- Erinpura Granite 414, 418
- Erzgebirge, calc-alkaline lamprophyres 297
- European Asthenospheric Reservoir 239
- European rift system 239, 240
- exsolution, magnetite-rutile, Peddavaduguru syenite 139, 141
- Fe-Ni-Cu-PGE deposits 443–469
- Ferrar Province, Bouvet mantle plume 406
- fitzroyite **4**, 5
- flush melting 124, 125
- fortunite **3**, **4**
- gabbro
 Chaitma Alkaline Complex 353, 355, 356
 geochemistry **357–358**, 361, 366, 367, 369
 petrography and mineral chemistry 359, **360–361**

- galena, Ingashi diamondiferous lamproite dykes 52
 Gangetic alluvium 352
 Gangpur Schist Belt 352
 Garledinne lamproite 11, 158, 161, 212
 age **159**, 171, 172
 Ar/Ar dating 164, 165, 166, 168, **169**, 172
 carbonate 162
 olivine 162
 petrography 162, 163
 phlogopite 162, 163
 Gaussberg, lamproites 1
 gauteite **238**, 246, 249, 260
 geodynamic signatures 7–8, 10, 36–37, 287
 Girnar lamprophyre 381, 382, 395, 405, 414, 415
 GLOSS (Global Ocean Subducting Systems) 192, 278, 279, 280, 283, 286
 gneiss
 Chaitma Alkaline Complex 355
 TTG, Dharwar Craton 134, 135, 160
 gold deposits 1, 325, 326, 336
 see also Peschanka porphyry Cu-Au ± Mo deposit;
 Phenai Mata Igneous Complex, Au-Cu deposits
 Gollapalle kimberlite pipe **213**, 214–215
 Gondwipri mafic-ultramafic complex 180–182
 Gondwana coalfield, lamprophyres 104
 Gondwana sediments 352, 353
 Gondwana Supergroup 181, 182, 352
 Gooty kimberlite cluster 211, 212
 Gop Rift 405
 Greater Seychelles *see* Seychelles-Laxmi Ridge
 greenstone, Eastern Dharwar Craton 211
 Gumbel, Carl Wilhelm von, lamprophyres 3

 Harohalli lamprophyre 104, 116, 122
 Helam Diamond Mine 18, 32
 Hermosillo lamprophyres 116, 122
 Hinota lamproite, age **159**
 Hronicum mafic volcanics 309
 Hronicum nappe 309, 310, 317

 Impala Platinum Holdings Ltd. 18, 19
 magma evolution 33, 35–36
 Shaft-20
 olivine 20, 24, 25, 26–27
 orangeite dykes 20, **22–23**, 24, 25, 27, 29–32, 36
 India-Eurasia collision 217
 Indian Shield 157
 1.4Ga tectono-thermal event 168, 171, 172
 lamprophyres 104
 Indiavá mafic intrusion 172
 Indravati Basin 158
 Ingashi diamondiferous lamproite dykes 9, 46–65, 46
 age estimation 46, 47, 49, 55, 58, 60, 61, 64, 65
 Ar/Ar dating 46, 64
 biotite mica 48, 50, 51, 52, 53
 carbonates 62, 63
 chlorite 48, 49, 50, 51, 52, 53
 chromite 52
 diopside 55
 dolomite 48, 49, 50, 51, 52, 53
 dyke 6 lamprophyre 46, 48, 49, 51, 53, 55, 57, 58, 62
 garnet 48, 51, 53–54, 60
 geological background 46
 hydrothermal alteration 49, 51–52

 ilmenite 48, 50, 51, 52, 53
 kimberlite-orangeite-lamproite terminology 62
 La/Yb fractionation ratio 55, 57, 63
 magma origin 55, 60–62, 63, 65
 magnesite 48, 49, 50, 51, 53
 magnetite 48, 49, 50, 51, 52, 53
 major oxides 47
 major/trace element composition 47, 55, **56**, 57, 63, 65
 mineralogy
 accessory minerals 52, 62, 65
 apatite 49, 50, 51, 52
 barite 52
 clinopyroxene 54, 61
 galena 52
 major minerals 47, 51–52, 62, 65
 mica 48, 49, 50, 52, 54, 62
 olivine 48, 49, 50, 51, 62
 REEs 55, 57, 62, 63
 xenocryst minerals 53–55, 62
 P-T estimation and magma depth 60–62
 zircon 52, 53, 54, 58, 60, 61, 64
 monazite 50, 51, 52, 53
 petrography 48, 49, 50, 51
 phlogopite 48, 49, 50, 51–52, 53, 54
 Rb-Sr **59**, 64
 rhabdophane 50, 52
 rutile 48, 51, 52
 serpentine 48, 49, 50, 51, 53
 Sm-Nd **59**
 spinel 48 50, 51, 52, 53, 54
 Sr-Nd isotope composition 46, 55, 58, 60, 63
 Th-Hf-Nb 55, 59
 U/Pb isotope ratio 46, 47, 49, 55, 58, 64
 Interkosmos pipe 72, 73, 79, 81

 Jabalpur/Lameta Formation 352
 Jarabá village, lamprophyres 298, 299, **312–313**, 314, **315**
 spessartite 300
 jumillite 3, 4, 5

 Kaapvaal Craton 8–9, 17, 18, 19
 age 37
 geological background 18–20
 lamproites 1, 5
 magmatism 17, 18, 32–37
 orangeites 8–9, 17–38
 composition 34, 35, 36, 37
 metasomatism 36, 37
 petrogenesis 31, 36, 37
 Sr-Nd-Hf isotopes 21, **22–23**, 24, 32, 34, 35, 36
 terminology: orangeites v. lamproites 37–38
 subduction zone signature 36–37
 Kadiri schist belt
 lamprophyres 212, **213**, 216
 geochemistry 221, 222, 223, 224
 Li 224–225, 228, 229
 spessartite **213**, 216
 Kaimur Group 171
 Kalagongar lamprophyre dyke 382, 405
 Kalmidadar lamproite, age **159**
 Kalužná lamprophyre 298, 299, **312–313**, 314, 315
 Kalyandurg kimberlite pipes 211, 212, **213**, 215

- Kandra Ophiolite Complex 105–106
- Kapamba pipe 222
Li content 226
- Karalveem intrusion-related gold deposit 325, 326
- Karelian Craton, diamonds 46, 55
- karlsteinite 4
- Katwe-Kikorongo field 62
- Kefalonia fault 275
- Kekura intrusion-related gold deposit 325, 326
- Kerguelen hotspot 353
- kersantite 5, 6, 7
- Khairagarh Group 352
- Khariar Basin 158
- Kimberley block 18
- kimberlite pipes, Upper Muna field 71, 72, 73
- kimberlite-orangeite-lamproite terminology 3, 4, 5, 37–38, 62, 157–158
- kimberlites
classification 5, 6
coherent, Upper Muna 73, 75, 76, 78, 96–97
diamondiferous, Upper Muna field 9–10, 71–97
Eastern Dharwar Craton 211–216, 229
mantle melting 227
whole-rock geochemistry 221–224
Group I 3, 5, 17
diamond deposits 18
origin 1, 17–18, 210
Group II 3, 5, 17, 210
Deccan Traps 382
origin 1, 210
see also orangeites
as indicators of subduction tectonics 209
Kaarvaal Craton 17–38
Li isotopes 211, 221, 224–226
interpretation 227–229
MgO-K₂O-Al₂O₃ ternary diagram 4
pyroclastic, Upper Muna 73, 75, 76
scientific interest 1, 2, 3
and supercontinents 1
volcaniclastic, Upper Muna 73, 75, 76, 78
see also Upper Muna diamondiferous kimberlites
- Klen epithermal gold deposit 325, 326
- Klipspringer-Marsfontein diamond deposit 19
- Klunst Quarry, Ebersbach, ultramafic lamprophyre 240, 244, 245
- Kodomali orangeite pipe 211–212, 213, 215–216, 406
age 406
geochemistry 221, 224
Li 226, 227–228, 228, 229
- Komsomolskaya-Magnitnaya pipe 72, 73, 75, 76, 77, 78, 81, 82, 83, 84
- Kondapalli Layered Complex 104, 106
- Kondapalli-Kandra supra-subduction zone 116
- Kondapalli-Ongole domain 105, 106
- Koppal syenite pluton 133, 135, 145
- Koryak-Kamchatka fold belt 324
- Kosmos pipe 72, 73
- Kostomuksha diamond field 45, 46
lamproite terminology 62
Th-Hf-Nb 55, 59
trace element composition 55, 57, 58, 63
- Kotakonda kimberlite cluster 211, 213, 215
- Kotri-Dongargarh mobile belt 180
- Kottapalle kimberlite pipe 212, 213, 214
- Krishna lamproite field 105, 157, 158, 160, 161, 212, 213, 215
age 162, 171, 172
mantle source region 168, 171
petrography 163
- Krishna province 106
- Krishna-Godavari basin 172
- Krupka, Krušné hory Mountains, calc-alkaline lamprophyres 297, 301
- Kumštová valley, lamprophyres 298, 299, 301, 312–313, 313, 315
- Kurnool Group 160, 161–162, 171
- Kutch Alkali Basalt, PGEs 465, 466
- Kutch Rift 382, 405, 415
- Kýrka-Afyon-Isparta volcanic province, lamproites 278
- Lakhna mafic dykes 172
- lamproites 45, 272
anorogenic 4, 6, 7, 10, 45, 63–64, 221, 223, 228, 229
Bohemian Massif 216–217, 221, 223, 228
classification 5–6, 272, 274, 276
composition 272
indicative of source 210
cratonic 210
diamondiferous 45
Ingashi field 9, 46–65
Eastern Dharwar Craton 212–216
geochemistry 221–224, 228
mantle melting 227
K₂O enrichment 272, 274, 276, 277, 281, 284, 287
Kaarvaal Craton 1, 210
terminology: orangeites v. lamproites 37–38
Li isotopes 211, 221, 224–229
mantle source 272
Mediterranean 12, 272, 273, 275–288
crust-mantle mélanges 286–287
Dinarides 275, 278
felsic veins 287–288
GLOSS 278, 279, 280, 283, 286
hypabyssal 272, 275
kersantite 272
lawsonite 283–284, 286, 287
mantle components 281
mantle source 284–285
metasomatism 280, 281, 283, 284–285, 287
Murcia-Almeria 276, 277, 279, 284–285, 286
Ni 284
occurrence 275–278
orthopyroxene 284, 287
peridotite 284–285, 287, 288
petrogenesis 285–288
phlogopite 284, 285, 287
REEs LILEs HFSEs 278, 282, 285
SALATHO 280, 281–284, 285, 286, 287, 288
Sardinia-Corsica 273, 276, 277, 279
shallow origin 288
Sr-Nd-Pb isotopes 279–280, 281, 285
subduction-related 12, 274, 287, 288
Th enrichment 278, 280, 282, 283, 285, 286
trace elements
composition 285
distribution 278, 279, 280, 284
Tuscany 273, 275, 276–278, 277, 279, 288

- Western Alps 276, 277, 279
 Western Anatolia 275, 277, 278, 279
 MgO-K₂O-Al₂O₃ ternary diagram 4
 nomenclature 3, 4, 5, 37–38, 62, 157–158
 $\delta^{18}\text{O}$ 272
 occurrence 272
 orogenic 4, 7, 10, 45, 63–64, 221, 223, 228, 229, 288
 scientific interest in 1, 2, 3
 Siberian Craton 46
 Sr-Nd isotopes 272
 and supercontinents 1
 Tethyan Realm 276, 288
 SALATHO component 280, 281–284, 285, 286
 Th enrichment 278, 280, 282, 283, 285, 286
 Th-Hf-Nb/2 discrimination diagram 7, 10
see also kimberlite-orangeite-lamproite terminology
 lamprophyres 179–180, 297
 alkaline 3, 4–5, 6, 7, 115, 116, 192, 237, **238**
 extensional settings 7, 115
 Northwest India rift zones 414
 Rapuru 104–125
 Western Carpathians 297, 317–318
 see also lamprophyres, Bohemian Massif, alkaline
 anorogenic 10
 Bohemian Massif 11–12
 Indian shield 104, 228, 229
 Bohemian Massif 216–217, 221, 223, 228
 alkaline 237–239, 246–248, 249, 254, 255, 260, 262
 post-Variscan 11–12, 237–264
 chemical analysis 249, **250–251**, 254, 255, 256
 comparison with other regions 261–262, 313
 compositional interpretation 258–261
 mantle source 262–263
 origin and emplacement 262–263
 petrography and geochronology 251–252
 REEs LILEs HFSEs 252–253, 255, 256, 259, 260
 Sr-Nd-Pb isotopes 253, **257**, 258, 259, 260, 263
 ultramafic 11, **238**, 239, 242–246, 255
 Lusatia 244, 245
 calc-alkaline 4, 6, 7, 180, 186, 192, 297
 Archean 115, 119
 Rapuru 110, 113, 115, 116
 subduction-related, convergent settings 7, 115, 180
 Thanewasna lamprophyre dyke 180–199
 Western Carpathians 297–318
 age 308–309, 310, 318
 albite 300, 301, 316
 amphibole 300, 301, 303, **305**, 310, 315
 alteration 300–301, 301, 314
 apatite 300, 301, 306–307, 310, **311**
 biotite 300, 301–302, 303, **306**, 310, 314, 316
 carbonate 300, 317
 chlorite 300, 301, 303, 309–310, 315, 317
 clinopyroxene 300, 301, **302**, 303, 304, 310
 alteration 300, 309–310, 315
 comparison with other areas 261–262, 308, 313
 epidote 300, 301, 317
 Eu anomaly 308
 garnet 300, 309–310, 315
 geochemistry 307–310, **312–313**, 315
 geodynamic settings 310, 312–313
 hematite 300, 317
 ilmenite 301, 317
 K-feldspar 300, 303, 307, **309**, 310, 316–317
 magmatic origin 310, 313, 318
 magnetite 300, 317
 mica 300, 301–302, 303, 306
 opaque minerals 300, 317
 petrology 300–307
 plagioclase 300, 303, 305, **307**, **308**, 310, 316
 pyrite 300, 317
 quartz 300, 306
 REEs 307, 308, 314, 318
 rutile 300, 303, 310, 317
 Sr-Nd isotopes 299–300, 308, 313, 315, 317
 sulfides 317
 zircon 300
 classification 4–6, 184, 186, 192, 312
 current view 6–7, 237, **238**
 Deccan Traps 382
 Eastern Dharwar Craton **213**, 214, 216
 geochemistry 221–224, 228
 mantle melting 227
 Indian Shield 104
 Ingashi diamondiferous lamproite dykes 9, 46, 49, 51,
 55, 57, 58, 62
 Li isotopes 211, **221**, 224–226, 227–229
 mantle sources 237
 melilitic 3, 4, 258–260
 MgO-K₂O-Al₂O₃ ternary diagram 4
 nomenclature 4–5
 current view 6–7
 orogenic 10
 Indian shield 104, 228, 229
 peralkaline 186
 potassic, and gold deposits 1, 323–346
 scientific interest 1, 2, 3–4
 shoshonitic 115, 116, 185, 188, 192
 Th-Hf-Nb/2 discrimination diagram 7, 10
 ultramafic 5, 6–7, 7, 9, 115, 116, 186, 192, 237, **238**
 extensional settings 7
 see also lamprophyres, Bohemian Massif, ultramafic
 within-plate 115, 117
see also supercontinents, cycles and evolution
 lamphyrites 6, 10
 Bohemian Massif 216–217, 221, 223, 228–229
 Li isotopes 211, 216
 MgO-K₂O-Al₂O₃ ternary diagram 4
 Late Jurassic magmatic belt 324
 laterite 352
 Lattavaram kimberlite cluster 211, 212, **213**
 Lebowa granite suite 19
 Legkaya kimberlites, garnet 79, 81
 325 let Yakutii pipe 72, 73, 79, 81, 88
 Leucite Hills lamproite, Sr-Nd 55, 60, 62, 63
 leucolamprophyres 7, 246, 247, 249, 251, 252, 257
 geochemistry 253, 260
 Lewis, Henry Carvill, kimberlites 3
 Lion Hill Dyke, Group II kimberlite 3
 lithium cycle, subduction 210, 226–227, 227–229
 lithium isotopes 11
 in kimberlites, lamproites and lamprophyres 11, 211,
 224–226
 interpretation 11, 227–229
 mantle variability 210, 226–227
 lithosphere
 extension, Mediterranean lamproites 287–288
 Upper Muna field 74

- Lower Cuddapah Formation
 diamonds 160, 171
 lamproitic event 168, 171, 172
- Lusatia
 alkaline volcanics 246
 lamprophyres 244, 297
- Lusatian Basin, inversion 241
- Lusatian Fault 240, 241, 242, 243
 magma intrusion 262, 264
 melilitic lamprophyres 260
- Macedonian lamproites 273
- Maddur kimberlite cluster 211
- madupite 3, 4
- maenite, Bohemian Massif 237, **238**, 246, 249
 chemistry **250–251**, 252, 253–256, 258, 259, 260
- mafic-ultramafic complexes 443–469
- magma, EMI (enriched mantle I) 9, 55, 63, 65
- magma differentiation 13, 33
 olivine, Kaapvaal Craton 18, 33
- magma mixing
 Chaitma Alkaline Complex 359, 367–368
 Mediterranean 288
 Mundwara Alkaline Complex 435
 Phenai Mata Igneous Complex 461–462, 469
 Rapuru meta-lamprophyres 117
 Upper Muna kimberlites 91
- magmatism
 alkaline 413
 arc 104, 106, 116
 back-arc 104, 106, 115, 125, 273, 274–275
 potassic ultramafic, Kaapvaal Craton 17, 18
 potassic-ultrapotassic 171, 172, 217
 rift-zone, PAP 106
 subduction-related
 EDC-EGMB 104
 Kondapalli Layered Complex 104, 106
 Okhotsk-Chukotka magmatic belt 325, 326
- Mahakoshal supracrustal belt 352
 lamprophyres 104
- Main Intrasedimentary Fault, magma intrusion 262
- Mainpur kimberlite (orangeite) field 212, **213**, 215–216, 382, 414
- Majhgawan lamproite 158
 age **159**, 171
- majhgawanite 5
- Makrohar Granulite Belt 352
- Malá Fatra Mountains
 lamprophyres 12, 298, 299
 age 309, 316, 318
 alteration 314–317
 anorogenic geodynamic setting 310, 312–313, 317
 emplacement 313, 314
 geochemistry 308–309, 309–310, **311**, **312–313**
 kersantite 12, 297, 298, 300, 301, 313
 Nb-Ta enrichment 308, 312, 318
 petrology 300–301, 302, 303, 304, 305, **306**, **307**, **308**
 spessartite 300
 Sr-Nd isotopes 308
 origin 318
- Malagasy orogeny 437
- Malani silicic igneous province 414, 437
 rhyolite 383
- Malanjkhand/Dongargarh granite 352
- Malaya pipe 72, 73
- Malužiná Formation 309, 310, 313
- mamilite 4
- Mangazeika porphyry Cu-Mo-Au deposit 325, 326
- mantle
 convection 7, 8, 227
 Group I kimberlite 18, 210
 enriched I (EMI) 9, 55, 63, 65
 lithospheric, and supercontinent cycles 8, 210
 metasomatism, Samu-Dandali Complex lamprophyre dyke 403–404, 406, 407
- olivine
 Li content 210, 226–227
 interpretation 227–229
 subcontinental lithospheric (SCLM) 125, 179, 210, 227, 284
 Chaitma Alkaline Complex 373, 374
- mantle plumes
 Cuddapah Basin and EDC 172
 Dharwar Craton 151
 interaction with lithosphere 7
 and LIPs 405, 406
see also Réunion plume
- mantle upwelling
 Central European Volcanic Province 239, 242, 263
 Mediterranean lamproites 287
- mantle xenoliths 210
 Li isotopes 210, 226
 Tallante magmas 284–285, 286, 288
 Upper Muna kimberlites 75, 76, 79, 91–92, 97
 Western Carpathians 300
- Mariana BABB field 124
- MARID-type metasomes 36, 37, 87, 91, 210
- Marion hotspot 404, 405
- Martinéves Intrusive Centre 239, 244
 lamprophyres 240, **250–251**, 251, 252, 253, 264
 geochemistry 253, 260–261
 Sr-Nd-Pb isotopes 253, **257**, 258, 259
- Massif Central 239, 240
 calc-alkaline lamprophyres 297
- Mediterranean
 geodynamic framework 273, 274–275
 and lamproite petrogenesis 285–288
 lamproites *see* lamproites, Mediterranean
 subduction 274
 Africa-Eurasia plate convergence 274
see also Western Mediterranean
- melilite 3, 237, 242, 245, 263
- melilitolite, Bohemian Massif 242–244, 255, 256, 258–260
- Mer Hill lamprophyre 13, 414, 415–416, 416, 418, 436, 437
 clinopyroxene 423
 composition 414
 feldspar 420, 421
 geochemistry 417, **419–420**, 429–431
 REEs 429, 430
 ilmenite 427–428
 magma
 fractional crystallization 434–435, 436
 plumbing system 435
 mica 424, 428
 olivine 420, 423, 424

- opaque minerals 420, 421
 petrography 420–421, 421
 phlogopite 420, 421
 pyroxene 420, 421, 425
 Sr-Nd isotopes 417–418, **420**, 432
- Merensky Reef 19–20
- metagabbro, Thanewasna lamprophyre 181, 182, 183
- metamorphism
 Chhotanagpur Gneissic Complex 353
 Rapuru lamprophyres 120
 greenschist facies 108, 110
- metapyroxenite, Thanewasna lamprophyre 181
- metasomatism
 carbonate, Chaitma Alkaline Complex 373, 374
 Rapuru lamprophyres 110, 120
 Sarnu-Dandali Complex lamprophyre dyke 383, 401, 403–404, 406, 407
 subduction-related 9, 124–125
 Central Europe 239, 262, 264
 Eastern Dharwar Craton 148–149
 Kaapvaal Craton 36, 37
 Mediterranean lamproites 280, 281, 283, 284–285, 287
 Thanewasna lamprophyre dyke 193
 and supercontinent cycles 8, 210
 Upper Muna kimberlites 95
 Western Carpathians 313
- MgO-K₂O-Al₂O₃ ternary diagram 4
- mica
 kimberlites/lamproites/lamprophyres/orangeites 6, 7
 minette 4, 5, 6, 7, 197, 272, 297
see also lampyrites
- Mirinsky diamondiferous field 71
- Moldanubian region 240, 242
- monchiquite 5, 6, 7
see also Bohemian Massif, monchiquite
- Mudigubba lamprophyres 212
 age 216
 geochemistry 105, **213**, 214, 216, 221, 222, 223, 224
 Li 224–225, 228, 229
 spessartite **213**, 216
- Münchberg Massif, Li isotopes 211
- Mundwara Alkaline Complex 13, 381, 382, 383, 414–437
 amphibole 423–424, 427, 434–435
 mineral-melt equilibrium 431, 433
 apatite 422, 423, 428–429, 435
 Ar/Ar age 404, 406, 414, 417
 camptonite 13, 423, 424, 426–429, 431–437
 clinopyroxene 423, 426, 434–435
 chemical zoning 431–433
 mineral-melt equilibrium 431, 433
 comparison between dykes 423, 432
 contemporaneous with Deccan large igneous province 432, 435, 436
 diorite 417
 dykes 414, 416
 feldspar 424, 426
 gabbro
 alkaline 417
 olivine 417
 geochemistry 417, **419–420**, 429–431
 REEs 429, 430, 431
 geodynamics 436–437
 geological setting 414, 415–416, 416
- geothermobarometry 433–434
 ilmenite 422, 427–428
 kaersutite 423, 427, 434
 magma
 crystallization sequence 434
 fractional crystallization 434–435
 closed system 435, 436
 oxygen fugacity 434
 plumbing system 435–436, 437
 magma mixing 435
 magnetite 426–427, 434
 mica 424, 428, 434
 mineral chemistry 423–429
 mineral-melt equilibrium 431
 minette 424
 nepheline 426
 olivine 420, 423, 424, 434–435
 mineral-melt equilibrium 431, 433
 paleomagnetization 436
 petrography 418–423
 pyroxenite 435
 Réunion plume 435, 436, 437
 spinel 426, 428
 Sr-Nd isotopes 417–418, **420**, 431, 432
 syenite 417
 nepheline 417
 tephrite 417
see also Mer Hill Lamprophyre; Musala Hill Lamprophyre
- Murcia, Tallante Na-alkaline volcanism 284–285, 286, 287
- Murcia-Almeria, lamproites 276
- Murud Janjira lamprophyre 381, 382, 395, 405, 414, 415
- Musala Hill lamprophyre 13, 414, 415–416, 416, 418, 436, 437
 amphibole 421, 422–423, 427
 apatite 422, 423
 biotite 421, 422, 423
 clinopyroxene 422, 423
 composition 414
 feldspar 422
 geochemistry 417, **419–420**, 429–431
 REEs 429, 430
 ilmenite 422
 magma
 fractional crystallization 434–435
 plumbing system 435
 magnetite 422
 mica 424, 428
 opaque minerals 422, 423
 petrography 421–423
 pyroxene 422
 Sr-Nd isotopes 417–418, **420**, 432
- Nagireddipalle kimberlite pipe **213**, 215
 lithium 226
- Nakhodka porphyry Cu-Au ± Mo deposit 324, 325, 326
- Nakynsky diamondiferous field 71
- Nallamalai Fold Belt 105, 106
- Nallamalai Group 161, 162
- Namaqua-Natal orogeny 9, 36
- Napier Complex 160
- Narayanpet kimberlite field 105, 157, 211, 212
 age 162, 171, 172

- Narmada Lineament 445
 Narmada Rift 158, 382, 405, 413, 415
 Nellore Schist Belt
 geological setting 104–106
 lamprophyre intrusions 107, 108, 110
 neo-Tethys 275
 closure 217, 274
 nickel sulfides 443
 Niggli, Paul, lamproite 3
 Nízke Tatry Mountains
 lamprophyres 12, 298, 299
 age 309, 316, 318
 Eu anomaly 308
 geochemistry 308–310, **311**, **312–313**, 318
 gneiss host 313
 kersantite 300, 301, 313
 mineralogy 300–301, **302**, **303**, **304**, **304–305**,
 306, **307**
 origin 318
 orogenic geodynamic setting 310, 312–313, 317
 petrology 300, 301, **302**, **303**, **306**, **307**
 spessartite 300, 314
 Sr-Nd isotopes 308
 Norilsk dykes 63
 North Gondwana Upper Crust 228
 North Singhbhum Mobile Belt 352
 Northern Hemisphere Reference Line 258, 259,
 279–280
 Northern Indian Block 352
 Novinka pipe 72, 73, 75, 76–78, 79, 81–84, 86, 89
 Nuapada lamproites, age 171, 172

 ocelli structure 107, 184, 190
 Ohře Rift graben 239, 240, 242
 alkaline volcanics 246
 magma emplacement 262
 ultramafic volcanics 242, 244, 264
 Okhotsk-Chukotka Cretaceous magmatic belt 324
 subduction-related volcanism 325, 326
 Oloy tectonic zone 325, 326
 see also Baimka Trend
 Omolon cratonic terrane 325, 326
 orangeites 5
 Bastar Craton 11
 classification 24
 composition 9, 18, 210
 Kaaipvaal Craton 8–9, 17, 18, 19
 Bushveld Complex 18, 19, 20–38
 terminology: orangeites v. lamproites 37–38
 Lion Hill Dyke 3
 and supercontinents 1
 see also kimberlite-orangeite-lamproite terminology
 orendite 3, 4
 Osečná Intrusive Complex 237, 240, 242–244, 243, 245,
 255, 256
 geochemistry, meltlitic lamprophyres 258–260, 263
 mineralization 242–244
 uranium 244
 origin 262, 263, 264
 Sr-Nd isotopes 258
 ouachitite 5
 Bohemian Massif ultramafic lamprophyres 245, 254,
 258, 259
 chemical analysis **250–251**
 Pakhal Supergroup 181, 182
 Palanpur ultramafic lamprophyre 414
 paleo-Tethys 275
 closure 274
 Palmietfontein diamond deposit 19
 Palmietgat diamond deposit 19
 Pannonian Basin 273
 lamprophyres, comparison with Bohemian
 Massif 261–262
 Papagani Group 160–161
 Paraná-Etendeka LIP 406
 Peddavaduguru syenite 10–11, 134, 135, 136
 Eu anomaly 11, **138**, 142, 145
 fractional crystallization 11, 145–146, 147, 150–151
 geochemistry **137–138**
 magma source region 147–150
 magnetite-rutile exsolution 139, 141
 ¹⁴³Nd/¹⁴⁴Nd ratio 143, 145
 petrogenesis 144, 145, 146
 petrography and mineralogy 139–140, 141
 REEs 144, 145
 Sm-Nd isotopes **139**
 Sr-Nd isotopes 143
 Penakacherla schist belt 134
 peridotites, Upper Muna field 74
 Peschanka porphyry Cu-Au ± Mo deposit 12, 323–346,
 324, 326, 343
 amphibole 330
 biotite 327, 328, 330
 chlorite 330, 331
 epidote 330
 exploration history 325
 geochemistry 341, 346
 Eu/Eu ratio 12, 341, **345**, 346
 LILE and REE 341
 Sr-Y ratio 341, 343
 trace elements 341, **344–345**
 geological overview 326–327, 328
 geophysical anomalies 336–337, 338
 high-H₂O 323, 343
 high-K monzonite intrusions 339, 341, 342, 343, 346
 hydrothermal alteration 12, 327–331, 335–336, 346
 argillic 331
 phyllic 327, 329, 330, 331
 potassic 327–328, 329, 330
 propylitic 327, 330–331
 quartz-sericite 327, 328, 329, 331, 332, 333,
 336, 340
 quartz-sulfide veining 327, 329, 339–340
 veins 335, 339–340, 341
 K-feldspar 327, 328, 330, 333
 mineralization 327, 331–336
 altaite 331, 334, 336
 Au-Ag alloys 325, 326, 336
 bornite 331–332, 333, 334
 chalcopyrite 331–332, 334, 335, 336
 early-stage Cu-Au ± Mo 331–336
 fahlore 331, 333, 335, 336
 galena 331, 334, 336
 goldfieldite 331, 336
 hessite 331, 334, 336
 hypogene 12, 331, 346
 late-stage carbonate-polymetallic 331, 334, 335, 336
 molybdenite 331, 332–333

- monzonite 326, 327, 328, 329, 332, 335, 336
- native copper 334
- native gold 331, 333, 334, 335
- petzite 331, 334, 336
- pyrite 330, 331, 332, 334, 335, 336
- sphalerite 331, 334, 336
- sulfides 331, 335–336, 342, 343
- sulfosalts 331
- tetrahedrite 331, 333, 334, 335, 336
- oxygen fugacity 12, 343, 346
- structural controls 12, 336, 337, 339–340, 343, 346
- tourmaline 330, 331
- veining and stockwork 327, 328, 331, 332, 333, 337, 339–340, 341, 342, 343
- Phenai Mata Igneous Complex 13, 414, 415, 437, 443–469
 - alkali gabbro 444, 445
 - amphibole 448, 449
 - apatite 449
 - Au-Cu deposits 462, 463
 - Au-Pt enrichment 13, 465, 469
 - camptonite 446
 - clinopyroxene 446, 447, 448, 449
 - Cu depletion 465, 469
 - dykes 445
 - basalt 444, 445, 448
 - breccia 444, 445
 - dolerite 444, 445, 447, 448, 452
 - gabbro 448–451, 451, 452
 - alkali 444, 445, 448
 - cumulate 446, 448, 449, 450–451
 - mineralogy 454–459
 - orthopyroxene 444, 445, 448
 - tholeiitic 444, 445, 446, 448
 - lamprophyre 444, 445, 446, 446, 447, 452
 - picrobasalt 445, 446, 446, 447, 448, 452, 458
 - Fe-Ni-Cu-PGE mineralization 465, 467, 468–469
 - Fe-Ti ores 450, 451, 455
 - feldspar 446, 447, 448, 449
 - geological setting 444, 445
 - hydrothermal alteration 464, 469
 - magma 464, 469
 - crustal magma chambers 462
 - fractional crystallization 448, 465
 - generation 462
 - magma mixing 461–462, 469
 - magnetite 447, 450, 467, 468
 - mica 446, 447
 - mineralogy
 - kaersutite 446
 - kersantite 446
 - oxides 454, 455
 - sulfides 450, 451, 454, 465–469
 - chalcopyrite 450, 455, 457, 458, 467, 468–469
 - colbaltite 459, 460, 467, 469
 - Cu-Zn alloy 459, 460
 - galena and native lead 459, 460, 467, 469
 - pentlandite 459, 460, 467
 - pyrite 458–459, 459, 467, 469
 - pyrrhotite 454–455, 456, 467, 468
 - smythite 459, 460, 467, 469
 - sphalerite 458, 467, 469
 - minette 446
 - monchiquite 446
 - Ni-PGE-Cu enrichment 13, 465, 469
 - Ni/Cu ratio 465, 466
 - olivine 446, 447, 448, 449
 - opaque minerals 447
 - Pd/Ir ratio 465, 466
 - petrography 446–451
 - PGE
 - analysis 451–454
 - concentration 459
 - deposits 462, 463
 - mineral beneficiation 453, 469
 - phlogopite 446, 447
 - plagioclase 446, 447, 448, 449
 - spinel 446, 448, 449
 - sulfur 461, 462, 469
 - syenite 444, 445
 - phlogopite 3, 7
 - plagioclase, Rapuru lamprophyres 108, 109
 - platinum group elements (PGEs) 443
 - see also Phenai Mata Igneous Complex, PGE
 - platinum mining, Bushveld Complex 18
 - pleochroism 108
 - plumes see mantle plumes
 - plutons, potassic
 - and gold deposits 1
 - Pochampalle lamproite 11, 160, 161, 213, 215
 - age 159, 171, 172
 - Ar/Ar dating 162, 164, 165, 166, 168, 169, 212
 - clinopyroxene 162
 - Li 226, 228, 229
 - petrography 162, 163
 - phlogopite 162, 163, 214
 - REEs 222
 - Poiskovaya pipe 72, 73, 75, 76, 77, 81, 87, 88
 - polzenite 5, 6–7, 7
 - see also Bohemian Massif polzenite
 - Pontides 275
 - Popugaeva, Larisa, Zarnitsa kimberlite pipe 71
 - porphyry copper-gold deposits 1
 - high-K calc-alkaline intrusions 323
 - Peschanka deposit 323–346
 - see also Peschanka porphyry Cu-Au ± Mo deposit
 - Považský Inovec Mountains, lamprophyres 298, 307, 310, 314, 315
 - Prakasam Alkaline Province (PAP) 134, 135, 160
 - lamprophyres 104, 105, 106, 107, 115, 116, 122
 - Pranita-Godvari graben 211
 - Premier/Cullinan diamond deposit 19
 - Proto-Arctic Ocean 325
 - Pulivendla sill, age 160
 - pyroxenite, Chhotanagpur Gneissic Complex 353
 - Quetta lamprophyres 405, 406
 - raabsite 4
 - Racherla Syenite
 - age 161
 - mantle source region 168, 171
 - Ragulapadu fault 134
 - Raichur kimberlite field 105, 157, 162, 171, 211, 212
 - diamonds 158, 160
 - Raichur lamproite field 212
 - Rajmahal Traps 352, 404

- Ralská Pahorkatina Volcanic Complex, camptonite-monchiquite-maenite series 247–248, 255, 256, 260
- Ramadugu lamproite field 11, 105, 157, 158, 160, 161, 212
 Ar/Ar dating 164, 167–168, **170**, 171, 172
 petrography 163–164, 163
 phlogopite 163, 164
- Ramakona-Katangi Granulite Belt 352
- Ramannapeta lamproite, age **159**, 161, 171, 172
- Ramapuram lamproite **213**, 215, 221, 225, 228, 229
- Rapuru meta-lamprophyres 10–11, 104–125
 accessory minerals **108**, 109
 actinolite 110, 113, 114
 amphibole 107, 108, 109, 110, **112**, 113, 114, 123
 schistosity 108, 109, 117
 apatite 108, 109, 109
 biotite mica 107–108, 109, 110, **111**, 113
 calcite 110
 chlorite 107, 108, 109, 110
 clinopyroxene 107
 and Columbia supercontinent assembly 125
 comparison with other lamprophyres 110, 113, 115, 116
 crustal contamination 117, 120–121
 emplacement age 117, 125
 epidote 107, 108, 109, 110, 114
 feldspar 107, 108, 109, 113, 114
 flush melting 124, 125
 geochemistry
 major oxides 107, 115
 trace elements 115–117, **118–119**, 119
 greenschist facies metamorphism 108, 110
 hornblende 108, 113, 114
 hydrothermal activity 107, 109, 124–125
 La/Nb ratio 123
 magma mixing 117
 mantle source region 117, 119, 121, 122–125
 metamorphism 108, 110, 120
 metasomatism 110, 120, 123
 mica 107–108, 109, 110, **111**, 113
 mineral chemistry 110–114
 modes of origin 110, 113
 olivine 107
 opaque minerals 108
 petrogenesis 120–125
 Columbia supercontinent assembly 125
 mantle source region 117, 119, 121, 122–125
 post-magmatic alteration and contamination 120–121
 petrography 106–110
 phlogopite 107, 108, 109, 110, **111**, 113, 123
 pleochroism 108
 plagioclase 108, 109
 preferred orientation of minerals 107, 108, 109, 117
 pyrite **108**, 109, 110
 quartz, secondary 107, **108**, 109, 109
 REEs 107, 115, 116, 117, **118–119**
 Sm-Nd ratios 107
 Sr anomaly 116–117
 Sr-Nd isotopes 117, 119–120, 121
 sulfides **108**, 109, 110, 115
 titanite 107, 108, 109, 114
 trace elements 107, 115–117
- Reddikunta lamproite, age **159**
- Reddypalle syenites 134
- redwitzite 5
- reefs (mineral-enriched zones), Bushveld Complex 19
- Réunion plume 13, 382, 404, 436
 Ar/Ar dating, absence of pre-Deccan magmatism 405
 magmatism 381, 383, 406
 Mundwara Alkaline Complex 435, 436, 437
- Rhenish Massif 239, 240
- Rhine Graben 239
- Rock, N.M.S., lamprophyric rock classification 4–5
- Rodinia supercontinent, formation 9, 171, 172, 373
- Ronda, crust-mantle mélange 286
- Rooiberg Group 19
- Rosenbusch, Karl Heinrich Ferdinand, lamprophyres 3
- Rovienky Hill, lamprophyres 298, 299
- Roztoky Intrusive Complex 239, 240
 alkaline volcanics 246, 247, 248, 255, 256, 262
 geochemistry 260
 camptonite-monchiquite-maenite series 246, 260
 magma emplacement 262, 264
- Rustenburg Layered Suite 19, 20
 Critical Zone 20
- Sadara sill 405
- Sakoli Group 352
- Sakri lamproite 158
 age **159**
- SALATHO component 280, 281–284, 285, 286, 287, 288
 sannaite 5, 6
- Saptarshi lamproite 158
 age **159**
- Sarcya seamount 273, 276
- Sarnu sandstone 383
- Sarnu-Dandali Complex lamprophyre dyke 13, 381, 382, 383
 Ar/Ar dating 13, 383, 384, 395, 400, **401**, 403, 404, 405
 absence of pre-Deccan ages 404, 405
 eruption age 403, 404, 406, 407
 clinopyroxene 384, 385–386, **387**, 393
 Deccan magmatism 383
 feldspar 384, **392**, 395, 396
 geochemistry 395, **397**, 398, 399
 geological setting 383
 HFSEs 400, 401
 LILE enrichment 400–401
 metasomatism
 carbonatite 383, 407
 lithospheric mantle 13, 401, 402, 403–404, 407
 mica 384, 394
 mineral composition 385–386, **387–392**, 393, 395
 nephelinite 384, **391**, 395, 396, 404, 406
 palaeomagnetism 384, 399, **401**, 403
 petrogenesis 399–403
 petrography 384–385
 phlogopite 384, 385, 386, **388–389**, 393, 394, 395, 399–403
 age, and lithospheric mantle metasomatism 13, 403–404, 407
 REEs 383, 384, 395, **397**, 399, 400, 401, 403
 Réunion plume 406, 407
 sodalite **391**, 395
 sphene 384, **391**
 spinel 384, **390**, 395
 Pb-Zr anomalies 401, 403
- Sausar supracrustal belt 352

- Sausur Group 352
 Saxothuringian region 240, 242
 Scavia supercraton, breakup 151
 Serbia, lamproites 273, 277, 278, 279
 serpentinization, and Li isotopes 227
 Seychelles-Laxmi Ridge, separation from India 13, 383, 404, 406
 Seychelles-Madagascar suture 437
 shoshonites 4, 274
 Deccan LIP 150
 Mediterranean 276, 277, 278
 porphyry copper-gold deposits 323, 346
 and supercontinents 1
 Sibanye-Stillwater platinum mine 18, 19
 Karee-3 Shaft orangeite dykes 20, 22–23, 24, 25, 27
 magma evolution 33, 35–36
 Saffy Shaft orangeite dykes 20, 22–23, 24, 25, 27
 Siberian Craton 9–10, 324
 Cu-Mo-Au deposits 326
 see also Peschanka porphyry Cu-Au+Mo deposit
 diamondiferous kimberlites 71–97
 diamondiferous lamproites 46–65
 northeastern, geology 324–325, 326–327
 Yakutian kimberlite province 71
 Siddanpalle kimberlite cluster 211
 age 171
 carbonate/limestone xenoliths 162, 171
 pipe 213, 215
 Sidhi alkaline complex, lamprophyres 104
 Singhbhum Craton 352
 Singhbhum mobile belt 158
 Singhora Group 172
 Sisco lamproites 273, 276, 277, 279
 Sivarampeta lamprophyres 105
 Smoke Butte lamproite
 Sr-Nd 60, 62
 trace element composition 55, 57, 58, 63
 Somsila lamproite field (SLF) 157, 158, 161
 Son-Narmada North Fault (SNNF) 352
 Sonakhan Group 352
 South Anyui suture zone 324, 325, 326
 tectonic evolution 325
 South Anyui turbidite basin 325
 South Purulia Shear Zone 352
 Southern Granulite Terrain 135, 158, 211
 Southern Indian Block 352
 Spain, lamproites 273, 277, 279
 spessartite 5, 6, 7, 272, 297
 Star kimberlites 62
 Staré Sedlo Formation 241, 242
 Strážovské vrchy Mountains 298
 subduction
 Africa-Eurasia plate boundary, Mediterranean region 239, 274–275
 Chaitma Alkaline Complex 374
 lamproites 12
 Ingashi diamondiferous lamproite dykes 63
 Mediterranean 12, 274, 284, 287, 288
 lithium cycle 210, 226–227, 227–229
 Thanewasna lamprophyre dyke 190, 192–193
 subduction zones
 EDC-EGMB 104
 Kaapvaal Craton 36–37
 Sudetic Marginal Fault 240, 241
 Sukma gneissic complex 180, 181
 sulfide mineralization 443
 sulfur saturation, Deccan large igneous province 459–462
 supercontinents, cycles and evolution 1
 and kimberlites/lamproites/lamprophyres 209
 and mantle lithosphere 8, 227–229
 Superia supercraton, breakup 11, 151
 Superior Craton 151
 Superior Province lamprophyre 115, 116, 119, 122
 Sushina nepheline syenite 353
 Swartruggens orangeite dyke swarm 18, 19, 32–33, 35, 36
 Main Fissure 33
 Muil Dyke 33
 terminology 62
 syenite 351
 CGC 353
 Chaitma Alkaline Complex 353, 354, 355, 356
 geochemistry 357–358, 361, 365–366, 367–370
 petrography and mineral chemistry 359, 360–361
 Eastern Dharwar Craton 133–152
 Sarnu-Dandali Complex lamprophyre dyke 383
 South Purulia shear Zone 353
 Tadpatri Formation 160
 age 160, 161
 lamproites, metasomatized source regions 171
 talc, Ingashi diamondiferous lamproite dykes 48, 49, 50, 51, 53
 Tallante mantle xenoliths, Na-alkaline volcanism 284–285, 286, 287, 288
 Tarim LIP 406
 Tatric Unit 298
 lamprophyres 12
 Tethyan suture zone 405
 Tethys Ocean, closure 12
 Th-Hf-Nb/2 discrimination diagram 7, 10, 55, 59
 Thabazimbi-Murchison Lineament 19
 Thanewasna lamprophyre dyke 11, 180, 181, 182–199, 183
 amphibole 11, 184, 185, 186–187, 188
 Au-Cu-U mineralization 199
 biotite mica 11, 182, 183, 184–186, 186, 187, 190, 195, 197–199
 charnockite 181, 182, 183
 chlorite 184, 185, 187–189, 187, 190, 196, 198, 199
 clinopyroxene 11, 184, 187, 187, 188
 coffinite 184, 185, 188, 189, 199
 diorite 181
 dyke emplacement 199
 epidote 184
 feldspar 11, 184, 187, 188
 hydrothermal activity 187, 189, 190, 199
 magnetite 184, 185, 189, 199
 metagabbro 181, 182, 183
 metapyroxenite 181
 mineral chemistry 182, 184–189
 mineralization 199
 minette 184, 197
 opaque minerals 184, 189
 petrogenesis 190, 192–194, 196–199
 crustal contamination/alteration 190, 192–193
 magma source and nature 11, 193–194, 196–197
 metasomatism 193
 petrography 182, 184

- Thanewasna lamprophyre dyke (*Continued*)
 pyroxene 188
 subduction 190, 192–193, 199
 sulfides 184, 189, 199
 TTG 181–182, 183
 whole rock geochemistry 182, 189–190, **191, 195**
 enriched LILE 11, 190, 196
 HSFES 190, 193, 196
 major oxides 189–190, **191**
 REEs 182, 190, 193, 196, 199
 trace elements 11, 182, 189–190, **191, 195, 196, 199**
- tholeiite magmatism 381
see also Deccan large igneous province, flood basalt tholeiites
- thuresite **4**
- Tibetan Plateau
 Cenozoic (ultra)potassic lavas 222, 223
 lithium 11, 217, 226, 228
 Pb anomaly 222, 225
 TNT anomaly 222, 225
- Tikusaaq kimberlite, Li isotopes 211, 226, 227, 228
- Timmasamudram kimberlite cluster 211, 212
- Tirodi biotite gneiss 352
- Tirumalgiro lamproite 11, 160, 161
 age 171, 172
 Ar/Ar dating 164, 166–167, **170**
 petrography 163
 phlogopite 163
- Toa pluton 404, 414, 415–416
 composition 414
- Transvaal Supergroup 19
- Tristan plume 406
- Tungabhadra kimberlite field 211, 212
- Tuscany, lamproites 273, 275, 276–278, 279, 288
- Tyrrell, George Walter, lamprophyres 3
- Uda-Murgal belt 326
- Udachnaya pipe 72
- Udayagiri domain 105, 106
- Udiripikonda lamprophyre dyke 105, 186, 212, **213, 216**
 kersantite 186, **213, 216**
 lamprophyre dyke, whole-rock geochemistry 221, 222, 223, 224
 Li 224–225, 228, 229
- UG2 chromitite reef 19, 20
- underplating 149, 373
- Upper Cuddapah Formation, diamonds 160
- Upper Muna diamondiferous kimberlites 9–10, 71–97, 72
 age 74
 calcium carbonate 89, 91, 92, 94, 96, 97
 carbonatite 85, 95
 chlorite 75, 77
 chromite 87, 88, 89, 94–95, 96, 97
 coherent 73, 75, 76, 78, 96–97
 compositional features 94–97
 contamination 92–93, 95, 97
 emplacement 96, 97
 fractional crystallization 84, 95
 geological background 72–74, 73
 K-Ar dating 74
 lithosphere 74
 magma mixing 91
 major oxides XRF 74
 mantle source 10, 94, 95, 96, 97
 mantle xenoliths 10, 75, 76, 79, 87, 91–92, 97
 megacrysts 76, 79
 metasomatism 85, 91, 95
 mineral chemistry 77–91, 94–97
 andradite 87, 97
 apatite 78, 91, 96
 calcite 77, 78, 91, 96, 97
 chlorite 75, 77
 clinopyroxene 75, 85–87, 95
 diopside 85, 92, 97
 garnet 75, 77, 79–85, 91–92, 94–95
 almandine 79, 80, 81, 82
 andradite 87, 97
 pyrope-almandine 79
 kelephite 79
 Mg-ilmenite 75, 77, 87, 88, 95, 97
 monticellite 75, 76, 78, 87, 89, 90, 96, 97
 olivine 74, 75, 76, 77–79, 80, 91, 94, 96, 97
 peridotite 91–92, 95
 perovskite 78, 89, 91, 96, 97
 phlogopite 75, 77, 78, 91
 serpentine 75, 76, 77, 78, 96
 spinel 78, 87, 89, 96
 Ti-magnetite 76, 77, 78, 87, 96
 oxygen fugacity 89, 90, 91
 pelletal lapilli 75, 76
 perovskite 74, 75, 77, 78, 89, 91, 96, 97
 petrology 75, 76, 77
 pipes 72–74
 325 let Yakutii 72, 73, 79, 81, 88
 Deimos 72, 73, 75, 76–78, 79, 80, 81–84, 85, 86, 88, 89
 Interkosmos 72, 73, 79, 81
 Komsomolskaya-Magnitnaya 72, 73, 75, 76–78, 81–84
 Kosmos 72, 73
 Malaya 72, 73
 Novinka 72, 73, 75, 76, 77, 78, 79, 81–84, 86, 89
 Poiskovaya 72, 73, 75, 76, 77, 81, 87, 88
 Vimpel 72, 73
 Zapolarnaya 72, 73, 75–79, 80, 81–84, 85, 86, 88, 89
 pyroclastic 75, 76, 96
 pyrope 79
 Rb-Sr dating 74
 Rb/Sr isotopic measurements 75, 93–94
 REEs 74, 79–87, 95, 96, 97
 serpentine 75, 76, 77, 78, 96
 Sm/Nd isotopic measurements 75, 93–94
 titanomagnetite 76, 77, 78, 96
 trace elements 74, 75, 83, 92–93, **93, 94, 96–97**
 U-Pb dating 74
 volcanoclastic 75, 76, 78
- Upper Muna kimberlites, spinel 75, 77, 78, 87, 96
- Urach volcanic field 241
- Urik-Iya graben 46, 64
- Vannedoddi syenite 10–11, 134, 135, 136
 adakitic affinity 145, 146, 147, 148–150
 feldspar 140
 fractional crystallization 145–146, 147, 149, 150
 geochemistry **137–138**
 magma source region 147–150
 Nb-Ta-Ti anomaly 148
¹⁴³Nd/¹⁴⁴Nd ratio 143, 145, 148

- Vannedoddi syenite (*Continued*)
 petrogenesis 144, 145–146
 petrography and mineralogy 140
 REEs 142, 144, 145
 Sm-Nd isotopes 139, 149
 Sr-Nd isotopes 143
 Sr/Y ratio 145, 146
- Vardar Ophiolitic Units 275, 278
- Variscan Orogeny 240, 275, 313
 Bohemian Massif 10, 11, 216–217, 229, 263
- Vattikod lamproite field 105, 157, 158, 212
- vaugn rite series 5
- Velk  Ujezd 239, 244
 alkaline leucolamprophyre
 major and trace elements 252–253
 petrography and geochronology 252
 ultramafic lamprophyre 240, 245, 264
 chemical analysis 250–251, 253, 260–261
 major and trace elements 252
 Sr-Nd-Pb isotopes 253, 257, 258, 259
- Veporic Unit 298
- verite 3, 4
- Verkhnemunsky field *see* Upper Muna diamondiferous kimberlites
- Verkhoyansk terrane 324
- Verkhoyansk-Chukotka province, tectonic zones 326
- Verkhoyansk-Kolyma fold belt 324, 325
 porphyry deposits 325
- Vimpel pipe 72, 73
- Vindhyan Basin 158, 172
 lamproite ages 159, 171
- Vinjamuru domain 105, 106
- vogesite 5, 6, 7
- volcanism
 Late Cretaceous and Cenozoic, WEVP 239, 240
 Permian, Western Carpathians 309, 318
- Wagner, Percy, kimberlites 3
- Wajrakarur kimberlite field 105, 157, 211, 212, 213
 age 162, 171, 172
 diamonds 158, 161
 garnet 171
 pipes 11 and 12 212
 shoshonitic lamprophyres 216
 subduction 227
- wesselite 238, 247–248, 260
- West Chukotka 325
- West Kimberley olivine lamproite, Sr-Nd 60
- Western Alps
 Africa-Eurasia plate boundary convergence 275
 lamproites 273, 275, 276, 277, 279
- Western Anatolia 273, 275
 lamproites 273, 277, 278, 279
- Western Bastar Craton, Thanewasna lamprophyre 11, 180, 181, 182–199
- Western Carpathians
 geology 298
 lamprophyres
 comparison with Bohemian Massif 261–262
 Cretaceous alkali 297
 crustal contamination 313, 318
 geological setting 298
 kaersutite 301, 314, 315
 kersantite 12, 279, 298, 300, 301, 313
 mantle xenoliths 300
 Permian calc-alkaline 12, 297–318
 spessartite 12, 300, 314
- Western Chukotka, tectonic zones 326
- Western Dharwar Craton 158
 geological setting 104–106, 105, 134, 135, 160
- Western European Volcanic Province, Late Cretaceous and Cenozoic volcanism 239, 240
- Western Mediterranean
 Africa-Eurasia plate boundary, subduction 274
 back arc basins 273, 274–275
 geodynamic evolution 274–275
- Wilson cycles 351
 orogenic lamproites 12, 288
- Witwatersrand block 18
- wolgidite 4
- wyomingite 3, 4, 5
- xenoliths
 carbonate/limestone, Siddanpalle kimberlite 162, 171
 mantle 210
 Li isotopes 210, 226
 Tallante magmas 284–285, 286, 287, 288
 Upper Muna kimberlites 75, 76, 79, 91–92, 97
 Western Carpathians 300
- Yakutian kimberlite province
 pipes and dykes 9–10, 71–97
see also Kostomuksha diamond field
- Yana-Kolyma terrane 324
- Yilgarn Craton, CAL 115, 119, 122, 124
- Zangamarajupalle lamproite 158, 161, 212
 age 159, 171, 172
 mantle source region 168, 171
- Zapolarnaya pipe 72, 73, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 88, 89
 Th-Hf-Nb 59
- Zamitsa kimberlite pipe 71
- zircon, Ingashi diamondiferous lamproite dykes 52, 53, 54, 58, 60, 61, 64
- Zubrnice lamprophyre 249
 chemistry 250–251, 252, 253, 260
 Sr-Nd-Pb isotopes 253, 257, 258, 259
 P-Ti anomalies 252
 REEs 253, 256