

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Acanthaulax crispera* 22, 25
acidification 2, 270, 283
 Lusitanian Basin 21
 Mochras borehole 70, 74
 Seavington 263
acritarchs
 Lusitanian Basin 15, 301
 Paris Basin 316, 323
 Seavington 258, 259
 West Tethys Shelf 296
Adnet Formation 186
agglomerates 300, 301
Água de Madeiros Formation 15
Ait Moussa section
 kerogen, and palaeoclimate 293, 294, 297, 298
 NOP 299
 stratigraphy 295
Alaska, glacial sediments 372, 374
Alcabideque section
 AOM 301
 kerogen, and palaeoclimate 293, 294
 opaque phytoclasts 299
 stratigraphy 295
Alcyonidiopsis 191, 192
algae
 Mochras 72
 palaeo-Sichuan mega-lake 5, 337, 347, 348, 349, 350
 Paris Basin 315, 316, 324
Alisporites spp.
 Lusitanian Basin 15
 palaeo-Sichuan mega-lake 351
alkanes
 La Cerradura 398
 palaeo-Sichuan mega-lake 338–339, 342–343, 347, 348
 Paris Basin 317, 318, 321, 322
Allgäu Formation 186
Almunacid de la Cuba, magnetostratigraphy 69–70
Alum Shale Member 134, 160
Amaltheus sp. 187, 188
ammonites
 Camino section 34, 35, 38, 40
 extinction 32
 Roqueredonde 125, 126, 128, 140
 Seavington 242, 243, 244, 245–251
 affinities and correlation 245
 biostratigraphy 245–251
 Lower Toarcian 246–250
 upper Pliensbachian 246
 upper Toarcian 250–251
Ammonites annulatus, Seavington 248
Ammonites elegans see *Cleviceras elegans*
Ammonitico Rosso limestone 190, 207, 271, 272, 273
Amorphous Group 296, 310, 314, 323
ANDRA EST433 borehole 311
alkanes 317, 318, 321, 322
AOM 310, 314–316, 317, 322–325, 326
bacterial ESP 314, 315, 323, 324
calcareous nannofossils 312
 $\delta^{13}\text{C}$ 312
Lower Toarcian palaeoenvironment 325–327
 bottom water stagnation 326, 327
 humid climate 326
 restricted circulation 326, 327
 transgression/regression 326, 327
 wet climate 325–326
microbial mats 315, 323, 324, 325, 326, 327
palaeoenvironmental reconstruction 322–324
 CIE and post-CIE 323–324, 326
 pre-CIE 322–323, 325–326
palynofacies 312, 314, 315, 316, 323
 Amorphous Group 314, 315, 323
 Palynomorph Group 314, 316, 323
 Phytoclast Group 314, 323
 Zooclast Group 314, 316, 318, 323
 pristane/phytane ratio 319
sample analysis 312–331
biomarkers 313, 317–318
CLSM 312–313, 316
 organic petrography 313
 organic petrology 316–317
 Rock-Eval pyrolysis 313, 317, 319, 320, 325
sporinite 316, 318
steranes 322
telalginite 316, 318
terpanes 319, 321, 322
TOC 312, 313, 314, 317, 319, 320, 322–324, 327
TS 313, 314
vitrinite 317, 318
anoxia 2, 72, 123
bottom water 60, 122, 270, 292, 336, 390
 Asturian Basin 181, 182
 palaeo-Sichuan mega-lake 5, 350
 Paris Basin 5, 48, 49, 326, 327
 and vertebrate preservation 167
 Roqueredonde 140, 141, 143
aquifer-eustasy 360, 366
Araucariacites 15
Arctic Realm
 dinoflagellate cysts 20, 22–23
 palaeoenvironmental changes 23–24
Arenicolites
 Asturian Basin 176, 180, 181
 Kef El Hassine 222, 224, 226–227, 231
Arroyo Mingarrón section 187
ammonites 190, 191
trace fossils 189, 190, 191, 195, 199
Astacolus chicheryi, Seavington 252, 253, 254
astrochronology 5, 395, 396, 398–403
 Roqueredonde section 135–136
Asturian Basin 293
 geological setting 174
 Halimedes 173, 175–182
 and TOC values 181
 ichnology 4, 173, 175–182
 kerogen and palaeoclimate 294, 298, 300
 phytoclasts 297
Atlantic Ocean 365
Atlas Mountains see North-South Axis
Axopodorhabdus atavus, Mochras 63, 64
Axopodorhabdus sp., Seavington 261
Azolla, Paris Basin 315, 316, 317, 323, 326

Ba, Roqueredonde 140
bacteria
 ESP, Paris Basin 314, 315, 323, 324
 plate-like, Paris Basin 323, 324, 325
 sulfate reducing 134, 324
Bakony Mountains 272, 273
 stratigraphy 274
Barbaster colbachi sp. nov. 87–88, 89, 93, 94, 95
 arm plates 89, 93, 94
Barbaster muenzbergerae sp. nov. 87–88, 89, 94, 95–96
 arm plates 89, 94, 95–96
Barents Sea, glacial sediments 372, 373
Barrington Member 241, 242–243, 244, 245–246
Basque-Cantabrian Basin
 calcareous nannofossils 4, 32–33
 geological setting 33
 latest Pliensbachian-early Toarcian 31–50
 extinctions 32
 see also Camino section
Bathysiphon 188, 189, 196, 198, 199, 203, 205, 207
Battacasphaera 23
Beacon Limestone Formation 241–243, 245
Beaujolais, ichthyosaurs 4, 154–168
belemnites
 Roqueredonde 126, 140
 Seavington 245
Belmont
 vertebrates 155
 see also LafargeHolcim Val d’Azergues quarry

- Betic Cordillera 293
 AOM 300
 geological setting 390–392
 geology and palaeogeography 187, 189–190
 kerogen and palaeoclimate 294, 298, 300
 Pliensbachian-Toarcian environmental change 390–403
 trace fossils 185, 203
see also Subbetic Domain
- biocalcification crisis 3, 5, 70, 270, 283, 284
 bioturbation, trace fossils 205
 Biscutaceae 32, 66, 71
Biscutum
dubium
 Mochras 63, 64
 Seavington 261
Biscutum finchii 39, 40, 41, 42, 43, 43, 44, 45, 46
 palaeoecological affinity 47, 48, 49
 Seavington 259, 260, 261
Biscutum grande 38, 42, 46
 Seavington 259, 260, 261
Biscutum intermedium
 Mochras 63, 64
 North-South Axis 219
Biscutum novum 39, 40, 41, 42, 43, 43, 44, 45, 46
 palaeoecological affinity 47, 48, 49
 Seavington 259, 260
- bitumen
 palaeo-Sichuan mega-lake 341, 342
 Paris Basin 313, 317
 bituminite 342, 349
see also organic matter (OM), amorphous (AOM)
- bivalves
 extinction 32
 North-South Axis 218, 221, 226, 227
 Sichuan Basin 337
- Boreal Realm, dinoflagellate cysts 19, 20, 23–24
Botryococcus 296, 297, 299, 300
 palaeo-Sichuan mega-lake 337, 341, 342, 348, 349
 Paris Basin 315, 316, 325
- brachiopods, extinction 32
 Brenha section 14, 15
 Bridport Sand Formation 242, 243
 brittlestars *see* ophiuroids
 Bulgaria, glacial sediments 372, 374–375
Bussoniopsis prinsii 39, 40, 41, 42–43, 43, 44
 palaeoecological affinity 47, 48, 49
- Cabo Carvoeiro Formation 15
 calcite, belemnite, Camino section 36, 44
 calcite compensation depth (CCD) 70, 284
Calciavascularis jansae 32, 38, 39, 40, 41, 42, 43, 44, 45, 46
 palaeoecological affinity 47, 48, 49
 Calyculaceae, Mochras 65, 66, 68, 72, 75
Calyculus
 Camino 39, 40, 41, 42, 43, 43, 44
 palaeoecological affinity 47, 48, 49
 Gerecse 281
 North-South Axis 219
 Paris Basin 326
 Seavington 259, 260
- Camino section 33
 ammonites 34, 35, 38, 40
 calcareous nannoplankton 4, 32–33, 37–38, 42–44, 46–49
 abundance 37–38, 39, 41, 42–44, 45
 and palaeoenvironmental change 47–49
 comparison with other sections 45, 46–47
 $\delta^{13}\text{C}$ 34, 39, 40, 41, 42, 44, 45
 $\delta^{18}\text{O}$ 34, 35, 36, 39, 40, 41, 42, 44, 45
 palaeotemperature 33, 34, 36, 37, 44, 48, 49
 stratigraphy 33, 34, 35, 38
 total organic carbon 35, 37, 39, 41, 42, 45, 46
- Canada, Arctic, glacial sediments 372, 373–374
Canavaria zancleana 35, 40
- carbon, organic, burial 59, 60, 122
 carbon cycle, perturbation 1, 2, 59, 240, 292, 365, 387–403
 carbon isotopic excursions (CIE)
 causes 122, 240, 335
 negative 309, 335
 Camino section 32, 44, 46
 and climate change 362, 364
 early Toarcian 60, 122, 239–240, 292
 Jenkyns Event 1, 2, 5, 13, 59, 173, 269, 283, 389
 Kisgerese section 5, 283
- La Cerradura 398
 Lusitanian Basin 21
 Mochras 66, 68, 70
 Roqueredonde 127, 129–138, 140
 Seavington 245, 253, 255, 257–260, 262–263
 Subbetic Domain 190
 and volcanism 362, 363, 389
- positive
 early Toarcian 60, 283
 Late Pliensbachian 2, 389, 397
- carbonate concretions, ichthyosaur preservation 154, 157, 158, 159,
 162–163, 165, 166, 167
- carbonate platforms
 biocalcification crisis 3, 5, 270, 283
 Gerecse 284
 North-South Axis 214, 230
 Subbetic Domain 189
- carbonate production
 demise 3, 74, 292
 Mochras borehole 70–71, 74
- carbonate ramps
 Lusitanian Basin 14
 Santa Mera Member 175
- carbonate systems, pelagic, environmental change 283–284
- Cardigan Bay Basin 61
see also Mochras borehole
- Carinolithus poulabronei*, Mochras 63, 64, 66
Carinolithus superbus
 Camino 42, 46, 49
 Mochras 63, 64, 66, 68, 69, 70
 North-South Axis 219
 Seavington 259, 260
- Carnian Pluvial Event 22
 Carpathian Mountains 294, 301
see also Western Carpathians
- Castillo Pedroso Formation 33, 34, 35, 45, 46
Catacoeloceras, Seavington 250, 251
 Central Atlantic Magmatic Province 362, 363
Cerebropollentites macroverrucosus 351
 Châabet El Attaris section 215, 216, 220
 biostratigraphy 218, 219
 calcareous nannofossils 218, 219
 depositional model 230, 231
 geochemistry 222–223, 225
 environmental conditions 227–230
 lithofacies and trace fossils 219–221
 environmental conditions 223–226
 negative CIE 222, 228
 redox 223, 225, 226, 228, 229, 231
 stratigraphy 217, 218
 TOC 222–223, 225, 228, 229, 231
- charcoal 292
Chasmatosporites spp., palaeo-Sichuan mega-lake 351, 352
 Chlorobiaceae, Mochras 72
Chondrites, North-South Axis 218, 219, 231
Chondrites spp. 192–193
 Asturian Basin 176, 177, 180, 181
 La Cerradura 392
 Seavington 262
 Subbetic Domain 190, 191, 195
 Western Carpathians 188, 189, 193, 196, 198, 202
- Chukotka, glacial sediments 371, 372
Cibotiumspora juriensis 351
 Cimmerian orogen 362, 367, 368
Citharina spp., Seavington 252, 253, 254
Classopollis classoides, Lusitanian Basin 15, 16
Classopollis spp. 300, 366
 palaeo-Sichuan mega-lake 351, 352
 Paris Basin 315, 316
 Seavington 258, 259
 Sichuan Basin 337
- Cleveland Basin 293
 organic matter 294, 301
 palaeosalinity 139, 140
- Cleviceras elegans*
 Beaujolais 158
 Seavington 247
- Cleviceras exaratum*
 Roqueredonde 128
 Seavington 245, 247
- climate, Jurassic
 $\delta^{18}\text{O}$ biogenic calcite 360, 361, 365

- drivers of change 360–365, 363, 389
 sea-level change 360, 361
 trends 360, 361, 363
 climate belts 369
 semi-arid 294, 298
 warm temperate 294
 winter-wet 294, 298
 climate change 359
 drivers 360–365, 389
 mountain uplift 362, 363, 367, 368, 375
 oceanographic 363, 365, 389
 volcanism 263, 363, 364–365, 389
 Pliensbachian-Toarcian 365–366
 $\delta^{18}\text{O}$ biogenic calcite 366
 Roqueredonde section 137
 CO₂
 atmospheric 270, 283, 292, 335–336, 365–366, 389
 Jenkyns Event 3, 5
 Mochras borehole 70, 75
 and biocalcification crisis 5, 270, 283, 284
 volcanic 362, 389
 coals, climate belts 369, 370
 coccolithophores 13, 72
Contignisporites sp., palaeo-Sichuan mega-lake 351
Corculodinium inaffectum 23, 25
Crepidolithus cavus/impontus, Mochras 63, 64, 68
Crepidolithus crassus
 Camino 39, 40, 41, 42, 43, 44, 45, 46, 47
 Gerecse **281**
 Mochras 65, 66, 72
 North-South Axis 219
 palaeoecological affinity 47, 48, 49
 Seavington 259, 260, 261
Crepidolithus granulatus
 Camino 38, 42, 46, 49
 Seavington 259, 260, 261
 crocodile, marine, Roqueredonde 126, 127
Crucirhabdus primulus
 Mochras 65, 66
 Seavington 259, 260, 261
 Cryosphere, Early Jurassic 359–360, 367, 370, 375, 376–377
 glacial sediments 371–375
 Curcy-sur-Orne, vertebrates **155**, 165, 167
Cyathidites spp.
 Lusitanian Basin 15
 palaeo-Sichuan mega-lake 351
 cyclostratigraphy 3, 5, 395, 396

 Da'anzhai Member 5, 336
 alkanes 338–339, 342–343, 347, 348
 aromatic compounds 338, 339, 346
 biomarkers 337, 338–339, 342–346
 clay-catalysed diagenesis 347
 total lipid extracts 342–343, 348
 boreholes 337, 338
 carbon preference index 347
 $\delta^{13}\text{C}$ 338, 339
 depositional setting 337
 lacustrine facies 349
 organic matter
 algal origin 347, 349
 bacterial oxygenation 349
 biomass change 347–349
 extractable 338, 342–346
 redox conditions 347
 thermal maturation 346–347, 352
 organic petrology 339, 340–342
 polyprenoids, tetracyclic 346, 349
 RockEval pyrolysis 338, 339, 340
 stratigraphy 337
 T-OAE 348, 349, 350
 terpanes, tricyclic 346
 TOC 338, 340, 342–343, 343, 348, 350
 triterpenoids
 pentacyclic 343–344
 tetracyclic 345–346
 Dachstein carbonate platform 270–271, 273, 274
Dactylioceras
 Beaujolais 158
 Roqueredonde 125, 128
 Seavington 247, 248, 249
 Western Carpathians 187
 Dactylioceras cf. *semiannulatum*, Roqueredonde 128
 Dactylioceras (*D.*) *commune*, Seavington 249
 Dactylioceras (*D.*) *grp athleticum*, Seavington 249
 Dactylioceras (*E.*) cf. *pseudocommune* 246
 Dactylioceras (*E.*) *mirabile* 35, 40
 Dactylioceras (*E.*) *polymorphum* 35, 40
 Dactylioceras (*E.*) *simplex* 35, 40
 Dactylioceras (*O.*) cf. *tenuicostatum* 246–247
 Dactylioceras (*O.*) *semiannulatum*, Seavington 247
 Dactylioceras (*O.*) *semicelatum* 35, 40, 187, 247
 Dactylioceratidae, Seavington 246, 248
 Dapsilidinium? *deflandrei* 15, 25
 Dermacantha, arm plates 110–111
 Dermacantha roelidi **87–88**, 89, 111–112, 111
 arm plates 89, 111
 Dermocoma sp. **87–88**, 89, 109, 110, 111
 arm plates 89, 109–110, 111
 detrital fraction 135, 137, 138
 diatoms 13
 Diductius constans, Mochras 63, 64
 dinoflagellate cysts
 blackout 1, 3, 24
 global evolution 21–24
 Lusitanian Basin 4, 13–24
 blackout 21, 22
 migration 19, 21
 Paris Basin 315, 316
 blackout 326–327
 Seavington 258, 259
 West Tethys Shelf 296, 297
 Diplocraterion 176, 180, 181, 218, 219, 231, 262
 Discorhabdus ignotus
 Gerecse **281**
 Mochras 63, 64, 68, 69, 70
 North South Axis 218, 219
 Discorhabdus striatus
 Gerecse 277, **281**
 Mochras 63, 64, 68–69
 North South Axis 218, 219
 Dissilodinium sp. 23
 Dobbertin/Grimmen, vertebrates **155**
 Dotternhausen-Dormettingen
 Posidonia Shale 294
 vertebrates **155**, 157, 165, 166
 Dudelange drill core 85
 ophiuroids 4, 84–116
 arm plates **87–88**, 89
 diversity and abundance 89
 dysoxia 5, 21, 72, 185, 263

 Echioceras 187, 189
 Eleganticeras elegantulum 35, 40
 Seavington 247
 Emaciatoceras, Roqueredonde 125, 128
 Emaciatoceras emaciatum 35, 40
 Enakomusium 92, 93, 95
 Enakomusium geisingense 84
 Eodactylites 263
 Escharisphaeridia 23
 Esericeras fascigerum, Seavington 251
 Ethmorhabdus crucifer, Mochras 63, 64
 Ethmorhabdus gallicus
 Mochras 63, 64
 North-South Axis 218, 219
 Eurhinosaurus longirostris **155**, 164
 eustasy *see* aquifer-eustasy; glacio-eustasy
 eutrophication 32, 283, 301
 euxinia 2, 122, 270, 336, 390
 palaeo-Sichuan mega-lake 350
 Paris Basin 5, 323, 326, 327
 photic zone 72
 Roqueredonde 140–141
 exinite 259
 extinctions *see* mass extinctions
 Eyachia prisca, Seavington 258–259
 Eype Mouth Limestone member 241, 242

 Faticum Unit 186
 Fleckenkalk/Fleckenmergel facies 185, 186, 189, 193, 200, 203, 207
 Fontanelliceras cf. *fontanellese*, Gerecse 273
 Fonte Coberta section 14, 15
 dinoflagellate cysts 15

- foraminifera
 benthic, extinction 32
 Seavington 251, 252, 253, 254, 255–257
 biozones 255–257
 bottom water oxygenation 257
 morphogroups and palaeoenvironments
 256, 257
 test linings, Paris Basin 315, 316
 Franz Josef Land, glacial sediments 372, 373
Frechiella subcarinate, Seavington 250, 263
 freshwater discharge 74, 122, 134
 Paris Basin 326
 and salinity change 137, 143
 water-column stratification 302
Fucineras 273
 Fuente Vidriera section 187, 293
 kerogen, and palaeoclimate 293, 294
 marl/limestone 190
 opaque phytoclasts 299
 stratigraphy 295
 trace fossils 189, 191, 194, 195
- gammacerane, palaeo-Sichuan mega-lake 344, 350
 Gavilán Formation, carbonate platform 189
 Gerecse Hills
 calcareous nannofossil biostratigraphy 276–277
 and carbon isotopes 282–283
 carbon isotopes, and biostratigraphy 282–283
 effect of diagenesis 278, 279, 280
 geological setting and stratigraphy 270–273
 hardgrounds/gaps in succession 273, 277, 278, 284
 mineral composition 277–278, 280
 pelagic carbonate systems 5, 283–284
 stable isotope and elemental geochemistry 277, 278
 stratigraphy 274
 German Basin 293
 Posidonia Shale 294
 glaciation 366
 evidence for 361, 362, 371–376
 sediments 371–375
 glacio-eustasy 134, 360, 366
 glendonites 376
 global warming 1, 2, 3, 122, 284, 336, 389
Gloeocapsomorpha, Paris Basin 315, 316, 323, 324
 goethite crust 136, 166, 176
 Gonyaulacaceae 19, 20, 21
 emergence 22–23
Grammoceras spp., Seavington 251
Grammoceras thoursense, Gerecse 273
 Grands Causses Basin 293
 deposition 143, 144, 145
 geological setting 123–124
 'Leptolepis bed' 125, 134, 137
 marine vertebrates 4, 123
 palaeoclimate 294, 297
 phytoclasts 297
 weathering and climate 137, 138
 gravity flows, and dark mudstone development 230–231
 greenhouse conditions 3, 5, 360
 greenhouse gas, volcanism 13, 122, 292
- H₂S, ocean bottom waters 122, 134, 213
Halimedes
 Asturian Basin 173, 175–182
 measured parameters 177, 178, 179, 180, 181
 orientation 180, 182
 oxygenation 181–182
 and TOC levels 181
 Lusitanian Basin 181
 Roqueredonde 4, 125, 126, 143–144
Halosphaeropsis liassica 15, 16, 337
Hammatoceras, Seavington 251
 hardgrounds 125, 214, 226, 227, 228
 Gerecse 273, 277, 278, 284
Harpax, North-South Axis 218
Harpoceras altermans, Seavington 247
Harpoceras cf. *strangewaysi*, Roqueredonde 128
Harpoceras falciferoides, Seavington 248, 249
Harpoceras falciferum
 Beaujolais 158
 Gerecse 273
 North-South Axis 218
 Roqueredonde 126, 127, 128
 Seavington 248
 Western Carpathians 187
Harpoceras (H.) subplanatum, Seavington 250
Harpoceras mulgravium, Seavington 248
Harpoceras pseudoserpentinum
 Beaujolais 158
 Seavington 247, 248
Harpoceras serpentinum
 Beaujolais 158
 Gerecse 273
 Roqueredonde 128
 Seavington 247
Harpoceras sp., Seavington 247
Harpoceras subplanatum 128
 Harpoceratidae 245, 246, 247
Harpoceratoides, Seavington 247
Hauffiopteryx 155, 164, 165
Hauffiopteryx altera 155
Hauffiopteryx typicus 155
Haugia spp., Seavington 250–251
 heat exchange, polar 367
 Heterocapsaceae 22
 Hg anomalies 3, 122, 136–137
 Hierlatz Limestone Formation 271, 274
 High Atlas 293
 kerogen and palaeoclimate 294
 Phytoclast Group 297
*Hildaite*s cf. *serpentiniformis*, Seavington 248
*Hildaite*s *levisoni* 35, 40, 247
*Hildaite*s *murleyi*, Roqueredonde 128
*Hildaite*s sp., North-South Axis 218
*Hildaite*s *subserpentinum*, Beaujolais 158
Hildoceras 246
Hildoceras angustisiphonatum 250
Hildoceras bifrons
 North-South Axis 218
 Roqueredonde 128
 Seavington 250
 Western Carpathians 187
Hildoceras cf. *lusitanicum* or *apertum*, Roqueredonde 128
Hildoceras cf. *sublevisoni*
 North-South Axis 218
 Roqueredonde 128
 Seavington 249
Hildoceras cf. *tethysi*, Roqueredonde 128
Hildoceras (Hi.) apertum, Seavington 249, 250
Hildoceras lusitanicum
 Roqueredonde 128
 Seavington 248, 249
Hildoceras semipolatum
 Roqueredonde 128
 Seavington 250, 251
Hildoceras sublevisoni, Gerecse 273
Hildoceras tethysi, Seavington 249
 Hildoceratidae 245, 246
 Hispanic Corridor 240, 365
 Holzmaden, vertebrates 155, 165, 166, 167
 hopanoids
 palaeo-Sichuan mega-lake 343–344, 346, 347, 349
 Paris Basin 319, 324
 hydrocarbons, Da'anzhai Member 336, 341–349, 353
 hydrological cycle 3, 71, 74, 137, 283
 acceleration 13, 60, 270, 293, 301–302, 310, 336, 350, 352, 389
 hydrology, Roqueredonde section 137
 hydrozoans, Paris Basin 315, 316
- ichnology 173, 175–182, 185–207
 see also trace fossils
Ichthyolaria terquemii spp., Seavington 252, 254
 ichthyosaurs 122–123
 Beaujolais 4, 154–168
 Early Jurassic evolution 167–168
 preservation 165–166
 soft-tissue 122, 154, 165–166
 Roqueredonde 123, 127, 144–145
Ichthyosaurus 164, 167
 ikaitite 376
 inertinite 259, 339, 341, 348–349
Inexpectacantha, Dudelage 85–86
Inexpectacantha acrobatica 84, 87–88, 89, 90, 91, 116
 arm plates 89, 90, 91
Inexpectacantha ullmanni sp. nov. 87–88, 89, 90, 91
 arm plates 89, 90, 91

- Intertropical Convergence Zone 368
 Irkutsk Basin, glacial sediments 372, 374
Ischyosporites variegatus 337, 351, 352
 Issouka section
 kerogen, and palaeoclimate 293, 294
 stratigraphy 295
- Janovky Formation 186, 187
 Jenkyns Event 1, 2, 83, 269
 as analogue for modern global warming 1
 cause of 3, 122
 duration 3
 effect on dinoflagellate cysts 13–24
 palaeoenvironmental change 13, 59, 270, 365–366
 terrestrial ecosystem perturbation 300–302
 see also Toarcian Oceanic Anoxic Event (T-OAE)
- Jurassic
 climate
 $\delta^{18}\text{O}$ data 360, 361, 365
 drivers of change 360–365
 mountain uplift 362, 363, 367
 oceanographic 363, 365
 volcanism 362, 363, 364–365
 greenhouse conditions 360
 models 366–367
 trends 360, 361, 363
 climate gradient 369, 370
 cryosphere 359–360, 367, 370, 375, 376–377
 glacial sediments 371–375
 glaciation 366
 sediments 371–375
 global palaeogeography 364, 368, 369
 greenhouse conditions 365
- Kallosphaeridium* 23
 kaolinite/illite ratio
 Gerecse 284
 Mochras borehole 63, 71, 74
- Karoo-Ferrar Large Igneous Province 3, 13, 60, 74, 240, 284, 292,
 309–310, 362, 363
 CIE 270, 335, 389
 magnetostratigraphy 69–70
 Roqueredonde Hg/TOC ratios 136–137
 U-Pb age 122
- Kef El Hassine section 215, 216, 223
 biostratigraphy 218
 depositional model 230, 231
 environmental conditions 226–227
 lithofacies and trace fossils 221–222
 stratigraphy 217, 218
 TOC 223
- kerogen
 La Cerradura 5, 398
 palaeo-Sichuan mega-lake 348–349
 Paris Basin 311–313, 316, 317–322, 325
 Phytoclast Group, as tracer of environmental change 291, 294, 296,
 297, 300
 Rock-Eval pyrolysis 313, 317, 319, 320, 325
 Roqueredonde 134
- Kinkelina tenuicostata*, Seavington 252, 254
 $\delta^{13}\text{C}$ 277, 278
- Kisgercse Marl Formation 272, 273, 274
 $\delta^{13}\text{C}$ 277, 278
- Kisgercse section 272, 273–284
 carbon isotopes and biostratigraphy 282–283
 effect of diagenesis 278–280, 282
 lithology and geochemistry 276
- Kolyma, glacial sediments 371, 372
- Kraeuselisporites* sp.
 Lusitanian Basin 15
 palaeo-Sichuan mega-lake 351
- Kromer Shale Quarry, vertebrates 166
- La Almunia 33, 60
 calcareous nannofossils 46
 magnetostratigraphy 69–70
- La Cerradura section 187, 293, 388
 alkanes 398
 clay minerals 397
 climate type 398
 cyclostratigraphy/astrochronology 5, 395, 396, 398–403
 $\delta^{13}\text{C}_{\text{TOC}}$ 393, 394, 395, 397–398, 402
 early Toarcian 398
 late Pliensbachian 397–398
 P-TOA 398
 elemental geochemistry 392–393, 397
 geological setting 390–392
 kerogen 298
 and palaeoclimate 5, 293, 294
 marl/limestone couplets 190, 388, 390, 391, 398
 astronomical forcing 398–403
 T-OAE 190
 negative CIE 190, 228, 398
 opaque phytoclasts 299
 positive CIE 397–398
 stratigraphy 295, 390, 391, 392
 trace fossils 189, 190, 191, 195, 392
- LafargeHolcim Val d'Azergues quarry 156
 belemnite $^{87}\text{Sr}/^{86}\text{Sr}$ 159–160, 166
 biostratigraphy 156, 157, 158
 chemostratigraphy 158–159, 166
 $\delta^{13}\text{C}_{\text{carb}}$ 157, 159
 $\delta^{13}\text{C}_{\text{TOC}}$ 157, 159
 geochemistry 157
 ichthyosaurs 158–168
 Stenopterygius 160–163, 164–165
 Temnodontosaurus azergensis 158, 160
 lithology 156, 157
 lake systems 336
- Lamellaechinus* 195, 196, 197, 198, 206
 La Cerradura 392
- Lamellaechinus imbricatus* 188, 189, 191, 193, 194, 197,
 202, 206
- Lapidaster fasciatus* 87–88, 89, 106, 107, 116
 arm plates 89, 107
- Lapidaster hougardae* 87–88, 89, 106, 107, 108
 arm plates 89, 107
- Lastres section
 geological setting 174
Halimedes 176, 178, 179, 180
 stratigraphy 175
- Laurasian Seaway 61, 71, 72, 326
 see also Viking Corridor
- Leiosphaeridia* 301
- Lemed Formation 15
 dinoflagellate cysts 15
- Lenticulina muensteri*, Seavington 253
Lenticulina payardi, Seavington 253, 254, 256
Lenticulina spp.
 Seavington 252, 253, 254, 256
 palaeoenvironment 257
- Leptolepidites* spp. 15
 'Leptolepis bed', Grands Causses Basin 125, 134, 137, 142
- Leptonectes* 164, 167, 168
- Leukadiella ionica* 263
- Liasidium variabile* 22, 23, 25
- Liasina lanceolata*, Seavington 252, 254, 255
- Ligurian Ocean 365
- limestone
 concretionary, Roqueredonde 134, 137
 spotted, trace fossils 185–207
- liptinite, palaeo-Sichuan mega-lake 339, 341–342
- Lotharingius crucientalis*
 Camino 39, 40, 41, 42, 43, 44
 Gerecse 277, 281
 Mochras 63, 64, 66, 68
 North-South Axis 219
 palaeoecological affinity 47, 48, 49
- Lotharingius frodoi*
 Gerecse 281
 Mochras 65
 North-South Axis 219
- Lotharingius hauffii*
 Camino 39, 40, 41, 42, 43–44, 43, 44, 45, 47
 Gerecse 281
 Mochras 65
 North-South Axis 219
 palaeoecological affinity 47, 48, 49
 Seavington 259, 260, 261
- Lotharingius sigillatus*
 Camino 39, 40, 41, 42, 43, 44, 45
 Gerecse 281
 Mochras 63, 66
 North-South Axis 219
 palaeoecological affinity 47, 48, 49

- Lotharingius* spp.
Camino 32
Mochras 65–66, 71, 72
- Lotharingius umbriensis*
Gerecse **281**
Mochras 65
North-South Axis 219
- Lotharingius velatus*, Mochras 63, 64, 66
- Luehndea spinosa* 296, 297, 298, 301
extinction 21
Lusitanian Basin 15, 16, 17, 19, 20, 24
Paris Basin 316
Seavington 258
Lusitanian Basin 293
dinoflagellate cysts 4, 13–24
during Jenkyns Event 18, 20, 21
post-Jenkyns Event 18, 19, 20, 21, 24
pre-Jenkyns Event 16, 18, 19, 20, 21, 24
extinctions 21
geological setting 14–15
Halimedides 181
kerogen and palaeoclimate 294, 298, 300
negative CIE 21, 22
palaeoenvironmental changes 23–24
transgression 19, 21
- Lytoceras* cf. *cornucopia*, Roqueredonde 128
- Ma'anshan Member 336, 337
palaeosols 349
- magnetostatigraphy, Mochras borehole 69–70
- Mancodiniaceae, Lusitanian Basin, abundance 18, 19, 22
- Mancodinium semitabulatum* 15, 16, 17, 19, 20, 21, 24, 25
- Margaritifera*, Sichuan Basin 337
- María Pares section 14, 15
dinoflagellate cysts 15, 17, 19
- marl, spotted, trace fossils 185–207
- Marlstone Rock Formation 241, 242, 243, 244, 245
- Marnes de Fontaneilles Formation 124, 125, 126
biostratigraphy 126
mineralogy 127
- Marnes de Villeneuve Formation 124, 126
biostratigraphy 125, 126
lithology 125
mineralogy 127
- mass extinctions 1, 2, 22, 32, 44, 173, 270
- Maturodinium?* *inornatum* 15, 25
- Mecsek Mountains, organic matter 294, 301
- Mendicodinium microscabratum* 15, 16, 17, 25
- Mendicodinium spinosum* subsp. *spinosum* 15, 17, 25
- Mendicodinium* spp. 15, 17, 19, 20, 21, 24
- Mercaticeras* 250
- Merleites gradatus*, Gerecse 273
- Mesophiomusium sinemurensis* 93
- Metaderoceras*, North-South Axis 218
methane 3, 292
thermogenic 60, 70, 122, 270, 310, 335, 362, 389
hydrates 60, 70, 122, 270, 292, 310, 335, 364, 389
- methanogenesis, wetland 3, 122, 270, 364, 389
- Michrhystridium* spp. 15
- microbial mats 315, 323, 324, 325, 326, 327
- microfossils, calcareous
Paris Basin 314, 316
Seavington 243, 244, 251–257
West Tethys Shelf 296
- Middle Atlas 293
kerogen and palaeoclimate 294, 298
phytoclasts 296–297
- Milankovitch cycles 3, 359
- Minde section, kerogen, and palaeoclimate 293, 294
- Mitrolithus elegans*
Camino 38, 42, 46, 49
Gerecse **281**
Seavington 259, 260, 261
- Mitrolithus jansae*
Gerecse 277, **281**
Mochras 63, 64, 68
North-South Axis 218, 219
see also *Calciavascularis jansae*
- Mo
anomalies 3
concentration 350
- Mochras borehole
biostratigraphy 63, 64, 68–70, 75
CaCO₃ 70, 74, 402
calcareous nannofossils 4, 61, 63
abundance and flux 61–62, 63, 64, 65, 70–71, 74
assemblages 64–66, 71–72
 $\delta^{13}\text{C}$ 63, 65, 66, 67, 73, 74, 401, 402
Hg/TOC 132
kaolinite/illite ratio 63, 71, 74
magnetostatigraphy 69–70
negative CIE 66, 68, 70, 228
 $p\text{CO}_2$ 70–71, 74
positive CIE 74
pyrite peak area 63
T-OAE 70
- monsoons 352, 367, 368
- mountain ranges, and climate change 362, 363, 367, 368, 375
- Nannoceratopsiaceae, Lusitanian Basin 18, 19, 22, 300
- Nannoceratopsis ambonis* 15, 16, 17, 19, 25
- Nannoceratopsis gracilis* 15, 16, 17, 19, 25, 298, 301
- Nannoceratopsis senex*
Lusitanian Basin 15, 16, 17, 19, 25, 298
Paris Basin 316
Seavington 258
- Nannoceratopsis* spp. 15, 19, 20, 23, 24, 296, 297, 298, 300
black out and reappearance 21
- nannofossils, calcareous
blackout 1, 3, 42
Camino section 4, 32–33, 37–38, 39, 40, 41, 42–44
abundance 37–38, 39, 41, 42–44
and palaeoenvironmental change 47–49
Châabet El Attaris section 218, 219
Gerecse Hills 276–277
Mochras borehole 4, 61, 63
abundance and flux 61–62, 63, 64, 65, 70–71, 75
assemblages 64–66, 71–72, 74, 75
Seavington 244, 259, 261
Southern Tethys Ocean 60–61
- Nara Formation
Lower 214, 215, 230
Middle 215
Upper 215
- Neoraistrickia* sp., palaeo-Sichuan mega-lake 351
- Nereites* 191, 194, 196, 207
- Ni, Roqueredonde 136
- Nodicoeloceras*, Seavington 247, 248, 249
- North Sea Dome 365, 389
- North-South Axis, Tunisian Atlas 214–231
carbonate platform 214, 230
dark mudstone development, bottom physiography and gravity flows 230–231
depositional model 230–231
geochemistry 222–223
environmental conditions 227–230
geological setting/stratigraphy 214–216, 217, 218
lithofacies and trace fossils 219–222
environmental conditions 223–227
- nutrient delivery, increase 2, 3, 60, 122, 270, 292, 300, 302, 336, 389
- ocean gateways 363, 365, 389
- oceanic anoxic events (OAEs) 1
see also Toarcian Oceanic Anoxic Event (T-OAE)
- Omolon, glacial sediments 371, 372
- Ophiocopa* sp. nov. 84, **87–88**, 89, 107, 109, 116
arm plates 89, 107, 109
- Ophiogojira aliorbis* sp. nov. **87–88**, 89, 97, 99–100
arm plates 89, 97, 99–100
- Ophiogojira andreui* **87–88**, 89, 97, 99, 116
arm plates 89, 97, 99
- Ophiohelus* sp. nov. 84, **87–88**, 89, 107, 108–109, 116
arm plates 89, 107, 108–109
- Ophiomisidium pratchetae* sp. nov. **87–88**, 89, 105–106, 116
arm plates 89, 103, 105–106
- Ophiomorpha*, Châabet El Attaris 219, 221, 225–226, 231
- Ophiomusina perezii* sp. nov. **87–88**, 89, 96–98, 116
arm plates 89, 97, 98
- Ophiomusina* 91–92, 94, 96
arm plates 94, 96
- ophiopyrgid arm plates 103, 104–105
- Ophiotardis astonensis* 96

- Ophiotardis tennanti* sp. nov. **87–88**, 89, 102–104
arm plates 89, 103, 104
- ophiuroids 83, 86
Dudelonge drill core 4, 84–116
arm plates **87–88**, 89, 115
assemblages 115–116
diversity and abundance 89, 116
- Ordos Basin 293
organic matter 301
phytoclcasts, and palaeoclimate 294, 299
organic matter (OM) 309, 336
amorphous (AOM) 294, 296, 297, 298, 301, 302
palaeo-Sichuan mega-lake 348, 349
Paris Basin 310, 314–316, 317, 322–323, 326
origin 324–325
burial 336, 389
Pliensbachian-Toarcian, West Tethys Shelf 294–299, 300, 301
sediments 292–293
- Orthildaites douvillei*
Roqueredonde 128, 142, 145
Seavington 248
- Orthodactylites semicelatum* 247
Orthognoides hamiltoniae 219, 261
- Os anomalies 3, 74, 137, 389
- Osmundacidites wellmanii*, palaeo-Sichuan mega-lake 351
- Osperleioceras bicarinatum*, Seavington 250, 251
- ostracods
extinction 32, 263
Seavington 251, 252, 253, 255, 256
- Ovaticeras ovatum*, Seavington 249
- oxygen depletion 2, 3
Asturian Basin 181
Basque-Cantabrian Basin 32
North-South Axis 4, 213, 229–230, 231
Roqueredonde 140–141, 143–144, 145
- Oxynticeras oxynotum* 187
- palaeo-Sichuan mega-lake, T-OAE 336–353, 337
biomarkers 337, 338–339
DBT/phenanthrene ratio 350
n-alkanes 342–343
pristane/phytane ratio 343, 350
total lipid extracts 342–343, 348, 350
black shale 336, 337, 342–343, 349, 350, 352
depositional conditions 349–350
lake-level change 349, 350
limestone 337
marine palynomorphs 337
Mo concentration 350
organic matter
biomass change 347–349
extractable 342–346
organic petrology 340–342
RockEval analysis 338, 339, 340
salinity 337, 350
terrestrial environment and climate 350–352, 353
palynomorphs 351
transgressions 337, 350
see also Da'anzhai Member; Sichuan Basin
- Palaeocoma kortei* sp. nov. **87–88**, 89, 100–102
arm plates 89, 100, 101, 102
- palaeoflora
climate belts 367–370
thermophilic 360, 361, 365
- Palaeophycus*
Asturian Basin 176
La Cerradura 392
- Palaeophycus heberti* 189, 191, 193, 194, 202
- palaeotemperature, seawater, Mochras 70, 71
palaeotemperature data, MAATs 365, 367, 368, 370, 375
Paleocene-Eocene Thermal Maximum (PETM) 70, 262
- Palmula* spp., Seavington 252, 254, 257
- Paltarpites* sp. 218
- palynology
Lusitanian Basin 15–16
Seavington 244, 257–259
depositional environments 259
- Palynomorph Group 296, 323
Paris Basin **314**, 316
- palynomorphs
marine 301
Mochras 72
terrestrial 300
West Tethys Shelf 296, 300
- Paralingulina* spp., Seavington 252, 254, 255, 256
- Parahabdolithus liasicus*
Camino 38, 42, 46, 49
Mochras 65
North-South Axis 219
Seavington 259, 260, 261
- Paris Basin 293, 310–327
ANDRA EST433 borehole 311
Lower Toarcian palaeoenvironment 325–327
palaeoenvironmental reconstruction 322–324
calcareous nannofossils 45, 46–47, 48
geological setting 310–311
Jenkyns Event sediments 5, 310
organic facies 294, 310, 314–322, 317
petroleum system 310
see also ANDRA EST433 Borehole; Schistes Carton
Formation
- Paroniceras*, Seavington 250
- Parvocysta-Phallocysta* complex 20, 22, 23–24
- Peniche section 14, 15, 60, 293
dinoflagellate cysts 15, 17, 19
Hg/TOC 132
kerogen 298
and palaeoclimate 293, 294, 302
magnetostratigraphy 69–70
negative CIE 228, 282, 283
NOP 301
opaque phytoclcasts 299
stratigraphy 295
- Perechinska Formation 189
- Peridinales 23
- Perinopollenites elatoides* 351–352
- permafrost 364, 375
global warming 3, 122, 367
- Peronoceras*, Seavington 249, 250
petroleum, bacterial origin 325
phosphorus, Roqueredonde 124, 127, 129, 131
Phylloceras heterophyllum, Roqueredonde 128
Phylseogrammoceras dispansum, Seavington 251
Phymatoceras, Seavington 250, 251
- Phytoclast Group 296
Paris Basin 314, 315, 323
as tracer of palaeoenvironmental change 5, 291, 294–302
- phytoclcasts 291
non-opaque (NOP) 292, 299
Asturian Basin 297, 299
German Basin 297
Middle Atlas 296, 299
Paris Basin 297, 314–316
Polish Basin 297
- OP/NOP ratio, palaeoenvironment indicator 292
- opaque (OP) 292, 297, 299, 300
Iberian Basins 296, 299
Paris Basin 297
Peniche section 297, 299, 300
Tabé Basin 297–299
- phytoplankton 13
see also dinoflagellate cysts
- Pieniny Klippen Belt 194
geology and palaeogeography 187, 189
trace fossils 4, 189, 193, 194, 196–197, 202, 204, 207
- Pilichnus dichotomus* 194, 199
- Pinus pollenites* spp., palaeo-Sichuan mega-lake 351
- Piznice Limestone Formation 271, 273, 274
- Planolites* 194, 196
Asturian Basin 180, 181
La Cerradura 392
North-South Axis 218
Subbetic Domain 190, 191
Western Carpathians 188, 189, 193, 202
- Planularia* spp., Seavington 252, 253, 254, 255, 256
- Pleuroceras*, Roqueredonde 125, 128
Pleuroceras hawskerense, Seavington 246
Pleuroceras solare
Roqueredonde 125, 128
Seavington 246
- Pleuroceras spatatum*
Roqueredonde 125, 128
Seavington 246
Western Carpathians 187

- Pliensbachian-Toarcian
calcareous nannofossils
Basque Cantabrian Section 31–50
Mochras 64–75
climate 299–300, 359–377
air surface temperature 367, 368, 370
climate-sensitive sediments 369
coals 369, 370
and environmental instabilities 365–366
glacial sediments 371–375
gradient 369, 370
models 366–367
palaeoflora 367–370
land plants 300
mass extinctions 32
negative CIE 32
organic matter (OM), West Tethys Shelf 294–299
palaeoclimatic belts 294, 369, 370
palaeoenvironmental change 31–32, 59–60, 292
Betic Cordillera 390–403
palynomorphs 299
- Polish Basin 293
palynofacies 294
Phytoclast Group 297, 301
- pollen
Lusitanian Basin 15, 16
palaeo-Sichuan mega-lake 351
Seavington 258
- Polvoeira Member 15
- Polyplectites* 263
- Polyplectus* aff. *pleuricosta*, Seavington 248
- Porpoceras* 250
- Posidonia Shale Formation
kerogen 300–301
organic facies 294, 300–301
vertebrates 154, 158, 164, 165–166, 167
- Póvoa da Lomba Formation 15
- prasinyophytes
Lusitanian Basin 15–16
Mochras 72
Paris Basin 315, 316, 323, 324
- Přiborzhavská Formation 189
- Přiborzhavskoe Quarry 187, 189, 193, 194
trace fossils 196, 197, 199, 202
- Přiborzhavskoe section 189
- primary producers
marine, Jenkyns Event 1, 3, 4, 13
see also dinoflagellate cysts; nannofossils
- primary productivity
decrease 74, 75
increased 2, 60, 74, 270, 292, 301, 302, 326, 336, 389
lacustrine 336, 349
- pristane/phytane ratio 319, 343, 350
- Propeanussium pumilum*, North-South Axis 218
- Protogrammoceras* (*P.*) *paltum* 35, 40
- Protogrammoceratinae*, Roqueredonde 128
- Protoichthyosaurus* 164
- Pseudogrammoceras* spp., Seavington 251
- Pseudolioceras lythense*, Seavington 250
- Pseudomercaticeras*, Seavington 250
- Pseudopecten*, North-South Axis 221
- pyrite
crust 166
Halimedes 176
and Hg 136
palaeo-Sichuan mega-lake 350
pyrite peak area, Mochras borehole 63
- Quercy Basin 293
palaeoclimate 294, 297
phytoclasts 297
- Rabaçal section
kerogen, and palaeoclimate 293, 294, 297
phytoclasts 301
stratigraphy 295
- Reinholdella* 255, 256
- Rhaetogonyaulacaceae 22
- Rhtzocorallium* 196
- Ribeira de Cima section, kerogen, and palaeoclimate 293, 294
- RockEval pyrolysis
Da'anzhai Member 338, 339, 340
Paris Basin 313, 317, 319, 320, 325
Roqueredonde section 124, 131, 134
- Rodiles Formation 174, 175
- Rodiles section 33, 293
calcareous nannofossils 46, 297
geological setting 174
Halimedes 176–177, 178, 179, 180
kerogen and palaeoclimate 298
NOP 299
stratigraphy 175, 181, 295
- Roqueredonde section
anoxia 140, 143
astrochronology 135–136
biostratigraphy 125–127
ammonites 125, 126, 128, 134, 140
black shale 125, 126, 134–135
CaCO₃ flux 135, 140, 142–143, 144
climate change 137, 138
 $\delta^{13}\text{C}$ 124, 127, 131, 134, 138
 $\delta^{18}\text{O}$ 124, 127, 131, 134, 138
diagenesis 134, 137
geological setting 123–124
Hg 124, 129, 132, 136–137
Karoo-Ferrar volcanism 136–137
pyrite 136
kerogen type 134
lithology 125, 126
major elements 124–125, 129, 133
marine vertebrates 123, 127
mass accumulation rate 135–136, 139, 140–143
mineralogy 124, 127, 130
negative CIE 127, 129–138, 140
organic matter 129, 131, 134
influx 137, 139, 143
oxygenation 140–141, 143–144
palaeosalinity 137, 139, 140
phosphorus content 124, 127, 129, 131
RockEval pyrolysis 124, 131, 134
sedimentation 134–136
T-OAE 135, 136, 140
TOC 124, 129, 131, 132, 136, 140, 142–144
trace elements 125, 129, 133, 139, 140
redox-sensitive 135, 136, 143
vertebrate preservation 144–145
weathering 125, 137, 138
- runoff 74, 122, 140, 142
and nutrient delivery 270, 300, 302
palaeo-Sichuan mega-lake 350
see also nutrient delivery
- Sainte-Colombe, vertebrates 155, 165
salinity
lowering 3
Mochras borehole 71, 72
Roqueredonde section 137, 139, 140
Sancker borehole, calcareous nannofossils 45, 46
Santa Mera Member 174, 175
São Gião Formation 15
São Pedro de Moel composite section 14, 15
dinoflagellate cysts 15
- Schistes Carton Formation 124, 310
biostratigraphy 125, 126
mineralogy 127
organic matter 310, 325
phosphorus content 127
shale 125, 126, 135
TOC 129
- Schistes de Grandcourt, vertebrates 155
- Schizosphaerella*
Camino 32, 37–38, 39, 42, 43, 45, 48, 49
Gerecse Hills 276, 281
Mochras borehole 62, 64, 65, 66, 71
size trends 66, 67, 68, 73, 74, 75
North-South Axis 219
Seavington 261
- Schizosphaerella punctulata* 37, 45, 46, 48, 49
Scrinioacsiaceae 22
Scrinioacsis priscus 15, 16, 17, 19, 20, 21, 23, 25
Scrinioacsis weberi 15, 17, 25
sea ice 375, 376
sea-level fall 296, 375
sea-level rise 2, 3, 32, 59, 283, 336, 360, 366

- aquifer-eustasy 360, 366
glacio-eustasy 134, 360, 366
- seafloor topography, dark mudstone 230
- Seavington
carbonate-clastic sequence 4–5, 240–263, 241
ammonites 242, 243
ammonoid biostratigraphy 245–251
 lower Toarcian 246–250
 upper Pliensbachian 246
 upper Toarcian 250–251
calcareous microfossils 251–257
depositional setting 262
extinction events 263
nannoplankton 259, 261
palynology 257–259
stable isotope geochemistry 260, 262
stratigraphy 241–243, 244, 245
- seawater
palaotemperature 137, 283, 360, 365, 366
 Camino 33, 34, 36, 37, 44, 48, 49
 Lusitanian Basin 21
 Mochras 70, 71
 Roqueredonde 137
stratification 72, 122, 283
 see also water-column stratification
- sediments
glacial 371–375
OM-rich 292–293
- Sentusidinium* sp. 15, 16, 17, 19, 20, 21, 22, 23, 24
- shale
black
 Asturian Basin 173, 174, 175, 176, 180–181
 Castillo Pedroso Formation 46
 Dudelonge drill core 84
 Jenkyns Event 1, 2, 32–33
 Northwest Tethys Shelf 213
 Sichuan 336, 337, 342–343, 349, 350, 352
 Paris Basin 46, 314
 Roqueredonde 125, 126, 134–135
 Tölgyhát section 5, 277
 vertebrate preservation 154, 165, 166
oil 325
- Siberia, northern, glacial sediments 371–373, 372
- Siberian Craton, glacial sediments 372, 374
- Sichuan Basin 337
 carbon sequestration 336
 geological setting 336–338
 mega-lake 336–353
 see also Da'anzhai Member; palaeo-Sichuan mega-lake
- Sierra Palomera 33
- Similiscutum avitum*
 Camino 39, 40, 41, 42, 43, 43, 44, 47, 48, 49
 Seavington 259, 260, 261
- Similiscutum finchii*
 Camino 42
 Gerecse 281
 Mochras 65
 North-South Axis 218, 219
- Similiscutum novum*
 Camino 42
 Gerecse 281
 North-South Axis 218, 219
- Similiscutum orbiculus*, Seavington 259, 260
- Sinosura* cf. *brodiei* 84, 87–88, 89, 112–114
 arm plates 84, 89
- Sinosura dieschbourgae* 87–88, 89, 113, 114–115, 116
 arm plates 89, 113
- Składaná Skala Quarry 198
 trace fossils 186, 188, 193, 196, 197, 199, 202, 206
- Składaná Skala section 186–187
- Skuadinium* sp., Sichuan Basin 337–338
- Soaresirhynchia* 21
- Sollasites*, Seavington 259, 260, 261
- Soltysia Marlstone Formation 186
- Somerset *see* Seavington, carbonate-clastic sequence
- Spirillina tenuissima*, Seavington 257
- spores
 Lusitanian Basin 15
 Paris Basin 315, 316, 323
- Sr, Roqueredonde 140
- Staffelegg, vertebrates 155
- stenopterygiids, Beaujolais 4, 154–168
- Stenopterygius* 155, 156, 160–163, 164–165, 166, 167–168
- Stenopterygius triscissus* 155, 164–165
- steranes
 palaeo-Sichuan mega-lake 345–346, 349
 Paris Basin 317, 318, 322
- Strawberry Bank
 ammonoids 248
 vertebrates 154, 155, 164, 165, 166, 241, 243
- Sub-Boreal Realm, dinoflagellate cysts 19, 20, 24
- Subbetic Domain 4, 187, 189–190, 191, 195, 199, 200–201, 203–204, 207, 390
- Suessiaceae 22
- Suevoleiathan* 164, 167, 168
- Susandinium scrofoides* 20, 24, 25
- Svalbard, glacial sediments 372, 373
- Tabe Basin 293
 organic matter 294, 301
 phytoclasts 297, 299
- Taenidium* 189, 197, 392
- Taimyr, glacial sediments 373
- Tasmanites* 15, 301
 Cleveland Basin 300
 Paris Basin 315, 316, 323, 324
- Tauromeniceras*, Roqueredonde 125, 128
- Teichichnus*, La Cerradura 392
- Teichichnus duplex* 200
- Teichichnus longummarus* 189, 191, 193, 195, 197, 198, 200, 206
- Teichichnus patens* 200
- Teichichnus rectus* 197, 200–201
- Teichichnus zigzag* 201
- telalginites 316, 342
- Temnodontosaurus* 164, 165, 168
- Temnodontosaurus azerguensis* 157, 158, 167
- Temnodontosaurus burgundiae* 155
- terpanes, Paris Basin 317, 318, 319, 321, 322
- Tethyan Realm, dinoflagellate cysts 19, 20
- Tethys Ocean, western
 Britain 240
 calcareous nannofossils 60–61
 geological setting 61
 palaogeography 388
- Tethys Shelf
 black shales 213
- West 293
 climate belts 294
 kerogen
 and palynofacies 296
 Phyoclast Group 5, 293–302
 negative CIE 214
 Pliensbachian-Toarcian
 organic matter 294–299
 stratigraphy 295
- tetrads 300, 301
- tetrapods, terrestrial, extinction 1
- Thalassinoides* 180, 181, 188, 191, 196, 201, 202
 Kef El Hassine 222, 224, 226–227
 La Cerradura 392
- thalattosuchian, Roqueredonde 123
- Thanaster desdemonia* sp. nov. 87–88, 89, 90, 92–93
 arm plates 89, 90, 92–93
- thermocline shoaling 74
- Tiltoniceras* cf. *antiquum*
 Roqueredonde 125, 128, 140, 142, 145
 Seavington 247
- Toarcian Oceanic Anoxic Event (T-OAE) 1, 2, 13, 59, 122, 154, 173, 239–240, 309, 335, 387–403
 Asturian Basin 175–176, 181, 182
 Hg enrichment 136
 and ichthyosaur evolution 167–168
 Mochras borehole 70–71
 Seavington 245, 263
 Subbetic Domain 190
 see also carbon isotopic excursions; Jenkyns Event
- Tölgyhát Limestone Formation 274
- Tölgyhát quarry section 272, 273–284
 black shale 5, 273
 calcareous nannofossils 280, 281
 carbon isotopes and biostratigraphy correlation 282–283
 effect of diagenesis 278–280, 282
 lithology and geochemistry 275
 Úrkút Manganese Ore Formation 273, 280

- Törökbükk Limestone Formation 272, 273, 274
 CaCO₃ 277
 $\delta^{13}\text{C}$ 277, **278**
 $\delta^{18}\text{O}$ 277, **278**
 mineral composition 277–278, 280
 Mn 277
- trace fossils
 Asturian Basin 4, 173, 175–182
 Betic Cordillera 185, 203
 compaction of marly sediment 205, 206
 oxygenation 205
 Pieniny Klippen Belt 4, 189, 193, 194, 196–197, 202, 204, 207
 Subbetic Domain 4, 189–190, 191, 192, 194, 195, 199, 200–201, 202, 203, 204, 207
 tiering bioturbation model 205
 Western Carpathians 4, 185, 188, 194, 203–204, 207
- Transdanubian Range, Toarcian deposits 270, 271, 272, 273, 274
- transgression, Lusitanian Basin 19, 21
- transgressive-regressive cycles, Camino section 34
- Trichichnus*, La Cerradura 392
- Trichichnus linearis* 191
- Trichichnus simplex* 188, 189, 199, 201
- Tubirhabdus patulus*
 Camino 39, 40, 41, 42, 43, 44
 Gerecse **281**
 North-South Axis 219
 palaeoecological affinity 47, 48, 49
 Seavington 261
- Tunisia, carbonate platform *see* North-South Axis, carbonate platform
- Tunisian Atlas *see* North-South Axis
- Tűzkövesárok Limestone Formation 273, 274
- upwelling, and primary productivity 60
- Úrkút Manganese Ore Formation 272, 273, 274
 CaCO₃ 277
 $\delta^{13}\text{C}$ 277, **278**
 $\delta^{18}\text{O}$ 277, **278**
 mineral composition 278, 280
 Mn 277
- Val d'Azergues quarry *see* LafargeHolcim Val d'Azergues quarry
- Vale das Fontes Formation 14, 15
 dinoflagellate cysts 15, 17, 19
- Vale das Fontes section, kerogen, and palaeoclimate 293, 294
- Valvaedinium* sp. 15, 17, 21
- Verkhoyansk, glacial sediments 371, 372
- vertebrates, marine
 Beaujolais 154–168
 Grands Causses Basin 4, 127
 Roqueredonde 123, 144–145
- Veryhachium collectum*, Sichuan Basin 337
- Viking Corridor
 freshwater current 240, 296, 365
see also Laurasian Seaway
- Vilyui River Basin, glacial sediments 372, 373
- Vitreosporites pallidus* 351
- vitrinite reflectance
 palaeo-Sichuan mega-lake 339, 340–341, 348–349
 Paris Basin 317, 320
 Seavington 259
- volcanism
 and environmental change 3, 13, 59–60, 122, 240, 270, 310, 335, 362, 363, 364–365, 389
see also Karoo-Ferrar Large Igneous Province
- water-column stratification 3, 60, 72, 122, 270, 283, 302, 336, 390
 palaeo-Sichuan mega-lake 347, 349–350
 Paris Basin 323, 326, 327
- Watznaueria colacicchii*
 Beaujolais 158
 Mochras 63, 64
- Watznaueria fossacincta*, Mochras 63, 64
- weathering 2, 3, 13, 32, 60, 122, 137, 283, 301–302, 336, 389
 Paris Basin 326
 Roqueredonde section 137, 138
- Wessex Basin, stratigraphy 241, 242
- West Siberian Sediment Basin 372, 373, 375
- Western Carpathians
 ammonites 187
 geology and palaeogeography 186–189
 trace fossils 4, 185, 188, 194, 203–204, 207
- wetlands, methanogenesis 3, 122, 270, 364, 389
- Whitby, vertebrates 154, **155**
- wildfires, Sichuan Basin 252
- wood, oxidized 292
- Ya Ha Tinda, vertebrates 154
- Yakutia Basin, glacial sediments 372, 374
- Yakutian Sea, glacial sediments 371, 372, 373
- Yangtze Platform 336
- Zegri Formation 390
 marl/limestone 189, 190
- Zeugrhabdothus erectus*
 Mochras 63, 64, 68
 North-South Axis 218, 219
- Ziliujing Formation 336
- Zooelast Group, Paris Basin **314**, 316, 323
- Zoophycos*
 Asturian Basin 176
 Châabet El Attaris 219, 221, 223–226
 Kef El Hassine 222, 224, 226–227
 North-South Axis 218, 219, 231
 Western Carpathians 188, 189, 201–203, 204, 207
- Zygnemataceae, Paris Basin 315, 316