

Subject Index

- ablation, ice 308
abrasion, glacier 212, 379
abyssal plain 150
accretionary wedge 24, 50, 141, 269, 283, 284
acoustic signature 273–4, 281–6, 342, 354, 358–9
aeolian action
 erosion 2, 108, 152
 grain-size 108, 116, 402
 sand 108–9, 388, 393, 402–3, 408
 source for ice rafting 108–9
 transport rates 108–9
air gun records 30, 32, 47, 255–6, 258, 269, 271, 349, 353, 357
Alaska Current 378
algae 105, 111, 179, 180, 189, 206, 208, 312
amino acid ratios 46
anchor ice 109–10, 111, 116
Antarctic ice shelves 9, 398, 405–6, 408
anticyclone 344
aragonite 204, 205, 206
areal scouring, ice 285–6, 353
Arena Formation (Late Precambrian), east Greenland 389, 405–6
Aspelintoppen Formation (Early Tertiary), Spitsbergen 244
Atlantic Ocean, warming 326
atmospheric carbon 177–8
authigenesis, carbonate 208

Baffin Island Current 158, 181
Baltic Ice Lake 319–20, 322, 324, 325
 drainage 322, 324, 325
bar, longitudinal 294
barchanoid bar 57, 58
barchanoid bedforms 65–7, 69
Barents Sea Ice Sheet 246–7, 253–7, 284–5
barnacles 365, 370
basal debris-rich ice 3, 8, 75, 99, 101, 107, 112, 121–2, 124, 126, 129–35, 205, 235, 264, 303, 368, 389, 391, 393, 398–9, 404–6
 flux 122
basal ice, burial 68
basal melting, ice shelves 7–9, 107, 121, 404, 406
basal melting/freezing, calculations 9
basal shear stress 26, 27, 29
beach sediments 34, 40, 41, 44, 49, 115, 297, 299
Bear Island trough mouth fan, Barents Sea 277–8
Beaufort Gyre 236–7
bedding 221–2, 224, 228, 392–5, 398, 402
 aqueous grading 8
 planar 61, 62
 wavy 392–4
bedforms 264
 barchanoid 65–7, 69
 from tunnel flow 54, 61
bed load
 deposition 54, 57, 68, 177, 281, 360
 transport 108, 399
benthic macrofauna 155–74, 183, 189, 299–302, 317
bergstone facies 290, 293, 301–2
biocoenoses 155, 169, 174, 301
biofacies 363, 364, 373–5, 379–80
 factor analysis of 375
biogenic muds 97
biogenic productivity 91
biostratigraphy 273, 286
bioturbation 2, 6, 20, 24, 75, 96, 100, 101, 108, 109, 179, 184, 193, 310, 313, 354, 391
bivalves 158, 161, 166–71, 370
blooms, algal 181, 208, 312
boomer 283, 284, 349, 354
bottom friction 57
bottom photographs 156, 161, 331
bottomsets 282
boulder barricades 113
boulder bed 64–66
boulder lag 143, 378, 379
boulder pavement 363, 368, 370–1, 378, 381, 395
brachiopods 156, 166, 370
Brastad borehole, Sweden 317, 320–2
breccia 208, 342, 343, 394
Brenna Formation (Pleistocene), North Dakota 218
brine rejection from sea ice 180, 209
British Ice Sheet 34, 41–3, 48
bullet-shaped clasts 368
burrows 370–2, 379

caballing 59
cables, submarine 232
calcite 202, 204–7, 326
calcrete 205
Caledonian fold belt 388, 407
calving bay 59, 279, 284–7
calving of icebergs 2, 122–5, 150, 265–7, 302, 341, 342, 360, 379, 391
 calving law 122, 125
 calving rate 9, 10, 29, 59, 122–5, 130–3, 301
carbon burial 177, 188–92
carbon cycle 177
carbon/nitrogen ratio 181–3, 185–6, 188
carbonate dissolution 239, 312
carbonate geochemistry 201–3
carbonate platform sediments 201
Catfish Creek Till, Ontario 7
cathodoluminescence 202, 207, 208, 212
Celtic Sea Ice Lobe 344–5
cementation 204, 208
chalk 236, 248, 333, 340
channel fill 363, 365, 370–2, 378, 380–1
circulation
 estuarine 22, 98, 185
 fjord two-layer 9

- isohaline 180, 185
- thermohaline cells 22, 98
- Circumpolar deep water 132
- clast fabric 106, 116, 292, 297–9, 302–3, 358, 368, 378, 379, 391, 395
- clast lithology 295–6, 331, 333, 337, 339–41, 354, 365
- clast shape 60, 65, 106, 111, 129, 354, 365, 368, 370, 379, 380
- clay mineralogy 317, 322
- cleavage 228–31
- cliff line, submerged 343
- climate
 - Antarctic Peninsula 94, 97, 101
 - Baffin Island 191
 - Glacier Bay, Alaska 76
 - North Pacific Ocean 363
 - Southern Barents Sea 286
- clinker 105
- coal fragments 235–48
 - coal content of cores 241–2, 245
 - peaks in influx 245–6
 - petrography 243–4
 - sources and transport 237, 246–8
- Coastal Current, Alaska 378
- coccoliths 325–6
- Cockburn Formation (Mid-Upper Miocene), Celtic Sea 332
- Colebrook–White equation 54
- colour banding 309–14
- compactied glaciogenic deposits 6, 20, 219, 276, 281, 283, 284, 333, 337
- competence of flow 311, 313
- concretions, carbonate 201–3, 209, 213
- conglomerate 392–5, 399
- continental shelves
 - Antarctic 91, 208, 398, 405
 - Barents 7, 23, 26, 45, 187, 235–7, 241, 244, 246, 253–67, 269–86
 - Gulf of Alaska 139–52, 363–82
 - Iceland 26, 45
 - Norwegian 21, 269, 353, 360
 - Scotian 21, 349, 353, 360
 - Spitsbergen 26, 28, 30–2, 45
 - United Kingdom 329–46, 349–60
- continental shelf break 11, 29–31, 146–52, 269–71, 286–7, 330, 340, 349, 351–60
 - facies distribution 21, 29–31, 48–9, 146
 - progradation 31, 349, 351
 - sedimentation 21, 29, 330, 353
 - ice advance to 29, 349, 353, 359, 381–2
- continental slope 29, 31, 143, 146–52, 349–60
 - facies distribution 29–31, 48–9, 349–60
 - sedimentation rates 50, 349
 - debris flows 358
 - drainage system 147–52, 349
- contourites 349, 351
- coquina 363, 365, 368, 370–2, 378, 379, 381–2
- Coriolis effects 5, 11, 286
- crevassing 17, 19, 97
 - crevasse-fill ridges 17, 264
- cross-stratification 61, 63–7, 69, 309, 398, 401
- crustaceans 158–60, 167–8
- crustal loading 31–50, 342–4
 - forebulge 33, 34, 42, 43, 343
 - rheological models 33, 342, 344
- CTDs 27, 77, 78, 80, 83, 93, 95–6, 121, 125–6, 130–2, 158, 178, 179, 181–3
 - winter data 132, 180
- currents 11, 284, 313, 324, 392–3, 397, 398
 - bottom winnowing 6, 8, 22, 24, 45, 49, 50, 75, 102, 143, 164, 286, 293, 377, 379, 398, 391, 408
 - geostrophic 26, 31
 - gravity 59
 - reworking, 2, 23, 184–5
 - surface 235–49
 - thermohaline counter current 22, 98
 - tidal 26, 31, 75, 185, 342
 - traction 377, 379, 381
 - velocity 77, 78, 80, 81, 264, 378
- cyclopsams 57, 67, 70, 75, 83–8
 - models of deposition 86, 87
- cyclopels 67, 75, 83–8, 402
 - models of deposition 86, 87
- Darcy–Weisbach formula 54
- debris-rich ice
 - basal 3, 8, 75, 99, 101, 107, 112, 121–2, 124, 126, 129–35, 205, 235, 264, 303, 368, 389, 391, 393, 398–9, 404–6
 - englacial 17, 99, 368, 399, 406
- Deep Sea Drilling Project sites 330
- deformed sediments
 - beneath ice scours 217–32
 - folds and thrusts 68, 227–9, 370, 379
- deltas 19, 21, 24, 177, 184, 301
 - ice-contact 19, 53, 68–71
 - models of growth 9, 69
 - prograding 9, 21, 69, 71
 - tidal influence 69
- depositional by-pass 276
- depressions, cyclones 344
- detrital carbonate 204, 209–12
- dewatering 217, 359
- diagenesis, carbonate 180, 187, 202, 204, 208
- diamict
 - diamictite 63–67, 141–5, 208, 209, 381, 387–408
 - diamicton 3, 22, 24, 30, 45, 150, 155, 213, 256, 260, 266, 273, 279, 281, 283, 289–90, 292–5, 302, 308, 310, 331, 354, 358–69, 363, 365, 367–71, 375, 377–9
 - facies, massive 365, 367–8, 370, 377, 392–4
 - facies, stratified 365, 367, 370, 377–8, 392–4
- diatoms 91, 95, 181, 317, 320–1, 322, 325–6
- dinoflagellates 181, 317, 324, 354
- discharge, meltwater
 - englacial 55, 56
 - pipe flow 53, 54
 - plume flow 55–60
 - sheet flow 19, 68
 - subglacial 2, 5, 6–7, 17–9, 22, 53–5, 75, 77, 285, 302, 378, 395
 - tunnel flow 53–7, 59–71
- dissolved carbonate 201
- dissolved oxygen 101, 178, 312
- distal glaciarmine environment 4–6, 20, 23, 26–29, 43–9, 91–102, 307, 312–4, 339–41, 388, 391, 392, 394, 398–9, 408
- dolomite 204, 207, 208, 212, 213, 392, 404

- drift of icebergs 122, 126–7, 130, 132, 235–49, 399, 407, 408
- drifting buoys 236, 248
- driving stress 26, 27, 29
- dropstones 1, 105, 113–7, 121, 147, 235–49, 281, 292–3, 294, 297, 302, 359, 365, 374, 380, 392–5, 399, 402, 407
- turbation by 114–5
- drumlins 17, 264
- dumping, from icebergs 2, 65, 105, 113–5, 127, 128, 131, 344, 398
- dunes
- deep water fields 351, 354, 357
- shallow water 61
- Durand relationship 54
- Dwyka Glaciation, Southern Africa 232
- earthquake frequency 379
- earthquakes 150, 365, 378–9
- East Greenland Current 236–7, 240, 247–8
- echinoderms 158–9, 160–1, 165, 167, 169, 373
- eddies 5, 55
- eigenvalues 303
- elemental analysis 202, 209
- empirical models 2, 9–10, 121–35
- erosion, glacial 2, 28, 38, 201, 212, 255, 273, 276, 279, 281, 283–7, 353, 379
- eskers 17, 56, 67
- European Ice Sheet 34, 41–3, 345
- evaporites 201, 205, 206, 208, 213, 386
- evaporite pseudomorphs 393–4, 404
- evaporitic facies 393–4, 403–5, 408
- fabric, pebble 106, 116, 292, 295, 297–9, 302–3, 358, 365, 368, 378, 379, 391, 395
- facies
- code 4, 391
- ice distal 4–6, 20, 23, 26–9, 48–9, 91–102, 307, 312–4, 339–41, 388, 391, 392, 394, 398–9, 408
- ice proximal 4, 20–6, 91–102, 293–4, 301–2, 307–12, 314, 339–41, 353, 388, 391, 392–4, 397, 398–9, 408
- modelling 3, 4, 5–6, 8, 11, 31–50, 62–7, 307, 391, 408
- profiles 4, 367, 376, 392–5, 408
- tidewater glacier 3, 6, 63–7, 297
- faecal pellets 179, 181, 185
- fan
- delta 19, 24, 70–1, 301
- facies 53, 57, 61, 62, 66
- grounding-line 8, 53–70, 284, 301–2
- growth rate 69, 70
- ice shelf 68
- submarine 18, 19, 66, 149–52, 293, 294, 297
- fast-flowing outlet glaciers 8, 129–30, 133, 405
- faults 221–7, 229–32, 381
- Fennoscandian Ice Sheet 246–8, 273, 284, 308, 314, 319
- Firkanten Formation (Palaeocene), Spitsbergen 244
- fissility 281, 283, 294–5, 302
- fjords 75–88, 105–17, 155–74, 177–96, 389–94
- Alaska 23, 60, 75–88, 134, 140, 152, 312
- Antarctic 92–101, 191
- Baffin Island 24–5, 105, 107–13, 115, 123, 156–9, 161–8, 172–3, 178, 180–2, 184–95, 301
- British Columbia 187, 194
- Ellesmere Island 132
- Greenland 181, 189, 191, 289–91, 295–302, 331
- Norwegian 282
- Scotland 191, 194
- Spitsbergen 6, 16, 17, 20, 24–6, 28, 312
- flame structures 292, 393
- flocculation 2, 82, 83, 86, 312, 313, 322
- flow till 293, 302–3
- flutes 17, 256–6
- fluvial processes
- bed load dumping 9
- entrainment 56, 59
- erosion 2, 283, 285
- particle scavenging 9
- sediment delivery 192
- fluvial sediment 75, 108, 301–2, 310
- folds 68, 221, 228–32
- foliation, ice 19
- foraminifera 155, 161, 208, 279, 293, 294–9, 300, 302–3, 317, 320, 322, 324–6, 334–5, 339, 363, 373–5, 377, 380, 382
- environmental interpretation 297, 299, 320, 322, 324–5, 339, 373, 377, 380
- faunal diversity 295–6, 299, 322
- foresets 21, 282, 284, 290, 292–3, 302, 402
- fossilization potential 155–74
- by zones 165
- foundation failure 223, 226, 230
- fractionation, isotopic 202, 205
- frazil ice 109
- freeze-in 2
- freeze–thaw action 218
- Froude number 54, 56, 59
- gasified sediments 284
- gastropods 161–70, 370
- geochemistry 201–13, 308, 311, 325
- geological map, Middleton Island 366
- geotechnical properties 9, 218, 256, 262, 266, 307, 310, 359
- glacial carbonates 201–14
- future work 212
- modes of occurrence 204–13
- glacial erosion 2, 38, 201, 212, 255, 273, 276, 279, 281, 283–7, 353, 379
- rate of 28
- glacial lakes 201, 205–8, 218–32, 319, 401
- lake drainage 320
- lake levels 218–9, 320
- glacial landforms 3, 17–9, 56, 67, 143, 264–6, 285, 289
- glacier advance 143–50, 192, 253, 273, 279, 282, 284–7, 342–3
- glacier drainage area 314
- glacier flow direction 253, 266, 279, 281, 283, 285
- glacier retreat 9, 19, 76, 108, 124, 131, 150, 192, 218, 264–6, 285–7, 308, 312, 317, 326, 407
- glacier surges 17, 129–30, 133, 219, 253, 266, 267, 344–5, 360, 379, 382
- glacier thermal regime 107, 129, 208, 253, 265, 266,

- 285–7, 359–60, 389, 404, 408
 glacier tongues, floating 1, 3, 10, 98, 102, 395, 405
 glacier velocity 124, 132
 glacialustrine sediments 201, 208, 311, 388
 glacial marine environments
 biofacies 155–74, 317–27, 329–45, 373–5
 definitions 1, 170, 391
 facies architecture 37–50
 fjords 75–88, 105–17, 155–74, 177–96, 289–304
 ice distal 4–6, 20, 23, 26–9, 48–9, 91–102, 307, 312–4, 339–41, 388, 391, 392, 394, 398–9, 408
 ice proximal 4, 20–6, 91–102, 293–4, 301–2, 307–12, 314, 339–41, 353, 388, 391, 392–4, 397–9, 408
 models 1–13, 121–35, 404–7
 processes 15–50, 53–70, 83–8, 97–9, 105–17, 121–35, 177–96, 217–32, 262–4, 284–7, 301–3, 339–45, 354–60, 375–82, 404–7
 sea floor morphology 139–52, 235–67
 sediment transfer 121–35, 235–50
 seismic facies 269–89, 349–60
 glacial marine mud 26, 30, 37, 38, 40, 41, 44, 45, 48–50, 91, 95, 96, 99, 143–7, 297, 309–10, 359, 377, 380
 glacial tectonic deformation 129, 379, 395
 global warming 177
 Gloria imagery 139–52
 Gondwana Glaciation 206, 208
 gouging, by ice keels 2, 3, 6, 26, 50, 112, 217–32, 256–8, 264, 283, 284, 286, 349, 353, 354, 356
 grab samples 93, 109, 178
 grain size distributions 86, 99, 106, 146, 310, 317, 322, 333, 340–41, 354, 365, 369, 399, 402
 aeolian sediments 106, 108–9, 116, 402
 diamictons 276, 281, 283, 333, 340, 354
 iceberg debris 18, 106, 116
 marine outwash 53
 sea ice debris 106, 109, 116
 suspended sediment 18, 22, 86
 traps 84, 85, 87
 vegetation rafts 106, 111, 116
 gravel facies 370–2, 390, 392–4, 398, 408
 gravel pavement 331
 Greenland Current 158
 grounding-line oscillations 253–67, 341, 343–4, 360
 effects on fan/delta development 53, 68, 70
 facies model 8, 66
 stability 301
 Gulf Stream 325
 gyre 236–7, 285, 286
 gytja 320
 halocline 326
 Heaviside function 9
 hemipelagic sedimentation 177, 192, 359
 high-magnitude events 307
 humic acid 180
 hypsithermal period 191–2
 iceberg
 calving 2, 9, 10, 29, 59, 122–5, 130–3, 150, 265–7, 301–2, 341–2, 360, 379, 391
 dimensions 126–8
 drift 122, 126–7, 130, 132, 235–49, 399, 407, 408
 dumping 2, 65, 113–5, 127, 128, 131, 344, 398
 grounding 22, 24, 127–8, 217–32, 379
 melting 2, 10, 107, 124–35, 235, 245–6, 248, 344
 overturn 2, 113, 127–8, 131, 133
 tabular bergs 3, 123, 127–8, 132, 406
 ice cliffs 5, 66, 70, 391, 400, 407
 direct melting 2, 98, 124–6, 406
 ice-contact zone
 facies 6, 15, 66
 landforms 15–9
 ice drift 235–48
 ice flow direction 253, 264–6, 308, 379
 ice keel scouring 2, 3, 6, 26, 50, 112, 217–32, 256–8, 264, 283, 284, 286, 349, 353, 354, 356
 model 226, 229–30
 scour dimensions 217, 220, 221, 229, 256
 water depth 217, 256, 349
 ice keel turbate 50, 217, 231–2, 276, 286, 379
 ice limit 329, 342
 ice melting, subaerial 113, 128
 ice rafted debris 3, 18, 22, 24, 26, 66, 86, 96, 100, 101, 105–16, 121–35, 218, 235–49, 296, 302, 326, 330, 339, 341, 344, 358, 360, 368, 377, 379, 391, 392, 398–9, 406, 408
 characteristics 106, 116, 129
 facies 3
 grain-size 18, 105, 106, 116, 246
 sedimentation rates 121–35
 sources of debris 106–11, 236–7, 246–9
 transport distance 10, 106, 122, 130, 133–5, 398
 ice sheets
 embayments 279, 284–7
 growth and decay 11, 15, 31–50, 235
 marine based 5, 17, 253–67
 meltwater drainage route 281–2, 283
 models 31, 246–7
 northern hemisphere inception 363
 ice shelves
 basal melting/freezing 9, 107, 121, 404–6
 deposition beneath 3, 7, 8, 21, 68, 276, 282, 284, 339, 344, 377, 391, 395, 398, 404–6
 grounding line 102, 395, 404, 406
 meltwater 26, 404
 pinning points 282, 379
 surface accumulation 9, 405
 thickness 9, 344
 velocity, strain 9
 ice streams 8, 17–30, 235, 282, 405
 ice temperatures 94, 97
 ice thickness 342–3
 ice tongues 1, 3, 10, 98, 102, 395, 405
 ice wall 3
 imbrication 60, 69, 302
 injection structures 365, 370
 inorganic carbon 185
 interflow 55, 59, 70, 102
 internal waves 59
 isochrons, southern Barents Sea 272
 isopachs, southern Barents Sea 271–4, 279, 281, 283
 isostasy 24, 31–50, 307–8, 314, 342–4, 349, 363, 378, 382
 jet, subaquatic meltwater

- axisymmetric 55–7, 69
 models 56, 57, 67
 momentum flux 55–7
 plane 55, 56, 61, 69
 sedimentation 53, 61, 63, 64, 66–8
 turbulence 58, 78, 312
 jointing 294–5, 402
 Jones Formation (Early-Mid Miocene), Celtic Sea
 331–2
 karst 205
 katabatic wind 80, 152, 286
 keels, ice 217, 219, 221, 223, 227–31
 kelp 180
 Kelvin and Helmholtz relation 59
 laboratory experiments 2, 9–11
 scaling problems 10
 lacustrine sediments 108
 lag gravels 26, 30
 lake ice 217, 219
 lakes, anoxic 208
 lakes, glacier-fed 193, 202–3, 206, 218–32, 319–20,
 322, 324–5
 lamina thickness 101, 307, 310
 laminated sediments 75, 83–8, 91–102, 222–3,
 229–31, 281, 290, 292–3, 302, 308–14, 331,
 333, 337, 365, 371, 380, 392–4, 397, 401–2
 biogenic 9
 cyclopels 67, 75, 83–8, 402
 cyclopsams 57, 67, 70, 75, 83–8
 fining upward 337, 339, 371
 rhythmites 75, 86, 87, 207–9, 307–14, 393, 397,
 400–2, 408
 tidally-controlled 84
 varves/annual layers 75, 101, 108, 201, 206, 207,
 293, 307, 311–4, 401
 laminites, formation 70, 71
 Landsat imagery 91, 93
 lattice defects 212
 Laurentide Ice Sheet
 deposits 68
 growth and decay 34, 41, 246
 lavas 49
 lead-210 dating 134
 levee 57
 liquefaction 217, 360
 lithofacies code 4, 391
 lithofacies logs 3, 367, 376, 392–5, 408
 lithology, clast 295–6, 331, 333, 337, 339–41, 354,
 365
 Little Ice Age 192, 193, 196
 Little Sole Formation (Pliocene/Pleistocene), Celtic
 Sea 331, 333, 335, 339
 littoral environment 24, 41, 48, 109–11, 180–1,
 293–4, 399
 erosion, 24, 313
 production of organic carbon 180
 source of rafted sediment 109–11
 load structures 365, 379, 392–5, 403–4
 lodgement process 379
 lodgement till 3, 68, 262, 302–3, 339, 354, 395, 408
 limestones 307, 309
 longshore current 28, 378
 maceral composition 236, 240
 macrofauna 155–74, 299–302, 317
 macrotidal fjord 87, 178
 Markov trend 310
 mass wasting, subaerial 2, 107–8, 129
 mass wasting, subaqueous
 sediment creep 6, 9
 sediment gravity flows 3, 6, 53, 57, 58, 66, 67, 69,
 86, 97, 99, 102, 143, 150, 184, 192, 196, 281,
 301, 302, 311, 313, 358–60, 378–80, 392–3,
 397–8, 401–2
 slides 9, 31, 147, 149, 150, 179, 184, 192, 276
 slope stability 9
 slumps 3, 21, 24, 25, 31, 32, 50, 66, 147, 149, 150,
 196, 349
 turbidity currents 22, 150, 179, 184, 290, 293, 297,
 302, 311, 313, 358–9, 380–1, 401
 melting, icebergs 2, 10, 107, 124–35, 235, 245–6,
 248, 334
 melting, ice cliffs 2, 98, 124–6, 406
 melting, sea ice 2, 108, 180, 208
 meltout pits 218, 229, 395
 melt season length 76
 meltwater plumes 5, 45, 75, 78–81, 97, 133–4, 152,
 180, 196, 256, 265, 281–2, 286–7, 293, 299,
 302, 311–2, 358, 360, 378, 401, 406
 meltwater spike 318, 320, 324, 326
 meltwater streams 22, 24, 77, 208, 212, 286, 289, 290,
 307–8
 seasonal fluctuations 179, 311, 314, 401
 subglacial/englacial 2, 5–7, 17–9, 22, 53–5, 285,
 302, 378, 395
 Melville Formation (Late Devensian/Early
 Flandrian), Celtic Sea 331
 meteoric water 202, 204
 modelling of glacial marine environments 1–13, 31–50,
 121–35, 208, 289, 404–8
 analogues 5, 7, 11, 208, 398, 408
 hardware 2, 9–11
 qualitative 1, 2, 4–9, 226, 229–30, 245, 297,
 301–2, 404–8
 quantitative 2, 9–11, 121–35, 235, 342, 345
 molluscs 158–70, 299–302, 309, 313, 317, 337,
 354, 364, 365, 368
 Moltemyr borehole, Sweden 317, 320–2, 323, 324
 monosulphide layer 308–10, 312–4
 morainal banks 68, 289–304, 351, 353
 avalanche facies 293, 302
 moraines
 annual 264
 de Geer 264
 end/terminal 143, 150, 152, 219, 235, 271, 276, 286,
 289, 319, 351, 353
 lateral 19
 medial 19
 Rogen 264
 moulins 97
 mud, glacial marine 26, 30, 37, 38, 40, 41, 44, 45,
 48–50, 91, 95, 96, 99, 143–7, 297, 309–10,
 359, 377, 380
 nannofossils in chalk erratics 338, 340
 nannofossil stratigraphy 240, 317, 325
 Neoglacial period 191, 192

- Nival melt 107, 180
 North Atlantic Current 236
 North Sea Drifts 4
 North Sea muds 41
 Norwegian Current 236
 numerical models 2, 9, 235, 342, 345
 nutrient supply 26, 101
- oceanography**
 Baffin Island fiords 180–3
 Brialmont Cove, Antarctica 94, 95
 buoyancy 2, 10, 15, 17, 55
 McBride Inlet, Alaska 77–8, 80, 83
 salinity 77–8, 80, 83, 93, 96, 158, 326
 temperature 27, 77–78, 80, 83, 93, 95, 121, 125–6,
 130–2, 158, 178–9, 181–3
 turbidity 79, 82–3, 93, 97, 181–3
 turbulence 59–61
 winter 132, 180
 open water season 178, 286
 organic carbon 93, 96, 100, 177–96, 317, 333
 burial 177, 188–92
 deposition 185–9
 down-fjord trends 99, 179, 184, 187–8, 190
 sedimentation history 177, 192–6
 sources 179–85
 vertical flux 179, 181, 184–5
 organic varves 312
 Oslo Graben 236
 ostracods 317, 320, 322, 324, 334–5, 337–9, 344
 age/population structure 324
 instars 337
 outlet glacier
 deposition 8, 405
 fast-flowing 8, 129–30, 133, 405
 outwash deposits 64, 68, 69, 150, 183, 235, 298, 342,
 395, 406
 outwash fan 53
 overconsolidation 6, 20, 219, 276, 281, 283, 284, 333,
 337
 overturn of icebergs 2, 113, 127–8, 131, 133
 oxidation to CO₂ 189
 oxygen isotope stratigraphy 239–49, 253, 320, 323–6
- Pacific Plate 150**
 palaeobathymetry 376, 382
 palaeoceanography 8, 235–49, 269
 palaeoecology
 community trophic structure 155–8, 165–70
 population dynamics 155
 palaeogeography 8, 307–10, 317, 320, 388
 palaeomagnetic latitude 62
 palaeomagnetism 240, 317, 364, 382, 389
 paraglacial deposition 105, 192
 particle size 86, 99, 106, 146, 310, 317, 322, 333,
 340–1, 354, 365, 369, 399, 402
 aeolian sediments 106, 108–9, 116, 402
 diamictons 276, 281, 283, 333, 340, 354
 iceberg debris 18, 106, 116
 marine outwash 53
 sea ice debris 106, 109, 116
 suspended sediment 18, 22, 86
 traps 84, 85, 87
 vegetation rafts 106, 111, 116
- peat 340
 pellets, diamict 371, 395, 397, 402
 permafrost 215, 218, 388, 392
 permafrost facies 402–3
 permafrost wedges 392, 402–4, 408
 piezometric surface 53, 55
 pipelines 232
 plankton 179
 blooms 181, 208
 primary production 191, 196
 source of organic carbon 180–3
 plate motion 139, 363–4, 382
 Pleistocene–Holocene boundary 317–27
 ploughing, by ice keels 2, 3, 6, 26, 50, 112, 217–32,
 256–8, 264, 283, 284, 286, 349, 353, 354, 356
 plumes, turbid 5, 45, 75, 78–81, 97, 133–4, 152, 180,
 196, 256, 265, 281–2, 286–7, 293, 299, 302,
 311–2, 358, 360, 378, 401, 406
 buoyancy flux 55, 56, 58, 59, 70
 overflow 6, 17, 18, 22, 55, 60, 70, 79–81, 84, 86,
 311
 velocity 60, 67, 180
 pockmarks 256
 polar front 325–6
 pollen 191, 317, 320, 322, 324
 polychaetes 159–61, 167, 169
 porphyries 236
 Poul Creek Formation (Miocene), Gulf of Alaska 364
 predator–prey interaction 155
 preservation potential
 buried organic carbon 178
 glacigenic sediments 363, 387
 macrofauna 155–74
 prodelta failure 177, 184
 proglacial facies 6, 17–22
 proglacial landforms 17–9
 prograding clinofolds 276, 279, 349
 Proterozoic glacial sediments 201–3, 205, 206, 208,
 212, 359, 388–9
 proximal glacial marine environment 4, 20–6, 91–102,
 293–4, 301–2, 307–12, 314, 339–41, 353,
 388, 391, 392–4, 397, 398–9, 408
 push moraines 19
 pycnocline 79, 82, 311–2
- Queen Charlotte–Fairweather Fault Zone 141**
 radiocarbon dates 196, 201, 202, 273, 303–4, 343
 accelerator dated shells 191, 286, 339
 corrections to 273
 radiolaria 326
 rafting of sediment 105–17, 124–35
 dumps 105
 dumps 2, 65, 105, 113–5, 117, 127, 128, 131, 344,
 398
 frozen aggregates 106, 115
 ice 3, 18, 22, 24, 26, 66, 86, 96, 100, 101, 105–16,
 121–35, 218, 235–49, 296, 302, 326, 330, 339,
 341, 344, 358, 360, 368, 377, 379, 391, 392,
 398–9, 406, 408
 marine algae 105, 111
 marine mammals 105
 vegetation 105–6, 111, 113, 116
 reducing conditions 178, 190–1, 204, 206

- regelation-pressure melting 129, 205
 regelation precipitates 202, 204–5, 213
 resuspension by large mammals 184–5
 Reynolds number 54, 59
 rhythmites 75, 86, 87, 207–9, 307–14, 393, 397,
 400–2, 408
 Richardson number 56
 ridges, submarine 256–7
 arcuate 260, 264
 transverse 259–60, 263–4
 ripples 61, 62, 68, 69, 292–3, 393, 401, 402–3
 rip-up clasts 392, 397, 401
 rockfall 2, 108, 129
 frequency 107

 saline lakes 201, 205, 213
 salinity, ocean 77–8, 80, 83, 93, 96, 158, 326
 sand lenses/pods 281, 337, 339
 sand ridges 329, 331–2, 341–2
 sand volcanoes 217
 sastrugi 108
 scanning electron microscopy 185, 202, 206, 225, 227
 scaphopods 156, 168
 scour and fill 57–8, 69, 292–3, 401
 scour berms 218–9
 scouring, by ice keels 2, 3, 6, 26, 50, 112, 217–32,
 256–8, 264, 283, 284, 286, 349, 353, 354, 356
 Seabeam 139
 sea floor
 bottom photographs 156, 161, 331
 morphology 18, 139, 147–52, 253–66, 349, 351
 scours 217–232
 sea ice
 breakup 107, 108, 110, 113, 132
 brine rejection 180, 209
 effect on iceberg calving 29, 132
 melting 2, 108, 180, 208
 pressure ridges 217
 shorefast 107, 132, 235
 wave damping 344, 377
 sea ice rafting 313, 360
 characteristics of debris 106, 109, 166, 235, 247
 debris-rich ice 109, 112, 235
 loading with debris 107–9, 235, 246
 sources of debris 106–11, 249
 sea level change
 eustatic/isostatic 24, 31–50, 307–8, 314, 342–4,
 349, 363, 378, 382
 facies models 21, 31–50, 308
 isobases 34, 37, 43
 low stands 143, 205, 285, 289–90, 342, 349, 382
 models 11, 342–4
 raised shorelines/deltas 294–5, 297, 299, 342
 regression 38, 39, 42, 47
 transgression 16, 31–50, 150, 205, 265, 308, 322,
 342, 343, 379, 380
 uplift rates 34, 253
 sediment by-pass 81
 sediment flows/flow tills 293, 301–3
 sediment gravity flows, subaqueous 3, 6, 53, 57, 58,
 66, 67, 69, 86, 97, 99, 102, 143, 150, 184, 192,
 196, 281, 301, 302, 311, 313, 358–60, 378–80,
 392–3, 397–8, 401–2
 sediment remoulding 17, 21, 45

 sediment starvation 28, 50, 374–5, 378, 379, 382
 sediment transport models
 jet 61, 62
 pipe flow 54
 tunnel 54
 sediment traps 22, 75, 77–8, 81, 83, 84
 particle size in 86, 87
 sediment waves 351
 sedimentary structures
 cross-stratification 61, 63–7, 69, 309, 398, 401
 faults 221–7, 229–32
 flame structures 292, 393
 folds 68, 221, 228–32
 injection structures 365, 370
 load structures 365, 379, 392–5, 403–4
 ripples 61, 62, 68, 69, 292–3, 393, 401, 402–3
 sand lenses 281, 337, 339
 sand volcanoes 217
 scour and fill 57, 58, 69, 292–3, 401
 sedimentation rates 23, 26, 49, 75, 84, 85, 194, 240,
 245, 265, 289, 302, 307, 322, 359, 360, 374,
 377, 382, 404
 decay in tidewater glacier environments 9, 134–5,
 187, 312
 Holocene change 192
 iceberg 10, 23, 121–35
 ice shelf 9, 126, 404
 organic carbon 185, 189, 194
 suspension 22, 23
 total glacialine 121, 134–5, 195
 seismic reflection profiles 75, 143, 150
 seismic stratigraphy 5, 7, 269–87, 344, 349–60, 387
 seismic units
 Hebridean Slope 352–60
 southern Barents Sea 273–87
 seismics, multichannel 278
 selective linear ice erosion 285–6
 settling, particle 75, 81–3, 113–4, 180, 185, 286, 290,
 312, 377, 378, 398, 402
 rates 81, 114, 185
 sorting during 83
 tidal influence 86, 87
 velocities 10, 22, 23, 57, 59, 87, 114
 shape, clast 60, 65, 106, 111, 129, 354, 365, 368, 370,
 379, 380
 sheet deposits 57, 58, 69
 shell bands 363, 365, 368, 370–2, 378, 379, 381–2
 shell hash 183, 185–6
 Siberian Ice Sheet 246–7
 Siberian Shelf 246–7
 side entry glaciers 5, 179–80, 187
 side scan sonar 17, 139–52, 217, 255, 258–61, 330,
 331, 334, 387
 silicoflagellates 181
 silt mineralogy 336, 342
 slickenside surfaces 218, 223, 225–7
 slides, subaqueous 9, 31, 147, 149, 150, 179, 184, 192,
 276
 slumps, subaqueous 3, 21, 24, 25, 31, 32, 50, 66, 147,
 149, 150, 196, 349
 Solberga borehole, Sweden 317, 321–3, 324
 solid geology, Celtic Sea 332
 sorting, particle 25, 96, 311–3, 333, 337, 341, 354,
 377, 398

- Soviet rivers 108, 237, 244, 245
 sparkler records 16, 18, 22, 145, 255–6, 269, 271,
 276–8, 282, 286, 349, 353, 354–6
 spiculites 236
 Spitsbergen Ice Sheet 41–5
 St. Abb's beds 48
 stable isotope analysis 189, 201–3, 206–8, 317
 Stokes' Law 59, 81, 85
 Storeelv Formation (Late Precambrian), East
 Greenland 388, 392, 395–8, 400, 401, 407
 storm frequency 313, 344
 stratotype locality 317
 stream discharge 107, 178, 180, 377
 striated particles 65, 106, 116–7, 297, 365, 368, 380
 striated pavement 62, 63, 66, 368, 378, 379, 393, 395
 stromatolites 201, 205–9, 213
 subaerial weathering 2, 129
 subduction zone 139, 141, 147, 150, 364
 subglacial
 cavities 263
 deformation 265–6, 282
 landforms 17–9, 56, 67, 264–6
 meltwater discharge 2, 5, 6–7, 17–9, 22, 53–5, 75,
 77, 285, 302, 378, 395
 meltwater erosion 285, 287
 precipitates 201, 204–5
 submarine canyons 147, 349, 380
 submarine talus cone 67
 submarine valleys 143, 147–52, 285, 380
 submersible 179, 185, 217
 subpolar glacier 66, 389, 404
 sulphide streaks 354, 358
 supersaturation, carbonate 202, 205
 supraglacial debris 301
 surface meltwater, glacier 97
 surge deposition 6, 133, 266
 surging glaciers 17, 129–30, 133, 219, 253, 266, 267,
 344–5, 360, 379, 382
 suspended sediments
 concentration 17, 18, 22, 26, 57–60, 70, 76, 77,
 79–83, 94, 97, 181–3, 311, 322
 distribution 6, 181–3
 flux 81, 83, 84, 182, 186, 322, 360
 grain-size distribution 18, 22
 sand concentration 79, 83
 sedimentation rates 22, 23
 synthem, Barents 269–287
 tabular iceberg 3, 123, 127–8, 132, 406
 taphonomy 156, 165
 tectonic subsidence 47, 49
 tectonic uplift 289, 363–5
 temperate continental shelf 363–82, 404
 temperate glacier 66–7, 379, 382
 temperature, ocean 27, 77–8, 80, 83, 93, 95, 121,
 125–6, 130–2, 158, 178–9, 181–3
 terminal moraines 143, 150, 219, 235, 271, 276, 286,
 289, 319, 351, 353
 thermoluminescence dating 329, 331–2, 341–2
 tidal cycle 78–83, 307
 tidal frequency 80, 81
 tidal flushing 97
 tidal pumping 99
 tidal range 76, 180
 tidal scour 285, 378
 tidewater glacier 2, 5, 54–71, 75–83, 91–2, 123, 181,
 289, 406
 buoyancy 10, 15
 calving rate 10
 cliff 66, 406
 deposition 3, 6, 301–7
 facies distribution 3, 6, 63–7, 297
 till 6, 40, 44–7, 50, 150, 208–9, 218, 231, 256, 265,
 284, 286, 289, 292, 294, 322, 329, 342
 basal 8, 116, 143, 276, 282, 284, 297, 302, 339, 388,
 393, 395, 397–9, 407
 definition 4, 389
 deformation 17, 19, 21, 28, 29, 266, 282, 284, 345
 lodgement 3, 68, 262, 302–3, 339, 354, 395, 408
 melt-out 301–3
 stratified 7
 thickness 16, 17
 waterlain 8, 303, 388, 389, 391, 399
 till deltas 68, 70, 282, 284
 till tongues 7, 21, 276, 283
 tillite 205, 209, 231–2, 388–9, 392–406, 408
 topsets 282
 trace fossils 170
 transgression, marine 16, 31–50, 150, 205, 265, 308,
 322, 342, 343, 379, 380
 Transpolar Drift 236–7
 trough mouth fans 28–31, 49, 50, 277
 tunnels, subglacial/englacial 7, 19, 22, 54, 60, 61, 68,
 69, 77, 78
 sediment transport models 54, 60–2, 68, 69
 turbid layers 81–3, 85, 97, 98
 turbid plumes 5, 45, 75, 78–81, 97, 133–4, 152, 180,
 196, 256, 265, 281–2, 286–7, 293, 299, 302,
 311–2, 358, 360, 378, 401, 406
 turbidites 3, 24, 25, 66, 184, 193, 196, 359, 377, 380,
 392, 401, 408
 turbidity currents 22, 150, 179, 184, 290, 293, 297,
 302, 311, 313, 358–9, 380–1, 401
 Ulvesø Formation (Late Precambrian), East
 Greenland 388–9, 391, 394, 395–8, 400, 401,
 407
 unconformity, regional 269, 273
 underconsolidation 360, 379
 underflow 17, 56, 57, 68–70, 284, 301, 311, 313, 378,
 380–1, 401
 uplifted glacial marine sequences 5, 24, 38, 150, 363–82
 upwelling 22, 26, 58, 70, 77–9, 126
 uranium–thorium dating 240
 U-shaped glacial troughs 3, 143, 285
 vadose zone 205, 213
 valley glaciers 3, 75
 Van Dorn bottle 76
 varves 65, 101, 108, 201, 206, 207, 293, 307, 311–4,
 401
 vegetation rafting of debris
 characteristics of debris 106, 111, 116
 deposition 113
 driftwood 105
 sources of debris 106, 111
 vibrocores 256, 260, 262, 329, 331–2

- vitrinite reflectance 236, 240, 243–4
- water column structure 2, 9, 27, 60, 77–80, 82–3, 93, 95–8, 121, 125–6, 130–2, 158, 178–9, 181–3, 310–3, 326
- water content, sediment 310
- water table 205
- waterlain till 8, 303, 388, 389, 391, 399
- waterlain tillite 392–5, 398, 404–5, 408
- wave action 24, 313, 344, 377
- wave cut platform 365
- wave mixing 80
- waves, storm 150, 152, 307, 308, 360, 377, 378, 379
- West Spitsbergen Current 236–7
- Wilsonbreen Formation (Late Precambrian),
 - Spitsbergen 206
- winds 81, 108
 - mixing 80, 180, 181
 - shear 80
- winning 6, 8, 22, 24, 45, 49, 50, 75, 102, 143, 164, 286, 293, 377, 379, 391, 398, 408
- wood fragment 365
- worm tubes 354, 365, 368, 370
- X-radiographs 24, 75, 96, 101, 196, 256, 309, 354, 358
- Yakataga Formation (Late Miocene–Holocene),
 - Alaska 141, 143, 145, 363–82
- Younger Dryas 314, 320, 323, 325–6

Geographical Index

- Alaska 10, 22, 23, 55, 57, 60, 61, 67, 69–71, 108, 109, 130, 133–5, 244, 289, 379, 398, 404, 405, 408
- Aleutian Trench 139–43, 147–52
- Alpfjord, East Greenland 289–90, 296
- Amatuli Trough, Gulf of Alaska 139–43
- Amerasian Basin, Arctic Ocean 236, 245
- Amery Ice Shelf, Antarctica 405
- Andøya, Norway 286
- Antarctic Peninsula 91–102, 130, 131, 132, 133–5, 408
- Antarctica 8, 9, 91, 191, 205, 208, 289, 398, 405–6, 408
- Arctic Ocean 121, 134–5, 235–49, 319
- Atlantic Ocean, North 105, 133, 319, 325, 339
- Austfonna, Nordaustlandet, Svalbard 256, 265, 286
- Baffin Island, Canada 88, 129, 155–74, 177–96, 289, 299, 302, 312
- Baltic Sea 313–4, 318, 320, 324
- Barents Sea/Shelf 7, 23, 26, 45, 187, 235–7, 241, 244, 246, 253–67
- Beaufort Sea 217–8
- Bering Trough, Gulf of Alaska 140, 143, 147
- Billingen, Sweden 319–20
- Bjørnøya (Bear Island), Barents Sea 271, 286
- Bjørnøyrenna (Bear Island Trough), Barents Sea 253–5, 257, 265, 266, 269–71, 276, 279, 286
- Bluefjord, Alaska 23
- Brandalpynten, Spitsbergen 20, 44, 46
- Brevoort Harbour, Baffin Island 156–7, 159, 172
- Brevoort Island, Baffin Island 156–7
- Brialmont Cove, Antarctic Peninsula 92–101
- Cambridge Fiord, Baffin Island 24, 25, 115, 156–8, 161–2, 166–8, 172–3, 178, 182, 185–8, 191–2, 194
- Cayley Glacier, Antarctic Peninsula 92, 94, 101
- Celtic Sea 329–45
- Champlain Sea 170–1, 174
- Charcot Land, East Greenland 388
- Chugach Mountains, Alaska 363–5
- Copper River, Gulf of Alaska 140, 152, 377
- Coronation Fiord, Baffin Island 178, 180–2, 184, 186–8, 194
- Cross Sound, Gulf of Alaska 140, 143
- Danco Coast, Antarctic Peninsula 92, 97
- Davis Strait 156–7, 159, 162–3, 172, 178
- d'Iberville Fiord, Ellesmere Island 132
- Duval River, Baffin Island 107
- East Runton, England 4
- Edgeøya, Svalbard 44, 46, 123, 265
- Ekalugad Fiord, Baffin Island 107, 192
- Ella Ø, East Greenland 388, 393, 395, 397, 400, 404, 405
- Ellesmere Island, Canada 87, 108, 129, 131, 134–5, 404, 408
- English Channel 326, 339
- Erebus Glacier Tongue, Antarctica 98
- Eurasian Basin, Arctic Ocean 236–7
- Fangststation, East Greenland 290, 295
- Forsblads Fjord, East Greenland 290, 296
- Forties Field, North Sea 338
- Fram Strait 235–49
- Franz Josef Land 236–7, 244, 245
- Frobisher Bay, Baffin Island 123, 156, 159, 162, 172
- George V-Adelie Coast, Antarctica 340
- George VI Ice Shelf, Antarctica 97
- Glacier Bay, southeast Alaska 75, 76, 129, 134, 311
- Göta River, Sweden 314, 319, 321, 324
- Göteborg, Sweden 308, 317, 319, 322, 324
- Great Britain 248–9
- Greenland, East 49, 158, 236, 241, 244, 248, 289–304, 387–408
- Greenland, northwest 235
- Gulf of Alaska, northern 139–52, 363–82
- Gulleygletscher, East Greenland 290, 296
- Happisburgh, eastern England 4
- Hebridean Shelf/Slope, northwest U.K. 349–60
- Hebrides, Scotland 349
- Hinchinbrook Sea Valley, Gulf of Alaska 140, 143, 147–9
- Hudson Bay 263
- Hudson Strait 157, 160, 163, 172
- Iceland 22, 24, 49, 50, 129, 236, 325
- Iceland Shelf 26, 45
- Icy Bay, Gulf of Alaska 140, 152
- Ingøydjupet Trough, Barents Sea 270, 274, 282
- Inugsuin Fiord, Baffin Island 178, 180, 182, 184, 185–7, 194
- Irish Sea 7, 42, 48, 329, 330, 343
- Isfjorden, Spitsbergen 26, 28
- Isfjordrenna, Spitsbergen 30, 49
- Isles of Scilly, England 329, 330, 342–3
- Itirbilung Fiord, Baffin Island 156–8, 161–2, 166–8, 173, 178, 182, 186–8, 190–1, 194
- James Ross Island, Antarctic Peninsula 389, 405
- Jan Mayen 236, 238, 240, 247
- Jenissei River, Soviet Union 245
- Kap Ekholm, Spitsbergen 44, 46
- Kap Murdoch, Spitsbergen 44, 46
- Kap Petersen, East Greenland 289–90, 292–303
- Kap Weber, East Greenland 394–5, 398, 401–3, 405
- Kara Sea 236, 246
- Kattegat 317–9, 320

- Kayak Island, Gulf of Alaska 140–2, 147
 Khitrov Ridge, Gulf of Alaska 141, 147
 King William Island, Canada 218
 Kjaersvika, Spitsbergen 44, 46
 Knight Inlet, British Columbia 312
 Kodiak Island, Gulf of Alaska 140, 143
 Kodiak Shelf, Gulf of Alaska 379
 Kong Karls Land, Svalbard 44, 45
 Kong Oscar Fjord, East Greenland 289–91, 295, 297–302
 Kongsbreen, Spitsbergen 18
 Kongsfjorden, Spitsbergen 6, 16, 17, 20, 24–5, 26, 28, 312
 Kongsfjordrenna, Spitsbergen 30, 47, 49
 Kongsvegen, Spitsbergen 17–9, 22
 Kvadehuken, Spitsbergen 20
 Kviberg, Sweden 310
- Lake Agassiz, Manitoba 218–32
 Lake Bonney, Dry Valleys, Antarctica 206
 Lake Erie, Ontario 7
 Lake Fryxell, Dry Valleys, Antarctica 202–3, 206
 Lake Melville, Labrador 193
 Lake Vanda, Dry Valleys, Antarctica 206
 Laksefjord, Norway 282
 Lamplugh Glacier, Glacier Bay, Alaska 57, 61
 Lancaster Sound, Canada 162
 Laptev Sea 246
 Larsen Ice Shelf, Antarctica 97
 Lena River, Soviet Union 237, 244, 245
 Løvenøya, Spitsbergen 17, 18
- Maine, U.S.A. 68, 69
 Maktak Fiord, Baffin Island 109, 178, 180, 182, 186–7, 192–4
 McBeth Fiord, Baffin Island 110, 156–8, 161–2, 166–8, 173, 178, 180, 182, 184, 186–90, 194, 301
 McBride Glacier, Alaska 22, 76–8
 McBride Inlet, Alaska 23, 60, 76–88, 134
 McMurdo Sound, Antarctica 108, 209
 Mesters Vig, East Greenland 107, 297, 303
 Middleton Island, Gulf of Alaska 139–43, 147, 150, 363–82
 Milne Land, East Greenland 289
 Morocco 330
 Muir Inlet, Alaska 75, 76, 87, 312
 Mundesley, eastern England 4
- Nansen–Gakkell Ridge, Arctic Ocean 237, 239, 241
 Nordaustlandet, Svalbard 44, 256, 265, 266, 286
 Norfolk, England 7
 Norilsk, Soviet Union 237, 244
 North Scoresby Land, East Greenland 289–304
 North Sea 42, 45, 48, 285, 318–20, 322, 324–7, 342
 Northern Ireland 343
 Norwegian-Greenland Sea 235–49, 253, 286, 326
 Norwegian Shelf 21, 269, 353, 360
 Norwegian Trench 325
 Novaya Zemlya, Soviet Union 299
- Overstrand, eastern England 4
 Palmer Archipelago, Antarctica 97
- Pamplona Spur, Gulf of Alaska 139–42
 Pangnirtung Fiord, Baffin Island 105, 107–13, 156–8, 161, 166–8, 178, 180, 182, 185–6, 194
 Peary Channel, Canada 108
 Penny Ice Cap, Baffin Island 180, 193
 Poolpynten, Prins Karls Foreland, Spitsbergen 44, 46
 Porsangen, Norway 282
 Portugal 330
 Prince William Sound, Gulf of Alaska 140, 143
- Queen Inlet, Alaska 82, 83, 312
- Riggs Glacier, Glacier Bay, Alaska 69, 70, 85
 Rockall Trough, U.K. 349–51
 Ronne-Filchner Ice Shelf, Antarctica 405
 Rosenbergdalen, Edgeøya, Svalbard 44, 46
 Ross Ice Shelf, Antarctica 405
 Ross Sea, Antarctica 26, 206
- Scoresby Sund, East Greenland 295
 Scotian Shelf/Slope, Canada 21, 349, 353, 360
 Scotland 343
 Sefströmbreen, Spitsbergen 17
 Sefströmsgletscher, East Greenland 289–90
 Sentralbanken, Barents Sea 253–4
 Siberia 236–7, 244, 248, 249
 Siberian Shelf 246–7
 Skagerrak 317–20, 322–6
 Skeldal, East Greenland 290, 298, 302–3
 Skjoldungebrae, East Greenland 290
 Skjoldungebrac Gorge, East Greenland 289–304
 Sortlev Gletscher, east Greenland 388, 392, 395–7, 399, 403, 404, 407
- South Shetland Islands, Antarctica 91
 Spitsbergen, Svalbard 24, 44, 48–50, 206, 210, 236–7, 244
 Spitsbergenbanken, Barents Sea 253–5, 265
 St. Elias Mountains, Alaska/Yukon 363–5
 St. George's Channel 329, 331
 St. Kilda, Scotland 349–51
 Staunings Alps, East Greenland 294, 296–7
 Storbanken, Barents Sea 253–5, 258, 262, 264, 265
 Sunneshine Fiord, Baffin Island 178, 182, 184, 186–7, 194–5
 Svalbard 44, 123, 129, 130, 132, 133–5, 236–7, 244, 254, 273, 289, 389, 404, 405, 408
 Sweden, southwest 307–14, 317–27
- Tarr Bank, Gulf of Alaska 140, 143, 147
 Tarr Canyon, Gulf of Alaska 147–52
 Tasmania, Australia 62–7
 Taylor Glacier, Dry Valleys, Antarctica 129
 Taylor Valley, Antarctica 202–3, 205
 Taymyr Peninsula, Soviet Union 237, 244, 245
 Tingin Fiord, Baffin Island 178, 186–7, 194, 196
 Tjørnes, Iceland 49
 Transantarctic Mountains 206
 Troll Field, Norway 325
 Tsanfleuron Glacier, Switzerland 205
- Ungava Bay, Labrador 156–7, 160, 172
- Väneren, Sweden 308, 311, 314, 319–20
 Vega Island, Antarctic Peninsula 405

Vøring Plateau 236, 238, 240, 248

Weasel River, Baffin Island 108–9

Weddell Sea, Antarctica 23, 359

Whidbey Island, Washington 87

White Sea 337

Wordie Ice Shelf, Antarctica 9

Wright Valley, Antarctica 206

Wynyard, Tasmania, Australia 62–6

Wyville–Thomson Ridge, U.K. 349–51, 353

Yakutat Bay, Gulf of Alaska 140, 152

Special Publications of The Geological Society

- 52 Phosphorite Research and Development
- 51 The Cadomian Orogeny
- 50 Classic Petroleum Provinces
- 49 The Geology and Tectonics of the Oman Region
- 48 Geological Applications of Wireline Logs
- 47 Origins and Evolution of the Antarctic Biota
- 46 Phanerozoic Ironstones
- 45 Alpine Tectonics
- 44 Inversion Tectonics
- 43 Evolution of Metamorphic Belts
- 42 Magmatism in the Ocean Basins
- 41 Deltas: Sites and Traps for Fossil Fuels
- 40 Lacustrine Petroleum Source Rocks
- 39 Early Tertiary Volcanism and the Opening of the NE Atlantic
- 38 The Caledonian-Appalachian Orogen
- 37 Gondwana and Tethys*
- 36 Diagenesis of Sedimentary Sequences
- 35 Desert Sediments: Ancient and Modern
- 34 Fluid Flow in Sedimentary Basins and Aquifers
- 33 Geochemistry and Mineralization of Proterozoic Volcanic Suites
- 32 Coal and Coal-bearing Strata: Recent Advances
- 31 Geology and Geochemistry of Abyssal Plains
- 30 Alkaline Igneous Rocks
- 29 Deformation of Sediments and Sedimentary Rocks
- 28 Continental Extensional Tectonics
- 27 Evolution of the Lewisian and Comparable Precambrian High Grade Terrains
- 26 Marine Petroleum Source Rocks
- 25 Sedimentation in the African Rifts
- 24 The Nature of the Lower Continental Crust
- 23 Habitat of Palaeozoic Gas in North West Europe (Scottish Academic Press)
- 22 The English Zechstein and Related Topics
- 21 North Atlantic Palaeoceanography
- 20 Palaeoecology and Biostratigraphy of Graptolites
- 19 Collision Tectonics
- 18 Sedimentology: Recent Developments and Applied Aspects
- 14 Variscan Tectonics of the North Atlantic Region
- 12 Petroleum Geochemistry and Exploration of Europe
- 11 Residual Deposits: Surface Related Weathering Processes and Materials
- 10 Trench-Forearc Geology
- 8 The Caledonides of the British Isles – reviewed
- 6 Geological Background to Fossil Man
- 2 The Fossil Record
- 1 The Phanerozoic Time-Scale

Special Reports of The Geological Society

- 19 Magnetostratigraphy
- 18 Geophysical Logs in British Stratigraphy
- 17 Acritarchs in British Stratigraphy
- 16 Trilobites in British Stratigraphy
- 15 A Correlation of Jurassic Rocks in the British Isles, Pt 2, Middle and Upper Jurassic
- 14 A Correlation of Jurassic Rocks in the British Isles, Pt 1, Lower Jurassic
- 13 A Correlation of Triassic Rocks in the British Isles
- 12 A Correlation of Tertiary Rocks in the British Isles
- 10 A Correlation of Silesian Rocks in the British Isles
- 9 A Correlation of Cretaceous Rocks in the British Isles
- 8 A Correlation of Devonian Rocks in the British Isles
- 7 A Correlation of Dinantian Rocks in the British Isles
- 6 A Correlation of Precambrian Rocks in the British Isles
- 2 A Correlation of Cambrian Rocks in the British Isles
- 1 A Correlation of Silurian Rocks in the British Isles

Memoirs of The Geological Society

- 12 Palaeozoic Palaeogeography and Biogeography
- 11 The Ophiolite of Northern Oman
- 10 The Chronology of the Geological Record
- 9 The Nature and Timing of Orogenic Activity in the Caledonian Rocks of the British Isles
- 8 A Palaeogeological Map of the Lower Palaeozoic Floor below the cover of Upper Devonian, Carboniferous and Later Formations
- 6 Late Pre-Cambrian Glaciation in Scotland
- 5 Shallow-water Sedimentation, as illustrated in the Upper Devonian Baggy Beds
- 4 The Geology of Portuguese Timor

Geological Society Engineering Geology Special Publications

- 6 Field Testing in Engineering Geology
- 5 Engineering Geology of Underground Movements
- 4 Planning and Engineering Geology
- 3 Groundwater in Engineering Geology
- 2 Site Investigation Practice: Assessing BS 5930

Titles not listed are out of print

** Available from Oxford University Press*