

Index

- Aachen Formation 82
Aberystwyth Grits Formation 216, 217, 218, 221, 222
abrasion, role in mineral suite 31
active margin chemical signature 184, 222–4
Akelamo Formation 294, 298
Alabama mineral provenance studies 42
albitization 129
Allt Goch Formation 216, 218, 221, 222
alluvial basin analysis 8
alluvial fan studies
 area prediction 203
 Tajo Basin
 provenance analysis 267–70
 sandstone petrography 264–7
Alnipollenites versus 86
Alps
 fission track analysis 73–4
 microfossil studies 81
amphiboles in provenance studies 4, 34–6
 Antarctic Peninsula 236, 239
 Apennines 128, 130
 Barrême Basin 329, 330, 332
 Indonesia 296–7, 298
 Tonga 307, 308, 314–15
andalusite in provenance studies 130, 331
Anglo-Brabant Massif as sediment source 282, 284, 285, 287
Antarctic Peninsula Volcanic Group 235
Antarctic Shelf provenance studies 4
 microfossil evidence 80–1
 provenance studies
 petrography 235–41
 sediment source 241–7
 tectonic setting 231–5
apatite in provenance studies 4, 43, 68
 Alps 73–4
 Barrême Basin 327, 329, 331
 Pennines 141, 142
 Rockall 72
 Wales 102–3, 104
 Wealden Basin 17
Apenines turbidite arenite studies
 diagenesis 130–4
 geological setting 125–7
 grain properties 24, 26, 27
 petrography 127–8
 texture 128–30
Applecross Formation 14
 $^{40}\text{Ar}/^{39}\text{Ar}$ dating
 Applecross Formation 14
 Archaeon basement 16
 Hornelen Group 348, 350
 Wealden Series 17, 18, 19
Araucariacites australis 84
archaeology
 use of chemical analysis 191–2
 use of heavy minerals 34
 use of mineralogy and petrology 190–1
arenite analyses, factors affecting 23–6
 see also sandstone also turbidite arenite
argon isotope studies see $^{40}\text{Ar}/^{39}\text{Ar}$
argon laser probe 5
Argyll Embayment
 chemical studies 258–60
 geological setting 251
 mineralogy studies 253–8
 palynomorph studies 260
 provenance interpretation 260–1
Arkansas mineral provenance studies 42
arkose alteration studies 129
Armorica as sediment source 17, 87–8, 281, 282
Ashdown Sandstone 72–3
augite in provenance studies 329, 332
Australia
 pyroxene provenance studies 34
 zircon fission track studies 69–71
Baculatisporites comaumensis 86
Barbados fission track study 71–2
Bargate Beds 275
barite in provenance studies 130
Barrême Basin
 geological setting 323–4
 lithostratigraphy 326–33
 provenance studies 333–9
 structure 324–6
Belgium
 microfossil study 81–2
 sediment source study 39, 40
Bengal fan study 36
Bergell granite fission track study 73–4
biotite in provenance studies
 Antarctic shelf 236, 239
 Barrême Basin 329
 Wales 217
 Wealden Basin 18
Bismantova Formation 24
Blue Tier batholith 70–1
Boreal Sea sediments 19
Boulder Batholith 56
Bozeman Group 56
breccias in provenance studies 3
Brent Group 36
bricks see ceramics
Bridport Sands 39
Brittany and sediment source studies
 Bridport Sands 39
 Wealden Series 17
Bronze Age ceramics studies
 archaeological model 192–3
 chronology 195
 fabric studies 195
 geological setting 193
 petrography 193–4
brookite in provenance studies 128
Broom Formation 38
Buli Group 293, 294

- Calcaires Nummulitiques
 lithostratigraphy 327–9, 334, 335
 provenance studies 333, 336
 calcite cement 235
Callialasporites dampieri 84
 Canada
 microfossil studies 81
 tourmaline studies 16
 carbonate cement 235
 carbonate grains in provenance studies 24, 25
 Carboniferous studies
 Pennines
 isotope analyses 146–56
 palaeocurrent analyses 144–6
 pebble studies 138–9
 sandstone studies 139–42
 source area interpretations 142–4, 156–7
 Carstone 275, 279, 281, 284–5
 cathodoluminescence 254–5
 Cedar Mountain Formation 73
 Cefn Cwrt Formation 216, 221
 Ceibwr Formation 216
 cement studies 235
 Central Graben (North Sea)
 geochemical studies 258–60
 geological setting 251
 mineral studies 253–8
 palynomorph studies 260
 provenance analyses 260–1
 Central System (Spain)
 geological setting 47–8
 quartz grain analyses
 method 48–9
 results 49–52
 role in provenance studies 268
 ceramics analyses
 case study
 archaeological model 192–3
 chronology 195
 fabric studies 195
 geological setting 193
 petrography 193–4
 use of geochemistry 191–2
 use of mineralogy 34, 190–1
Cerebropollenites mesozoicus 86
 Cervarola Formation
 diagenesis 130–4
 geological setting 125–7
 petrography 127–8
 textural studies 128–30
Chasmatosporites magnolioides 86
 Chatham Group
 stratigraphy 93–5
 weathering/diagenesis studies 95–7
 chemical index of alteration 177
 chemical signatures 183–5, 222–4
 chert in provenance studies 277, 280
 Chile Trench sediments 3–4
 chlorite in provenance studies
 Antarctic shelf 235, 240
 Apennines 133, 134
 chloritoid in provenance studies 39
 chromite in provenance studies 38, 40
Classopolis spp. 86
 clast analysis in provenance studies 3, 199
 Derryveeny study 203–7
 Gramscatho Basin 179
 Hornelen Basin study
 method 347–8
 provenance inferences 356–8
 sampling 354
 stratigraphy 352–3, 354–6
 S England/N France Mesozoic
 descriptions 274–80
 sources 280–7
 Welsh Basin study 220
 Claxby Ironstone 275, 281, 282
 clay minerals in provenance studies
 Antarctic shelf 240–1
 Apennines 132–3, 134
 Central Graben 255—
 clay pipes *see* ceramics
 climatic factors in sediment dispersal 2, 8, 91–3
 Deep River Basin studies 93–7
 Coarse Quartz Grit 18, 278, 279
 Colorado mineral provenance studies 3, 199
 Compaction studies 130–2
 Conglomerate analysis in provenance studies 3, 199
 Derryveeny study 203–7
 Gramscatho Basin 179
 Hornelen Basin study
 method 347–8
 provenance inferences 356–8
 sampling 354
 stratigraphy 352–3, 354–6
 S England/N France
 descriptions 274–80
 sources 280–7
 Welsh Basin study 220
 Connemara
 Caledonian setting 199–200
 clast distribution 203–7
 isotope analyses 209, 210
 Ordovician history discussed 209–12
 palaeocurrent studies 202–3
 provenance inferences 207–9
 stratigraphy 201–2
Contignisporites spp. 86
 continental island arc chemical signature 184, 222–4
Convruccosporites rariverrucatus 84
 Corallian Group 275, 281
 Cornubia as sediment source
 Gramscatho Basin 181, 182
 recent offshore sediments 41–2
 SE England Mesozoic sediments 17–18, 87–8,
 282–4
 Corsewell Formation 163, 164
 Cotentin High 17, 285
Crassosphaera sp. 84
 Cretaceous studies
 Antarctic shelf
 petrography 235–41
 sediment source 241–7
 tectonic setting 231–5
 Belgium 82–3
 Canada 81
 S England 15–19, 72–3, 74–6, 87–8, 286–7
 Utah 73

- Cribroperidinium longicorne* 88
 Cross Valley Formation 234, 245
 crustal evolution and provenance studies 7–8
 Cumnock Formation 94
Cycadopites 86
- Dalradian provenance studies
 distribution in Ireland 199–201
 heavy mineral analyses 36
 source rocks for Ordovician 6, 207–8
 dating methods *see* fission track *also* isotope
 Deep River Basin
 geological setting 93–5
 weathering/diagenesis studies 95–7
Densiosporites velatus 84
 Derryveeny Formation
 clast studies 203–7
 isotope analyses 209, 210
 Ordovician history analysed 209–12
 palaeocurrent analyses 202–3
 sandstone studies 207
 source analyses 207–9
 stratigraphy 201–2
 detrital mineral analyses *see* feldspar; heavy minerals;
 opaque minerals; quartz
 Devonian studies
 Australia 71
 Canada 81
 Hornelen Basin
 basement metamorphism 348–54
 basement petrology 345–6
 clast analyses 347–8
 clast sampling 354
 clast stratigraphy 352–3, 354–6
 geological history 6–7
 geological setting 343–4
 provenance inferences 356–8
 diagenesis in provenance studies 2
 case studies
 Apennines turbidites 130–4
 Deep River Basin 96–7
 Welsh Basin turbidites 114–20
 effect on mineralogy 31, 92–3
Dichadogonyaulax pannea 88
 dinoflagellates
 effect of reworking 79–80
 use of reworking 80–8
 dispersal methods for sediments 2
 dravite in provenance studies 41, 42
 Dufuk Formation 294, 296, 298, 300
Duplexisporites problematicus 86
- Earls Crag Grit 140, 148
 East Midlands Shelf 287
 Ebro Basin 8
 Eikefjord Group 345
 elbaite in provenance studies 41
 Elkhorn Mountains Volcanics 56
Endoscrinium luridum 88
 Eneolithic ceramics analyses
 archaeological model 192–3
 chronology 195
 fabric studies 195
 geological setting 193
 petrography 193–4
 England
 Gramscatho Basin
 geological setting 174, 175
 greywacke geochemistry 177–9
 greywacke petrography 175–7
 source rocks 179–83
 tectonic environment 183–5
 Jurassic/Cretaceous sediment studies
 clast analyses 274–80
 source analyses 280–7
 stratigraphy 275
 Pennines
 isotope analyses 146–56
 palaeocurrent analyses 144–6
 pebble studies 138–9
 sandstone studies 139–42
 source area interpretations 142–4, 156–7
 Wealden Basin 17, 87–8, 285–7
 Eocene *see* Tertiary
 epidote in provenance studies 36
 Apennines 128, 130
 Barrême Basin 327, 332
 Wales 217
 epimatrix 129
 Etive Formation 8
Eucommiidites troedssonii 86
Exesipollenites sp. 86
- feldspar in provenance studies
 Antarctic shelf 238
 Central Graben 253–4
 Deep River Basin 96
 Indonesia 296–7
 Pennines 139, 141
 Tonga 307, 308–11
 Welsh Basin 217
see also plagioclase
 Fell Sandstone 138, 144, 148
 Ferruginous Sands 275
 fission track dating 4
 case studies
 Alps 73–4
 Australia 69–71
 Barbados 71–2
 English Wealden 72–3
 Mexico 73
 Rockall 72
 Utah 73
 methods 67–8
 flow pattern *see* palaeocurrent indicators
 Folkestone Beds 275
 Fountain Formation 92
 framework composition studies
 Apennines 129
 Deep River Basin 91–2, 93, 94, 97
 France
 Barrême Basin
 geological setting 323–4
 lithostratigraphy 326–33
 provenance studies 333–9
 structure 324–6
 heavy mineral studies 31, 34

- Jurassic/Cretaceous sediment studies
 - clast analyses 274–80
 - source interpretations 285
- Fraxinoipolienites variabilis* 86
- Gaerglwyd Formation 216, 221
- gahnite in provenance studies 38, 39
- Galdenoch Formation 161
 - isotope studies 168–71
 - palaeocurrent studies 165, 166
- garnet in provenance studies
 - Apennines 128, 130
- Barrême Basin 329, 332, 333
 - North Sea 36–7
 - Pennines 141, 142
 - Rhenohercynian zone 179
- garnet–biotite/phengite thermometry 348
- Gault Clay 275, 278, 279, 280, 281, 282
- geobarometry 348, 349, 350
- geochemistry *see* major element analyses *also* trace element analyses
- geochronology *see* fission track dating *also* isotope dating
- geothermometry 348, 349, 350
- Germany
 - microfossil study 82–3
 - Rhenohercynian zone studies
 - geological setting 174, 175
 - greywacke geochemistry 177–9
 - greywacke petrography 175–7
 - source rocks 179–83
 - tectonic environment 183–5
- Giessen Basin
 - geological setting 174, 175
 - greywacke geochemistry 177–9
 - greywacke petrography 175–7
 - source rocks 179–83
 - tectonic environment 183–5
- glauconite in provenance studies 17
- glaucophane in provenance studies 4, 236, 239
- Glenwhargen Formation 163, 165, 166
- Glossodinium dimorphum* 88
- Gola Formation 294, 295, 298
- goldmanite in provenance studies 32
- Gonyaulacysta jurassica* 88
- grain analyses in provenance studies 3, 8
 - diagenetic effects 31
 - hydraulic effects 31
 - size/shape effects 23, 31
 - weathering effects 31*see also individual minerals by name*
- Gramscatho Basin
 - geological setting 174, 175
 - greywacke geochemistry 177–9
 - greywacke petrography 175–7
 - source rocks 179–83
 - tectonic environment 183–5
- Grayswood Sand 18
- Greenland tourmaline studies 16
- Greensand, Lower 275, 279, 280, 281, 282
- Grès Verts Formation
 - lithostratigraphy 333, 334, 338
 - provenance 339
- greywacke analyses
 - Rhenohercynian zone
 - geochemistry 177–9
 - geological setting 175
 - petrography 175–7
 - source rocks 179–83
 - tectonic environment 183–5
 - Southern Uplands
 - geological setting 161–3
 - isotope studies 167–8
 - mineralogy 33
 - palaeocurrent analyses 163–7
- Grogal Formation 216
- Gustav Group 233, 234, 236–9, 247
- Gwbert Formation 216
- Halmahera Island
 - petrography 298–300
 - provenance interpretations 301–2
 - stratigraphy 292–8
 - tectonic setting 291–2
- Hastings Beds 281, 282
- Hastings Sands Group 18
- Haute-Provence
 - geological setting 323–4
 - lithostratigraphy 326–33
 - provenance studies 333–9
 - structure 324–6
- heavy mineral analyses
 - case studies
 - Antarctic shelf 239
 - Barrême Basin 326–33
 - Central Graben 255
 - Pennines 141–2
 - factors affecting distribution 4, 31, 130
 - use in archaeology 34
 - see also individual minerals by name*
- Hebrides pyroxene studies 33
- Hecho Formation 24
- hematite in provenance studies 55–6
 - methods, 56
 - results 57–8, 61
- hemipelagite studies
 - analyses 103–4
 - diagenesis 114–20
 - geochemistry 110–14
 - mineralogy 104–8
 - nodule distribution 108–10
 - occurrence 102–3
- Hidden Lake Formation 233, 234, 236–9, 244, 246
- Himalayas epidote studies 36
- Holocene *see* Quaternary
- hornblende in provenance studies
 - Antarctic shelf 236, 239
 - Barrême Basin 329, 330, 332
 - Indonesia 296–7, 298
 - Tonga 308
- Hornelen Basin
 - basement metamorphism 348–54
 - basement petrology 345–6
 - clast analyses 347–8
 - clast sampling 354
 - clast stratigraphy 352–3, 354–6

- geological history 6–7
- geological setting 343–4
- provenance inferences 356–8
- stratigraphy 344–5
- Hornelen Group
 - clast analyses
 - methods 347–8
 - provenance inferences 356–8
 - stratigraphy 352–3, 354–6
 - geological setting 344, 346–7
 - hydraulic properties of grains 31
 - Hystriochodinium pulchrum* 88
 - Hythe Beds 275

- Iberian range as sediment source 268
- igneous province analyses 7
 - Indonesia 291–302
 - Mexico 73
 - Tonga 306–17
 - Utah 73
- illite in provenance studies 133, 134
- ilmenite in provenance studies 55–6, 57–61
- Inaperturopollenites turbatus* 84
- Indonesia
 - petrography 298–300
 - provenance interpretations 301–2
 - stratigraphy 292–8
 - tectonic setting 291–2
- Ireland Caledonian provenance study
 - clast distribution 203–7
 - geological setting 199–200
 - isotope analyses 209, 210
 - Ordovician history discussed 209–12
 - palaeocurrent analyses 202–3
 - sediment source studies 207–9
 - stratigraphy 201–2
- iron oxides *see* opaque minerals
- ironstone clast analysis 280
- isotope dating 3, 4–5, 7–8, 67–8
 - Connemara 209
 - Hornelen Basin 348, 350
 - NW Scotland 14, 16
 - Pennines 146–56
 - Rhenohercynian zone 182, 183
 - Southern Uplands 167–8
 - Wealden Basin 17, 18, 19
- Israel microfossil studies 81
- Italy
 - fission track studies 73–4
 - turbidite arenite studies 24, 26, 27
 - diagenesis 130–4
 - geological setting 125–7
 - petrography 127–8
 - texture 128–30

- Jackford Sandstone 42
- jadeite in provenance studies 333
- James Ross Island Volcanic Group 234
- Japan turbidite arenite study 24, 26–8
- jasper in clast analyses 277–80
- Jostedal Complex 345

- Jurassic studies
 - Germany 82–3
 - N England 81
 - North Sea 36, 38, 39, 40, 73, 253–61
 - S England/N France 39, 275, 280–6

- K/Ar dating 348, 350
- kaersutite in provenance studies 35
- Kirkcolm Formation
 - isotope analyses 168
 - palaeocurrent analyses 164, 165, 166
 - stratigraphy 161, 162, 163
- Kotick Formation 233, 234, 236–9, 244
- Kulefu Formation 294, 295, 297, 298, 300
- kyanite in provenance studies 130, 331

- La Meseta Formation 234
- Labrador 16
- Lagrelius Formation 233, 234
- Langdale Beds 81
- Larsen Basin
 - petrography 235–41
 - sediment source 4, 241–7
 - tectonic setting 231–5
- laser probe 5
- Lau Ridge 306
- lawsonite in provenance studies 31, 332, 333
- Ligurian domain 126
- lithics in sediment interpretation
 - Central Graben 254
 - Deep River Basin 95–6
 - Indonesia 296–7, 298
- Lizard ophiolite 180, 181, 182, 183
- Llangraig Formation 216, 221
- Llangranog Formation 216, 217, 218, 221, 222
- Loku Formation 294
- Londinia as sediment source 18, 87–8
- Lopez de Bertodano Formation 233, 234, 236–9, 244, 245
- Lough Kilbride Formation 200, 208–9
- Lough Nafooy Group 200, 207
- Lough Neagh Group 42
- Lycopodiumsporites* 86
- Lykkejebø Group 345

- Macigno Formation
 - diagenesis 130–4
 - geological setting 125–7
 - petrography 127–8
 - texture 128–30
- magnesian-hornblende 35
- magnetite in provenance studies 55–6, 57–8, 61
- major element analyses
 - applications to archaeology 191–2
 - case studies
 - Central Graben 258–60
 - Tonga arc 308–17
 - Montana 56, 58, 59
 - Rhenohercynian zone 177–8, 180, 184
 - Welsh Basin 220–5
 - use in heavy mineral analyses 4, 5

- amphibole 34–6
- chloritoid 39–40
- epidote 36
- garnet 36–8
- monazite 40–1
- pyroxene 32–4
- spinel 38–9
- staurolite 36
- tourmaline 41–2
- zircon 42
- Marambio Group 233, 234
- Marchburn Formation
 - isotope analysis 171
 - palaeocurrent analysis 164
 - stratigraphy 161, 162, 163
- Marnes Bleues Formation
 - lithostratigraphy 329–31, 334, 335
 - provenance studies 333, 336–7
- Marnoso–Arenacea Formation 24, 26, 27, 126
- Massif Central 34
- matrix analysis 129
- Maumtrasna Conglomerate 200, 202
- mechanical properties and mineral distribution 31
- Meiouruguayaulax staffnensis* 88
- Mexico fission track study 73
- micas in provenance studies 4, 236, 239, 240
 - see also individual micas by name*
- Michrhystridium* sp. 86
- microfossil analyses
 - effect of reworking 79–80
 - use of reworking 80–8
- Minch pyroxene studies 33
- mineralogy in provenance studies
 - case studies
 - Antarctic shelf 239
 - Central Graben 253–5
 - Deep River Basin 95–7
 - factors affecting 90–3
 - use in archaeology 190–1
 - see also heavy minerals also opaque minerals*
- Miocene *see* Tertiary
- Molasse Rouge Formation
 - lithostratigraphy 331–5, 338
 - provenance studies 339
- Moldanubian zone 174
- monazite in provenance studies 5
 - North Sea 40–1
 - Pennines 141, 142, 154
 - Welsh Basin nodule study,
 - analyses 103–4
 - distribution 108–10
 - formation methods 116–17
 - geochemistry 110–14
 - mechanistic model 121
 - occurrence 102
 - results 104–8
- Moncin ceramics study
 - archaeological model 192–3
 - chronology 195
 - fabric studies 195
 - geological setting 193
 - petrography 193–4
- Montana opaque mineral studies 55–6
 - methods 56
 - results 57–61
- Moose River Basin 81
- Morrison Formation 73
- mudrock provenance studies 5–6
 - see also turbidites*
- Mull microfossil study 83–5
- Münster Basin 82–3
- Murrawong Creek Formation 34
- muscovite in provenance studies 236, 239
- Mwnt Formation 216
- Nankai Trough 24, 26–8
- Nannoceratopsis pellucida* 84, 88
- neodymium ($^{144}\text{Nd}/^{143}\text{Nd}$) isotope dating 182
- Neogene *see* Tertiary
- Ness Formation 8, 38
- Netherside Sandstone 72–3
- Newport Sands Formation 216, 217, 218, 221, 222
- Nordenskjöld Formation 233, 245
- Normandy 275
- North Carolina mineral provenance studies 93–7
- North Sea provenance studies 31–2, 36, 37, 40
 - Central Graben
 - geochemistry 258–60
 - geological setting 251
 - mineralogy 253–8
 - palynomorphs 260
 - sediment sources 260–1
- Northern Ireland zircon studies 42
- Norway sediment source study
 - basement metamorphism 348–54
 - basement petrology 345–6
 - clast analyses 347–8
 - clast sampling 354
 - clast stratigraphy 352–3, 354–6
 - geological setting 6–7, 343–4
 - provenance inferences 356–8
 - stratigraphy 344–5
- ocean within-plate chemical signature 184
- oceanic island arc chemical signature 184, 222–4
- Oha Volcanic Formation 294
- Oligocene *see* Tertiary
- olivine in provenance studies 43, 308, 314–15
- opaque minerals in provenance studies 55–6
 - Antarctic shelf 236, 239
 - Montana 56, 57–61
 - Tonga 308, 314–15
- Ordovician studies
 - Australia 69
 - Connemara
 - clast distribution 203–7
 - geological history 199–200, 209–12
 - isotope analyses 209, 210
 - palaeocurrent studies 202–3
 - provenance inferences 207–9
 - stratigraphy 201–2
 - Southern Uplands
 - geological setting 161–3
 - isotope analyses 167–8
 - mineralogy 33
 - palaeocurrent analyses 163–7
 - Welsh Basin
 - depositional environment 215–16

- geochemistry 220–5
 - geological setting 215
 - petrography 217, 218
 - tectonic discrimination 217–20
 - tectonic setting discussed 225–8
- Oregon mineral provenance studies 6
- Oseberg field 8, 36, 37
- Oseberg Formation 38
- Ovalipollis pseudoalatus* 86
- Pacific Plate margin provenance studies
 - geochemistry 308–17
 - petrography 306–8
 - tectonic setting 306
- Palaeocene *see* Tertiary
- palaeoclimate indicators 146
- palaeocurrent indicators 1
 - Barrême Basin 333, 340
 - Connemara 202–3
 - NW Scotland 13–14
 - Pennine 144–5
 - Southern Uplands 163–7
- Palaeogene *see* Tertiary
- palaeogeographic reconstructions 6
 - Apennines 27
 - Pennines 143, 155
- palaeohydrology indicators 145–6
- palaeoweathering indicators 91–2, 96–7
- palynomorphs
 - effect of reworking 79–80
 - use of reworking 80–8, 260
- Parkwood Formation 42
- Parrog Formation 216, 218, 221
- passive margin chemical signature 184, 222–4
- Pekin Formation 94
- Pennine provenance studies
 - isotope analyses 146–56
 - palaeocurrent analyses 144–6
 - pebble studies 138–9
 - sandstone studies 139–42
 - source area interpretations 142–4, 156–7
- Perinopollenites elatoides* 86
- Permo-Triassic studies 81
- phosphorites 280
- physical properties and mineral distribution 31
- Pipeclay Creek Formation 34
- plagioclase in provenance studies
 - Antarctic shelf 238
 - Apennines 129
 - Barrême Basin 330
 - Deep River Basin 96
 - Indonesia 296–7, 298
 - Tonga 307, 308–11
- Pleistocene *see* Quaternary
- Plicatopollis plicatus* 86
- Pliocene *see* Tertiary
- pollen
 - effect of reworking 79–80
 - use of reworking 80–8
- Poppit Sands Formation 216, 217, 218, 221, 222
- Portland Group 275, 281
- Portpatrick Formation
 - isotope analyses 168–71
 - mineralogy 33
 - palaeocurrent analyses 165, 166
 - stratigraphy 161, 162, 163
- Portscatho Formation 177
- potassium isotope dating 348, 350
- pottery *see* ceramics
- Poudingue d'Argens 327, 333, 334, 335
- Poudingue Ferrugineux 275, 285
- Precambrian studies 13–15
- pseudomatrix 129
- Purbeck Formation 275, 281, 282
- pyroxene in provenance studies 4
 - Antarctic shelf 236, 239
 - Apennines 128, 130
 - Australia 34
 - Barrême Basin 329, 330, 333
 - Indonesia 296–7, 298
 - North Sea 32–4
 - Tonga 307, 308, 312–14
- QFL (QFR) plots in provenance studies 3–4
 - Antarctic shelf 238–9
 - Italy 127
 - Rhenohercynian zone 176
 - Spain 48–9
 - Tonga 307–8
 - Welsh Basin 217, 219
- quartz grains in provenance studies
 - Antarctic shelf 238
 - S England/N France 274–7
 - Spain 48–52, 264–5
 - Tonga 307
 - Welsh Basin 217, 222–3
- Quaternary studies
 - Belgium 81–2
 - Japan 24, 26–7
 - Montana 56
 - Spain 47–52
- Quercoidites microhenricii* 86
- radioisotope dating *see* isotope dating
- Raxodiaceapollenites hiatipites* 86
- Rb/Sr dating 3, 7, 209
- Reading Beds 81
- recycling in provenance studies 2, 8
- REE and provenance studies 5–6
 - Rhenohercynian zone 177, 178
 - Welsh Basin
 - analytical methods 103–4
 - geochemistry 111–14
 - monazite nodule formation 114–20
 - significance of distribution 101–2
- Renova Formation 56, 61–3
- reservoir model 8
- rhabdophane in provenance studies 102
- Rhaetipollis germanicus* 86
- Rhaetogonyaulax rhaetica* 86
- Rhenish Massif 82–3
- Rhenohercynian zone
 - evolution 173–5
 - geochemistry 177–9
 - petrography 175–7

- source rock studies 179–83
- tectonic environment 183–5
- Ricciisporites tuberculatus* 86
- Rigaudella aemula* 88
- Rockall Plateau 34, 72
- Ross Formation 171
- Rotliegendes Group 258
- Rough Rock 147, 148, 149
- rubidium in dating 3, 7, 209, 227
- rutile in provenance studies 43
 - Apennines 128
 - Montana 62–3
 - Pennines 141, 142
- Sables Ferrugineux 275, 285
- samarium in dating *see* Sm/Nd
- Sandrock 275
- sandstone provenance studies 3–5, 91
 - Antarctic shelf 235–40
 - Apennines 127–30
 - S England/N France 277
 - Tajo Basin 264–7
 - see also* arenite *also* greywacke
- Sanford Formation 94
- Santa Marta Formation 233, 234, 236–9, 244, 245–7
- Saolat Formation 295, 297, 298
- Savoy heavy mineral studies 31, 34
- Saxothuringen zone 174
- schorl in provenance studies 41, 42
- Scotland
 - Inner Isles microfossil studies 83–7
 - Southern Uplands greywacke studies
 - geological setting 161–3
 - isotope analyses 167–8
 - mineralogy 33
 - palaeocurrent analyses 163–7
 - Torridonian Supergroup studies 13–15
- Scriniadinium crystallinum* 88
- sea level and turbidite sedimentation 23–4
- sericite in provenance studies 129
- Série Grise 332, 334, 338, 339
- Série Saumon 332, 334, 338
- serpentine in provenance studies
 - Barrême Basin 332, 333
 - Indonesia 298, 299, 301
- Seymour Island Group 234, 244
- Shinnel Formation 162, 163
 - isotope analyses 171
 - palaeocurrent analyses 165, 166
- sillimanite in provenance studies 130
- Silurian studies
 - Welsh Basin (Central) turbidites
 - analytical techniques 103–4
 - diagenesis 114–20
 - geochemistry 110–14
 - mineralogy 104–8
 - nodule distribution 108–10
 - occurrence 102–3
 - Welsh Basin (Southwest) turbidites
 - depositional environment 215–16
 - geochemistry 220–5
 - geological setting 215
 - petrography 217, 218
 - tectonic discrimination 217–20
 - tectonic setting discussed 225–8
- Skye 86–7
- Sm/Nd dating 5, 7, 8
 - Connemara 209
 - Pennines 146
 - Rhenohercynian zone 182
 - Scotland 15, 167–8
- smectite in provenance studies 18
- Smith Bank Formation 258
- Snorre field 40
- Sobral Formation 233, 234
- Southern Uplands
 - geological setting 161–3
 - isotope analyses 167–8
 - mineralogy 33
 - palaeocurrent analyses 163–7
- Spain
 - archaeological provenance studies 192–3
 - chronology 195
 - fabric study 195
 - geological setting 193
 - petrography 193–4
 - Central System quartz grain studies 47–52
 - Ebro Basin study 8
 - Tajo Basin studies
 - analytical techniques 263
 - geological setting 263
 - provenance interpretations 4, 267–70
 - sandstone compositions 264–7
- sphene *see* titanite
- Spilsby Sandstone 275, 281, 287
- spinel in provenance studies
 - Barrême Basin 333
 - North Sea 38–9
- sponge spicule sediment 260
- spores
 - effect of reworking 79–80
 - use of reworking 80–8
- ⁸⁷Sr/⁸⁶Sr 7–8
- Start Point–Cotentin Ridge 17
- Statfjord Formation 40
- staurolite in provenance studies
 - Barrême Basin 329, 331, 332
 - North Sea 36
 - Weald Basin 17
- Stephanellytron redcliffense* 88
- Stoer Group 15
- strike slip deformation analyses 6
- strontium in dating 7–8
- Sublaim Limestone Formation 294
- Superak Formation 294, 296, 298, 300
- Sweden microfossil study 81
- Swindon Clay 275
- Tajo Basin
 - analytical techniques 263
 - geological setting 263
 - provenance interpretations 267–70
 - sandstone compositions 264–7
- Tappins Groups 163, 164
- Tarbert Formation 36
- tectonic environment discrimination 7, 183–5, 217–20

- Tertiary studies
 Antarctic shelf 234, 244
 Australia 70–1
 Barbados 71–2
 France
 geological setting 323–4
 lithostratigraphy 326–33
 mineralogy 31, 34, 333–9
 structure 324–6
 Indonesia
 petrography 298–300
 provenance interpretations 301–2
 stratigraphy 292–8
 tectonic setting 291–2
 Italy
 diagenesis 130–4
 geological setting 125–7
 grain properties 24, 26, 27
 petrography 127–8
 texture 128–30
 Mexico 73
 Montana 56
 North Sea 36
 Rockall 72
 Scotland 83–7
 Spain
 analytical techniques 263
 geological setting 263
 provenance interpretations 267–70
 sandstone compositions 264–7
 Tonga arc
 geochemistry 308–17
 petrography 306–8
 provenance interpretations 318
 tectonic setting 306
 Utah 73
 Texas mineral provenance studies 5
 Thanet Beds 81
 tiles *see* ceramics
 titanite in provenance studies 43, 67
 Apennines 128
 Barrême Basin 329
 Rockall 72
 Welsh Basin 217
 Tonga arc
 geochemistry 308–17
 petrography 306–8
 provenance interpretations 318
 tectonic setting 306
 Torridon Group 14
 Torridonian Supergroup 13–15
 Tourmakeady Volcanic Succession 200, 202, 207
 tourmaline in provenance studies 41–2
 Apennines 128
 Barrême Basin 327, 329, 331, 332
 Pennines 141, 142
 Rhenohercynian zone 176
 Scotland 14, 15, 16
 Welsh Basin 217
 tourmalinite 277
 trace element analyses 4, 5
 pyroxene analyses 34
 Rhenohercynian zone 177, 178
 Welsh Basin turbidites
 Central 110–20
 Southwestern 221, 224
 transport characters and provenance studies 2
 Tresaith Formation 216, 221
 Triassic studies
 Deep River Basin 193–7
 see also Permo-Triassic
Triatriopollenites coryphaeus 86
 Trinity Peninsula Volcanic Group 235
Triporopollenites mullensis 86
Tubotuberella apatela 88
 turbidite composition and source studies 23–6
 Apennines
 diagenesis 130–4
 geological setting 125–7
 grain properties 24, 26, 27
 petrography 127–8
 texture 128–30
 Welsh Basin (Central)
 analytical techniques 103–4
 diagenesis 114–20
 geochemistry 110–14
 mineralogy 104–8
 nodule distribution 108–10
 occurrence 102–3
 Welsh Basin (Southwest)
 depositional environment 215–16
 geochemistry 220–5
 geological setting 215
 petrography 217, 218
 tectonic environment discrimination 217–20
 tectonic setting discussed 225–8
 Tuscan domain 126
 Tyee Formation

 U/Pb dating 3, 4–5, 67–8, 146
 Umbrian domain 126
 unroofing studies 6–7
 uplift mineral sequences 6–7
 uranium isotope dating methods 3, 4–5, 67–8, 146
 USA provenance studies
 Alabama 42
 Arkansas 42
 Colorado 92
 Montana 56, 61–3
 North Carolina 93–7
 Oregon 6
 Texas 5
 Utah 73
 Utah mineral provenance studies 73
 uvite in provenance studies 41

 Vaals Formation 82
 Vectis Formation 19
Veryhachium sp. 86
 vesuvianite in provenance studies 332, 333
Vitreisporites pallidus 86
 volcanic products and provenance 24, 25, 26, 315–17

 Wales turbidite studies
 Central Basin
 analytical techniques 193–4

- diagenesis 114–20
- geochemistry 110–14
- mineralogy 104–8
- nodule distribution 108–10
- occurrence 102–3
- Southwest Basin
 - depositional environment 215–16
 - geochemistry 220–5
 - geological setting 215
 - petrography 217, 218
 - tectonic environment discrimination 217–20
 - tectonic setting discussed 225–8
- Wanaea fimbriata* 88
- Weald Clay Group 18, 282
- Wealden Series
 - fission track dates 72–3, 74–6
 - microfossil evidence 87–8
 - provenance indicators 15–19
- Wealden sub-basin 17, 87–8, 285–7
- weathering effects on minerals 31, 91–2, 96–7
- Weda Group 294, 295–8
- Weldborough basalt 71
- Wessex Formation 275, 278, 279, 280
- Wessex sub-basin 17, 87–8
- West Indies *see* Barbados
- Western Gneiss Region 345, 346, 350
- Whisky Bay Formation 233, 234, 236, 239, 244
- Whitchurch Sands 284
- Wilcox Formation 5
- Woburn Sands 275
- X-ray diffraction 5
- xenotime in provenance studies 104, 115–16
- Yoredale Sandstone 148
- zeolites in provenance studies 235, 240
- zircon in provenance studies
 - fission track dating 4, 5, 68
 - Australia 69–71
 - Barbados 71–2
 - Mexico 73
 - USA 73
 - Wealden Basin 72–3, 74–6
 - mineral distribution
 - Apennines 128
 - Barrême Basin 327, 332
 - Pennines 141, 142, 147–54
 - Rhenohercynian zone 176
 - Welsh Basin 115–16