

## Index

- absolute and differential temperature log 115
- acoustic screening 153
- air block 181
- alkaline gases 119
- analogue deposits 4, 5, 6–7, 8–11
- analytical methods 199
- anisotropy ratio 272
- aquifers 20, 105, 118
- artesian aquifers 105
- ash content of coal 98, 104
- assaying 37–45, 223, 227
- auger drilling 71
- Australia 219–20
- auto-seeding 186
- AutoCAD 133, 192
- automatic bench design 150
- automatic image analysis 49
- automatic production of profiles 153
- average variance 235
  
- Ball Clay deposits, geology 135–7
- Bangladesh 107–20
- bank profiles 152
- bar-code sheets 126–7
- Barapukuria coal deposit 107–8, 120
  - coal testing 111
  - discovery borehole 108–9
  - downhole geologging 115–18
  - evaluation 110–19
  - exploration programme 113–15
  - geological parameters 119
  - geotechnical parameters 119
  - high resolution seismic survey 110–11, 112
  - hydrological parameters 119
  - initial survey 108–11
  - problems of thick seam mining 118–19
  - reserve assessment 118
  - resources 118
  - sampling 115–18
- barcode library 126
- batter angles 148
- bed resolution density log 115
- bedded clay deposit,
  - site geology 135–7
  - see also* computer evaluation, bedded clay deposit
- bench, automatic design 150
- bench blasting 229
- bench composites 185
- Billa Barra Hill 71
- bio-leaching 56
- bio-oxidation 56
- Black Seam, Nant Helen Site 85, 87
- blast hole sampling 221, 226
- blast perimeter 195
- blasthole database 192
- blasthole management 192–3, 195, 196
- block grade model 255
- block kriging 276
- block model 180, 181
- Bluepack 3-D 172, 173
  
- borehole collapse 79–80
- borehole grids 98, 99
- Bougainville 151, 152
- Boulby potash mine,
  - elliptical weighting techniques 257–8, 260–76
  - geology 258–60
- brightness distribution 147
- British Columbia, Canada 191–2, 194
- bund profiles 153
  
- CAD-CAM 240
- calliper log 79, 115
- calorific values (coal) 115
- Canada 191–2, 194
- carbon-in-pulp 219
- Carlin deposit 1, 4, 6, 7, 8, 12, 17, 18
- cassiterite distribution, South Crofty 162–3
- chalcopyrite disease 57
- Chilean porphyry copper *see* Los Pelambres
- chip samples 161
- classification, of reserves and resources 33–6
- Cliffe Hill quarry,
  - geology 70
  - pre-extraction site investigation 69–70, 76
  - desk and field studies 71
  - phases in the search for Markfieldite 71–5
  - project implementation 75
- clustering 234, 235, 236
- co-kriging 237
- coal, moisture content of 115, 116, 117
- coal analysis 117
- coal borehole data evaluation,
  - geological evaluation 95–7
  - mine design 103–5
  - reserve estimation methods,
    - classical statistical 101
    - conventional 101–3
    - kriging 103
    - mine design 103–5
    - risk analysis 103
  - sampling 97–101
    - borehole density 97–100
    - borehole grids 98, 99
    - sample intervals 100–1
- coal coding sheet 96
- Coal Measures, geophysical logging 79, 83, 84
- coal quality 104, 105, 115, 117
- coal seam thickness, kriging 173–7
- collectors 39–41
- combination log 115
- compensated sonic log 115
- competent person 33
- complex porphyry copper deposits *see* porphyry copper deposits
- complex submarine exhalative ores 56–8
- composite optimization 190
  - applications 186
  - input requirements and constraints 186
  - mathematical formulation 186
- compositing, of samples 161

- computer applications 155–57, 230–1  
 computer evaluation,  
   bedded clay deposit,  
     block modelling 137–9  
     database 137  
     grade modelling 139–41  
     resource assessment 141  
 computerized grade control, porphyry copper de-  
   posits *see* porphyry copper deposits  
 conditional simulation 135, 172  
   recoverable reserve estimation 294  
   constraint effect 290–1, 293  
   global reserves 291  
   information effect 290, 293, 295–7, 298  
   limitation of techniques 292  
   local reserves 291–2  
   support effect 289–90, 293, 295, 297  
 conditional simulation model 293  
 conductivity (electromagnetic) 72  
 Cone Penetration Test 75  
 constraint effect, conditional simulation 290–1, 293  
 continuous coring 109  
 continuous flight auger rigs 125  
 contour analysis 150  
 contouring 102  
 core logging (Engineering Group Working Party) 96  
 core samples 161  
 cored deep observation borehole 113  
 coring 81  
 Cornubian orefield 155  
 Cornwall 155–67  
 Cortez trend 6, 7, 8, 13  
 costs,  
   of gold mining 231  
   of site investigation and quarry design 71, 75, 76  
 Creekmore Clay 136, 137  
 cross-validation 171, 172, 174, 285  
 cumulative log-probability plot 244–5  
 cut off grades 186, 243, 289  
 cyanide leach tests 55
- Damodar Valley** 197  
**Dando '250' drills** 71, 113  
 data input, in the field 128  
 data-process-criteria (DPC) model 1, 2, 4–21  
**DATAMINE** 125, 126, 130–1, 132–3, 135, 137, 141,  
   143–8  
 de Koch snowflakes 300, 301  
 de Wijsian nature of the fBm dimension 303, 304  
**Dean Valley chalk workings, Kent** 67  
 decision making, mining industry 25–32  
 decision making logic, in models 30  
 deep core drilling 113  
 density logging 79  
 design,  
   MOSS 3D ground modelling system 150–3  
   *see also* mine design; quarry design  
**Diamant Boart DB '1500'** 113  
 differential temperature log 115  
 dilution 222  
 direction of throw analysis 150  
 directional semi-variograms 264, 266, 287  
 discrete gaussian model 295  
 disjunctive kriging 237, 238, 244  
 disseminated nickel deposit 244–6  
 Ditch Witch machines 221, 223, 224, 225, 227, 228,  
   231  
**DMTOMOSS** 133  
**Dolyhir and Strinds Quarry, Powys** 66, 67, 68  
 down-hole geophysical logs 95  
 downhole geologs 115, 205  
 downhole variograms 247, 248–9  
 Dozer rip lines 221  
 drill and blast 229  
 drill core, storage requirements 234  
 driller operated geophysical logging unit 78–9  
**DRILLOG** 125, 126, 128, 130, 133  
 Dublin Stock Exchange 33  
 duplicate sampling 200–2
- Earth Saw** 221, 224  
**ECLIPSE** 143, 145, 148  
 electric (SP, SPR) log 115  
 electrolytic methods 204  
 electromagnetic surveying 72  
 electron density balance 115  
 electron microprobe 50, 51  
 electron-beam microanalysis 53  
 ellipsoidal distribution, mineralization 162, 163  
 ellipsoidal search 163  
 elliptical inverse distance weighting 265, 269, 271  
 elliptical weighting techniques,  
   block modelling 274–5  
   Boulby mine 257–8, 260–76  
   cross-validation 269–74  
   data presentation and statistics 260–4  
   geostatistically controlled 257–76  
   inverse distance weighting 265, 269, 271  
   resource estimation 274–5  
   techniques 267–9  
   validation results 270–4  
   variography 264–7  
 embankment profiles 153  
 environmental assessment 61  
 explosion risk, Barapukuria 119
- face channel sampling 122  
 fan drill patterns 164  
 feed grades 219  
**Ffyndaff Site** 85, 86, 88, 89, 90  
 field computer data logger 125  
   bar code sheets 126–7  
   cost saving 131–3  
   field logging system 126  
   field testing and operation 127–30  
   integration with DATAMINE and MOSS 130–1  
 fingerprints,  
   coal seams 85, 87–92  
   and tectonics 86  
 fire assaying 38–40, 44  
**Five Feet Seam** 86, 90, 91  
 flitches 221, 229  
 four-arm dipmeter 115  
 fractal dimension 300–1  
 fractal generation 301  
 fractal geometry 299–305  
 fractal structures 299  
 fractional Brownian motion (fBm) 302, 303, 304

- free gold particles 223  
fuzzy boundaries 287
- gamma logging *see* natural gamma logging  
gamma trace 77  
gamma-gamma trace 77  
gamma/density combination log 115  
Gas-drill '6000' 113  
Gellideg and Five Feet Seams 86, 90, 91, 92  
GEO-MODEL 194  
GeoEAS 170, 171, 172, 173, 174  
geolog signatures 115  
geological composites 185  
GeoMEM 126, 128, 130  
geophysical logging,  
  abandoned underground workings response 81–3  
  accuracy 81  
  correlation and structural interpretation 85–92  
  ironstone response 83–4  
  marine bands 84  
  sandstone response 83  
  search for opencast coal reserves 77–93  
  water level in boreholes 84–5  
geophysical logging unit, driller operated 78–9  
geophysics 71, 72, 95, 108 *see also* geophysical log-  
  ging  
GEOSTAT 123  
Geostat Toolbox 170, 172, 173  
Geostat Toolkit 172–3  
geostatistical ore reserve estimation 243, 255  
  application to a nickel deposit 244–6  
  in-situ reserve estimation 252–4  
  lognormal shortcut 254  
  low-cost software 169–77  
  methods 246–7  
  outliers 244  
  reconciliation of estimates 243–4  
  recoverable reserves 244  
  selectivity 243  
  variograms 247–52  
geostatistical software 123, 169, 174–7  
  commercial packages 172–3  
  low-cost packages 169–77, 170–2  
geostatistically controlled elliptical weighting  
  techniques *see* elliptical weighting techniques  
geostatistics 163–4, 166, 169–72, 177, 233–4, 237–9,  
  241  
  'application' papers analysis 240  
  kriging *see* kriging  
  in reserve evaluation 173–6  
  variogram modelling 235–6  
Geostokos Toolkit 172–3  
geothermal studies 119  
gold, and platinum group elements 38, 41–4  
gold bio-leaching 56  
gold deposits, sediment-hosted *see* sediment-hosted  
  gold deposits  
gold mines, grade control *see* grade control, open pit  
  gold mines  
gold ores, production and research 55–6  
gold price 1981–90 30  
Golden Mile 220  
Gondwana basin 111  
Gondwana coalfields 107, 108
- grab sampling 122  
Graca orebody 201, 205, 209, 210, 211  
grade, of a block 244  
grade control,  
  computerized *see* porphyry copper deposits,  
    computerized grade control  
  open pit gold mines 232  
    assaying 227  
    bench grade control 227–9  
    bench mapping 227  
    computer applications 230–1  
    drill and blast 229  
    drilling 226  
    free dig 229  
    geology of the deposits 219–20  
    mining practices 221–2  
    operational aspects 230–1  
    ore extraction 229  
    programmes 222  
    reconciliation and recoverable reserves 229–30  
    sampling 222–6  
  ore-control software systems 192–4  
  porphyry copper deposits *see* porphyry copper  
    deposits  
  Renco Gold Mine *see* Renco Gold Mine  
grade interpolation, kaolin resources evaluation 146–  
  8  
grade maps 141  
grade zoning 283, 284, 288  
grade-tonnage curves 240  
graph theory 179, 180  
graphic log 129  
gravity survey 109  
Great Basin 1–21  
Great Cross-course 159, 163  
groundwater 84  
Gy's sampling theory 234
- Halecome Quarry, Somerset 65, 66  
heap-leaching extraction 219  
high resolution density logs 79  
high resolution seismic survey, Barapukuria coal  
  deposit 110–11, 112  
high-grade zones, Los Pelambres 279, 283  
high-grades cutting 230  
Husky Hunter '2' 126  
Husky Oracle GT 127  
hydrogeological modelling 97  
hydrogeology 84, 112, 113, 119  
hypogene copper sulphide (Los Pelambres) 282
- IMM/IAEG working party 33  
IMMAGE 241  
in-pit spoiling 67  
in-pit tip constructions 66, 67  
in-situ model validation 252  
indicator kriging 238  
indicator values variograms 150–2  
information effect, conditional simulation 289, 290,  
  293, 295–7, 298  
instrumental techniques/assaying 39, 44  
integrated software techniques *see* computer evalu-  
  ation, bedded clay deposit  
inter-laboratory analyses 203

- interference effect, assaying 44  
 Internal Rate of Return 25, 31, 32  
 interpolation methods 291, 292, 297  
 inverse distance weighting (IDW) 102, 137, 165, 176, 258, 274, 275  
 ironstone response, density logs 81, 82, 83–4
- Jamalganj 107, 108  
 JDKRIGE 274  
 Jerritt Canyon 18
- kaolin resources evaluation,  
 brightness distribution 147  
 clay matrix distribution 146  
 computer systems 143  
 DATAMINE application 143–8  
 Fe<sub>2</sub>O<sub>3</sub> distribution 147  
 mineral model,  
 drill zones 145–6  
 grade interpolation 146–8  
 samples 145  
 structural and geological modelling 146  
 topography 145  
 pit design 148  
 scheduling 148
- KCl, % at Boulby Mine 260, 264, 269, 272, 273–4, 275
- kriging 103, 164, 172, 194, 196, 236–40, 244, 250, 252, 253, 295, 297  
 of coal seam thickness 173–6  
 kriging calculations 123  
 kriging systems 236–40  
 kriging variances 236, 239–40  
 kriging weights 236, 239
- lateritic weathering profile 221  
 leaching 56  
 Lerch–Grossman algorithm 179–89, 181  
 limitations 182–3  
 linear interpolation techniques 291  
 linear inverse distance weighting 271–2, 273  
 lithological zones 196  
 Llandid Site 86, 90, 91, 92  
 lode structures 160–2  
 log-probability plot 238, 344  
 lognormal kriging 237–8  
 lognormal shortcut 254, 255  
 long spacing log 115  
 Los Pelambres,  
 geological setting 282  
 ore reserve estimation 277–88  
 project description and mining methods 277–82
- LOTUS '123' 29, 163, 192, 260, 267, 270
- low cost geostatistical software 169, 174–7  
 commercial 172–3  
 low cost packages 170–2  
 Vario C 171
- Lower Dupi Tila Formation 111
- Madhupur clay 111  
 magnetic survey 108  
 management decision modelling 30  
 Markfieldites 60–76  
 mass-weighted averages 215, 216
- maximum thickness, composite optimization 186  
 megascopic coal seam description (Australian Standard methods) 97  
 Mercia mudstone 72  
 Mercur deposit 4, 10  
 Merensky Reef 51–5  
 metallurgical recovery 48–9  
 microdiorite (Markfieldite) quarry *see* Cliffe Hill quarry  
 mid-point displacement 301–2, 303  
 mine, cycle of a 48  
 mine design 103  
 3-D surface modelling 149–53  
 ash values distribution 104  
 coal quality histograms 104, 105  
*see also* quarry design
- MINE-SURVEY 195  
 mineral deposit evaluation, fractal geometry 299–305  
 mineral deposit models *see* sediment-hosted gold deposits  
 mineral deposits, defined 47  
 Mineral Planning Guidance Note '2' 61  
 mineral reserves,  
 classification 33–6  
 defined 33–6  
 terminology inter-relationships 35  
 mineral resources,  
 classification 33–6  
 defined 33–6  
 terminology inter-relationships 35  
 mineralization 221  
 at Los Pelambres 282  
 at South Crofty 156, 158, 162, 163  
 mineralized waste 222  
 mineralized waste block 181  
 mineralogy,  
 ore deposits evaluation 47–9  
 complex submarine exhalative ores 56–8  
 gold ores 55–6  
 platinum group elements 50–5  
 Mines and Quarry Tips Regulation '9' Report 75  
 minimum mining width, composite optimization 186  
 minimum safe weight (MSW), in geostatistics 233, 234
- mining composites 185  
 mining costs (gold mining) 231  
 mining dilution 289  
 mining industry, risk appraisal *see* risk appraisal, mining industry  
 mining packets 194, 196  
 missing samples 186  
 modelling, fractal geometry 299–305  
 modelling techniques comparison 207  
 moisture content, coal 115, 116, 117  
 molybdenite 282  
 Monte Carlo simulation technique 29, 104, 105  
 MOSS 67–8, 125, 126, 130–1, 132, 133, 149–53  
 MOSS 3D ground modelling system 149–53  
 mullock 229  
 multi-seam operation 101  
 multigaussian kriging 244
- Nant Helen Site 85, 87  
 natural gamma logging 77, 79, 115

- neutron-neutron log 115
- Nevada 1–21
- Neves–Corvo 198, 200, 201, 202, 204, 208, 209, 212, 213, 214, 215
- non-parametric kriging methods 238
- Norseman–Wiluna Belt 219–20
- North Pool Zones 166
- nugget effect 39, 201, 265, 295, 303
- nugget variance 100, 247, 272
- numerical grade models 292
- numerical model, orebody 292
  
- Oakdale Sand 136, 137
- ONE-D *see* composite optimization
- one-dimensional composite optimization *see* grade control, open-pit gold mines
- open-pit mine optimization software packages *see* Whittle 3-D
- opencast coal reserves, geophysical logging *see* geophysical logging
- optical emission spectroscopy 41
- optical microscopy 51, 53–4
- optimal pit designs 182, 183
- optimization 181 *see also* composite optimization
- optimization algorithm 179
- optimization software package *see* Whittle 3-D
- Ora Banda 221, 224
- ordinary kriging 236
- ore block, defined 181
- ore deposits evaluation, mineralogy *see* mineralogy, ore deposits evaluation
- ore loss, and dilution 222
- ore reserves,
  - defined 33
  - estimation at Renco Gold Mine *see* Renco Gold Mine
  - geostatistical estimation *see* geostatistical ore reserve estimation
  - Los Pelambres *see* Los Pelambres
- ORE-CONTROL 191–2, 192, 195, 196
- ore-control software systems 192–6
- ore-types, texture 260
- O'Toole deposit 50–1
- outliers 244, 246
- overburden 61, 62, 63, 65, 72, 75, 103–4
  
- paddock blasting 229
- Papua New Guinea 150
- partings in coal seams, resolution of 81
- payshoots 249–50, 251
- PC-MINE 195
- PC-XPLOR 192, 194
- photo-realistic images 153
- placer mining 43, 44
- platinum group elements (PGE) 50–5
- platinum group metals (PGM) 38, 43, 44, 50, 51, 52, 53, 54
- point kriging 235, 239, 276
- porphyry copper (Chilean) *see* Los Pelambres
- porphyry copper deposits,
  - computerized grade control 191
  - Simlico Mine 194
  - software systems 192–4
  - system set-up 194–6
- porphyry models 283, 287
- potash mine, Boulby *see* Boulby potash mine
- Powys 66, 67, 68
- pre-extraction site investigation *see* Cliffe Hill quarry
- primary gold deposits, weathering profile 220, 221
- probability kriging 238, 244
- process mineralogy 47–9
- proportional effect 254, 255
- Psion Organiser 125
- pure nugget effect 170, 265, 276, 303
  
- qualitative modelling, fractal geometry 299–305
- quarry design,
  - 3D surface modelling 149–53
  - Cliffe Hill, site investigation 69–76
  - computer programmes 67–8
  - data collection for 61–8
  - desk and field studies 71
  - drilling 71
  - geophysics 72
  - landscape design 72, 74, 75
  - phases in site investigation 71–6
  - planning application 75
  - plant site investigation 75
  - plant specifications 75
  - and Regulation '9' 75
  - sample testing 71
  - waste disposal 61–8
  - see also* mine design
- randomizing, in fractal generation 301
- randomness, of semi-variograms 302, 303
- reconciliation, and recoverable reserves 229–30
- reconciliation studies,
  - glossary 217–18
  - model results 197–8, 209–16
  - modelling techniques validation 197, 206–9
  - density estimation 209
  - grade estimation 208–9
  - volume estimation 206–8
- reserve estimates vs production results 213
- and reserve estimation 197–218
- reserve models 213–14
- validation of input data 197, 198–206
  - analytical duplicates 202
  - database validation 206
  - inter-laboratory checks 202–6
  - sampling duplicates 200–2
- reconciliation summary, copper production 214
- recoverable reserves 244, 253–4 *see also* conditional simulation, recoverable reserve estimation
- refractory gold 55, 56, 58
- Renco Gold Mine 121–3
  - grade control 123
  - history 121–2
  - ore reserve computerization 123
  - ore reserve estimation 123
  - sampling 122–3
- reserve estimation,
  - commercial geostatistical software packages 172–3
  - errors 197, 198
  - low cost geostatistical software 169–77
  - reconciliation studies *see* reconciliation studies
  - see also* recoverable reserves; geostatistical ore reserve estimation

- reserves, defined 34
- resistivity surveying 72
- resource evaluation, assaying in 37–45
- resources, defined 34
- reverse circulation (RC) drilling 227, 234
- RISK 29
- risk of explosion 119
- risk appraisal 101, 103
  - mining industry,
    - decision making 25–32
    - Internal Rate of Return 25, 31, 32
    - investment appraisal 25–6
    - project description 28
    - risk factors 25, 26–8, 28–30
- risk assessed returns 32
- Roberts Mountains thrust 20
- Rustenburg Mine 52, 53
  
- sample reduction 234
- sampling methods, 199, 200–1, 221, 222–6
- sandstone response, on gamma logs 83
- scanning electron microprobe 49
- screening bunds 65, 66, 67
- screening tests, geostatistics 234
- sediment-hosted gold deposits 1, 2, 3, 12–13
  - analogue 4, 5, 6–7, 8–11
  - data-process-criteria (DPC) model 1, 2, 4–21
  - exploration criteria 19–21
  - formation processes 14–19, 20
  - geological characteristics 4, 7, 14, 20
- seed value 186
- seismic refraction 72
- seismic survey 72, 110–11, 112
- selective mining 219, 229, 290
- selective mining units (SMU) 289–90, 291, 293, 295, 296
- selectivity 243, 253, 289, 298
- self-similarity 300, 301
- semi-variances 302–4
- semi-variograms 97, 98–100, 103, 167, 186, 187, 264, 265, 266, 268, 285, 287, 302, 303, 304, 305
- shaft-sinking 119
- sidewall channel sampling 122
- Simlico Mine, use of ore-control software systems 194–6
- simple kriging 236
- simulation algorithms 292
- single seam operation 101
- site investigation, Cliffe Hill quarry *see* Cliffe Hill quarry
- Six Feet Seam 86, 89, 90
- skewed sampling 233–4
- soft kriging 238–9
- software, geostatistical *see* geostatistical software
- software application, South Crofty 163–7
- software systems, ore control 192–6
- software techniques, bedded clay deposit 137–41
- Soma Lignite Mine, Turkey 100–1
- South Crofty tin mine,
  - cassiterite distribution 162–3
  - computer applications 155–67
  - lode structures evaluation 160–2
  - mine geology 156–9
  - software application 163–7
  - spatial distribution, structures 159–60
  - South Wales Coalfield 77, 83, 84, 92
  - spatial variation 235
  - specific gravity, oxidized ores 230
  - spherical model semi-variograms 99, 100
  - Spherical Scheme Model 99, 100
  - spiking 42–4
  - spillage, top loading 229
  - spontaneous combustion 119
  - Standard Penetration Test 75
  - statistical ore reserve estimation,
    - in-situ reserves 252–4
    - lognormal shortcut 254–5
  - stock exchanges, mineral industry 33
  - stockpile 150, 151, 152, 289
  - strike-plunge variogram 248–50
  - string modelling 164, 165
  - sub-level caving method 280
  - support effect, conditional simulation 289, 290, 293
  - surface infrastructure 119
  - surface structure, fractals 300
  - SURFER 260
  - SURPACK 163, 164–5
  - Sydney Stock Exchange 33
  
  - Taylor deposit, Nevada 4, 11
  - theory of regionalized variables 299
  - Third Market – London Stock Exchange 33
  - three-D conical search 247–50
  - three-D object modelling 165–6
  - three-D surface modelling,
    - in design of mines and quarries 149–53
    - environmental impact 153
    - geological input 149–50
    - stockpile geometry 150–3
  - three-D triangulation v. regular block model 208
  - thrust faulting 2, 44, 86
  - tin *see* South Crofty tin mine
  - tonsteins 84
  - Toronto Stock Exchange 33
  - Trecatty site 82, 83, 85, 86
  - trenching 221, 223–6
  - trend surface analysis 172
  - trisonde logging tool 78
  - truck dump sampling 227
  - Turkey 100–1
  - Two Feet Nine Seam, Ffyndaff Site 85
  
  - underground cavity, response on density logs 82
  - United States 1–21
  - universal kriging 236
  - Utah 1–21
  
  - vacuum, reverse circulation drilling 227
  - validation of modelling techniques 197, 206–9
  - Vario C 171, 173
  - variogram modelling 235–6
  - variograms 170–1, 173, 247–52, 295
  - variography 173
  - verticality log 115
  - visualization 299
  - volume estimation 206–8
  - volume-weighted averages 215, 216

- waste 61–8, 148
- waste block 181
- waste categories 148
- waste disposal, and quarry design 61–8
- water tables 97
- weathering profile 220, 221
- wet chemical analysis 51–2
- Whiteware clay 140
- Whittle 3-D, 195
  - design modification 182
  - Lerch–Grossman algorithm 179–80, 181
  - limitations 182–3
- wireline logging, of boreholes 77, 78
- X-ray diffraction (XRD) 51–2
- X-ray fluorescence (XRF) 44, 139, 145, 204
- Yard Seam,
  - Ffyndaff Site 85, 86
  - Leicestershire 98
  - Yilgarn Block 219, 220
- Zimbabwe, Renco Gold Mine 121–3