

# Index

Page numbers in *italic* refer to figures; those in **bold** refer to tables.

- accelerometers 236
- acoustic impedance 247, 288
- acoustic logs 50
  - and cemented zones 379, 384, 386
  - compressional 285
  - for fracture transmissivity 208
  - and fractures 208, 224
  - full waveform 189-90, 193, 277, 286, 317, 318-19
    - time domain filters 205
  - hydrocarbon effect 386
  - and permeability 193, 378
  - shear 285
- acoustic televiewer tool *see* borehole televiewer
- acoustic velocity 299-300
- acoustic wavetrains 278, 278-9, 279
  - outcrop chalk 281-3
  - synthetic 278
- Adaptive induction tool (AIT) 190
- advection 327
- aeolian dune sands 153, 153-4
- age-depth plots 51
- Akaso Field, Niger Delta 248, 249, 251, 254, 262-3
- Alberta 169, 171, 334
- Alma F-67 well, Scotian shelf 214-15
- Alpine compression 217
- Alps, Southern Maritime 21
- alteration,
  - minerals 200, 208
  - profiles 200, 201, 202, 206-9
  - volume 202, 207, 208
- Altnabreac (Caithness) boreholes 321
- amphiboles 200, 202
- amplitude, P- and S-wave 285, 286
- anhydrite 334, 384
- anticlines, rollover 248
- Appalachian Plateau 174
- Aquitaine Basin (France), fracture study in 211, 215-19
- Arabian Gulf 384
- Archie equation 266, 327, 328
- arcs, island 43, 157, 241, 244
- Argo Abyssal Plain, NW Australia 299, 301-2, 304-6
- Arkansas, Pennsylvanian 3, 6-13, 14-16
- Asaso Field, Nigeria 250, 250, 258
- Askar and Derin algorithm 132
- assemblages, mineral *see* mineral
- Atlantis II Fracture Zone, permeability 199-209
- attenuation 278, 279, 286, 293
  - coefficient 286, 290, 293, 319
    - gamma 353
  - measurements 285-96
    - calibrating 291-3
    - of pseudo-Rayleigh mode 279-80, 282
- Austin chalk well 193, 194, 196, 197
- Australia,
  - Banda arc 157, 165
  - Argo Abyssal Plain 299, 301-2, 304-6
  - Northwest Shelf 157, 165
- Avalon terrane 190
- azimuth(s) 35
  - borehole elongation 159, 161
  - dipmeter 147-8, 148, 149, 152, 152, 170
  - histograms 31, 35, 39
  - plots, fracture apertures 185
  - rose diagrams 151
- Balder Formation 21, 24, 25, 26, 27, 29
- Banda Arc (Australia) 157
- barriers, reservoir 21 (*see also*) permeability
- basalts 200, 244
  - thermal conductivity of 301, 304, 305, 307, 309-11
- basement rocks, permeability 199
- basin modelling 327
- basin modelling, heat flows and 299
- Baum algorithm 132
- Bayesian statistics 125, 132
- bed boundary effects 26, 34-5, 62
- bed thickness
  - statistics 54, 55, 55-6
  - and turbidites 62, 67-8
- Berea sandstone 286
- BET-N2 isotherms 221
- BGS (British Geological Survey) 320, 321
- BHTV *see* borehole televiewer
- Big Rock Quarry, Arkansas 6-7, 6-9
- biostratigraphy 21, 28-9
- Biot-Gardner boundary effect 286
- bioturbation 34, 81, 92 (*see also*) turbidites
- Bonny Fault 248
- borehole,
  - breakouts *see* breakouts
  - eigenmodes 278
  - elongation 43, 65-6, 158-9, **160**, 161-3, 202, 258 (*see also*) borehole breakouts
  - images 185, 262 (*see also*) Formation MicroScanner, borehole televiewer
  - radius 190, 279, 349
  - stability 157, 158
- borehole televiewer (BHTV) 66, 67, 185, 202-3, 205, 239
- borehole televiewer (BHTV), and core reorientation 235, 237
  - fracture studies 189, 191-2, **203**, 207-8
  - images
    - integration with core data 83, 235-44
    - interactive workstation 239
    - planar features, measurement of 238-41
- boron 304
- Bouma sequences 51, 53 (*see also*) turbidites
- bound hydrogen/water 200, 202, 304, 355
- breakouts, borehole 65, 157-9, 166, 247, 250, 255, 258, 263
  - classification 172
  - crystalline rocks 190
  - formation of 169-71, 180
  - and fractures 202-3, 216
  - and lithology 212-13

- North Sea 179, 182, 182-3  
 Ontario 169, 171-2, 172, 174-5, 175  
 orientations 159, 160, 161-3, 163, 172, 173, 174, 182-3  
     anomalous 161, 211-15, 217  
     rose diagrams 162, 164  
 breakouts, borehole, and production rates 166  
 selection of dataset 216  
 stress analysis of 211, 212, 218-19  
 stress analysis of, Timor Sea 157-67  
 breccias 92, 193, 195  
 Brent province, North Sea 386  
 Bridport Sand, Wessex Basin, U.K. 378  
 British Columbia 169  
 British Geological Survey (BGS) boreholes 320, 321  
 Browse Basin 163-4  
 buckle structures 171, 173  
 bulk modulus 188, 318  
 Bullard method (heat flow) 311, 312  
 burrows 39, 51, 147  
  
 cable torque 158-9, 180  
 calcite, cements 378, 379, 380, 382  
 Caledonian, structural grain 180-1, 183  
 California, Miocene of 13, 16, 17  
 caliper logs 65, 66, 158, 197, 258  
     breakout azimuths 170, 182  
     in fracture studies 343  
     spikes on 207  
 Callovian 161  
 Camborne School of Mines 265, 270  
 Canada 334  
     fracture/fault study 211, 213-15  
     Ontario *see* Ontario  
 Canadian Shield 322  
 Canning Basin 163-4  
 Cantor dusts, random 55  
 capillaries 221 (*see also*) microfractures  
 carbon, total organic *see* total organic carbon  
 carbon/oxygen method (for TOC) *see* total organic carbon  
 carbonate(s) 135, 171, 308, 309, 327  
     concretions 378  
 Carnmenellis Granite, Cornwall 265, 266  
     Cornwall, focused logging in 270, 271-3, 273-4  
 carnotite 382  
 'Carstones' 380  
 cased hole logs 23  
 cataclases 227  
 cationic exchange 46  
 caving, borehole 73, 120, 157, 212, 213  
 Cawthorne Channel Field 248, 249, 250, 254, 262-3  
 CCA (calcium yield) logs 87, 89, 95, 96  
 CCD/SCD (carbonate/silica compensation depth) 89  
 celadonite 200  
 cementation 33, 171, 327, 336, 377, 378  
     iron 380  
     and porosity loss 384  
     timing of reservoir 379  
 Central Graben, North Sea 179, 184  
 chalk, fracture study 189, 193, 194, 196, 197  
     in shear velocity model 280-3  
 channel sands 150, 151-3  
 channel-fill deposits 8-10  
  
 Charnwood Forest 268, 270  
 chlorides 327, 334  
 chlorine 304  
 chlorites 222  
 Christensen's equation 319, 323  
 Cimmerian unconformity 386  
 CIPW norm. for minerals 361  
 clasts 51, 73, 78, 84-5, 92-3, 95  
 clay content (Vcl) *see* shale content (Vsh)  
 clay mineral(s) 46, 200, 365-6, 386, 394  
     diagenesis 334  
 cliff face logging *see* outcrop  
 C/O logs, for TOC 369, 372, 375 (*see also*) total organic carbon  
     coals 135, 150, 171  
     cohesive strength 213, 218  
     collision zones, plate 157, 164, 165  
     compaction 307, 327  
     compensation cycles 8-11, 14  
     compositional colinearity 361, 364, 364-6, 366, 368  
         described 362, 364  
     compressibility, shales 372  
     compression 317  
         maximum horizontal (*SHmax*) 158  
         Vulcan area 165  
     compressional, tectonics 157  
         velocities (*Vp*) 205-6, 208  
         waves *see* P-waves  
         concretions 81, 378  
         condensation, sequence 28  
         conductance 186, 193  
         conduction,  
             electrolytic 46  
             heat transfer through 339, 340  
             surface 266, 268  
         conductivity 46, 73, 100-1, 170  
         contrasts 62  
         fracture 186, 188  
         inverted 311  
         thermal 206  
             from porosity 306-7, 308, 309  
             prediction from wireline logs 299-314  
     conglomerates 50, 51, 53, 81  
     connate waters 382, 384  
         and diagenesis 377  
 Connecticut (Moodus well) 190, 193  
 contacts  
     bed 50  
         diagenesis at 378, 379  
 convection,  
     heat transfer through 339  
     as mechanism for salinity contrasts 334  
     and porewater mixing 327  
 convergence, plate 164  
 cores  
     apparent dips from 237-9, 238  
     integration of, with logs 83, 235-44, 305-6, 389  
     orientation and reorientation 40, 235-44  
         poor recovery 73, 75, 77-8  
         use of FMS 71, 81, 83  
     reconciliation 31  
         and FMS images 40  
     thermal conductivity from 299, 305, 306  
     TOC measurements from 369, 370-1, 372, 375

- coring,
  - ODP techniques of 304-5
  - rotary 236, 238
- correlation
  - n dipmeter processing 144-8
  - well log 6-18
    - core 89
    - pitfalls 3
    - techniques 21-30
- crest structures 248
- Cretaceous, of Central Pacific 71, 87
  - Greensand 380
  - Lower, France 216-17
  - in Ocean Drilling Program study 301
- cross-bedding 40, 142
  - dipmeter 146
  - trough 35, 37
- cross-correlation, dipmeter 143-5
- cross-laminations 51, 57, 58
- cross-sections, near-wellbore 258, 260
- cross-stratification 81
- crossplots, neutron-density 21, 23, 309
- crystalline rocks
  - fractures 189, 190, 191-2, 193, 196
  - fractures, and fluid flow 205, 206, 265
  - log response in 221-33
  - thermal conductivity 309
  - CSI (silicon yield) logs 87, 89, 93, 95-6, 96
- D-factor (synthetic logs) 393
- dacite 243
- Darcy flow 221
- de-sanding 22, 26, 28-9
- debris flow deposits 6-7, 43, 46, 51, 53-4, 56-7, 81, 87
  - palaeoflow data 60-1
  - triggering mechanism 56-7
- debrites 73, 81, 87, 89, 92-3
- deconvolution 99, 120, 121, 189
- decrement, logarithmic 286
- deformation
  - axial 319, 320-1
- elastic 323 *see also* Young's modulus
- wet sediment 57
- DeGray Lake Dam Spillway 5, 7-10, 10-12, 13, 14
- deltaic facies 133-5, 138
- demagnetization, sample 236
- density,
  - formation, from gamma-gamma log 318, 321, 323
  - logs 224, 226, 355
    - comparison with core measurements 303
    - enhanced vertical resolution 120-1
    - and fractures 222
    - for stress determinations 165
    - for TOCs 369, 370-1, 372, 372, 375-6
  - neutron logs 22
  - spectral 99
- Denver Basin 384
- depositional lobes 8-10
- depth of investigation 46, 99
- depth-azimuth plots 61, 62
- deviated wells 166, 171
  - and breakout formation 182, 216, 217-18
  - deviated wells,
- dewatering structures 43, 68, 334
- diagenesis 334, 336, 389, 393
  - facies related 377, 378
  - models for 389, 390, 391, 392-4
  - and petroleum-water contacts 383, 384, 385, 386
  - sandstone, models 389-94
  - wireline logs and 377, 378, 389, 392-4
- diagenetic,
  - fronts, and envelopes 378-80, 382
  - traps 382
- dielectric
  - attenuation 109, 119-20
  - constant 119
  - tool 99-100, 119-20
- diffraction,
  - corrections 287, 290, 292, 295-6
  - effects 292, 293
- diffusion 221, 350, 351, 353
  - and pore water flow 327
  - diffusivity 299, 308
  - thermal 340
- dip,
  - apparent 237-9
  - classes 33
  - data, FMS 33, 35-7, 40, 238-41
    - unconsolidated sands 36
    - unimodal 148-9
  - filters 151, 152, 153
  - from borehole images 238-41
- dipmeter 87, 89, 95
  - bedding rotation from 251, 254
  - breakout recognition 158-9, 166-7, 169, 169-70, 170
  - core comparisons 142, 145, 146, 151, 153
  - diagenetic studies 378
  - and faults 211-18, 250-1, 254, 255, 258, 259, 260, 262
  - and flat spots 150
  - fracture identification from 211-19
  - High Resolution Dipmeter Tool (HDT) 141
  - interpretation 153-4
    - Niger Delta example 250-60, 262-3
  - log zonation 149-50
  - Markov model and 131
  - plots 89, 92, 240, 254, 258
    - azimuth 141, 149, 251
    - histograms 149, 151
  - processing 143-8, 248, 250
    - correlation parameters 143-4, 143, 145-7, 147, 148, 151
    - resistivity curves 31, 34-5, 87, 89, 141, 142, 142, 254
    - core calibration 149, 150
    - correlation 143-8
    - sedimentological interpretations 33, 36, 40, 95, 109, 118, 141-54
    - seismic integration 247, 260, 261, 262
    - and selected datasets 142-3
    - Stratigraphic High Resolution (SHDT) 235, 248, 250
    - structural interpretations 211-19, 250-1, 254, 258, 260
    - tool described 158-9, 169-70, 180
    - vertical dip trend analysis 148-9, 247, 250, 251, 254
- dipole logging tool 277
- discontinuities, lateral 3, 378
- dissipation, elastic 208
- dolomites 185, 334, 392, 394
  - fractured 189, 195, 195-6
- dolostones 172

- drag,
  - lithospheric 219
- drag folds 254, 256-7, 258, 260
- drawdown 248
- drilling
  - damage, to cores 73, 78, 79, 81, 83
  - deviated 166, 171 *see also* horizontal drilling
  - dual induction logs 99, 100, 109
  - Dual Laterolog 185, 266, 268, 270
  - fracture evaluation with 195-6
  - dynamic elastic moduli 318-19 *see also* Young's modulus
- earthquakes 57, 68, 158, 163-4
- East Mariana Basin 71, 73, 87
- Eclipse-2 well (Timor Sea) 161, 162
- eigenmode attenuations 283
- ELAN volumetric analysis, Austin chalk 193, 194
- elastic moduli,
  - cements 286
  - dynamic. *see* Young's modulus
  - static *see* Young's modulus
  - elastic moduli, stress dependent 283
- electrical borehole scans *see* FMS Tool, borehole televiewer
- Ellenburger well 195, 195-6, 197
- elongation, borehole *see* breakouts
- enhanced focused logging 267, 268, 269, 270
  - Carmenellis Granite 270, 271-2, 273-4
  - sonde described 268, 269, 270
- enhanced resolution resistivity logging 265-74
- envelopes and diagenetic fronts 377, 378-80, 378-81, 382
- Eocene,
  - of Alps 21
  - volcanics 60
  - western Pacific 44
- erosive contacts 95
- error minimization algorithm 362-3, 365
- euclidian distance algorithm 363-4, 365, 368
- Eurasian plate 219
- evaporites 142, 327, 330-1, 336
  - and formation water salinities 334
  - Triassic 332
- EVR (enhanced vertical resolution) 120-1
- Exmouth Plateau 301
- extension and extensional tectonics 43, 68, 157, 202, 258
  - FMS studies 62-3, 67
  - lithospheric plate 165, 166
  - Witch Ground Graben 181-2
- facies, computer prediction of 123-39
  - diagenesis controlled by 377, 378
  - lateral changes in 3
  - sedimentary, from FMS 31
    - from logs 10-11, 89, 92-3, 95-6
- fault slip 241, 260
- faults 436 (*see also*) microfaults
  - antithetic 248, 262
  - cut-outs 28, 248, 251
  - dip of 254, 258
  - drag 251
  - FMS images of 64, 93
  - growth 248, 254
  - listric 181, 213-14, 215, 244, 254
  - normal 62-3, 171 (*see also*) growth faults
  - permeable 247
  - reverse 171
  - sealing and non-sealing 211-19, 248
  - throw of 250, 260
  - transform 199, 244
- feldspar 386
  - kaolinitized 382
  - potassium 364, 365
- Fermi-age theory 353
- filtering
  - matched (H6) 120
  - time domain 205
- finite element modelling, FMS 186
- Fladen Ground Spur (North Sea) 28-9, 28-9
- flat-spots, seismic data 386
- flowmeters 224, 228
- fluid
  - dynamics 64, 66, 221, 327-37
  - escape structures 87, 93
  - flow 185, 199, 274, 311
    - compaction driven advective 335-7
    - and convection systems 334-5
    - crystalline rocks 206
    - diffusion and 334, 336
    - and fractures 193, 208, 209
    - invasion 170, 196
    - salinities, North Sea 327-37
    - saturation, and attenuation 291
- FMS Tool *see* Formation MicroScanner Tool
- focused electrode arrays 267, 268
- folds 93
- foliations 190
- forearc 241, 243
  - basins 43, 157
  - sediments 44, 45, 46, 60-2
  - dip of 57, 60, 151-2
  - dune 154
- formation brines 333-4
- formation factor 221, 299, 313, 328
- Formation Micro Imager Tool (FMI) 32, 33
- Formation MicroScanner Tool (FMS) 32, 33, 33-5, 40, 237, 238, 240
  - and bed thicknesses 54-6, 56
  - button currents 186, 190
  - and core, integration 40, 71-83, 235-44
  - described 46, 73, 74, 186, 238
  - dip data 31, 35-7, 40, 151, 240
  - faults and fractures on 62-3, 64, 66, 93
  - Image Examiner 33, 239
  - images
    - interpretation 73, 75, 95
    - inversion of 186, 188
    - processed 46, 73, 238
  - interpretation approach 31-7, 39-41
  - and Ocean Drilling Program 43, 44, 73, 199
  - palaeocurrent data 57, 60
  - planar features, measurement of 238-41
  - sampling rate 33, 46, 73
  - and sedimentology 43, 50-1, 60
    - of clastics 31-41
  - structural interpretation 62-7
  - tectonic rotation study 235-44

- turbidite images 51, 52, 53-4, 77
- workstation interpretation for 32-3, 35
- formation temperatures 330
  - analysis 327, 328, 333
  - formation water, resistivity 327
  - formation water, salinities 334
- fractures 35, 50, 190
  - aperture of 185-98, 203, 205, 208, 209
  - aperture of, granites 265, 266, 268
  - and breakouts 212-13, 214-17, 258
  - conductivity of 188
  - conjugate 43, 68, 237
  - connectivity 185, 186, 188
  - crystalline rocks 199, 221, 270
  - density of 222, 223, 224, 274
  - dip angle of 185, 186, 188, 189, 190, 202
  - and dipmeter 211-19, 254
  - drilling induced 65, 66, 193, 196-7, 265, 287
  - and Dual Laterolog 195-6
  - and enhanced resolution logging 265-74
  - FMS images of 61, 62, 66
  - horizontal 188, 196
  - hydraulic 158, 162, 163, 167, 174, 218
  - index 223, 224
  - log detection of 221-2, 224, 226-7, 230
  - mineralized 62, 63, 64-5, 65, 67, 207
  - models for 186, 187
  - open 186
    - dipmeter detection of 211-19
  - permeability of 199-209
  - porosity 188, 189, 193, 194, 196, 202
  - sealed 211-12
  - and temperature surveys 339-40, 342, 346
  - vertical 65-6, 169, 196, 211
  - width inversion 189
  - and Young's modulus determinations 324
- France
  - Aquitaine Basin 211, 215-17, 218
  - Paris Basin (TOC study) 369, 372
- frequency 286
  - cut-off 278, 318
  - spectrum, acoustic logging 279
- Frigg gas field, North Sea 386
- Frio Formation, Louisiana Gulf Coast 109 110-12
  
- gabbros 199, 200, 207, 208-9
- gadolinium 226
- gamma density tool 349, 350, 351-2
  - calibration curves 352, 352
  - model for 351, 351-2, 356
- gamma detectors, nuclear borehole logs 352, 353
- gamma spectrometry 200, 224, 226-7
- gamma tool, natural, model for 353, 355
- gamma-ray logs
  - and bound water 200
  - and clastics 8-10
  - enhanced vertical resolution 101, 110, 118-19
    - processing 120-1
  - outcrop 3-18
    - tools used in 3-8, 13
  - as shale indicator 100, 109
  - tuff delineation 22, 23, 24, 26
  - and volcanoclastics 89, 93, 93, 95
- gamma-ray spectroscopy (GST) data, for TOCs 369, 370-1, 372, 373-4
- gamma/gamma logs 317
- gas
  - on acoustic logs 386
  - RHGA value 24
- Gaussian distribution 126, 135
- geochemical logging
  - combination 87, 89
  - Geochemical Logging Tool (GLT) 361, 362
    - element oxide analysis 361
  - modelling mineral assemblages 362-4
- geochemical tools 361
- geometric mean equation 301, 307
- geometries
  - depositional 3, 7, 142
  - sand body 21
- geothermal gradients, determining 339, 340
- German Deep Drilling Project (KTB) 221, 222, 224
- glacial rebound 174
- glauconite 382
- goniometry, core 40, 237, 241
- Goodman Jack tests 317
- grading, sedimentary 95
- grain,
  - contacts 299, 313
    - and thermal conductivity 308
  - density 309
    - apparent (RHGA) 23, 24, 26, 30
    - fabrics 57, 59, 60-1, 68
    - size 39-40, 50, 62, 83
      - and FMS 73
    - profiles, vertical 377
    - and thermal conductivity 307
- granite 309, 364
  - in Young's modulus study 321
- granules 78
- graphite 224
- gravity flows 68
  - deposits 53, 55-6 (see also) turbidites, debris flows
  - processes 53-4
  - recurrence intervals 55-6
- Great Glen Fault 183
- GST tool 369, 370-1, 372, 373-4
- Gulf Coast, U.S. 333, 334
  
- halite 334 (see also) evaporites
- Hall Effect apparatus 319
- halokinesis 333, 336
- Haltenbanken
  - fluid salinity study 327-37
  - lithostratigraphy 329
  - Triassic of 333
- Hampshire Basin 380
- Hankel function 188
- hardgrounds 378
- Harwell-3 borehole 321
- heat flow 299
  - prediction from logs 311-13
- heat transfer, conduction 307-8, 339, 340
  - convection 339, 340
- heavy elements 202
- hemipelagic sediments 7, 21, 77-8
- Hercynian structures 180, 181, 183
- Highlander Field, North Sea 179, 183

- Himalayas 164  
Hollywood Quarry 4, 11-13, 15  
holography 170  
horizontal drilling 157, 165-6, 247-8  
hydraulic fracture tests 163, 165, 174, 199, 218, 224, 228  
    permeabilities from 206, 207, 209  
hydrocarbon(s) 13, 26, 99, 157  
    enhanced recovery 286  
    feet, cumulative (HCFT) 101, 109  
    migration of 215, 384  
    Niger Delta example 248, 262, 263  
    –water contacts 21, 22, 304, 386  
hydrogen,  
    index, and neutron porosity 304  
    isotopes 333  
    yield log 200, 202  
hydrogeology 199  
hydrothermal alteration 205  
hydrous alteration minerals 200, 207  
hydroxyls 200, 208
- ichnofacies 83  
illite 334, 365, 368, 386  
image inversion (FMS) 186, 188  
impedance boundaries 208 (see also) acoustic impedance  
index properties 304-6  
Indian Ocean, thermal conductivity study 299, 301-2, 304-6  
Indo-Australian plate 157, 164, 241  
induced polar reaction (IP) 226-7  
induction logs, in shaly sands 109, 113  
induction tool 50, 101  
    adaptive (AIT) 190  
    dual 99, 109, 119  
    high resolution 100, 118, 119  
injection features 39  
integration, real axis 278  
invaded zones 119  
iron oxides and hydroxides 200, 222
- Izu-Bonin basin,  
    FMS images and downhole logs for 46, 48-9, 50, 50-1  
    Oligocene of 43-4, 45, 46, 47, 60-2, 67-8  
    palaeoflow for 59, 60  
    stress field orientation 65-7, 68
- Jackfork Group, Arkansas 3, 13, 14-15  
Java Trench 165  
joint systems 241, 268 (see also) fractures  
Jurassic,  
    basalts 304  
    France, breakout study 216-17  
    sands, diagenesis of 378, 379, 386  
    source rocks, Northern France 369, 372
- kaolinite 364, 365, 386  
karst fractures 195  
kerogen 369, 372  
    densities 372, 375  
key-seats 159, 170, 182, 258
- laminated reservoirs  
    Laminated Reservoir Analysis (LARA) 99, 100, 100-1  
    log evaluation of 93, 99-101, 109-10, 118-20  
    and wellbore angle 171  
lamprophyre 227  
latent processes 131-2  
laterolog  
    deep 222  
    and Rt 328  
    shallow 190  
    tools 101  
Lau Basin, southwest Pacific 241, 242, 243, 244  
lava flows, magnetization of 236-7, 238  
leaching 190, 327, 377, 382, 386  
leak-off tests *see* hydraulic fracture  
Liesegang rings 379  
limonite 382  
LIR (lithology indicator ratio) 89, 93, 95  
listric rollovers (Niger Delta) 258, 260  
lithofacies 124-5, 126  
    automated determination of 135  
    discretization 125, 137-8  
    statistical estimation 133, 133, 134, 135  
lithological factor 222  
lithology recognition  
    algorithm 227  
    crystalline environment 224, 225, 226, 226-8  
    loading, sedimentary 165  
    log analysis, high resolution models 99-101, 118-19  
    London Basin 380  
    Louisiana Gulf Coast 215  
    Louisiana Gulf Coast  
    Frio Formation 109, 110-12
- magnetic  
    anomalies 199  
    declination 236, 241, 244  
    oxides 208  
    susceptibility 227  
magnetization vectors 235, 244  
    remanent 236, 237, 243  
magnetometers 235  
MAP (maximum *a posteriori* procedure) 131-2  
Mardia's equations 166, 167  
Markov chains and models 123, 125, 126, 129, 131, 132  
mass flow processes 87  
Mathieu function 188-9  
matrix  
    grains, and thermal conductivity 299  
    properties 224  
    in thermal conductivity measurements 310-11  
Mean Square Dip correlation 248  
membrane filtration 334  
Merrimack terrane 190  
metamorphic rocks 171  
meteoric waters 382  
    and diagenesis 377  
    mixing with formation brines 333-4  
micas 39  
Michigan Basin 174  
microcracking 170  
microfabrics 235, 241  
microfaults 43, 68, 93  
microfolds 81, 93  
microfractures 224, 227, 266, 286  
microplates 244  
microresistivity,

- curves *see* dipmeter
- logs 89, 92-3, 95
- tools 32, 33 (*see also*) FMS
- microspherically focused log (MSFL) 188
- microstructures (FMS) 62, 64
- mineral,
  - assemblages 361, 362-4, 368
  - inversion,
    - algorithms 362-4, **365**, 365, 368
    - compositional colinearity 361, 364-6, 368
  - modes, from chemical data 361-2
- mineralization 207, 222
- mineralogy logs 362, 366, 366, 367, 368, 377
  - errors 366, 368
  - mineral inversion methods 361-4, 368
- Miocene
  - California 13, 16, 17
  - oozes 304
  - Pacific 243
  - Pliocene 71, 87
  - Rincon and Topanga Fms. 13, 14, 17
  - tectonism 157, 165, 166
  - turbiditic carbonates 301
  - western Pacific 44, 46
- models,
  - anelastic forward 277
  - conductive heat flow 299, 311-12
  - diagenetic 389, 392-4
  - facies prediction 123-9, 131-4, 135, 139
  - finite element 186, 195
  - fracture 187, 188, 230, 268, 269
  - high resolution interpretation 99, 109
  - for permeability 222
  - seismic properties 295-6
  - shear velocity 277, 280-83
  - for velocity and attenuation 287-91
- Mohr Coulomb yield criterion 171
- Moinian metasediments 321
- Monte Carlo simulation 126, 351
- montmorillonite 366
- Montrose Group, North Sea 378
- Moodus noises 190
- Moodus-1 well 189, 190, 191-2, 193, 196, 197
- Moray Firth, North Sea 179, 180-3
- mottling, on borehole images 36, 78, 81
- mouthbars 133-5, 138
- moveout, waveform 205
- MSD computation 240-1
- mudcake 36, 119, 159
  - correction 349
- mud, drilling 188, 196, 279, 282
- mudweights 163, 165-6
- multishot tool 235-6, 244
  - errors with 236
- muscovite 364, 365
- N<sub>2</sub>-desorption 222
- N-value (neutron-density crossplot) 309
- nannofossil sediments 73, 301
- natural gamma tool 349, 350, 353, 354, 355
  - model for 353, 355, 356
- neutron absorption cross-section 353, 356
- neutron porosity,
  - logs 202, 224
  - tool **350**, 355
    - calibration curves 350, 351
    - count rate ratio and signal 349, 350, 351
    - described 200, 349, 350
    - model for 350, 356
  - tuff 23
- neutron tool and logs,
  - enhanced vertical resolution 120-1
  - fractured rock 222
  - pulsed 349, 352-3
  - vertical resolution of 99
- Nevada test site 171
- New England (Moodus well) 190
- New Guinea 164, 165
- Niger Delta, dipmeter analysis for 247-63
- nodules 378
- noise,
  - coloured and white 126, 127, 129, 138
  - dipmeter processing 143-6
  - filters 205
- normalization 22, 24
  - images 73, 95
- North American plate 219
- North Sea,
  - Central Graben 333
  - Fladen Ground Spur 28-9
  - lithostratigraphy 329
  - salinity study 327, 330-2, 333-4, 335-7
  - Tertiary, petrophysical correlations 21-30
  - Viking Graben 26, 27, 179, 183, 331, 334
  - Witch Ground Graben, stress orientations 179-83
- NPHI *see* neutron porosity
- nuclear logs
  - enhanced vertical resolution processing 109
  - as geochemical logs 361
  - interpretation of 349, 355-8
  - tool signal and formation property 349, **350**
  - and total organic carbon 369
- Ocean Drilling Program (ODP) 87, 221, 236, 244
  - {Leg 118}, Atlantis II Fracture Zone 199-209
  - {Leg 123}, thermal conductivity studies 299-314
  - {Leg 126}, sedimentary columns 47
  - {Leg 126}, turbidite log signatures 48-9
  - {Leg 129}, FMS applications 73, 75, 77-8, 81, 83
  - {Leg 129}, lithostratigraphy 72
  - {Leg 135}, tectonic rotation study 235, 241-4, 301-2, 304-6
- oceanic crust 157, 244, 301
- ODP *see* Ocean Drilling Program
- oil 109, 110
  - production, Timor Sea 157
  - RHGA of 24
  - water contacts *see* petroleum, hydrocarbons
- Oligocene, Izu-Bonin basin evolution 43-4, 46, 51, 53, 55-7, 60-8
- Ontario, stress trajectory determinations 169-75
- ophiolites 244
- optimization algorithm 363, 365, 368
- Ordovician, West Texas 195-6
- organic carbon *see* total organic carbon
- oscilloscopes 289-90
- osmosis, reverse 334

- outcrop logging, gamma ray 3-18
- overburden 218
- overcoring 174, 175
- overpressure 219, 334, 375
- oxides, closure model 365
- oxygen isotopes 333-4
  - and salinities 327
- P-refractions 278, 279, 281
  - inversion 277
- P-wave(s) 277, 286
  - arrival, full waveform sonic logs 318
  - mode conversion of 318
  - refraction, amplitude effect 280, 283
  - velocity 279, 280, 282-3
- Pacific Ocean 87
  - Izu-Bonin Basin 43
  - Lau Basin 241, 242
  - ODP 71-83, 87-96
  - west central, ODP 71-85
- Pacific plate 43, 67, 164, 241
- packer tests *see* hydraulic fracture tests
- Palaeocene *see* Tertiary
- palaeocurrents 35, 36, 40, 43, 68, 143
  - from FMS 54, 57, 60-1
  - from foreset dips 151, 153
- palaeoflow 57, 60, 152
- palaeomagnetic(s),
  - data **243**
  - restored azimuths 243-4
  - measurements 235, 238, 241
- palaeomagnetism 44, 236-7
- palaeostress 67
- Palaeozoic,
  - fault systems 180
  - New England 190, 193
  - shales 171
- palagonite 200
- Palau-Kyushu Ridge 44, 61
- parallel lamination 51, 52, 81
- Paris Basin, TOC study 369, 372
- passive margins 157, 217, 244
- Pe,
  - logs 118, 119
  - measurements 99, 120
- pelagic sediments 73, 87, 95-6
- Pennsylvanian, Arkansas 3, 6-13, 14-16
- permeability 211, 222, 386
  - anisotropy 165-6
  - barriers 247, 378
  - enhanced 270
  - fracture, Atlantis II Fracture Zone 199-209
  - from downhole logs 193, 208-9
  - from hydraulic tests 206, 207, 209
  - from temperature surveys 339-40
  - in situ* 206-8
  - models 222
  - orientation of 166
  - and Stoneley wave 277
- Permian,
  - Northern North Sea 336
  - Permo-Trias, Devon 380
  - Rotliegend sandstone 389, 392
  - Zechstein evaporites 327, 330-1, 334
- petroleum 109, 110, 157 *see also* hydrocarbons
  - invasion 379
  - migration 377, 382
  - water contacts 21, 22, 377, 384, 386
- phase shifts 287
- phase spectra, difference, for 288-9, 290
- Phasor Induction 50
- Philippine Sea plate 43, 44, 67, 68
- photoelectric absorption 361
- photoelectric effect 227
- Pigafetta Basin 71, 73, 87
- pinchout 37
- pipes, vertical 93
- pixel tone (FMS) 50
- plate load tests 317
- plate(s),
  - bending 165
  - lithospheric, SHmax 164
  - motion of 164, 219
  - velocity 66, 157
- Pleistocene 46
- Pliocene 46
- Point Mugu, California 13, 16
- Poisson's ratio 205, 208, 318
- pop-up structures 169, 171, 173
- pore,
  - channels, tortuosity 266
  - fluid saturation 286
  - size distribution 222, 224
  - water,
    - chemistry 327, 332
    - salinities, Gulf Coast 334
    - stratification 327
- porosity 40, 200
  - core and wireline, compared 303
  - crystalline rocks 200, 202, 205-7, 221, 224
  - density 109, 328
  - and diagenesis 377, 392
  - effective 222, 266, 268, 304, 306, 310, 328
  - feet (PEFT) 101, 109
  - fractional 268, 285-6, 286
  - fracture 188, 189, 196, 202
  - and high resolution logs 118-19
  - in LARA model 100, 101
  - mercury measurements 222
  - neutron 109, 304
  - preservation by petroleum 384
  - profiles 200, 201, 202
  - secondary 196, 382, 386
  - and thermal conductivity 299-300, 313
  - tools 99, 100 *see also* neutron porosity, density porosity
  - and velocity 285
- potassium 23, 200
  - feldspar 39
- power law distribution 55, 57, 68
- Precambrian 190, 193, 268, 270
- pressure pulses 206
- probabilities 132, 135, 138-9
- processing 33, 99
  - enhanced vertical resolution 109
- productibility 193, 197
- production rates 157, 166
- productivity 247-8



- propagation time 119-20
- provenance, FMS and 60
- pseudo-Rayleigh waves 318
  - attenuation 279-80, 282
  - leaky 277, 278-9, 281-3
  - phase velocity 318
  - and shear velocity 277-83
  - theory of 278-80
- pulse reflection method 295-6
  - transducer for 288
  - velocity measurements 287-91
- pulsed neutron tool 200, 349, **350**, 352-3
  - count rate gamma detector 353
- pycnometers 304, 305
- pyrite 224, 375, 384, 386
- pyroclastic rocks 23 *see also* tuff
  
- Q-values *see* quality factors
- quadropole logging tool 277
- quality factors 277, 279, 285, 293
  - compressional 286-7
  - and frequency 286
  - measurements, repeability 295
  
- radiolarian sediments 73, 89, 93, 96
- Rayleigh test 149, 152
- reaming effects 193
- recurrence intervals 56, 57
- reflection coefficient 188-9
  - Stoneley waves 193
- reflectivity 99, 189
- refractions 278
  - compressional 277
  - shear 277, 278
- resedimentation 71, 73, 87, 96
- reservoir sweep 247
- residual oil 110
- resistivity,
  - anisotropic 36-7, 170
  - crystalline rocks 265-6
  - enhanced resolution, for fractures 265-74
  - focused high resolution 270, 271-2, 273-4
  - formation water 327, 328, 330
  - logs 150
    - fracture detection by 224
    - microscanning 224 (*see also*) FMS
    - and permeability barriers 378
    - shallow (MSFL) 188
  - measurements 190
  - pore fluids 266, 268
- resolution
  - FMS, and BHTV tools 237
  - and downhole resistivity compared 50, 50
  - imaging 73
  - of focused array 268, 270, 272, 273
  - vertical 33, 39, 99, **100**, **101**, 102-8, 109, 119-20
  - processing 120-1
- RGHA *see* grain density
- RHOB *see* density
- rifting 161, 181, 241
- Rincon Formation 13, 16, 17
- ripple(s) 39, 60-1
  - bedding, dipmeter 146
  - lamination 57
  - marks 43
  - migrating (on FMS) 57, 60, 68
- Rocky Mountains 169
- roll-fronts 379-80, 381, 382
- rose diagrams *see* dipmeter, FMS Tool, breakouts
- Rosemanowes Quarry, Cornwall 265, 266, 268, 270
- rotations,
  - of plates 44
  - tectonic 241, 244
  - FMS and Borehole Televiwer 235-44
  - rugosity 119, 120, 185, 262
  
- S-waves,
  - arrival, identifying 318-19
  - refractions 277, 278
  - velocity 279, 318 (*see also*) shear velocity
- Sable Sub-basin, eastern Canada 213-15
- salinity 330-1, 332-3
  - distribution 327
  - gradients 327, 330-2
    - North Sea 330-1, 331, 332, 333, 336-7
  - log derived 327, 328
  - and *R<sub>w</sub>* 328, 330
  - well profiles 330-2
- salt domes 333, 336
- sand indicator 21
- sands,
  - aeolian dune 153, 153-4
  - angle of repose of 57, 58
  - channel 150, 151-3
  - discriminators 24, 26
  - fluvial 151-3
  - mass gravity flow 21
  - massive 40
  - sand body elongation 153, 154
  - shaly 101, 109-10, 118
  - spatial distribution of 28
  - unconsolidated 36
- sandstones 21, 24, 50
  - diagenesis of 378, 389, 390, 391, 392-4
  - laminated 57, 81, 83, 84
  - lenticular, gamma-ray logging of 11-13
  - massive 84-5, 87, 93, 95
  - shale boundaries, diagenesis at 378, 379
  - shaly, seismic properties of 286
  - shelf 13
  - shoreface 133-5, 138
- Santa Barbara Channel well 13, 16, 17
- saturation exponent 328
- Schiste Carton, Paris Basin 369, 372
- Schmidt plots and stereonet 35, 57, 58
- Scintrex GIS-5 spectrometer 5-6
- Scotian Shelf, Eastern Canada 213-15, 218, 219
- scour features 36
- Sea Barn Farm borehole 321
- sea-level changes 57, 60, 62
- seals, hydrocarbon 382, 386
- seamounts 71, 73
  - magnetic anomalies 244
- search angle, dipmeter processing 145
- sediment injections 68
- sedimentary,
  - facies, automated prediction of 123-39
  - from downhole logs 10-11, 89, 92-3, 95-6

- orientation, from dipmeter 141-54
- sections, FMS 50-1
- seismic,
  - activity, as trigger 54, 57, 60
  - data 247, 248
    - petrophysical properties 285-6, 288-9
    - resolution 247, 248, 263
  - inversion 314
  - properties, measurements of 285, 287-91
  - quality factor 286
  - velocity data 285
- semblance 204, 205-6, 208, 209
  - anomalies 199, 205
- sequence stratigraphy 314
- Serra's scheme 83
- shale content (Vsh) 285-6, 286, 304, 309, 310
  - from logs 24, 313-14
- shale indicators 24, 99-100, 109, 110, 120, 309
  - high resolution 118
- shales 7, 21, 22, 193
  - background 28
  - boundaries, diagenesis at 378, 379
  - breakouts in 166, 172
  - compacting 379
  - Palaeozoic 171
  - porosity 372, 375
  - shaly sand reservoirs 101
  - sheared 215
- shear,
  - compressional 166
  - ductile 260
  - failure of borehole 258
  - on foliation planes 190
  - modulus 318
  - Q 279
  - transit times 222
  - velocity 205, 277, 278, 282, 283, 285
    - and pseudo-Rayleigh waves 277-83
  - waves 205
    - identification of arrival 323
    - logs 277, 285, 286
    - pulse pairs 289
- Shell Rex Timber well 13
- Shikoku Basin 57, 62
- shoreface deposits 133-5
- siderite 392, 394
- sidewall cores 31, 39, 40
- signal-to-noise ratio 293, 295
- silica,
  - variations 93
  - velocity of 288
- silicates 327
- sine wave, single frequency pulsed 285-96
- sinusoids 57, 62, 290
  - borehole images 238-9
- Skua Field, Vulcan Sub-basin 165
- Sleipner area 331, 334
- slip,
  - fault 260
  - lineations 235
- sloughing, shale 193
- slump(s) 36, 39, 71, 73, 81, 87, 93
  - debrite couplets 83
  - fill 13
- smearing, formation 36
- smectite group 334, 366
- smoothing (neutron measurements) 120
- Sofugan Tectonic Line (STL) 44
- sole structures 60
- Solomon-New Hebrides Trench 164
- sonar studies 241
- sonic logs *see* acoustic
- sonic porosity, tuff 23 (*see also*) porosity
- sonic spike 378, 378
- source rocks 369, 372 (*see also*) TOC
- South American plate 219
- South West Indian Ridge 199
- SP *see* spontaneous potential
- spalling, borehole 157, 180
- spectral density tool 99
  - Pe from 120
  - spherically focused log (SFL) 188
- spontaneous potential (SP) logs 22, 226-7
  - tuff delineation 24, 26
  - as Vshale indicator 24
- spreading centres 243
- stability, wellbore 165-6, 171
- stand-off, tool 186, 350
- static elastic moduli 319-21 (*see also*) Young's modulus
- stereonet 247, 250, 254, 258
- Schmidt 35, 57, 58
- stick plots 260
- stiffness, in Young's modulus determination 320-1
- Stoneley waves 278, 279
  - and fracture apertures 185, 187, 188-9, 190, 193, 194
  - reflection coefficient 193
- shape 277
  - and shear wave velocity 318-19
- vertical resolution 185
- strain,
  - measurements 235
  - in Young's modulus determination 317, 319-20, 322-3
- Stratigraphic High Resolution Dipmeter 235
- stress,
  - amplification 212-13, 218
  - analysis, Ontario boreholes 169-75
  - analysis, Timor Sea 157-67
  - anisotropy 171, 173, 219
  - compressive 157, 165, 169, 170, 180, 183, 211, 218
    - North Sea 179
  - deflections, fault produced 217
  - deviator 319
  - sextensional 165, 254
  - fields, and borehole images 46, 62-8
    - from borehole breakouts 65-7, 159, 160, 161-7, 171, 173-5, 179, 202-3, 258
    - rotation of 43, 66
  - hoop 170-1
  - horizontal,
    - anisotropy 216
    - magnitude contrasts 212-13, 218
  - in situ* 157-8, 163-5, 165-6, 179-83, 258
  - orientation,
    - anomalies 214-15
    - using FMS tool 62, 65-7
  - overburden 205
  - regime indicators 218

- regional 211, 212
  - Aquitaine 216
  - trajectories 211, 214, 215
- strain curves 319-20, 323
- trajectories 169
  - deflection 211, 211, 212, 213
  - rotation of 43
- world stress map project 163-4
  - in Young's modulus determination 319-21
- strike-slip structures 157, 166, 171
- subduction 57, 164, 165
  - zones 157
- subfacies 125, 126, 134, 138
- submarine fan deposits, correlation 21-30
- subsidence, Witch Ground Graben 181-2
- subtractive algorithm, mineral inversion 362
- Sumisu Jima Canyon 62
- Sumisu Rift 66, 67
- Sunda Island Arc 164, 165
- surface effects, crystalline rocks 221
- swamp deposits 133-5
- synthetic wireline logs 127, 129
  - rules for creating 392-3
- t*-type distribution 126
- talc 200
- Tampen Spur 331
- Tartan Field, North Sea 179, 183
- Tattenhoe borehole 321
- Taylor marl 193, 194
- t*-distributions 135
- tectonic rotations 241, 244
- televiewer logs *see* borehole televiewer
- temperature,
  - geothermal 340
  - gradients 199, 208
    - anomalies 209
    - North Sea 330
  - logs 199, 206
    - decay 339-42, 342, 343, 346, 347
    - presentation of 340-2, 343, 344-5
  - measurements, high resolution 299
    - log heading 330
  - surveys 339-46
    - and fractured zones 339, 342-3, 346, 347, 348
    - high resolution 311, 312-13
    - and permeable zones 339, 343, 346, 347
    - and velocity of sedimentary rocks 286
- Tertiary,
  - Palaeocene-Eocene, North Sea 21-2, 25, 26, 28-9
  - Witch Ground Graben 181
- Texas,
  - Ellenburger well 195-6
  - Wilcox Formation 101, 102-8
  - Yegua Formation 109-10, 113-17, 118
- textures,
  - deformational 199
  - from dipmeter 141, 142
  - sedimentological 50
  - conductivity 346
    - fractional 310
  - measurements 299, 300-1, 305, 309, 310, 313
  - and porosity 313
  - prediction from wireline logs 299-314
  - energies 200
  - gradients, from log data 311-13
  - neutrons 226
    - flux 350
  - resistivities 311, 313
- thin bed(s), analysis 109, 142
  - effects 26, 33, 37
  - FMS images of 52
- thin sections 89, 96
- thorium-uranium ratio 23
- tidal flat deposits 133-5, 138
- Timor Sea, borehole breakouts 157-67
- titanium 202
- TOC *see* total organic carbon
- tone-bursts 289, 290
- Tonga forearc and ridge 241, 243-4
- Tonga-Kermadec Trench 164
- Topanga Formation 13, 16, 17
- torque,
  - cable 158-9
  - coring 236
- total organic carbon (TOC),
  - C/O method 369, 370-1, 372, 372, 373-4, 375-6
  - density log method 372, 372, 373-4, 375-6
  - limitations 375
  - from conventional logs 369, 372, 375-6
- tractional structures 51
- transducers, axial strain 319
- transform(s) 202-3
  - faults 244
- transient pulse 287
  - for seismic properties determination 285, 295-6
  - spectral analysis of 290
- transmission method 287
- transmissivities 206-7
  - of fracture 205
  - hydraulic 206, 208
  - directions 35, 43, 60, 142
- transport, fluid 221, 222
- traps,
  - diagenetic 382
  - hydrocarbon 21, 157, 377, 382, 386
  - Niger Delta 248
  - subtle 28, 247
- travel times, seismic 287, 290
- Triassic, Sherwood sandstone 389, 394
- triple junctions 179
- troctolites 208
- trough fill 57
- tuff 61
  - Balder 22
  - delineation of 23-4, 26
  - profile 21, 26
- tunnel closures 169, 171
- turbidites 3, 43, 50, 87, 243
  - bioclastic 87, 89, 95-6, 95, 96
  - bioturbated 75, 77-8, 81
  - calcareous 87, 89
  - Californian 13, 16
  - depositional process 53-4, 56-7
  - FMS images of 51, 52-3, 53-4, 77, 80
  - forearc 44, 45, 46, 67-8
    - log displays 48-9
  - outcrop gamma-ray logging of 6, 8-11

- palaeocurrents 60
- volcaniclastic 83, 95, 96
- U.S.A. 334 (see also Arkansas, California, Texas)
- ultrasonic images, borehole *see* Borehole Televiewer
- unconformities 64, 65, 65, 382, 386
- uplift, tectonic 205
- uranium 23
  - ore bodies, roll-fronts 379-80, 381, 382
  - Vcl (clay content) *see* shale content
  - vector mean azimuths 147-8, 148, 149, 152, 152
  - veins 235
  - velocimeters 305
  - velocity,
    - acoustic, core and wireline, compared 303
    - and attenuation calibration 291-5
    - compressional 277, 279, 285, 285-6, 293, 304, 305, 318-19, 323-4
      - from full wave form sonic 317, 318, 321
      - measurement of 287-93
    - from pulse reflection method 287-91
    - measurement of 285-96
      - errors and repeatability 293, 295
    - mud 279, 282
    - phase 318
    - shear 277, 285-6, 293, 318-19, 323-4
      - from full wave form sonic 317, 318, 321
      - measurement of 287-93
      - and pseudo-Rayleigh wave 279-80
    - Vp and Vs compared 319
    - Young's modulus 288
- vertical seismic profiles (VSP) 205, 287
- Viking Graben 179, 183
  - salinities 331, 334
- viscosity, drilling mud 188
- volcanic rocks 23
- volcaniclastic(s) 43, 56-7, 61, 71, 73, 78, 301
  - facies, wireline log signatures 87-96
  - turbidites 83, 95, 96
- volcanism 157
- volcanoes 60, 62
- volume fractions 355, 356, 357
- vugs 193, 196
- Vulcan Sub-basin 157, 161, 162, 165-6
  - breakout orientations of 159, 160, 161-3
  - horizontal drilling 165-6
  - structural style 163, 165
- washouts 4, 73, 119, 159, 170, 193, 197
- washouts,
  - borehole 73
  - and dipmeter results 250, 251, 254, 258, 262
- water,
  - breakthrough 247
  - of crystallization 304
  - escape structures 93
  - estimate from logs 365
  - saturation 101, 109, 118-19, 328
  - volume (thermal conductivity) 310
- wave scattering 293
- waveforms,
  - synthetic 279, 281, 283
  - effect of shear velocity change 279, 280
- Waxman-Smits formula 101, 118
- Wessex Basin, Bridport sands 378
- Witch Ground Graben, North Sea 179-83
- workstations,
  - and dipmeter analysis 247, 258
  - FMS 31, 32-3, 34, 35, 40-1
- world stress map project 163-5
- wrench tectonics 165
- Wulff plots 35 (see also) Schmidt
- X-ray measurements 200
- Yegua Formation, Texas 109-10, 113-17, 118
- Young's modulus,
  - comparison of dynamic and static values 321-3
  - dynamic,
    - elastic (*Ed*) 317-19
      - from sonic and density 323
      - log determination of 317-24
    - static elastic (*Es*) 317-18, 319-21, 324
    - wave velocity 288
    - weak rocks 322-3
- Zechstein Group 327-8, 330-1, 333, 336, 392, 394
  - and salinities 334, 335
  - zeolites 200