

# Index

- actinolite 301
- added mass (*Fa*) 17
- Adeii Eechi Cliffs 75
- adhesion structures 131, 135, 136, 137, 139
- aeolianite diagenesis *see* diagenesis
- aerodynamic properties
  - drag 9
  - entrainment modelling 8–9
  - lift 9
- Africa
  - Alexandria dunefield
    - methods of study 27–8
    - results 28–31
    - results discussed 31–5
  - Kalahari Desert 93–5
  - Namib Desert 91–3
- Aghir diagenesis study 239, 241, 241
- Ainsdale 205, 207
- airflow model
  - development 26
  - experimental data
    - results 28–31
    - results discussed 31–5
    - sites 26–8
- Akhass Highlands 281
- Akhass Ridge 287
- Alexandria coastal dunefield
  - experiments
    - methods 27–8
    - results 28–31
    - results discussed 31–5
  - wind environment 26
- Almeria 239, 242
- Amadeus, Lake 52
- Amoladares 239
- amphibole 301
- aragonite 221, 225
- Arenal 226, 239, 241
- Arizona dunefield study
  - composition 78
  - history of study 77–8
  - methods of study
    - OSL 80–1
    - OSL dose evaluation 81–2
  - results 83–6
  - results discussed 86–8
  - setting 75–7
- Arnhem Land plateau 52
- Australia
  - OSL dating studies 53–4
  - TL dating studies 51, 52
- Bahama Islands sand diagenesis study 224, 225, 228, 230, 231, 239, 241, 242
- Baix Empordà dune development study
  - age 198
  - classifications 192–3
  - evolution 197–8
  - mineralogy 194–5
  - morphology 191
    - origins 196–7
    - sedimentology 193–4
    - setting 191
    - statistical methods 195–6
- Ballyness 182–3
- barchan dunes studies
  - shear stress effects
    - experimental measurement 38–41
    - experimental results discussed 43–4
    - mathematical modelling 41–2
    - wind tunnel prediction 42–3
  - site 37–8
- beach fill behaviour 150, 154
- beach ridge development 177
- beach studies *see* coastal dunes
- bed/grain collision modelling 10
- Begur Massif 191
- Belgium 247
- Berkenheuvel 251
- Bischoord 251
- Bohai Sea coast loess study
  - accumulation rate 306–7
  - chronology 297
  - distribution 294–5
  - fossils 297–300
  - lithology 300–1
  - mineralogy 301–3
  - sea-level effects 304–6
  - setting 293–4
  - stratigraphy 295–7
  - transport mechanisms 303–4
- Boshoeverheide 251
- $\delta^{13}\text{C}$  286
- $^{14}\text{C}$  dating
  - calcrete 286
  - loess 297
  - peat 206, 209, 210, 211, 212–13, 251
- calcite dust coats
  - environmental significance 289–90
  - micromorphology 283–6
  - mineralogy 281–3
  - occurrence 277–81
- calcium carbonate
  - cement classification
    - gravity/drapestone 237–9
    - meniscus 239–40
    - needle fibre/whisker 242
    - pore-filling 241–2
    - rim 240–1
  - cement development
    - controls 235–7
    - methods of study 237
  - in dune sand 194, 211, 219
  - role in diagenesis 221–2
  - cementation sequence 224–6
    - methods of study 223–4
    - rate changes 228–31
  - in loess 303, 312
  - see also* calcite dust coats

- calcretes 277, 278
- California, luminescence dating work 51, 56
- methods
- dose rates 64
- laboratory preparations 62–4
- theory 61–2
- results 65
- results discussed 65–6
- sampling techniques 60–1
- setting 59–60
- Canada 55
- Canary Islands dust coat studies
- calcite
- environmental significance 289–90
- micromorphology 283–6
- mineralogy 281–3
- occurrence 277–81
- silica
- environmental significance 289–90
- micromorphology 283–6
- mineralogy 288
- occurrence 286–8
- Capo de Tiro 226
- Catalonia dune development study
- age 198
- classifications 192–3
- evolution 197–8
- mineralogy 194–5
- morphology 191
- origins 196–7
- sedimentology 193–4
- setting 191
- statistical methods 195–6
- cementation studies *see* diagenesis
- Chaperon Rouge 55
- Chelford Sands 52
- China, loess study 293–4
- accumulation rate 306–7
- chronology 297
- distribution 294–5
- fossils 297–300
- lithology 300–1
- mineralogy 301–3
- sea-level effects 304–6
- setting 293–4
- stratigraphy 295–7
- transport mechanisms 303–4
- chlorite 303
- clay minerals
- in dune sand 211
- in loess 303, 312
- climbing ripples 263
- coastal dunes
- see* Alexandria; Baix Empordà; Ireland; Perdido Key; Sefton; Tentsmuir
- coercivity 314, 318
- Coldehove 251
- Colorado 52
- Cottonwood Wash 60
- Dalian Loess 296, 297, 300, 306
- dating methods *see* luminescence *also* radio-isotopic
- Defensiedijk 251
- Denmark 52
- drift sands
- age 251
- areal cover 247
- desert dune activity
- see* Kalahari; Kelso; Namib; Negev; Oman; Tusayan
- also* Jurassic; Proterozoic
- dessication polygons 210
- Devil's Playground 59
- diagenesis of aeolianites, vadose
- cement classification
- gravity/drapestone 237–9
- meniscus 239–40
- needle fibre/whisker 242
- pore-filling 241–2
- rim 240–1
- cement development 235–7
- controls 222–3
- Holocene 231–2
- methods of study 223–4, 237
- modelling
- changes 220
- processes 221–2
- products 221
- rate 222
- processes 219
- Quaternary
- cementation sequence 224–6
- location effects 226–8
- rate changes 228–31
- dolomite 235
- Downholland Moss 207, 211, 214, 215
- drag
- coefficient 17
- effect in saltation 9
- drapestone cement 236, 237–9
- Drenthe drift sands
- age 250–5
- areal cover 248, 249
- palaeoenvironmental significance 249–50
- drift sands
- age 250–5
- definition 248
- development chronology 265–6
- geographical spread 247
- palaeoenvironmental significance 248–50
- sedimentary structures
- macro scale 255–63
- micro scale 263–5
- dune characterization
- activity
- classification 95–6
- factors affecting 95, 97
- future research 99–100
- initiation 98
- profiles
- equilibrium 28–9
- non-equilibrium 29–30
- semi-equilibrium 30–1
- dust coat studies
- calcite
- environmental significance 289–90
- micromorphology 283–6

- mineralogy 281–3
- occurrence 277–81
- silica
  - environmental significance 289–90
  - micromorphology 288–9
  - mineralogy 288
  - occurrence 286–8
- East Anglian drift sands 247
- Emmerdennen 251
- England
  - drift sands 247
  - coastal dune studies 201–3
  - methods of study 205
  - results
    - core sequences 210–11, 212, 213
    - fossil data 208–210
    - morphostratigraphy 206–8
    - results discussed 211, 214–15
    - setting 203–5
  - luminescence dating studies 53, 55
- Entrada Sandstone
  - depositional environment 116–22
  - facies architecture 122–4
  - lithology and bedding 107–16
  - palaeogeography 106–7
  - survey techniques 104–6
- entrainment modelling 8–9
- epidote 301
- equivalent dose (ED) 50
- Equus Cave 93
- feldspar
  - occurrence in dune sand 211
  - occurrence in loess 301
  - use in luminescence dating 50, 52–3, 55
- Finnish Lapland dune studies
  - chronology 272–4
  - morphology 271
  - sedimentology 271–2
  - setting 270–1
- Five Finger Strand 177
- Florida
  - diagenesis study 225
  - sediment budget study
    - erosional history 145–9
    - experimental measurements
      - methods 150
      - results 151–4
      - results discussed 154–6
    - foredune model 150
    - setting 145
- FLOWSTAR model 41
- fluid threshold 7
- fluvial/aeolian interactions 140
- foraminifera
  - in dune sand 194
  - in loess 299–300
- foredune studies
  - modelling 149–50
  - sediment budget
    - methods 150
    - results 151–4
    - results discussed 154–6
- transport
  - experimental methods 162–4
  - experimental results 164–7
  - implications for dune growth 168–9
  - setting 159–60
  - wind regime 161
- Formby Point
  - dune development 214–15
  - soil formation 206
  - wave setting 203
- fossils
  - in dune sand
    - body 194–5, 208–10, 211
    - trace 208, 209
  - in loess 297–300
- France 54
- Freshfield 207, 209
- Frøslev 251
- Fuerteventura *see* Canary Islands
- fulvic acid 250
- gain function analysis 18
  - experimental measurement
    - method 18–19
    - results 19
    - results discussed 21–2
- garnet 301
- Geeste drift sand 262–3
- German drift sands
  - age 251
  - areal cover 247
  - sedimentary structures 261–3
- grain momentum modelling 17–18
- grain/bed collision modelling 10
- gravity
  - role in grain momentum modelling 17
  - role in saltation modelling 9
- gravity cement 236, 237–9, 242
- haematite 312, 314, 318
- Haken-graben drift sand 261–2
- heavy mineralogy 301–3
- Hengistbury Head 55
- Herperduin 251
- Herzlake 251
- Heuvingerzand 251
- High Plains 52
- history integral (*Fh*) 17
- Holocene studies
  - atmospheric circulation 290
  - diagenesis 231–2
  - dune formation 201–3
    - chronology of development 211, 214–15
    - core analysis 210–11, 212, 213
    - dune morphostratigraphy 206–8
    - fossil inclusions 208–10
    - geological setting 203–5
    - methods of study 205
- hornblende 301
- Hulshorst drift sand 259–60, 263
- humic acid 250
- humine 250
- hysteresis
  - measurement 314

- hysteresis *contd*  
   results 315–16  
   results discussed 319
- iddingsite 301
- illite 303, 312, 314  
   impact threshold 7
- India  
   diagenesis study 224, 228, 230, 231  
   fluvial/aeolian interaction study  
     facies descriptions 131–7  
     facies sequences 137–40  
     setting 127–30  
   thermoluminescence study 51
- infra-red stimulated luminescence (IRSL)  
   dose rates 64  
   methods 55, 62–4  
   results 65–6  
   theory 51–2
- Ireland (NW)  
   dune systems studies  
     cliff top 187  
     coastal  
       beach/dune balance 179–81  
       geomorphology 182–6  
       sea-level controls 175–7  
       sediment sources 177–9  
     non-coastal 187–8  
     setting 173–5
- iron crusts 136–7
- isothermal remanent magnetism (IRM)  
   measurement 315  
   results 316  
   results discussed 318
- isotopic ratios 286
- isotopic signatures 288–9
- Israeli dune systems 69–71  
   TL dating 69  
     methods 71–2  
     results 72–4
- Jersey 53
- Jiadong Peninsula *see* Bohai Sea coast
- Jurassic sandstone studies  
   depositional environment 116–22  
   facies architecture 122–4  
   lithology and bedding 107–16  
   palaeogeography 106–7  
   survey techniques 104–6
- Jutland 251
- K feldspar  
   in dune sand 211  
   in luminescence dating 50, 52–3, 55
- Kalahari Desert 93–5  
   kaolinite 303
- Kelso Dunes  
   IRSL dating  
     dose rates 64  
     laboratory preparation 52–4  
     theory 61–2  
   results 65  
   results discussed 65–6  
   sampling 60–1  
     setting 59–60
- Kerdouss Massif 278, 287
- Kootwijk drift sand 256–9, 265
- Kraloo 251
- Lanzhou loess  
   magnetic measurements 312–15  
   results 315–16  
   results discussed 316–22  
   sampling 312  
   setting 270–1
- Lapland dune studies  
   chronology 272–4  
   morphology 271  
   sedimentology 271–2  
   setting 270–1
- Leuvenum 251
- Liadong Peninsula *see* Bohai Sea coast
- lift effects in saltation 9
- linear dunes  
   initiation 98  
   periodicity 98  
   wind regime 96
- linear ridges 98–9
- lithification *see* diagenesis
- Liverpool Bay 204
- loess studies  
   Bohai Sea coasts  
     accumulation rate 306–7  
     chronology 297  
     distribution 294–5  
     fossil content 297–300  
     lithology 300–1  
     minerology 301–3  
     sea-level effects 304–6  
     stratigraphy 295–7  
     transport mechanisms 303–4
- Lanzhou  
     magnetic measurements 312–315  
     results 315–16  
     results discussed 316–22  
     sampling 312
- luminescence dating 49–50  
   infra-red stimulated luminescence  
     case studies 55–6, 61–6  
     methods 55  
   optically stimulated luminescence 49  
     case studies 53–5, 80–8  
     methods 53  
   thermoluminescence 49  
     case studies 51–3, 69–74  
     comparison with IRSL 61  
     methods 50
- Luobmosjavrrik dune studies  
   chronology 272–4  
   morphology 271  
   sedimentology 271–2  
   setting 270–1
- machair 186
- macrofossils  
   in dune sand 194–5, 208, 211  
   in loess 297–9
- maghaemite 312, 314, 318

- Maghera 186  
 Magilligan 177, 183–4  
 magnetic mineralogy of loess  
   magnetic measurements 312–15  
   palaeoclimatic links 311–12, 322–3  
   results 315–16  
   results discussed 316–22  
   sampling techniques 312  
 magnetic signals 296, 297  
 magnetic susceptibility (*X*)  
   method of measurement 314, 314–15  
   results 316  
   results discussed 317–18  
 magnetite  
   magnetic properties 314, 315, 318, 321  
   occurrence in loess 301, 312–13  
 Magnus effect 9  
 Mahdia diagenesis study 225, 226, 230, 231  
 Malan Loess 300  
 Mali 54  
 Mallorca diagenesis study 224, 226, 230, 239, 241  
 Mancherall Quartzite  
   facies description 131–7  
   facies sequence 137–40  
   setting 127–30  
 mass flux 13, 14  
 mathematical modelling *see* modelling  
 meniscus cement 236, 237, 239–40, 243  
 Mexican Gulf coast sediment budget study  
   erosion history 145–9  
   experimental measurement  
     methods 150  
     results 151–4  
     results discussed 154–6  
   foredune modelling 150  
   setting 145  
 Miaodao Islands 295, 296  
 mica 301  
 microfossils  
   in dune sand 194–5  
   in loess 299–300  
 Milankovitch cycles 311  
 mineral luminescence 50  
 mineralogy  
   cement 235  
   dune sand 211  
   loess 301–3, 312  
 modelling  
   airflow  
     development 26  
     experimental testing 26–8  
     results 28–31  
     results discussed 31–5  
   diagenesis  
     changes 220  
     processes 221–2  
     products 221  
     rate 222  
   foredune development 149–50  
   grain momentum 17–18  
   sediment transport 7–8  
     aerodynamic entrainment 8–9  
     trajectory calculation 9–10  
     wind modification 11–13  
     shear stress 41–2  
     wind-speed profiles 31–4  
 Moenkopi Plateau dune study  
   dune composition 78  
   history of studies 77–8  
   methods  
     OSL dose evaluation 81–2  
     OSL techniques 80–1  
     sampling 80  
   results 83–6  
   results discussed 86–8  
   setting 75–7  
 Mojave Desert dune study  
   IRSL dating  
     dose rates 64  
     laboratory preparation 62–4  
     theory 61–2  
     sampling 60–1  
   results 65  
   results discussed 65–6  
   setting 59–60  
 molluscs 194, 208, 211  
 Morocco  
   dust coat studies  
     calcite  
       environmental significance 289–290  
       micromorphology 283–6  
       mineralogy 281–3  
       occurrence 277–81  
     silica  
       environmental significance 289–90  
       micromorphology 288–9  
       mineralogy 288  
       occurrence 286–8  
   OSL studies 55  
 Muckish Mt 187  
 Mungo, Lake 52  
 Namib Desert 91–3  
 Nd isotope signatures 288–9  
 needle fibre cement 236, 242, 243  
 Negev Desert 69–71  
   TL dating 69  
   methods 71–2  
   results 72–4  
 Netherlands drift sands  
   age 250–5  
   areal cover 247, 248  
   dating 52, 54, 55–6  
   palaeoenvironmental significance 249–50  
   sedimentary structures 256–60  
 New Zealand 51  
 Niedersachsen 251  
 Nizzana 69–71  
   TL dating  
     methods 71–2  
     results 72–4  
 Noord-Brabant 251  
 North Point 224, 225, 228, 230, 231, 239, 241, 242  
 $\delta^{18}\text{O}$  286  
 Oman  
   barchan dune study 37–8

- Oman  
  barchan dune study *contd*  
  shear stresses  
    measurement 38–41  
    modelling 41–2  
    results discussed 43–4  
    wind tunnel predictions 42–3  
  diagenesis study 226, 227, 228, 229, 230  
  optically stimulated luminescence (OSL) 49  
  case studies 53–5  
    Tusayan Dunes 80–8  
  methods 53  
  orbital forcing 311  
  organic carbon classification 250  
  orthoclase  
    in dune sand 211  
    in luminescence dating 50, 52–3, 55
- Paiute Trail Point 75  
  palaeoclimatic evidence 311, 322–3  
  palaeomagnetism 297  
  Pals Bay 191  
  palygorskite 281, 283  
  peats  
    interdune 249, 250–3  
    intertidal 211, 214  
  Pelterbahn 251  
  pendant cement 236  
    *see also* gravity cement  
  Penglai Loess 296, 297  
  Perdido Key sediment budget study  
    erosion history 145–9  
    experimental measurements  
      methods 150  
      results 151–4  
      results discussed 154–6  
    foredune modelling 150  
    setting 145  
  periglacial dunes  
    chronology 272–4  
    morphology 271  
    sedimentology 271–2  
    setting 270–1  
  photostimulated luminescence 49  
    *see also* optically stimulated luminescence  
  plaggen 248, 250  
  plagioclase  
    in dune sand 211  
    in luminescence dating 50, 55  
  plant fossils 210, 211  
  Pleistocene studies  
    atmospheric circulation 289–90  
    sea-level effects 304–5  
  pollen analysis  
    drift sand 249  
    loess 300  
  pore-filling cement 235, 237, 241–2, 243  
  Portrush 187  
  Portstewart 177, 187  
  potassium feldspar  
    in dune sand 211  
    in luminescence dating 50, 52–3, 55  
  potential sand drift (*Q*) 160–1  
  potential sand transport capacity (*Q<sub>pot</sub>*) 40
- Pranhita-Godavari Valley  
  facies descriptions 131–7  
  facies sequences 137–40  
  setting 127–30
- Precambrian studies  
  facies descriptions 131–7  
  facies sequences 137–40  
  preservation studies 219  
  pressure drag (*F<sub>p</sub>*) 17  
  pressure gradient (*F<sub>pg</sub>*) 17  
  principal components analysis 195–6
- Proterozoic studies  
  facies descriptions 131–7  
  facies sequences 137–40
- Pyla, Dunes du 54  
  pyroxene 301
- quartz  
  in dune sand 193–4, 211  
  in loess 297, 301, 312  
  use in luminescence dating 50, 51, 53–5
- Quaternary studies  
  diagenesis 219  
  cementation sequences 224–6  
  controls 222–3  
  location effects 226–8  
  methods of study 223–4  
  modelling  
    changes 220  
    processes 221–2  
    products 221  
    rate 222  
  rate changes 228–31
- radio-isotopic dating  
  calcrete 286  
  loess 297  
  peat 206, 209, 210, 211, 212–13, 251  
  radiolaria 299–300  
  rainfall, role in dune activity 95, 98  
  Red Rock Cliffs 75  
  rhizoliths 228, 229  
  rim cement 236, 237, 240–1, 243  
  Rinclevan 177  
  ripple lamination 263  
  ripples 15  
  Roquetas 224, 228, 230, 239, 242  
  Rosa Penna 177  
  roughness, effective 14
- saltation modelling 8  
  San Salvador Island 224, 225, 228, 230, 231, 239,  
  241, 242  
  saturation magnetization (*M<sub>s</sub>*) 314, 321  
  saturation remanence (*M<sub>rs</sub>*) 314, 321
- Scotland, beach transport study  
  implications for dune growth 168–9  
  methods of measurement 162–4  
  results 164–7  
  sediment budget 167–8  
  setting 159–60  
  wind regime 161
- Sede Hallamish 69–71

- TL dating
  - methods 71–2
  - results 72–4
- sediment budgeting 167–8
- sedimentary structures
  - drift sand
    - macroscale 255–63
    - microscale 240, 263–5
- Sefton coast dune studies 201–3
  - methods of study 205
  - results
    - core sequences 210–11, 212, 213
    - fossil data 208–10
    - morphostratigraphy 206–8
  - results discussed 211, 214–5
  - setting 203–5
- seif dunes 98–9
- shear stress 11
  - experimental measures 38–41
  - modelling 41–2
  - wind tunnel predictions 42–3
- shear velocity 39
- shoreline *see* coastal dunes
- silica dust coats
  - environmental significance 289–90
  - micromorphology 288–9
  - mineralogy 288
  - occurrence 286–8
- single aliquot technique 56, 62, 66
- Sleenerzand 251
- smectite 283, 303
- solid friction (*F<sub>s</sub>*) 17
- South African dunefield studies
  - experimental measurements 27–8
  - results 28–31
  - results discussed 31–5
  - wind environment 26
- Spain
  - diagenesis study 224, 228, 230, 239, 242
  - dune development study, age 198
    - classifications 192–3
    - evolution 197–8
    - mineralogy 194–5
    - morphology 191
    - origins 196–7
    - sedimentology 193–4
    - setting 191
    - statistical methods 195–6
- spectral analysis
  - method 18
  - results
    - transport rate 20, 21, 22
    - wind speed 20, 21, 22
- Sr isotope signatures 288–9
- star dunes 96
- Sullavai Group
  - facies description 131–7
  - facies sequence 137–40
  - setting 127–30
- Tentsmuir beach transport study
  - implications for dune growth 168–9
  - methods of measurement 162–4
  - results 164–7
- sediment budget 167–8
  - setting 159–60
  - wind regime 161
- Ter Horsterzand 251
- Thar Desert 51
- thermoluminescence (TL) 49, 69
  - case studies 51–3
    - drift sand 255
    - loess 297
  - Negev Desert dunes 71–4
    - compared with IRSL 61
  - method 50
- thermomagnetism
  - methods of measurement 314
  - results 316
  - results discussed 316–17
- Tiznit Plain 281, 287
- trace fossils 208, 209
- trajectory calculation 9–10
- Tramuntana* 191, 197
- transport rate
  - case study
    - methods of measurement 162–4
    - results 164–7
    - sediment budget 167–8
    - setting 159–60
    - wind regime 161
  - implications for dune growth 168–9
  - modelling 7–8
    - aerodynamic entrainment 8–9
    - trajectory calculation 9–10
    - wind effects 11–13
  - profiles 19
  - spectral analysis 20, 21, 22
- transverse dunes 96
  - see also* Alexandria coastal dunefield study
- Trawenagh dunes 184
- Tungeler Wallen 251
- Tunisian diagenesis study 225, 226, 230, 231, 239, 241, 242
- Tusayan Dunes
  - composition 78
  - history of study 77–8
  - methods of study, OSL 80–1
    - OSL dose evaluation 81–2
    - sampling 80
  - results 83–6
  - results discussed 86–8
  - setting 75–7
- USA
  - dating studies
    - OSL 54
    - TL 52
  - regional studies *see*
    - Florida
    - Kelso Dunes
    - Tusayan Dunes
    - Utah
- Usselo Layer 54
- Utah Jurassic sandstones study
  - depositional environment 116–22
  - facies architecture 122–4
  - lithology 107–16

- palaeogeography 106–7
- survey techniques 104–6
- vadose diagenesis *see* diagenesis
- Veluwe drift sand
  - age 250–5
  - areal cover 248, 249
  - palaeoenvironmental significance 249–250
  - sedimentary structures 256–9
- viscous drag ( $F_v$ ) 17
- Wahiba Sands diagenesis 226, 227, 228, 229, 230
- Ward Terrace *see* Moenkopi Plateau
- wet aeolian system
  - case study
    - depositional environment 116–22
    - facies architecture 122–4
    - lithology 107–16
    - palaeogeography 106–7
    - survey techniques 104–6
  - defined 103
  - whisker cement 236
    - see also* needle fibre cement
- White Strand 177
- wind characteristics
  - case studies 161
  - modification studies 11–13
  - tunnel experiments 18–19
  - velocity profile 12
    - spectral analysis 20, 21, 22
    - modelling 31–4
- Woeste Hoeve 251
- Zeegse Duinen 251
- zircon 301
- zoisite 301