

Index

- abietane 78, 80
Abu Roash Formation 124
Agathis 34
age significance of coals 4, 17, 202
Akata Shales 3
Alethopteris 44, 45, 47, 54
 see also pteridosperms
algae as sources 11, 12, 36
algal cell walls 62
 chemistry 47–8
 oil potential 51–5
algal coals 32
algaenan 31, 51
alginite 15, 94
algite 94
aliphatic hydrocarbons
 analysis 97–100
 significance 153–8, 164
n-alkanes 41–63, 73
n-alk-1-enes 41–63
angiosperms 3, 24, 33, 113
 biomarkers 80, 104
 see also flowering plants, *Nothofagus*,
 vascular plants
Araucariaceae
 in coal 23, 34, 36
 geochemical character 79, 81
 see also gymnosperms
archaeobacteria 75, 76
Ardjuna Basin 12, 13, 16, 20
aromatic chemical biomarkers 79–81, 164
asphaltene 73
Assam 5, 108
Athabasca tar sands 79
atrrinite 95, 96
Australia 17
 see also Bowen/Surat Basin; Clarence-
 Moreton Basin; Cooper Basin;
 Eromanga Basin; Gippsland Basin;
 Sydney Basin
Avicennia 35

bacteria as sources 11, 75, 76, 82, 103, 120
 see also archaeobacteria; cyanobacteria
bacterial biomass 15, 23
Baffin Bay 73
Balkash, Lake 48
balkashite 48
Bampo Formation 139
Bangladesh 108
Banuwati Formation 122
Baong Formation 139, 143
bark 56

Barracouta oil 75
Beaufort–Mackenzie Basin
 age 5, 13
 biomarker character 72
 Hydrogen Index data 16
 naphthenic oil 18, 21
 oil composition 22
 resinite study 17–18
 sources 36
Belumai Formation 139, 140
beyerane 78, 80
bicadinanes 23, 120, 124, 153
biomarkers 2, 23–4, 72, 73, 120, 185
 Cooper Basin 174–5, 178–9
 Sumatra oils 143–4
 Taranaki Basin 172–3, 176–7
 see also named chemicals
bisnorhopane 72, 85
bisanorlupanes 24, 85, 120
bituminous coal characteristics 23, 194, 195
Boghead coal 32, 36
Botryococcus
 chemistry 51
 as source 32, 35, 36, 48, 73
 see also algae
Bowen/Surat Basin
 age 12, 109
 biomarker character 72
 source rocks 13, 34
Bowland Shales 129, 135
Brazil 33, 36
Brazil Formation 39
British coal balls 45–6
Brent Coal 4, 6
brown coal characteristics 23
Bruksah Formation 139
Brunei 13
bryophytes 80

¹³C 3, 25, 120
 Egyptian sources 128
 N England sources 134
 NMR 49, 50, 52, 55
 Sumatra oils 124, 144–5
 Talang Akar oils 122
cadalanes 77
cadinene 35
Calamites 33
 see also pteridophytes
Canada *see* Beaufort–Mackenzie Basin;
 Scotian/Labrador Shelf
carbonaceous shale, role of 13–14

- Carboniferous
 - coal composition 32–3
 - palaeogeography 130, 131
 - plant fossil material 37–47
- cedrene 77
- Ceratopteris* 35
- Cerdanya oil shale 36
- charcoal 6
 - see also* fusinite
- China 32
 - see also* Junggar Province; Liaoning Province; Qaidam Province; Songliao Basin; Turpan Basin
- Clarence-Moreton Basin 18, 20
- clarite 94
- clarodurite 94
- coal
 - compositional variations 32–4
 - defined 32
 - depositional environments 14
 - significance as oil source 1
- coal balls
 - British 45–6
 - Indiana 41–4
 - Kansas 44–5
- coking reactions 21
- collinite 15, 17, 94
- collite 94
- communic acid 37
- conifers 3
 - biomarkers 23–4
 - as sources 13, 23, 33
 - see also* Cupressaceae, *Glyptostrobus*, Kauri pine, Pinaceae, Podocarpaceae, Taxodiaceae
- Cooper Basin 2, 108
 - age 12
 - coal
 - biomarker ratios 24, 174–5, 178–9
 - depositional environment 13, 14
 - geochemical characterization 159–64
 - geochemical data discussed 164–9
 - methyl phenanthrene index 21
 - petrography 17
 - plant sources 34
 - Rock-Eval 16, 19, 159, 171
 - vitrite reflectance 170
 - gas 25
 - microbial biomass, role of 2, 3
 - oil
 - composition 22
 - generation 20
 - setting 13, 14, 159
 - stratigraphy 169
- Coorong 48
- coorongite 48
- cordaites 33
 - see also* gymnosperms
- cork tissue 17
- Cornaceae 35
 - see also* angiosperms
- Cretaceous
 - coal composition 33, 34
 - latitude associations 111
 - regional studies *see* Assam; Gippsland Basin; Myanmar Province; Niger delta; Taranaki Basin
- cuparene 77
- Cupressaceae 36, 79
 - see also* gymnosperms, conifers
- cutan 31, 41, 49, 63, 73
- cuticle 62
 - oil potential 49–51, 98
- cutin 203
- cutinite 15, 17, 53, 94, 96, 99, 203
- cutinoclarite 94
- cutinodurite 94
- cutite 94
- cyanobacteria 32
- cycadeoids 34
- cycadophytes 33
- dammar resin 35, 84, 86
- Daqing oilfield 36
- Deerplay 45–6
- deltaic environments 3, 14, 119–20
 - Egyptian model 186
 - N England model 133, 135
- desmocollinites 99
- Devonian 32
- Diaphorodendron* 46, 56, 57
- diasteranes 23
- Dipterocarpaceae 35
 - see also* angiosperms
- diterpanes 23–4, 72, 77–81, 120
- diterpenoid resins 62
- drimanes 23, 77
- durite 94
- duroclarite 94
- Edale Shales 129
- Egypt
 - coal
 - geochemistry 122–9
 - as a source rock 5, 190–4
 - stratigraphy 183–4
 - oil
 - characteristics 127, 184–9
 - provinces 108, 111
- England (North)
 - basin settings 129
 - oil sources 5, 129–35
- environment of deposition, effect of 63, 71, 75
- Eocene basins *see* Beaufort–Mackenzie

- equisetaleans 34
 see also pteridophytes
 Eromanga Basin
 age 12
 biomarker character 23–4
 oil composition 22, 79–81
 sources 13, 34
Eskdalia 37–9, 51
 see also lycophytes
 Estonia 48
 eudesmanes 77
 exinite 3, 6, 15
 expulsion problems 94, 203
 factors affecting 4, 19, 20, 63, 100, 104
 exsudatinitite 15, 17, 100
- ferns 3, 34, 80
 see also pteridophytes
 Fife 46
 Flëming coal 45
Flemingites scottii 46
 see also lycophytes
 flowering plants, rise of 33
 see also angiosperms
 Fushun coalfield 37
 fusinite 15, 17, 94
 fusite 94
- gas chromatography 123, 126, 127, 152, 187, 189
 with mass spectrometry (GCMS) 95–6, 141, 143–4
 with pyrolysis 48–9, 156, 163, 165, 192
 gas : oil ratio (GOR) 4–5, 18
 gas potential 18–19, 94
 gas reserves 110
 Gebel Maghara coals 124, 190, 194
 gelinite 100
 geochemistry
 bulk 71–3
 specific compounds
 n-alkanes 73–4
 diterpanes 77–81
 isoprenoids 75–6
 pentacyclic terpanes 82–6
 sesquiterpanes 76–7
 sesterterpanes 81–2
 steranes 87–8
 German gas reserves 25, 109
 ginkgoaleans 33
 see also gymnosperms
 Gippsland Basin 107
 age 12, 108
 biomarker character 72
 gas composition 25
 oil composition 22, 24
 oil geochemistry 75, 78, 82, 84
- PGI 20
 sources 13, 34, 111, 113
Gloeocapsomorpha 32, 48, 51
 see also algae
 glossopterids 73
 see also gymnosperms
Glyptostrobus 33
 Green River Formation 36
 Guchengzi Formation 37
 gymnosperms 33, 63, 113, 202
 biomarkers 80
 see also conifers, cordaites, cycadeoids, cycadophytes, glossopterids, pteridosperms
- Haltenbanken 5, 13, 109, 110
 Herrin Coal 46
 high wax oil 21
 hopanes 23, 72, 77, 82–4
 hopanoids 102
 hopenes 102
 humic coal 94
 huminite 100
 humodetrinite 95
 hydrocarbon ratio 2
 Hydrogen Indices 2, 15, 16, 114, 202
 Brent coals 6
 Cooper Basin 159
 Egyptian oils 124, 128, 190
 Indonesian kerogen 122
 N England sources 134
 Taranaki sources 152
- India 108
 Indiana coal balls 41–5
 Indiana paper coal 39–41
 Indonesia 120–2
 see also Ardjuna Basin; Java; Kutei Basin; Mahakam delta; Natuna; Pasir Sub-basin; Sumatra Basin; Sunda Sub-basin; Taranaki Basin
 Indus Basin 109
 inertinite 6, 15, 17, 94
 inertite 94
 isoprenoids 23, 75–6, 100–2
 isotopic characterization *see* ¹³C
- Java 13, 108, 110, 114, 122
 see also Ardjuna Basin
 Junggar Province 108
 Jurassic
 coal composition 33, 34
 latitude associations 111
 regional studies *see* Egypt; Eromanga Basin; Haltenbanken; Turpan Basin

- Kalimantan 12, 13
 see also Indonesia
 Kansas coal balls 44–5
 Kapuni Group 150
Karinopteris 39–41, 51
 kaurane 78, 79, 80
 Kauri pine 23, 34, 203
 see also gymnosperms
 kerogen 1, 36–7
 classification 16, 20
 isotopic characterization 3
 Khatatba Formation coal 124–5, 126, 183
 kukersite 48, 56
 Kutei Basin 108, 110, 113, 114
 see also Mahakam delta
 Kuznetsk Basin 32
- labdane 78, 80
 Labrador Shelf 22
 lacustrine sediments 1, 11
 lamosites 36
 laser extraction 95–6
 latitude, effect on coaly sources 111–12
 Latrobe group 34
Laveinopteris 44
Lepidodendron 46, 56
Lepidophloios 56
 Liaoning Province 37
Linopteris 44
 liptinite 2, 93, 203
 geographical variation 114, 120
 hydrocarbon potential 15, 17
 liptite 93, 94
 liptoclarite 94, 96
 composition 97, 99, 100, 101, 102, 103
 liptodetrinite 15, 17, 94, 96, 99
 liptodetrinodurite 94
 liptodetrinite 94
 liverworts 80
Lonchopteris 44
 Luconia 108
 lupanes 84
 lycophytes 32, 33, 34, 45–6, 62
 periderm 45–6
 spores 46, 57
 stem cuticle 37–9
 see also *Diaphorodendron*, *Eskdalia*,
 Lepidodendron, *Lepidophloios*,
 Sigillaria, *Stigmaria*
 lycopsids 14
 see also lycophytes
Lycospora 46, 59
- Mahakam delta
 age 13
 biomarker character 72
 gas composition 25
 gas : oil ratio 5
 Hydrogen Index 16
 oil composition 21
 oil maturation 20
 oil sources 34–6
 see also Indonesia
 Malaysia 108
 mangroves and coal formation 35, 120
 Maracaibo 108
 mass balance assessment 20–1, 26
 mass spectrometry 95–6, 141, 143–4
 maturity measures 145
 medullosan pteridosperms 41–5
 see also gymnosperms
 Messel, Lake 47–8
 methyl phenanthrene index 21
 micrinite 15, 17
 microbial biomass 2, 3, 5, 14–15
 microlithotypes 93, 94
 methods of analysis 95
 results of analysis
 laser extraction 95–7
 organic petrology 95
 results discussed
 acyclic isoprenoids 100–2
 n-aliphatics 97–100
 pentacyclic triterpenoids 102–4
 migration problems 94, 204
 Miocene studies *see* Kutei Basin; Mahakam
 delta; Talang Akar Formation coal
 Moscow Basin 37–9
 mosses 33, 80, 120
 Myanmar Province 5
Myeloxylon 44
- naphthenic oils 13, 18, 21
 Natuna 109
Neuropteris 44
 New Zealand *see* Taranaki Basin
 Niger delta 2–3, 5, 13, 16, 72
 Nigeria 13, 16, 72
Nipa 35
 NMR 49, 50, 52, 55
 North Sea Province 5, 13, 109, 110
 Brent coals 4, 6
 gas pools 20, 109, 110
 Norway 5, 13, 109, 110
Nothofagus 34
- Odontopteris* 44
 see also pteridosperms
- maceral nomenclature 15
 macrinite 15, 17

- oil generating potential
 measurement 48–9, 119, 149
 results 49–50
 algal walls 51–5
 cuticles 51
 periderm 51–7
 resins 57
 spores 57
 results discussed 61–4
- oil reserves 107–110
- oleanane 3, 84, 124
- oleanes 24, 72, 73, 84, 120
- Oligocene studies *see* Ardjuna Basin; Talang Akar Formation coal
- oligoterpenoids 35
- Ordovician 32, 48
- Orestovia devonica* 32
- organic matter classification 15–16
- Oxygen Index
 Egyptian coals 124, 128
 Indonesian kerogen 122
 N England sources 134
 Taranaki sources 152
- ozocerite 74
- Pakistan 109
- palaeobotany 31–70, 202, 203
- Palaeocene basins *see* Beaufort–Mackenzie
- palaeolatitude effect on coaly sources 111–12
- paper coal
 Indiana 39–41
 Russian 37–9
- paraffins, significance of 11
- Parapat Formation 139
- Paripteris* 44
see also pteridosperms
- Pasir Sub-basin microlithotype study
 methods of analysis 95
 results
 laser extraction 95–7
 organic petrology 95
 results discussed
 acyclic isoprenoids 100–2
 n-aliphatics 97–100
 pentacyclic triterpenoids 102–4
- Patchawarra coals 20
- peat 5, 14, 15, 119–20, 202
- Pediastrum* 35, 36, 37, 51
see also algae
- pentacyclic terpanes 82
- pentacyclic triterpenoids 102–4
- periderm 45–6, 51–7, 62
see also bark
- Permian
 coal composition 33
 plant fossil material 47
 regional studies *see* Bowen/Surat Basin; Cooper Basin
 source rocks 111
 Perth Basin 22
 petroleum expulsion efficiency (PEE) index 20
 petroleum generation index (PGI) 20
 Pettycur Limestone 46
 Philippines 111
 phyllocladane 78, 80, 82
 phytane *see* pristane/phytane ratio
- Pila* 48
see also algae
- pimarane 78
- Pinaceae 79
see also gymnosperms
- Podocarpaceae 34, 79
see also gymnosperms
- pollen and palynomorphs 32, 34, 35, 62
- polycadinene 35, 62
- polycommunic acid 34
- Precambrian 32
- pristane/phytane ratio 2, 23, 75–6, 100
 Cooper Basin 159
 Egyptian sources 128
 N England sources 134
 Taranaki sources 152
- psilophytes 32
- pteridophytes 6, 32
see also Calamites, equisetaleans, ferns, lycophytes, tree ferns
- pteridosperms 33
 cuticle study 39–41, 44–5
 medullosan 41–5
see also *Alethopteris*, *Karinopteris*, *Laveineopteris*, *Linopteris*, *Lonchopteris*, *Myeloxylon*, *Neuropteris*, *Odontopteris*, *Paripteris*, *Reticulopteris*
- pyrolysis 19, 48–9, 202
 methods 48–9
 results
 algal cell walls 51–5
 cuticle 49–51
 periderm 51–7
 resin 57–61
 spores 57–9
 results discussed 61–4
- Qaidam Province 108
- reed marsh 33
- Reinschia* 48
see also algae
- resinite 4, 15, 17–18, 94
- resinoclarite 94, 95
 composition 96, 97, 99, 100, 101, 102, 103
- resinodurite 94
- resins and oil potential 24, 57–61, 202, 203
- resite 94

- Reticulopteris* 44
Rhacophyton 32
 Ribesalbes oil shale 36
 Richards Formation 13
 Rock-Eval 16, 19, 183
 Cooper Basin 171
 Taranaki Basin 152, 171
 see also pyrolysis
 Rundle oil shale 36
 Russia 38, 109
 Russian paper coal 37–9
- Sabden Shales 129
 Saigon 108
Salvinia 59
 see also pteridophytes
 sapropelic coal 93–4
 see also Boghead coal
 Sarawak 13
Scenedesmus 51
 sclerotinite 15, 17, 94
 sclerotite 94
 Scotian/Labrador Shelf 22
 secohopanes 82
 seeds 63
 semifusinite 15, 17, 94
 semifusite 94
 sesquiterpanes 76–7
 sesquiterpenoids 35, 104
 sesterterpanes 72, 81–2
Sigillaria 46, 56
 Sihapas coals 110–11
 Smørbukk Sør field 5
 solanesol 76
 Songliao Basin 36
Sonneratia 35
 South Africa 36
 Spain 36
Sphagnum 33
 see also bryophytes
 spores oil potential 57–9
 sporinite 15, 17, 94, 96, 203
 sporite 94
 sporoclarite 94
 sporodurite 94
 sporopollenins 32, 37
 steranes 23, 72, 87–8
 Cooper Basin 161, 175, 179
 Egyptian desert 128
 N England 134
 Pasir Basin 104
 Taranaki Basin 152, 173, 177
Stigmara 46, 56
 see also lycophytes
 suberinite 15, 17
 sulphur, significance of 73
 Sumatra Basin 108, 110, 122, 139
- history of research 139–41
 present study
 results
 geochemistry 143
 maturity 145–7
 palaeoenvironment interpretation 143–5
 see also Sihapas coals
 Sunda Sub-basin 122
 Surat/Bowen Basin
 age 12, 109
 biomarker character 72
 source rocks 13, 34
 Surma 108
 Swillington 46–7
 Swillington Shales 45
 Sydney Basin
 biomarker character 72
 gas composition 25
 sources rocks 34, 36
- Talang Akar Formation coals 13, 20, 120–2, 123
 Taranaki Basin 12, 13, 108, 150, 169
 age 12, 13, 108
 coal
 biomarker ratios 72, 172–3, 176–7
 Rock-Eval data 171
 vitrinite reflectance 170
 oil geochemistry 23, 150–8
 summary of characters 158–9
 tasmanite 47, 54
 Tasmanites 47, 51
 see also algae
 Taxodiaceae 79
 see also conifers
 tegmen 62
 telinite 15, 17, 94
 telite 94, 95, 96
 composition 97, 98, 99, 100, 101, 102, 103
 terpanes 72, 76–82
 non-hopanoid 84–6
 pentacyclic 82
 tetracyclic 32, 129
 terrigenous gas sources 18–19
 composition 25
 terrigenous oil sources 12–13
 composition 21–5
 environment of deposition 13–15
 evaluation 19–21
 geochemical character 15–17
 organic matter composition 15
 petrographic character 17
 resinite role 17–18
 Tertiary
 coal composition 33, 34
 latitudinal associations 111
 plant fossil material 47–8

- regional studies *see* Ardjuna Basin;
Beaufort–Mackenzie Basin; Kutei
Basin; Mahakam delta; Niger delta;
Talang Akar Formation coal
- tetracyclic terpanes 32
- Tetraedron* 47–8, 51
 - see also* algae
- textinite 95, 96, 99, 100
- Thailand 109
- torbanite 32, 36
 - see also* algae, sapropellic coal
- tree ferns 33
 - see also* pteridophytes
- Triassic peats 33
- trimacerite 94
- triterpanes
 - Cooper Basin 161, 175, 178
 - Taranaki Basin 23, 153, 173, 176
- triterpenoids 35, 102–4
- Tuberculatisporites* 46, 47, 58
- Turpan Basin 12
- Turrum oil 75, 82

- Uinta Basin 36
- ulminite 95, 96, 99, 100
- ursanes 84
- USA 36, 39–41, 41–5

- vascular plants as sources 34–6
 - see also* angiosperms, gymnosperms,
lycophytes, pteridophytes
- Venezuela 108, 111
- Vietnam 108
- Vilyuy 109
- vitrienerite 94
- vitrinertinoliptite 94
- vitritine 6, 15, 17, 99, 119, 120, 203
 - reflectance values 128, 134, 170
- vitrite 94
- vitrodetrinite 15, 17

- Walloon coal measures 18, 20, 34
- wax 11, 21, 71–3, 185
- white coal 47
 - see also* *Tasmanites*
- wild fires 6

- Yallourn coal 34

- zosterophylls 32

Classic Earth Science Texts reprinted in paperback...

**Coal and Coal-bearing Strata:
Recent Advances**
edited by A. C. Scott

This book is recommended reading for the undergraduate student contemplating a project involving coal and is essential reading for the postgraduate student undertaking research into any of the many fields covered by the book. It should be available in all libraries having geological reference material.

A. H. V. Smith in *Geological Magazine*, vol. 126 no 2

The papers provide a blend of geological, biological and biochemical subjects that highlights the relevance of interdisciplinary approaches to coal studies.

D. L. Wolberg and F. J. Kuellmer in
Journal of Sedimentary Petrology, vol. 59 no 2

This is the most important book on coal formation in the past 20 years.

S. Hazeldine in *Modern Geology*, vol. 13

Previously published in 1987 as Special Publication 32

ISBN 1-897799-01-2. 332 pages. paperback. Dec 93

List price US\$33.50/£19.95.

Discounts are available to members of The Geological Society and AAPG.



**Geological Society Publishing House, Unit 7,
Brassmill Enterprise Centre, Bath BA1 3JN, UK.
Tel (0225) 445046. Fax (0225) 442836**

A Geological Society Special Publication Classic

Classic Earth Science Texts reprinted in paperback...

Deltas: Sites and Traps for Fossil Fuels

edited by M. K. G. Whateley and K. T. Pickering

This book covers the significant advances that have been made in our understanding of deltas but which have not, until now, been collated into one useful reference source.

Many aspects of modern and ancient deltaic sedimentary systems are covered in both marine and freshwater environments, including processes, facies models, petroleum-, gas- and coal-related environments, together with general case studies.

Deltas will be of particular interest to researchers, teachers and students of sedimentology, economic and petroleum geology and those who seek a detailed, state-of-the-art overview of this large and ever-expanding subject area. The volume is well illustrated by line diagrams and photographs and includes a comprehensive 16-page index.

Previously published in 1989 as Special Publication 41

ISBN 0-903317-98-2. 360 pages. paperback. Nov 93

List price US\$33.50/£19.95.

Discounts are available to members of The Geological Society and AAPG.



**Geological Society Publishing House, Unit 7,
Brassmill Enterprise Centre, Bath BA1 3JN, UK.**

Tel (0225) 445046. Fax (0225) 442836.

A Geological Society Special Publication Classic

Classic Earth Science Texts reprinted in paperback...

Inversion Tectonics

edited by M. A. Cooper and G. D. Williams

We owe the petroleum industry a vote of thanks. First they gave us a modern understanding of thrust tectonics. Then came strike-slip tectonics and extensional tectonics. Now out of the north comes inversion tectonics...Part 1 (Modelling and Theoretical Concepts) describes underlying principles and sand-box experiments...Part 2 (Inversion in the Alps and Alpine Foreland) contains five papers in which the traditional view of inversion as applied to sedimentary basins is extended into the orogenic domain...Part 3 (Inversion on the European Continental Shelf) reverts to 'more conventional' concepts of inversion in sedimentary basins...Part 4 (Inversion in Other Geological Environments) provides examples of inversion...Personally, I found the papers which extended the concept to orogenic terranes particularly interesting and I would recommend the book to both hard and soft-rock workers.

R. Glen in *Australian Geologist*, 1990, no 7

Previously published in 1989 as Special Publication 44

ISBN 0-903317-97-4. 375 pages. paperback. Oct 93

List price US\$33.50/£19.95.

Discounts are available to members of The Geological Society and AAPG.



**Geological Society Publishing House, Unit 7,
Brassmill Enterprise Centre, Bath BA1 3JN, UK.
Tel (0225) 445046. Fax (0225) 442836**

A Geological Society Special Publication Classic