

Index

- Abbeyleix 233–4
- Abernant Middlings 226
- accuracy 46, 118, 121, 130, 195
- acquisition costs 126
- ADDMOD program 161
- aggregates 5, 191, 202, 221
 - lightweight 225–6
 - silica content 226
- aluminium, as impurity 59
- andesites 254
- Anglian Boulder Clay 196
- Anglian Glaciation 196, 221
- anisotropy 49–50, 72, 74, 77, 79, 91, 164–5, 203
- apatite 54, 56–7, 59–60
- aquifer heads 217
- aquifer recharge 214
- aquifer recovery 216
- area errors 112
- Argentina 253–4
- assay values, Lisheen 237
- Association of Professional Engineers of Ontario 11, 13–14, 132
- assurance definition 132
- attribute accuracy 46
- Australian IMM/AMIC classification 6, 11–12, 132, 135
- avalanches 254, 256, 258–9

- back-estimation 167
- backfill sloughing 102
- backfilling 103
- bailer 192
- ball mills 256, 263
- Bama mine 177
- Barham Sands and Gravels 196
- basalt, andesitic 207
- Bayes' theorem 90
- Belfry quarry 222, 224–5
- bell pits 221, 226, 232
- beneficiation 54–6, 59–61, 157, 258
- Bergslagen ore province 172–3
- bimodal distribution 115, 120, 162
- Birimian Group 159
- blast damage 97, 100
- blast hole drilling 103
- blast hole sampling 68, 72, 75, 77
- blast vibration 101, 103
- blasting overbreak 100
- block confidence limits 133
- block errors 197
- block grade models 89, 94, 161
- block grades 93
- block models 73, 75, 77, 82, 84, 87, 92, 112–16, 121, 144, 254
- block revenue models 147
- block sizes 87–9, 91, 93, 116
- borehole assays 72
- borehole databases 48, 191–2
- borehole layout diagrams 30, 80
- borehole sampling 98, 192
- borehole simulation 72
- bornite 254
- boulder clay 196
- boundary element methods 100
- boundary errors 112
- boundary location 111
- boundary recognition 111
- boundary variation 111
- braided rivers 191
- Brandelos mine 177
- breccias 234, 237, 254
- British Coal Opencast 37–8, 45, 48, 51, 226, 231–2
- British Geological Survey 1, 8, 241
- British Standards, aggregates 191, 202
- bulk properties, kaolin 244
- buried canyons 213
- buried channels 195
- burnt coal 50
- Bushveld Complex 16

- calc-silicate rocks 174
- calcination 61–2
- Calgon 243, 245
- Canadian IMM 6
- carbonates, as impurities 61
- carbonatites 53–4
- cash flows 132–4, 138–9, 146
- cavity surveying 106
- central tendency, measures of 72, 75
- ceramics 243, 246
- Chacay 253, 258
- chalcocite 254
- chalcopyrite 254
- channel bedloads 204
- chemical barrier 162
- Chile
 - government and laws 250–1
 - investment in 123–8, 251
- Chilulwe 241–3, 245–7
- chippings 224
- chlorine, as impurity 62
- Choapa 253
- chromite 16
- Chuquicamata 250
- churn drilling 161–2
- classification 3
 - alternatives 13, 16
 - international 14
 - quantitative 16
- clay minerals 242
- Clee Group 220
- Clee Hill Quarry 219–32
- Clee Hills 219, 221
- coordinate systems, unfolded 186–9

- coal, Welsh 226
- Coal Measures 220–2, 224–6, 228, 231
- coal quality 231
- coal reserves 226–7
- coal seam thickness 38, 40–1, 50, 231
- coding, nested 237–8
- La Coipa 127
- Collahuasi 123, 127
- communications, underground 95, 103, 106
- completeness 46
- computer aided design 141
- computer based pit design 147
- computer errors 111
- computer integrated mining system 104, 107
- computer models 109, 121
- computer networks 236–7
- concrete production 191
- conditional simulation 91
- confinement effects 100
- contamination 222
- continuity, geological 13–15, 176
- continuous assessment 130
- control points 181–8
- control sampling 93
- copper, grades 252, 258
- Copper Cliff North mine 106
- copper projects, Chile 123–8, 249–63
- Copperbelt 242
- core drilling 222, 225, 227, 231
- corporate borrowing 133
- cost benefit analysis 212–13
- Council of Mining and Metallurgical Institutions 6
- crater blocks 103
- cratonic blocks 157
- cross-validation 201–4
- crushing 255–6
- currency 47
- cut and fill mining 102, 173, 177
- cutoff grades 89, 96–7, 161, 166, 168

- dam, tailings 258–9
- data, uses 3
- data analysis 2, 37–43
- data capture errors 111
- data collection 2–3, 6, 105
 - Zinkgruvan 177
- data errors 111
- data flow model 47
- data modelling 29–35
 - see also* data analysis
- data organization 159
- data point coordinates 179–80, 199
- data preparation 48
- data quality 45–6
- data set, statistical assessment 69, 202
- data storage 29
- database management 233–9
- DATAMINE program 164, 186–7
- debt swaps 250
- deconvolution 164
- definitions, nomenclature 7
- deformed orebodies, reconstruction of 171, 180
- Delaunay triangulation 50
- depletion 70
 - depletion schedules 147
 - deregularization 164–5
 - Derrykearn 234
 - Desert Valley 207–9, 214, 216
 - development data, Chile 125–6
 - deviation, drilling 103, 106
 - dewatering 207–17
 - costs of 212–13, 217
 - environmental effects of 214, 217
 - simulated 212
 - dewatering stresses 211
 - Dhustone 221–2, 224, 226, 231
 - diamond drilling 161–2, 172, 233, 252, 254
 - digital terrain model 30–1, 34
 - dilution 96, 98, 255
 - backfill 102
 - control of 103, 105–6
 - definition 96
 - measures 95
 - planned 96–8, 100, 107
 - total 97
 - unplanned 97, 100–2, 107
 - diopside 175
 - dip contours 32, 34
 - dip sections 33–4
 - discovery costs 126
 - discovery to startup times 127
 - disseminated deposits 141, 144, 174
 - Ditton Series 220
 - dolerite 219–22, 224–5, 231
 - dolomite 61, 233–4, 236–8
 - dolostone 237
 - downhole assays 161, 177
 - Downton Series 220
 - drawdown 211–12, 214
 - dredging 55
 - drift and bench mining 173
 - drill drifts 100
 - drillhole sections 117, 121, 197
 - drilling
 - for dewatering 208
 - monitoring 106
 - drilling accuracy 103
 - drilling and blasting 100, 105
 - drilling grids 87–90, 144, 159–60, 177, 191–2, 197, 235–6
 - dry holes 193
 - duplicate sampling 192

 - economics, Chilean mining 123–8, 251
 - edge blocks 93
 - en echelon faults 236
 - end-user involvement 3, 8
 - enrichment 70
 - entry costs 124
 - environmental impact 259
 - erosional scours 196–8
 - error estimation 75, 83, 85, 109, 130
 - error quantification 112, 121
 - error types 111, 194–5
 - La Escondida 123, 127, 251
 - estimates, precision of 25
 - estimation 3
 - of variance 110, 134

- Europe, Eastern 1, 5
- exploration costs 127
- exploration quality 98
- explosives 100, 103, 106
- exposure time 103
- extension variance 197
- external environment factors 3, 5
- extraction reserves 97
- extractive equipment 54

- fault blocks 185
- fault interpretation 29–35
- faulted orebodies 171, 180
- faulting
 - Clee Hills 224, 228
 - Lisheen 236
 - Zinkgruvan 173
- feasibility studies 6, 8, 12, 24–5
- feldspar, in kaolin 244–6
- ferroan dolomite 234
- financial conditions, Chile 251
- financial forecasting 134
- financial returns 133
- financial risk 132, 263
- finer, loss of 192–3
- finite element methods 100, 208, 210
- fireclay 232
- fixed heads 211
- flint 197
- flotation 59, 61–2
- flowsheets 257
- fluorine, as impurity 62
- fluorspar veins 143–4
- fluvial systems 197
- folding
 - complex 184
 - isoclinal 176
 - minor 180
 - synclinal 224
- footwall prediction 118, 141
- fragmentation sensing 106
- fuller's earth, UK 5

- galena 174–5
- Galmoy 233
- Gaussian distribution 70, 115
- geographic information systems 45–6, 106, 111, 237
- geological distances 182, 185–6
- geological interpretation 229–30
- geological reserve 96
- Geological Survey of Canada 98
- geometric modelling 109, 120
- GeoMODEL 39–40, 48
- geophysical logging 98, 227, 231
- geostatistical noise 204
- geostatistical techniques 15, 50, 110, 147
- geostatistics 98, 109, 157–69, 171, 191, 198, 200
- German (DDR) classification 135
- German Mining Engineers and Metallurgists Society 136
- Ghana 157
- GIS *see* geographic information systems
- Glover 60
- global estimates 77
- global positioning systems 46
- gold mine, Nevada 207–17
- gold mineralization 91, 250
- gold projects, Chile 123–8
- Graça orebody 117–18
- grade contours 73
- grade control 177
- grade estimation 67–87, 109, 129
 - procedures 69
 - statistics 80–1
- grade reduction 107
- grade shells 70, 72, 74, 86
- grade variability 71
- grade zones 73–4
- graphs, directed 89–90, 145
- Graunt, John 2
- gravel gradings 192
- gravel thickness 197–201
- gravels, Beestonian 191
- Great Dyke 16
- gridded seam model 112–16
- grinding 256
- ground-penetrating radar 98
- groundwater 208, 210, 212, 216–17

- hanging-wall prediction 119, 141
- haulage 106
- head deposits 221
- heuristic algorithms 145
- El Hueso 127
- hydrocyclones 242–3, 247
- hydrogeology 208–9, 216–17
- hydrothermal alteration 254

- Illapel 258
- IMM classification 6, 11, 13, 26–7, 132, 137
- implementation 3
- impurities, kaolin 244
- in-situ* resources 131
- Incline quarry 222, 224, 226
- indicator maps 75
- El Indio 127
- Industrial Minerals Map, UK 8
- information effects 89
- infrared studies 58
- Institution of Mining and Metallurgy *see* IMM
- interceptor model 208–11
- INTMOV 37–43
- intrusives 159
- investment criteria 24, 130
- investment risks 14
- iron, as impurity 59
- iron ores 60
- irrigation 217, 258
- isopach map 31
- ITH drilling 100

- Jacupiranga 61

- kaolin 241–7
- kaolinite 241–3, 245–7
- Kesgrave Gravels 196–7
- Khibiny intrusion 59
- Killoran fault 234, 236

- Kiruna 60
 Knalla mine 173, 175–6
 kriging 74–5, 77, 90–1, 134, 164–8, 172, 197, 199, 201, 203, 254

 Lake Lahontan 207, 216
 laterite 159, 242–3
 leaching 159
 lead–zinc mining, Poland 21
 legislation, mining 250
 Lerchs–Grossmann algorithm 90–1, 94, 145, 147–55
 limestones, Lisheen 233–4, 236
 lineage 47
 Lisheen 233–9
 load-haul-dump 106
 loading equipment 105
 loading performance 106
 Lobo 127
 locational errors 111, 121
 Loch Borralan 60
 log-normal distribution 203–4
 log-normal shortcut 91
 logical consistency 46
 Lombador deposit 112
 London Basin 197
 London Clay 195
 longitudinal retreat 103
 low grade deposits 130
 Lowestoft lodgement till 191
 Ludlow 221

 macros 238
 magnetic surveys 222
 Main Ore 174–5
 Malmberget mine 98
 management systems 105
 manganese mines 157–69
 Mathew's method 101
 meta-tuffs 159
 metadata 46
 metallogenesis 237
 Metallogenic Map of the UK 8
 metatuffite 174–5
 mine design 34, 48, 50, 95, 97, 100
 mine models 104–5
 mine planning 71, 77
 mineable reserves 96
 Mineral Occurrence Database 8
 Mineral Planning Guideline 5
 mineral potential 13, 21, 137
 mineral reserves, definition 1, 137
 mineral resources, definition 1
 mineralization envelopes 161
 mineralization zones
 Chile 255–6, 262
 Lisheen 234
 mineralogy 243
 mining costs 144
 mining depths 142
 mining dilution 13
 mining efficiency 95
 mining feasibility 134
 mining lines 96–8, 100
 mining reserves 97

 mining resources 131
 mining sequence planning 145–6
 mining trials 104
 model structures 110
 model validation 167
 modelling, three-dimensional 34
 MODFLOW 208, 217
 molybdenite 254
 molybdenum 250, 252
 moving cone method 144–5
 moving-windows statistics 37–9, 72, 77
 mucking 103
 muckpiles 105
 mudstone 225–7
 multi-probe logging 98
 multiple-unit deposits 144
 MWINDOW 37

 Nauru 62
 nepheline 59
 networks 236–7
 Neves–Corvo mine 109, 112, 117
 nomenclature 6, 9
 definitions 7
 normal distribution 198, 200, 203–4
 Nsuta mine 157–69
 nugget effect 165, 180, 200–1, 203
 numerical modelling 100
 Nygruvan 172, 174–6, 189

 Old Red Sandstone, Lower 220
 old workings 51
 open hole drilling 222, 224, 227, 231
 open pit design 87–94, 141, 145, 209, 261
 open pit mining 54, 207–17, 250, 255
 ophiolite complex 177
 optimal pits 87, 90–3, 141, 145
 ore blocks 75, 185
 ore homogeneity 163
 ore intersections 98
 ore lobes 70, 72
 ore loss 96, 98, 100
 ore parcels, values of 141
 ore passes 255
 ore reserves, 12, 96, *see also* reserves
 ore zone shortening 176
 ore zones, Zinkgruvan 174
 ore–skarn contact 176, 180, 185
 orebodies
 boundaries 109, 141
 delineation 98–9, 107
 orientation 183
 outlines 117
 sections 159
 shapes 109, 119, 161
 thickness 115–16, 119–20, 161, 180, 185
 organic matter, as impurities 62
 Oron 61
 output forecasts 50–1
 overburden ratios 54
 overburden removal 145, 208, 216, 222, 226, 232
 overburden thickness 193, 222–4, 226, 231
 overprinting 70

- overpull 97, 103, 106
- El Pachon 254
- palaeocurrents 195
- palinspastic maps 171
- paper-coating 243–4, 246
- Parallel Ore 174–6
- passive exploration 128
- pegmatites 241–2, 247
- Los Pelambres 249–63
- percussion drilling 222
- permeability 214, 216
- petrography 56, 197
- Phalaborwa 60
- phosphate rock 53–65
 - analysis 57
 - characterization 55–6
 - extraction methods 54–5
 - impurities 56, 58
 - infrared analysis 58
- phosphatic limestones 53–4
- phosphogypsum 61
- Phosphoria Formation 57
- phosphorites 53
 - Saudi Arabia 6–8
- phyllite 159
- pillar recovery 97–8
- pit dimensions 209–10
- pit expansion 217, 261–3
- pit floor elevations 210, 212–14, 216
- pit optimization 143
- pit shapes 142
- planned dilution 96–8, 100, 107
- planning applications 231–2
- planning consents 5
- planning tools 130
- Pocuro Fault Zone 254
- Polish classification 23
- porphyry copper 21, 254
- positional accuracy 46
- power supplies 209, 214–16, 258
- pre-resource mineralization 13
- precision 46, 118, 121, 192, 194
 - estimates 25
- prediction, bias in 120
- primary stoping 97–8
- probable ore reserves 12
- problem structuring 2
- production control 95
- production data, Chile 125
- production management 103–7
- production requirements 130
- production schedules 147
- productivity 103
- profits, from quarries 144
- project costs, Chile 124
- project financing 129–39
- proved ore reserves 12–13
- psilomelane 159
- pumping rates 209, 211–14, 216–17
- pumps, sump 208
- pushbacks 146, 214
- pyrite 236, 254
- pyrolusite 159, 163
- pyroxenite 60
- pyrrhotite 175
- quantitative studies 1–2
- quarry design 141–55
- quarry wall slopes 144
- quartz veins 159
- Quaternary deposits 191, 221
- radiometric ages, Chile 254
- Rathdowney Trend 233
- re-evaluation 104
- recoverability 88–90
- recovery 98, 100, 103, 130
- recovery measures 95
- redrilling 191, 193
- reference planes 178
- Refugio 127
- regression analysis 204
- removal cones 144–5
- research drilling 191
- reserve base 130
- reserve matrix 260, 262
- reserves
 - assessment 45–52, 129–39
 - classification 5–6, 11, 23, 130
 - Comecon 17
 - demonstrated 134
 - detected 27
 - documented 18, 24, 26
 - economic 20, 25
 - estimation 3, 172, 177
 - indicated 12, 26, 118, 134, 136
 - inferred 12, 27, 134, 136
 - inventories 17–18
 - measured 12, 132, 134
 - mineable 96, 255
 - mining 97
 - ore 12, 96
 - possible 130, 135
 - potential 18, 26
 - probable 6, 13, 26–7, 130, 135–6
 - prognostic 19, 23, 26
 - proven 6, 13, 26, 130, 135–6
 - theoretical 19, 21
 - uneconomic 20
 - unworkable 20
 - workable 20
- resistivity surveys 222
- resolution 47
- resource assessment 3, 9
- resource estimation 34
- resources
 - classification 4–6, 11, 130, 136
 - identified 12
 - indicated 6, 12–13, 27
 - inferred 12
 - measured 12–13, 27
 - mining 131
 - potential 131
 - subeconomic 12
 - undiscovered 12
- restoration 232
- revenue blocks 93, 100

- revenue calculations 143
- rewatering 216
- reworked gravels 197
- rhyolite 173, 207
- risk analysis 147
- risk categories 132
- roadstone 224
- rock fragmentation 97, 105
- rock quality 102

- safety levels, dewatering 212
- Salamanca 253
- sample composites 160, 162, 166, 192, 194
- sample contamination 193
- sampling 16, 172, 177
- sampling density 22
- sampling errors 111, 192–3, 195
- sampling grids 90, 177
- sand and gravel deposits 191–205
- saturated thickness 212–14, 216
- Saudi Arabia, phosphorite 6, 8
- scale, economies of 100
- schedule of estimated quantities 45, 50
- screening 242–5
- scrubbing 242
- seam correlation 227–8
- seam modelling 34, 48, 50
- secondary phosphates 60
- Securities and Exchange Commission 6, 11, 132
- sedimentation, rhythmic 225
- seismic surveys 222, 224–5
- seismic tomography 98
- seismicity, Chile 254, 258
- selective mining units 94
- semi-variograms 70, 72–3, 160, 164–8, 180, 197–8, 201, 203–4
- sensitivity analysis 147
- sensors 104, 106–7
- sequential gaussian simulation 90–1
- Serenje 241
- shear-zone deposits 16
- shell and auger drilling 192
- Sherwood Sandstone Group 197
- sieve sampling 193–4, 202–3
- silica, as impurity 58–9
- silica content, aggregates 226
- sills 220–1
- silver mining 67, 250
- simulation, geostatistical 90
- sintering 226
- site investigation databases 48
- site surveys 39
- size fractionation 242
- skarn 175, 180, 185
- Sleeper mine 207–17
- slot raises 100
- sludge drilling 177
- slurrying 55
- smoothing effects 161
- Society for Mining, Metallurgy and Exploration 6, 11
- software packages 29–35, 37–43, 48, 141, 161, 164, 186–7, 195, 197, 208, 217, 233, 236, 238
- solifluction 221
- Soviet Union, former 1, 5, 17

- sparse data 87
- spatial data 37
- specific capacity 213–14
- sphalerite 174–5
- stability graphs 101
- stationarity 42, 204
- stationary random functions 37
- statistical assessment 69
- statistical techniques 2, 37, 80
- stock market, Chile 252
- stockpiles 256, 259
- stockworks 177, 234, 254
- stope boundaries 96
- stope cavities 105
- stope design 95, 100
- stope grades 96
- stope mapping 177
- stopping methods 100, 105
- stopping practice 102–3, 107
- stratification 174
- stratiform deposits 87, 141, 171
- stratigraphic units 142
- streamlines 211
- Stretton Series 221
- strike lengths 183
- stripping ratios 147, 192, 222, 226, 231, 256
- stromatolites 59
- structural unrolling 171–2, 175–7, 180–5, 189
- subjectivity 15
- sublevel caving mining 256
- sulphide deposits 112, 174, 234
- supergene enrichment 159, 162
- superquarries 5
- support effect 89
- support installation 105
- SURPAC2 29–35, 141, 195, 197
- Sveco-fennian orogeny 173

- tailings 258–9, 263
- Tarwaian Group 159
- TECHBASE 233, 236, 238
- El Teniente 250
- Thiessen polygons 48, 50
- Thompson mine 98, 103
- three-dimensional models 74, 141, 157, 165, 186, 195, 217
- Thurles 233
- till 191, 197, 221
- Titterstone quarry 222
- tomography, seismic 98
- Tonduff 234
- topographic surfaces 111
- total dilution 97
- trace elements, as impurities 62
- trial pits 193
- Trinity Silver Mine 67
- truck haulage 106
- tube drilling 100
- turbulent flow 213
- turning bands method 90

- underground drilling 117, 120
- underground exploration 104
- uniform grade deposits 142

- United Nations 252
- United Nations classification 131, 136
- United States Geological Survey 208
- univariate statistics 69–70, 197
- unplanned dilution 97, 100–2, 107
- unrolling, structural 171–2, 175–7, 180–5, 189
- unrolling grids 185
- Uranium Resource Appraisal Group 136
- USBM/USGS classification 6, 8, 11–12, 26, 130–2, 134

- variable grade deposits 142
- variation errors 111
- variograms 91
- Ventanas 258
- viability, economic 132
- Viscaria mine 98
- viscosity, kaolin 243
- volume estimation 111–12
- volumetric modelling 110

- wall geometries 98
- wallrock sloughing 97, 100–1
- washouts 48, 50
- waste blocks 75

- Waulsortian facies 233–4, 236, 238
- weathering, alteration by 57, 221–2, 224
- wellfield design 209–10, 212–15, 217
- wells
 - exploration 213
 - interception 208–9, 212–14
 - peripheral 208, 212–13
- Wendy Norte 127
- Wenlock 220
- Westphalian 221
- wetland project 214, 217
- Whalesback mine 100
- wireframe models 157, 161
- workability, criteria 24–5
- workforce 106

- X-ray analysis 57–8, 243, 245

- Zaldivar 127
- Zambia 241–7
- zinc–lead–silver ores 173, 233
- Zinkgruvan mine 98, 171–89
 - geological map 173