

Index

- accumulation term, 263–4
acoustic emission tool, 182, 184
acrylamide, 240, 244, 246
adsorption, 225, 229, 233, 236
 polymer, 246, 248
 silicate, 252–3, 254, 256, 258
 surfactant, 226
aggregation, 226
air injection, 277–8, 281–2, 284
air-steam cycling, 279, 280, 283, 284
Alaska, 181
 Kuparuk River field, 153–8, 163–4
 Prudhoe Bay, 165–73
alluvial deposits, 197
alternate gas/water injection 51, 143 *see also*
 water-alternating
aluminium salt, 219, 220
analysis of variance, 11, 13
analytical models *see under* models
anisotropic reservoirs 112–13, 121, 193–4 *see also*
 heterogeneities
ankerite cements, 155, 156
annulus pressure, 182, 184
aspect ratio, 30, 34, 37, 210, 211
attic oil, 143, 152, 162
Atyrau; Kazakhstan, 254
- backproduction profile, 255–6
backstress, 175, 176, 177, 184
barrier(s), 99, 117
 efficiency, 100
 flooding, 187, 189
 foam-block, 100, 102–8
bedding plane(s), 86, 201
Berea sandstone, 45–6, 51, 52, 226, 228
binary interaction coefficient, 91, 92, 93, 94, 95
binary ions 256 *see also* divalent
black oil simulators, 113, 114, 191, 204, 206
Blackwell's equation, 113
block modifiers, 280, 285
blocking, gas *see under* gas
blocking tests, 256–8, 258
boost factor, 137, 142
boundary conditions, 19, 20, 22, 24, 25, 30
boundary effects, 283
boundary element method, 176, 181
boundary flux, 232, 233
BPOPE simulator, 229, 233, 235–6
braid plain sequences, 197
braided stream deposits, 197
breakdown sequence, 182
Brent Group, 143–6, 225, 232, 251
Broom Formation, 144
bubble point, 92, 93–4
 pressure, 129, 150, 279
buffering capacity, 253, 254, 255, 258
Bulkly-Hershel equation, 220
bypassed oil, 209
- calcite, 146–7, 247
calcium concentration, 247
Canada, 2, 3, 181, 275
capillary
 desaturation curve, 235, 236
 drainage tests, 75, 76
 end effects, 10, 11
 entrapment, 73, 79
 number, 129, 215, 217
 pressure, 9, 43–7, 45–50, 63, 64–5, 73–9, 210
 retention forces, 212
 threshold, 70, 211
 transition zone, 201
 – viscous ratio, 189
carbon dioxide
 – crude oil mixtures, 89–95
 in soluble gas injection, 128, 129, 130
carbon number fractions, 90, 91
carbonate 219, 221
cased-hole logs, 148
centrifuge, methods, 43, 64, 65, 74
chalk reservoir, 73, 75, 177, 179, 181–4
channelling, 29, 34, 35, 38
channel(s) 7, 8, 9, 11–13, 15, 16, 34, 38, 180, 239–40,
 248, 256–7, 258, 279, 280, 282, 283, 284, 285–6
characterization procedure, 90–1, 95
Chateaufrenard field; Paris Basin, 239–44, 245, 247,
 249
chemical flooding, 225, 229, 239 *see also* gel; polymer;
 silicate; surfactant
chromatography, 126, 228
Clashach sandstone, 75–6, 77
clay, 219, 221, 247
CO₂ *see also* carbon dioxide
 /crude oil systems, 89–95
 injection, 51
 reservoir generation of, 219
coalescence, oil, 212–13
coke, oil conversion to, 283
colorimetric titration, 244
combustion *see also* pressure cycling, 275, 277, 278,
 279–80, 282, 283, 284
communication
 between injector-producer, 279
 dynamic, in gas cap, 203, 204
 interlayer, 261
 reservoir, 201, 203, 206, 251, 261
 and RFT pressure data, 200
compressibilities, component, 279
concentration profiles, 133, 138
condensing-vaporizing mechanism, 159, 165
conductivity, 82, 84, 251
conglomerates, 167
coning, 101–2
connate water, 46, 76, 77, 78–9, 113
connected fraction (CF), 12, 13, 15, 16
connectivity, 15, 16
contact angle, 73, 77, 78
continuous injection, 44, 46

- Contraves low-shear rheometer, 107
 convergence analysis, 21
 Cook Formation, 143
 cooling
 by injection, 88, 232
 and stress state, 81, 82, 84, 176, 177
 core floods, 147, 216, 226–7, 230, 234–5
 reservoir conditions, 228–9, 233
 coupled modelling, 82–7, 86, 88
 Courtenay field; Paris Basin, 239–44, 248, 249
 production history, 240
 Cretaceous sands, 154–5
 critical gas saturation, 127, 147
 critical pressure, 90, 95
 cross-flow, 8, 10–11, 19, 20, 23–4, 29, 30, 31, 32–4,
 36–7, 113, 118, 137, 139, 261, 263, 264, 265, 266,
 271
 cross-stratification, 5, 7–8, 10–11, 16, 155
 CT scanning, 66, 67
 cycling stimulations, 275–6
- Darcy, 19, 31, 33, 127, 133, 209, 265
 Dean and Stark extraction, 76
 decline curve analysis, 157
 deep penetration gel (DPG), 252, 258
 deformation, 82, 83, 84, 88
 depletion, 187, 188, 191, 192–3, 194
 desaturation curves, 229
 Dietz-Dupuit model, 261, 262, 263, 264, 269, 270, 271
 differential pressure, 47–8, 49
 diffusivity equation, 180–1
 dilation, fracture, 81, 82, 84, 85
 dip, and steam front shapes, 269, 270–1
 directionality, 81, 84, 85–8, 170 *see also* flow; stress
 Dirichlet boundary condition, 30
 discontinuity, separation distance equation, 34
 discretization, 20–2, 25, 133
 dispersion, 139, 217
 divalent cations, 245, 247, 256
 downdip injection, 233
 drainage, 55, 73, 75–6, 210, 211, 212, 213
 Duri Field, Indonesia, 2
 Durlofsky method, 20, 22
 dynamic
 experiments, gas injection, 68–70
 performance, 29, 30, 31–2, 33
 phase breakthrough, 215
 production measures, 15, 16
 reservoir behaviour, 203, 204, 206
 shear stress, 219
- ECLIPSE simulator, 13, 34, 35, 37, 146
 edge water drive, 240
 effective permeability *see* permeability
 effluents, analysis of, 244–5, 247
 Ekofisk reservoir, 73
 emulsions and emulsification, 219, 228, 279–280, 283
 ENTGAS, 280
 entrapment process, 113
 equation of state (EOS), 89–90, 92, 93, 156, 157
 equations of motion, 265–6
 equilibrium
 contact angle, 63
 diagram, 75
 time, permeability measurement, 47
 vertical (VE), 264, 270
 equivalent alkane carbon number (EACN), 226,
 227
 Ergun equation (steam drive), 268
 Ershovoye; Siberia, 221
 esters (as foamer), 101
 etching techniques, 210
 Etive Formation, 144, 146, 147
 Etive-Ness communication, 150
 Etive-Rannoch override effect, 145
 Europe, EOR contribution, 3
- failure (rock), 81
 fall-off surveys, 184
 fault(s), 156, 162, 167, 206
 block, communication, 232
 communication, 147, 152, 197
 and MWAG process, 159, 160–1
 in reservoir simulation, 146, 147
 film continuity, 63
 film flow, 214
 fingering, 113, 133, 134, 135, 189
 finite difference methods, 20, 38, 176
 finite element, discretization, 20
 fireflood *see* combustion
 flash algorithm, 89
 flexi-stream formulation, 138, 142
 floodplain shales, 23
 floodfront, 82, 184, 226
 shapes, 86, 87
 flooding, chemical *see* chemical
 floodplain deposits, 7, 23, 167, 197
 floodwater, 125, 232
 fluid
 generation *in situ*, 219
 redistribution, 139
 saturation, measurements, 52
 segregation, 121
 fluvial reservoirs, 5, 6, 7–8, 22–5
 fluvio-deltaic deposits, 167
 flux, 19, 20, 21, 24, 27
 foam, 67, 99, 101–8, 111–12, 114, 115, 116, 118–19,
 120–1, 125
 foamer, 100, 101, 102, 103, 108, 111, 120, 122
 foaming agents, 99, 117
 Fontainebleau sandstone, 66, 67
 foreset(s), 7, 8
 formation
 breakdown, 182, 183, 184
 volume factor, 126, 129, 156, 245, 256
 four-phase flow, 89, 95
 fractional flow, 32, 133, 134
 fractionation, 245, 246
 fracture(s), 81, 82, 83–5, 86, 87, 88, 143, 155, 167,
 175–84
 Frenkel-Eiring equation, 220
 front velocity, 33, 103
 Full Field Model, 168
 Fulmar Field; North Sea, 181, 182
- GALCA systems *see* gel-forming
 gamma logs, 184
 Gamma North field; North Sea, 197

- gas
 blockage, 67, 99, 100–1, 102, 103, 104, 105–8, 111, 112, 125
 condensate, 90, 95, 203, 206
 dissolution, 107, 108
 diversion, 112, 118–19, 120, 121
 evolved, 125, 126, 127, 128, 129, 130–1
 miscible, 128–9, 133
 nucleation process, 126
 retention, 281
 saturation and overcapillarity, 79
 slugging, 276
 solubilization, 126, 127
 in steam injection model, 268
 gel, 99, 143, 219, 220–1, 222, 257, 258
 gel-forming aluminium salt-carbamide-water (GALCA) systems, 219
 pilot tests, 221–2
 gelation 219, 220–1, 256, 257
 times, 220, 252, 253–4, 258
 gelling agent, 251–2
 GENSTAT statistical package, 13
 geomechanical modelling, 82 *see also* fracture(s)
 geostatistical modelling, 19, 20, 29, 169
 global stream tubes, 32, 33
 GOR *see under* gas
 gouge, 81
 gravity
 -controlled placement, 101, 102–3
 drainage, 43, 63, 68–70, 76, 78
 number, 30
 segregation, 113, 114, 144, 166, 168, 169, 172, 277
 -stable displacement, 29
 tongue, 102, 118
 grid sensitivity pressure cycling, 284
 Gullfaks field; North Sea, 251, 252, 254
 WAG injection, 143–5, 146–7, 150–1, 154
- heavy oil, 3, 95, 275, 278, 279
 Henry's law, 126, 129
 heterogeneities, 5, 139, 156, 199–200, 204, 217, 222–3
 channel belt and sandbody, 13, 15
 characterization of, 135–6
 displacement processes, 29–41
 modelling, 5–13, 29–38, 159, 160–1, 261
 and performance, 17, 29–41
 and polymer retention, 248
 types of, 5
 and viscous fingering, 140
 and WAG, 160–1
 high speed layer *see* channel(s)
 high viscous-gravity ratio (HVGR) process, 168, 172
 history matching, 66, 67, 159, 160, 204, 206
 LTPF simulation, 230
 pressure cycling, 284
 Prudhoe Bay WAG flood, 168–9
 routines, 47
 horizontal wells, 25, 143, 184, 187, 197, 201, 202, 203, 207
 HRT logs, 184
 hydraulic fracturing, 81, 143, 167, 179
 hydraulic impedance testing method (HIT), 181
 hydrocarbon
 foams *see* kerosene
 -hydrocarbon interactions, 91
 volumes, from GOC, 200
 hydrodynamic confinement, 232, 233
 hysteresis, 52, 55, 59, 113
- imbibition, 43, 48, 49, 55, 211
 -drainage mechanism, 212–15, 217, 218
 micromodel, 210
 immiscible water-alternating-gas (IWAG) drive,
 recovery from, 153
 improved oil recovery *see separate entries*
 Indonesia, EOR production, 2, 3
 infill drilling, 66, 86, 168, 169–71, 172–3
 infra-red camera, 261, 266, 268, 271
 injectant, 99, 100, 101–3, 111
 injectivity, 86, 125, 128, 129, 175, 184
 and gas, 51, 126
 index, 176
 interaction, 91
 characterization of, 135, 136–8
 coefficients, 92, 93–4, 95
 oil-injectant gas, 157
 interchannel shales, 199–200, 204
 interconnection, sandbody, 16
 interface
 advance, 212, 213
 model, 262, 264
 interfacial tension, (IFT), 63, 73, 74, 79, 209, 212, 215, 217, 219
 and capillary pressure, 75, 76–7, 78
 intermediate-wet tests, 52, 55, 56
 interstitial velocity, 141
 ion exchange, 247
 isobars, 82, 137, 240, 241
 IWAG *see under* water-alternating
- Jamin permeability effect, 125
 Jurassic
 Brent Group, 143–6, 181, 225, 232, 251
 Statfjord Formation, 143, 197, 199–200
- kaolinite, 239, 253, 254
 Kazakhstan, 254
 kerosene, 101, 105–6
 Kharaib limestone, 181–2
 Koning's model, 176
 Kuparuk River Field; Alaska, 153, 156–7
 MWAG performance, 159–64
 reservoir, 154–6
 Kv/Kh ratio, 24, 25
 Kyte and Berry method, 9–10
- laminations, 5, 7, 8, 10–11, 16, 106
 Laplace's equation, 21
 Las-Eganskoye; Siberia, 221
 layer thickness, in EOR, 159, 160
 leak-off, 175, 176
 Lekhwair field; Oman, 175, 181–4
 limestones, 181–2 *see also* carbonate
 line drive configurations, 38, 169, 170–1, 172–3, 262, 266
 linear flow regime, 180, 184
 linear interpolation methods, 59, 60

- lithofacies, 16
 modelling, 7–8, 9, 11
 Lloydminster; Alberta, 275, 279
 low tension polymer flood (LTPF), 219, 225, 226–30,
 231, 232–3, 236
- magnesium concentration, 247
 Marguerite Lake oxygen project, 282
 Mark Houwink relation, 246–7
 Martyshi oilfield; Kazakhstan, 254
 mass balance equations, 263–4
 material balance evaluation, 203, 204
 MBO (modified black oil), 159, 160, 161, 164
 menisci (lamellae), 68
 mercury injection, 43, 73, 74, 76–7, 78
 methane, 107, 128, 129
 micellar-polymer tests, 239
 micelle concentration, 105
 Michelson's stability analysis, 91
 microemulsion, 209
 microfrac tests, 179, 182, 183
 micromodels, 209, 210, 211, 212
 microseismicity, 87
 mineral buffering, 253 *see also* buffering
 minimum miscibility enrichment (MME), 156
 miscibility, development, 165
 miscible, 17, 51, 126–9, 134, 140, 143–5, 156, 157,
 158, 161, 162, 163, 165, 166, 171, 172, 264
 miscible water-alternating-gas (MWAG) injection,
 157–8, 159, 161–2, 163–4, 167–9 *see also*
 water-alternating
- mobility
 control, 157, 225, 236
 discontinuities, 180
 phase, 209
 ratio, 30, 33, 113, 118, 133–4, 177, 240, 262, 277
 reduction, 68, 105, 226
 steam, 264, 265
- mobilization, 143, 209
 waterflood residual oil, 210–17
- molar distributions, 90
 mole fraction, 90, 91
 molecular weight, 90, 92–3, 227–8
 Morgan field; Alberta, 275, 276, 277, 284
 moveable pore volume, 12, 16
 mud drapes, 156
 multi-finger shielding event, 138
- multiphase
 flash routine, 91
 flow, 209, 210
- MWAG *see* miscible
- Na-silicate system *see* silicate
 natural gas liquids, 156, 162
 Ness Formation, 144, 146
 net-to-gross ratio, 15–16
 nitrogen, 52, 126, 127, 128, 129, 130
 Nivgalskoye field; Siberia, 221, 222
 North Sea, 112–13, 143, 175, 177, 181, 251
 Gullfaks *see* Gullfaks
 Oseberg Gamma North, 197, 198, 199–207
 Staffjord *see* Staffjord
- numerical
 schemes, 133, 135
 simulation, 29–33, 35, 89–90, 204, 206
 effect of heterogeneities, 38–9
 limitations of, 36–7
- off-pattern area, pressure cycling, 283
 oil-miscible foamer systems, 103
 oil–water capillary transition zone, 117
 oil–water contacts, 73, 226
 oil-wet
 porous media, 69–70, 215
 spreading effects, 63–4
 tests, 55, 57, 58, 59
 oilcuts, 228, 243
 Olenye oilfield; West Siberia, 219
 Oman, 175, 181–4
 Onsager's reciprocal relationship, 20
 Oseberg Gamma North, 77, 78–9
 overcapillarity, 77, 78–9
 override, 162, 251, 261
- P–z diagrams, 91, 92, 93, 95
 Palatinate sandstone, 75–6, 77
 Paris Basin, 239–44, 249
 partial pad model, 163
 partitioning, oil, 215
 Pedersen characterization procedure, 95
 pendant-drop method, 76
 Peng-Robinson EOS, 90
 Penn-State-type core holder, 52
 performance calculations, 29–33, 34
 Perkins/Gonzalez model, 175
 permeability
 banding, 128
 contrast, 34, 162, 163–4
 correlation length, 169
 dynamic, 86
 effects on gelation, 221
 equation for cell, 21
 and fracture dilation, 82, 84
 and laminations, 7, 8, 10–11
 reduction, 81, 114
 relative
 and capillary pressure measurement, 44–5, 46–7
 change with soluble gas, 125, 126, 129
 and foam barriers, 99
 measuring, 46–7, 51, 52–9
 spreading conditions, 67
 statistical characterization, 139
 Stone's methods, 59, 60–1
 tensor, 19–21, 22, 23–4
 three-phase, 51, 52–9, 66–7, 129, 147
 upscaling, 8, 169
 vertical, 25, 112–13, 146, 147
- permeameter, 52
 phase behaviour, 156–7
 LTPF experiment, 226, 227–8, 229–30, 233
 non-wetting, 52
 type II, 233
- phase diagrams, 93, 94, 233
 Plackett-Burman design, 11–12
 plugging, 111, 114, 121–2
 plus fraction, 90, 92–3
 point bar deposits, 8
 Poisson's ratio, 180

- Pokamasovskoye; Siberia, 221
polyacrylamide, 240, 246
polymer
 buffer, 225, 226, 227, 228
 chromatographic separation, 246, 249
 divalent cation complexation, 247, 249
 flooding, 240, 242–4, 247–8, 249
 fractionation, 246
 low tension *see* low tension polymer
 physico-chemical characteristics, 244–7
 retention, 248
 tests, 239
 viscosity, 245–7, 249
 waterflooding, 243
pore
 body widths, 210
 pressure, 81, 88, 176
 size distribution, 78
 space, 209, 210, 211
 throats, 210, 212
pore-scale physics, 209, 210
poroelastic constant, 176, 179
porosity, 8, 45
porous plate methods, 43, 74
preflush, 254, 256, 258
pressure cycling, 276–80, 281–4
prism diagrams, 52
process efficiency, 139, 158
production
 curves *see also* recovery, 66, 67–8, 69
 logs (PLT), 148, 150, 203
 measures, 15, 16
 performance, 32
 history matching, 204, 206
 polymer flooding, 242–4
 profiles, 30, 163, 203, 235, 256
productivity index, 203
profile modification, 125, 126, 138
Prudhoe Bay; Alaska, 2, 159, 162, 163, 165
 Northwest Fault Block (NWFB), 166–72
pseudo-components, heavy, 91, 92, 93, 95
pseudo-critical temperature correlation, 156
pseudo-curves, 10
PVT analysis, 201

radial flow equation, 126
Rannoch Formation, 144, 146
rate profile, 164
ratio of resistances, 128
reconnection, oil, 213, 216, 217
Redlich-Kwong equation of state (SRK-EOS), 90–2, 95
relative permeability *see under* permeability
renormalization calculation, 22
reserves/production ratio (world), 3
reservoir
 architecture, 16
 characterization, 1–2, 17
 description, 5, 7–8, 134, 135, 139, 154–6, 167–9, 262, 267–8, 277
 dip, 262, 267–8
 heterogeneities, 159, 199–200, 204, 217, 222–3
 management strategy, 251
 modelling *see also* model(s), 11–13, 29, 159, 160
 performance and heterogeneity, 17, 38–9
 simulation, 89, 92, 207
 history matching, 206
 models, 19, 20, 143, 167–9, 230, 232
 and sweep efficiency, 176
 stratified, 112, 113, 169, 261, 262, 264
residual oil
 distribution, 210, 215, 216, 217
 mobilization, 217
 reconnection, 213
 recovery, LTPF process, 228
 regassing, 129
 saturation, 46, 63, 64–5, 70, 125, 143, 216
 for gas, 147, 150
 and gas sweep, 113
 vs. trapped gas saturation, 127
 water-wet conditions, 63–4
 waterflood, 63, 156, 228
 surfactant flood, 214
 waterflood, 209, 210
resistivity, measuring, 43, 44
retention, 111, 228, 256
returned miscible injectant (RMI), 158, 159, 162, 163
reverse injection, 187, 189, 193, 194
reverse micelles, 105
RFT pressures, 150, 171, 172, 200
rock mechanical constants, 181

Sacroc CO2 field, 163
SAGA injection *see* surfactant-alternating
salinity, 256
 gradient effect, 226, 229
sand/sandstones, 5, 16, 239, 254
 bioturbated, 155–6
 deep sea channel, 239–40
 effect on gelation time, 252, 253–4
 fluvio-deltaic, 167
 sand-to-sand contact, 147
sandpacks, 64, 65, 68, 252
saturation
 arrays, 229
 core sample, 43–4
 equilibrium, 76
 front, 126, 127
 history, 55, 59
 logs (GST), 148, 150
 pressures, 92, 127
 profiles, 66, 67
 and relative permeability, 59
scale-ups *see* upscaling
scaled transparent vacuum model, 261
scaling *see also* upscaling, 75
 numbers, 266
Scleroglucan, 228
screening study, design, 11–16
sector models, 102, 103, 108
seismic methods, 87
semi-steady state balances, 262, 263
Seminole CO2 project, USA, 2
Sequential Gaussian Simulation, 134
sequential indicator simulation, 23
shale(s), 23, 112, 156, 167, 168, 261
 cementation, 146–7
 interchannel, 199–200, 204

- shale(s)—*cont'd*
 long, 171, 172
 in models, 168, 169
 shallow marine sands, 155
 shear, 68, 81, 84, 85, 87, 88, 214, 220, 221
 Shuaiba formation, 181–2, 184
 Siberia, 219, 221, 222
 siderite cements, 156
 sidetracking 152, 207
 silicate gel systems, 251–3, 254–8
 simulation(s), 164
 analytical, 35–6
 anisotropic reservoir, 193–4
 coupled processes, 88
 fine-grid, 138, 140
 foam placement, 121
 isotropic reservoir, 192–3
 LTPF, 232, 236
 models
 black oil numerical, 113, 114, 191, 204, 206
 (WAG) injection, 146–7, 150–1, 154
 MWAG performance, 158–62, 164
 numerical, 35–6, 44, 133
 oil rim reservoir development, 191–4
 plugging effect, 114
 reservoir *see* reservoir
 waterflood, 8, 10, 13, 16, 175–6
 simulators, 179
 fracture, 175–6
 low tension polymer flood (LTPF), 229–30, 231, 232–3
 simultaneous gas-oil/water flow, 51, 52
 slug, 102, 113, 162, 163, 164, 221–2, 226, 232, 233, 236, 256–7
 small-scale EOR, 153–4, 155, 156
 snap-off, 68, 106, 211, 214
 Soave modification, 90–2, 95
 sodium, in polymer, 247
 sols, 219, 220
 solubility, methane in hydrocarbon, 107
 solubilization parameters, 227
 soluble gas injection 126–9 *see also* miscible
 solution gas, 125, 150
 entrainment, 279, 283
 oil ratio, 158
 solvent, 101, 134, 138, 166, 167, 168
 segregation, 172
 utilization factor, 157–8, 163
 viscosity effect, 107–8
 spinners, 180
 spreading
 coefficient (S), 63, 64–65, 66, 69, 70, 74, 79, 106
 and displacement dynamics, 67–70
 and gas blocking effects, 106
 and residual S_o and capillary pressure, 64–5
 SRK-EOS (Soave modification), 90–2, 95
 Statfjord field; North Sea, 226, 227
 LTPF simulation, 225, 230, 231, 232–3
 Statfjord Formation, 143, 197, 199–200, 201
 static production measure, 15, 16
 static/dynamic reservoir parameters, 63, 64–6
 Statoil polymer, 227, 228
 steady-state curves, 68
- steam
 balance, 263–4
 condensation front (SCF), 261, 262, 263, 264, 265–6, 267–8, 269–71
 cycling, 277, 279, 283, 284
 displacement, heterogeneous reservoirs, 261, 262–71
 injection
 heat losses, 262
 models, 261, 261–8, 270, 271
 -produced oil ratio (SOR), 276
 quality, 268
 (specific) discharge, 263, 265, 268
 zone, 261, 262
 steamflooding *see* steam
 stimulations
 cycling, 275–6
 well, 175
 stochastic, modelling, 25, 34, 134, 200, 204
 Stone's method, 58, 59, 60–1, 191
 storm-derived deposits, 155
 stratification, reservoir, 112, 113, 169, 264
 stratigraphic dip, 267–8, 269, 270–1
 stratigraphic traps, 239
 stream tubes, 31–2, 33, 40–1
 streamfunction, 136
 streamlines, 30, 31–2, 137, 140
 flexi-stream approach, 135–6, 137, 138
 stress, 83, 84, 88, 175
 and directionality, 81, 84, 85–8
 and fluid flow, 81–2, 84–5
 and fractures, 81, 175–9, 182, 184
 horizontal ($S_{h_{max}}$), 81, 84–6, 85, 176, 177
in situ, 81, 179, 182
 ratio, effective, 83, 86
 and reservoir management, 86, 88
 and thermal effects, 86, 88
 surfactant-alternating-gas-ameliorated (SAGA)
 injection, 111, 112–13, 114–16, 117–21
 surfactant(s), 99, 103, 213–14
 activity threshold, 236
 imbibition-drainage, 212–15
 micromodel experiments, 210–16
 flow paths, 216, 217
 and foam generation, 100, 105, 111–12, 119, 120–1
 phase behaviour, 229, 235
 -polymer, interaction, 225, 226, 229
 production, 229
 retention characteristics, 228
 sweep
 cone-shaped, 166
 efficiency, 11–13, 35–6, 86, 216, 251
 analytical vs. simulator, 37–8
 calculation, 32
 and diverting agent, 112
 and fractures, 176, 179, 182, 184
 microscopic, 217
 and permeability contrasts, 5
 of WAG injection, 111, 113
 solvent, 172
 vertical, 166, 169, 251
- tabular-planar cross-stratification, 8, 10–11, 16
 Tarbert Formation, 144, 146, 232–3

- temperature, 86, 180, 229, 236
 Tensleep formation, 51, 52
 tensor, 19–25
 tensorial flow, 21
 ternary diagrams, 59
 tertiary recovery methods *see also* enhanced oil, 209, 210
 defined, 1
 thermal fracture(s), 175, 176–8, 182, 184
 gradient, 167
 thermal recovery 3 *see also* combustion; pressure cycling; steam
 thermoelastic constant, 176, 178, 179
 thief zones, 111, 128, 156, 161–2, 167
 thiourea, 255, 256
 three-phase, 51, 52–9, 89–95, 114, 125, 147, 157, 210, 215
 threshold pressure, 76, 78, 79
 ‘Time of Flight’ formulation, 135–7, 138, 141–2
 Todd and Longstaff model, 114, 134, 138, 140
 tracer time-of-flight characterization, 138
 tracer(s), 24–5, 135–6, 137, 148, 156, 167, 170, 182, 184, 228, 255, 256
 transient injectivity test, 180–1
 transition zone, 43, 73, 215
 transmissibility, 19, 20, 21, 25, 26, 114, 146, 147, 150, 152, 169, 232, 280, 282, 285
 transverse capillary number, 30
 transverse flow equilibrium condition, 30
 trough cross-stratification, 8, 10
 truncation analysis, 21

 ultrafiltration, 244–5, 247
 uncertainty analysis, 29, 34, 140
 reservoir description, 134, 135, 139
 United States, EOR production, 2, 3
 unsteady-state curves, 68
 upgrading, pressure cycling, 282, 283, 284
 upscaling (scale-ups), 8–11, 19, 20, 29
 capillary pressure curves, 73, 74, 75, 77, 78
 fluid and rock properties, 8–9
 silicate gel system, 251, 254
 of stochastic models, 25
 Urengoi oil rim field, 191

 vacuum model scaling criteria, 266
 van der Waals forces, 212
 vapour-liquid-liquid
 behaviour, 90
 equilibria (VLLE), 89, 95
 variance analysis, 11, 13
 VE condition, validity, 38
 velocity field, 24, 30–1, 33, 137
 Venezuela, EOR production from, 2, 3
 vertical
 conformance, 113
 equilibrium (VE), 29–30, 261
 flow, 23–4, 146
 VGR *see* viscous
 viscometers (viscosimeters), 107, 220
 viscosity
 measurements, 220
 parameter, steam drive, 270–1
 reduction, 129
 due to gas, 107, 108
 viscous
 fingering, 133, 134, 140
 forces, 46, 212–13
 -gravity ratio (VGR), 66, 113, 118, 119, 166, 171, 172, 189
 pressure drop, 44
 viscous-dominated vertical equilibrium (VVE), 29–30, 31, 35
 VLLE *see* vapour-liquid
 voidage replacement rate, 178
 von Neumann boundary condition, 30
 VVE *see* viscous-dominated

 WAG *see* water-alternating
 water
 coning, 187, 189, 193, 203
 diversion, 258
 filtration expression, 221
 fingering, 189
 hammer, 181
 injection
 and fractures, 176–9, 180, 181, 184
 and inelastic deformation, 83
 into gas cap, 187, 189, 191, 193
 profile, modification, 219, 222
 injectivity, 51
 relative permeability, 52, 55, 59, 127, 128, 129
 shut-off process, 251–2, 256, 257, 258
 treatment, in waterflooding, 176, 184
 water-alternating-gas (WAG) injection, 111, 143, 147
 combined with injectant diversion, 111, 112
 effects of faulting, 160–1
 effects of heterogeneity, 160–1
 efficiency of, 113
 gas injection scheme, 147
 and gas trapping, 114
 immiscible (IWAG), 153
 injection rates, 147, 148, 151
 miscible (MWAG), 112–13, 153–4, 157–9, 162, 163–4, 165, 167–9
 mobility ratio effect, 113
 oil recovery, 151–2
 v. SAGA, 115, 116
 simulation, 113
 sweep, 111, 113
 WAG cones, 166, 168, 169, 171
 WAG ratio, 113, 157, 163, 164, 165–6
 water-gas mixing zone, 121
 water-gas ratio, 114
 v. waterflooding, 113, 114
 water-wet porous media, 63, 65, 69–70, 70
 water-wet tests, 52, 53, 54, 55
 water/gas injection *see also* water-alternating-gas (WAG) injection, 112–13, 193
 Welge method, 66
 well spacing, 85–6, 166
 well testing, 179–81
 wellbore breakout, 84
 West Texas, 51, 91, 95, 127, 130
 wettability, 43, 47–9, 63, 64–5, 66, 69–70
 wetting, 43, 47, 73, 74, 211, 212, 214
 workover, 157

wormhole growth, 129, 279

X-ray absorption, 52

Xanthan gum, 226, 228

INDEX

Young-Laplace equation, 73, 75, 76–7, 78, 79

Young's modulus, 180

zone isolation, 120