

# Index

- Aalensis* Subzone, Yorkshire, 68  
absolute particle abundances, calculation of, 78–83  
*Acanthoceras jukesbrowni* Zone, Europe, 181, 186–90, 191  
*Acanthoceras rhotomagense* Zone, Europe, 181, 186–9, 193  
Achanarras Limestone, 7  
acritarchs, Kimmeridge Clay, 89, 92  
Albian deposits, 134, 137, 183  
Albian Stage, Europe, 183  
Albian–Cenomanian boundary, Europe, 179, 193  
allocyclicality, 133  
Alpes-Maritimes, 183  
American Upper Cretaceous, 133  
ammonite zonal geochronology, Yorkshire, 69  
Andean foreland basin, fluvial sediments, 20  
Angles, succession, 135, 136–7, 138, 144–50, 154–6, 166  
Anglo-Paris Basin, 177–91, 193–4  
annual band, 2  
annual growth bands, 2, 7, 8  
annual and lesser orbital cycles, 2, 7  
Appenines, 137  
Aptian Urgonian cycles, 172  
Archiane valley, 166, 170–2  
Ardèche platform, 165, 166  
Ardèche platform, 172  
Arnsbergian marine transgressions, Scotland, 65  
*Asymmetricus* Zone, S. France, 43, 44, 47  
Atlantic Ocean sediments, 88, 134, 136, 174, 175, 199  
Atlas Mountains, 12  
atmospheric gases, cyclical movements, 4  
*Autissiodorensis* Zone, Kimmeridge Bay, 76, 99  
autumnal equinox, 7
- Bahamas, 174  
bankfull flood discharge, 27–8, 29  
Barremian carbonates  
  sedimentation rates, 135, 136, 137, 138  
  Vocontian Trough, 136, 165, 172–5  
    basin-slope correlations, 165–6  
    high frequency cycles, 174–5  
    medium frequency cycles, 172–4  
    slope-outer platform correlations, 166–72  
Barremian–Bedoulian boundary, Angles, 136  
basin filling, model of, 29–31  
basin parameters, estimates of, 26–31  
Bell Shale corals, lunar month periodicity, 7  
Berriasian  
  Carbonate platforms, Vocontian Trough, 144  
  sedimentation rates, Vocontian Trough, 136, 137, 138  
Berriasian–Barremian bedding cycles, 195  
Berriasian–Barremian interval, Angles, 138  
biological variation, 97  
bioturbation, 96, 140  
bisaccate pollen, Kimmeridge clay, 78, 81, 86, 87, 90, 92, 93, 102, 105  
bivalves, 181  
  banding in shells, 2, 5, 7  
black debris, Kimmeridge Clay, 78, 86, 88, 90, 92, 93, 95, 98, 103, 104, 106  
Black Sea sediments, 88  
Boreal Basin/Tethys sea-way, 159, 162  
Bottacione Gorge, 179, 192  
Bou Tchrafine, 43, 45, 46–7, 48  
brown wood, Kimmeridge Clay, 86, 88, 90, 94, 98  
bundles of cycles, 11, 12, 136
- Caha Mountain Formation sediments, 22, 26, 30, 31  
*Calcicalathina oblongata* Biozone, France, 146  
calcium carbonate  
  carbonate cycles, Vocontian Trough, *see under* Valanginian  
  content, 143–4, 146–57  
  Kimmeridge Clay, 86, 88, 95, 96, 98, 102, 103, 104, 110  
  *see also* Barremian carbonates  
calcium carbonate curve, 199  
calcrete formation, climatic effects on, 25  
calendar band, 2  
*Calycoeceras querangeri* Zone, Europe, 178, 181, 189–91  
Cambrian  
  days in lunar month, 7  
  sediments, 200, 201  
carbon dioxide feedback, 116, 118, 130  
carbon isotope stratigraphy, 181–2  
carbonate cycles, Vocontian Trough, *see under* Valanginian  
carbonate percentages and temperature control, 12  
carbonates, *see* Barremian carbonates; calcium carbonate  
Carboniferous, 5, 7, 51, 201  
  climate modelling, 117  
  climates, 200  
  continental ice sheets, 54  
  Munster Basin, 21  
  periodicities, 65  
  Scotland, 54, 55, 65  
  sea level changes, 200  
Cast Bed, 186, 187, 188  
Castile Formation, 201  
Castlehaven Formation, 22  
celestial equator, 10  
Cenomanian, 201  
  correlation in western Europe, 177–9, 182–95  
  stratigraphical framework, 179–82  
Cenomanian Chalk, 179  
Cenomanian–Turonian  $\delta^{13}\text{C}$  excursion, 191  
Cenomanian/Turonian transition, 134  
Cenozoic stage boundaries, 202  
Central Atlantic, 134  
Central North Sea Dome, 72, 73  
Central Pacific, 143  
*Cerastoderma edule*, 5, 6, 8  
Chalk Marl, 179, 185  
Chandler Wobble, 8

- channel depth estimation, 28, 29  
charcoal, Kimmeridge Clay, 96  
chemical variation as cause of cyclicity, 96, 97  
Chloritic Sandstone Formation (CSF), 22, 26  
*Chondrites* Event, 191  
chorate dinocysts, Kimmeridge Clay, 78, 86, 87, 90, 92, 94, 98  
circadian biorhythmicity, 6  
circadian change of sea level, 4  
clay/quartz, Kimmeridge Clay, 86, 88, 95, 98, 100, 102, 103, 104, 105  
Cleveland Basin, 177, 178, 181, 182, 184, 188, 191, 193  
cliff of Chames, 166, 168, 169  
climate system models, 116–19, 120–3  
climatic belt shifts, 109, 111, 158  
climatic changes  
  causes, 9, 10, 25, 26, 54, 100, 101, 116  
  effects of, 1, 62  
  sedimentation and, 20, 24, 25, 27, 32, 97, 101, 138  
climatic modelling, Late Jurassic, 116–25  
*Clinocardium nuttalli*, tidal patterns, 5, 6  
Col du Puech 'de la Suque, GSSP for Givetian/Frasnian boundary, 43  
compaction correction factors, 57, 58  
condensation of succession, 177  
conodont zonal durations within the Givetian, 47, 48  
constraints in use of sedimentary cycles, 133–40  
corals, lunar month periodicity, 7  
Corfu, pro-delta fan, 200  
cosmic year, 14  
Cretaceous  
  Atlantic anoxic events, 88  
  black shales, 88  
  carbonate platforms, 200  
  climate system, 195  
  greenhouse episodes, 201  
  orbital frequencies, 148, 149  
  sea-surface temperatures, 130  
  sedimentary cycles, 117, 133–4, 135, 137, 138  
  analytical methods, 68  
  Vocontian, 143, 146, 157  
Cretaceous Greenhorn Formation, Colorado, 88–9  
Cretaceous/Tertiary boundary, 14  
*Cretarhabdus crenulatus* Biozone, France, 146  
Culver Cliff, 179  
*Cunningtoniceras inerme* Zone, Europe, 181, 185, 186–9, 193  
cuticle, Kimmeridge Clay, 78, 86, 87, 89, 90, 93, 94, 98, 106, 108  
  
daily band, 2  
daily cycle, 2  
decadal band, 2  
deceleration of Earth spin, 201  
declination and diurnal inequality of tides, 3  
decompaction factors, 27  
deep water fans, 200  
deglaciation, 116  
degraded palynomorphs, Kimmeridge Clay, 86, 88, 94, 98  
Delaware Basin, 201  
Delaware river estuary, 93  
dendrochronology, 2, 7  
depositional basins, estimation of discharge, 29  
depositional cycles, Early Toarcian, *see* Early Toarcian  
depositional cycles, Yorkshire  
Devonian, 14  
  duration, 37, 38  
  sediments, 7, 9, 39, 42–3, 44, 45, 201  
  *see also* Munster Basin Devonian sequences  
Devonian year, days in, 2  
diffusivity  
  assessment, Munster Basin, 25–6, 32  
  models for basin-fills, 20, 25–32  
dinocysts, Kimmeridge Clay, 86, 87, 89, 90, 92, 93, 98, 102, 106, 107, 111  
*Dispansum* Subzone, Yorkshire, 68  
*Disparilis* Zone, Cornwall, 43, 47  
diurnal inequality of tides, 3, 4  
diurnal tidal system, 4  
Djebel Oust Basin, 134  
Dolomites, 137, 169  
drainage basin parameters, estimation of, 27–9  
dune height, 28  
  
Early Toarcian depositional cycles, Yorkshire, 67–9  
  Milankovitch band cyclicities, 67, 72, 73  
  tectonic origin, 72–3  
  time series analysis, 67, 69–72  
Earth spin, deceleration, 201  
Earth year, 5–6  
Earth–Moon system, 8, 12  
  tidal cycle and, 3  
Earth–Moon–Sun system  
  insolation and, 9, 10  
  tidal effects, 6  
  variations in oscillation, 11  
Earth–Sun distance, solar energy related to, 1  
East African Rift, 72  
East Greenland Basin, sedimentation rates, 23  
eccentricity, 1, 9, 10, 11, 12  
  periodicities, Late Carboniferous, 65  
Eifelian, Mecklenburg, 46  
Eifelian/ Givetian boundary, GSSP for, 43  
El Niño (ENSO) effect, 8  
Elatina Formation, 8  
Elatina laminates, 7  
Empire, Oregon, sediments, 6  
energy balance models (EBM), 116, 117  
English chalk microrhythms, 178  
Eocene, 201  
  precipitation–evaporation balance, 201  
  sediments, 7, 8, 200  
equator to pole temperature gradient, 125  
equilibrium tide, 3  
equilibrium time constant ( $T_{eq}$ ), 20, 30–2  
equinoxes, 2, 7, 10, 116  
equinoctial tides, 7  
erosion patterns, 1, 9  
*Exodus* Zone, Yorkshire, 106  
  
Falciferum maximum flooding event, 68  
*Falsiovalis* Zone, Cornwall, 44  
Famennian sediments, France, 43  
feedback processes, 116, 117, 130  
floating chronologies, 203  
Fontcalent, sediments, 137, 138  
foraminiferal, Kimmeridge Clay, 89, 96

- Forest Marble, England, 4  
 fossil group extinctions, 13–14  
 fossils, sea level changes recorded by, 4  
 Francis Creek sediments, 5  
 Frasnian  
   duration, Munster Basin, 23  
   sediments, France, 43, 47
- galactic band, 2  
 general circulation model (GCM), 115, 116–19, 120–3, 130  
 ‘Gilbert’, the, 139  
 Givetian  
   duration, Munster Basin, 23  
   timescale, establishment of, 37–8  
     Bou Tchrafine, 43, 46–7, 48  
     by radiometric data, 37  
     estimations of conodont zonal durations, 47  
     Marble Cliffs, Cornwall, 43–5, 48  
     Pic de Bissous, 38–43, 46, 47, 48  
     using couplets, 45, 46, 47  
 Givetian/Frasnian boundary, 43  
 glacial–interglacial cycle, Mesozoic, 174  
 glacial/interglacial climate change model, 116  
 glaciation periods, 14, 116, 117, 133  
 glacio-eustatic cycles, 54, 174  
   Limestone Coal Formation, Scotland, 51, 54, 64, 65  
   Vocontian, 175  
 Glauconitic Marl, 183  
 Global Stratotype Section and Point (GSSP), Givetian boundaries, 37  
 Goddard Institute for Space Studies (GISS) model, 117  
 Great Bahama Bank sediments, 93  
 Green River Formation, 7, 8  
 greenhouse episodes, 201  
 Grey Chalk, Anglo-Paris Basin, 185, 191  
 Grey Pit, 186  
 growth banding, 2, 7, 8  
 growth rate formula for nodule formation, 68  
 Gubbio, 136, 178, 179, 181, 192  
 Gulf of California, polymorph distribution, 93  
 Gulf of Mexico, sediments, 134  
 Gun Point formation (GPF), 22, 23, 24, 25, 26, 30, 31  
   tectonic cyclicality, 32
- Hale cycle, 8  
 Hartley coal, 53, 57, 59–65  
 Hauterivian deposits, 134, 137, 138, 165, 166  
*Hemiansatus* Zone, France, 47  
 Hemipelagic Zone, France, 165  
*Hermanni* Zone (*Hermanni-Cristatus* Zone), Cornwall, 43  
 high frequency cycles, constraints in use of, 133–40  
 Holocene  
   fan deposits, 27  
   model for interglacial period, 174  
 Hornelen Basin, cyclic sediments, 20  
 Hugii Tethyan Zone, France, 165  
 Hugii Zone, France, 166, 167  
 hydrological balance, 117  
 hydrological cycle of the monsoon, 117  
 hydrological cycles, model for, 119, 122, 127
- ice ages, 1, 9, 174  
 ice albedo feedback, 116  
 ice flux and sea level, 200  
 ice sheets, 116, 199  
   Jurassic model, 118, 125, 130  
 ice-melting, 13  
 Index Limestone, 53, 54, 55, 58, 59, 60, 61, 62, 65  
 inoceramid bivalves, 181  
 insolation changes, 1, 9, 10  
   climatic effects, 25, 54, 101, 109, 158  
   model predictions, 122, 124  
 insolation forcing and carbonate productivity, 158  
 interannual band, 2  
 Ireton Shale, 7  
 Iridium Clay, 14
- Jet Rock Member, 68  
 Jura, 172  
 Jurassic, 8, 12  
   climate variations, 115, 116, 125–30  
   modelling of Milankovitch cycles, 116–25  
   sediments, 4, 7, 67, 72, 135, 137–8, 172, 200
- kerogen sedimentation, Kimmeridge Bay, 89, 90, 91  
 Kilsyth Trough, 54  
   *see also* Limestone Coal Formation, Scotland  
 Kimmeridge Clay Formation, Dorset, 75–6, 77, 106  
 Kimmeridge Clay, Yorkshire, 89, 91, 96, 106  
 Kimmeridge Oil Shale, 89  
 Kimmeridgian, 67  
   climate modelling, 119–25  
   palynofacies cycles, *see* palynofacies of Kimmeridgian cycles  
 Kincardine Basin, 54  
   *see also* Limestone Coal Formation, Scotland  
 Knightswood Gas Coal, 55, 58, 59, 60, 61, 62, 64
- La Charce (Drôme), 158  
 Lake Playa, 201  
 Late Albian Upper Greensand, 183  
 Late Jurassic climate variations, 115, 116, 125–30  
   modelling of Milankovitch cycles, 116–25  
 Lias, 67, 134  
   mudstones, Yorkshire, 106, 110  
 Limestone Coal Formation, Scotland, 51, 62–5  
   data set and sedimentology, 52–4  
   glacio-eustatic cycles, 51, 54, 64, 65  
   spectral analysis, 54–62  
 Livello Bonarelli, 179, 192  
 Lockatong Formation, 7  
 Lombardian Basin, 134  
 Lower Saxony Basin, 177, 178, 181, 183, 184, 188, 191  
 lunar banding, 7  
 lunar day, 3, 5, 12  
 lunar month, 6–7, 12  
 lunar nodal cycle, 8, 9  
 lunar perigee, 8  
 lunar tides, 3, 9  
 lycodium spiking, 79–83  
 Lyme Regis, 67
- magnitude–frequency of aggradational events, 23  
 Majolica Formation, 136  
*Mantelliceras dixonii* Zone, Europe, 181, 182, 183–5, 193

- Mantelliceras inflatum* Zone, 183  
*Mantelliceras mantelli* Zone, Europe, 180–1, 183, 184  
*Mantelliceras saxbii* Subzone, Europe, 181  
 Marble Cliffs, Cornwall, 43–5, 48  
 Marbrière Nord, 38–42, 43, 45, 46, 47, 48  
 marine bands, occurrence of, 55  
 marine current intensity, 101, 106, 111  
 marine palynomorphs, Kimmeridge Clay, 78, 86–7, 90, 92, 98, 102, 103, 104, 105–6, 110  
 marl–limestone couplets, 133, 134–40  
 ‘maximum seasonal forcing’ model, 125, 128, 129  
 mean annual basin discharge, estimation of, 27–8, 29  
 Mech Irdane  
   Givetian base, 46  
   GSSP for Eifelian/Givetian boundary, 43  
 Mediterranean Pliocene, 143  
 Melbourne Rock Beds, 193, 194  
 Mesozoic, 1, 7, 116  
   cycle recognition, 68  
   depositional sequences, Europe, 165, 174, 193  
   stage boundaries, 202  
*Metoicoceras geslinianum* Zone, Europe, 181, 191–3  
 Midland Valley, *see* Limestone Coal Formation, Scotland  
 Milankovitch band, 1, 2, 7, 9, 12, 13  
 Milankovitch climate variation modelling, *see* Late Jurassic climate variations  
 Milky Way, 14  
   periodic extinctions related to, 13, 14  
 millennial band, 2  
 ‘minimum seasonal forcing’ model, 119, 124, 126, 127, 130  
 Miocene, 202  
   Sicilian anhydrites, 9  
   monsoon circulation, 109  
     Jurassic model, 122, 125  
   monsoons, 117, 122, 125  
 Mont Ventoux Chain, 135  
 Montagne Noire, 38, 39  
   *see also* Pic de Bissous  
 Montagnette, the, 166, 169–70  
 monthly band, 2  
 monthly cycle, 2  
 Mouniers Marls, 166  
 Munster Basin Devonian sequences, 19–20, 32  
   basin equilibrium and response, 29–32  
   cyclicality, 23–5  
   location and geological setting, 20–2  
   palaeohydrology, 25–9  
   subsidence within, 21, 22  
   time–sediment accumulation rates, 23  
 Münsterland basin, 177, 178, 181, 184, 186–8, 191, 193  
 Namurian deposits, Scotland, *see* Limestone Coal Formation, Scotland  
 nautiloids, lunar banding, 7  
 NCAR model, 117  
 neap tides, 6  
*Neocardioceras juddii* Zone, Europe, 181, 191–3  
 Neogene, 200  
   ODP cores, 193  
   SPECMAP isotope curve, 202  
*Neostlingoceras carcitanense* Subzone, Europe, 181, 183  
 Nettleton Stone, 191  
 Newark Basin, 2  
 Niveau Thomel, 193  
 nodule formation, growth rate formula, 68  
 North American cyclothem transgressions, 200  
 North Atlantic Water Passage model, 89  
 North Sea  
   sediments, 5  
   thermal doming, 72, 73  
 obliquity, 1, 9, 10, 11, 100  
   periodicities, 7  
     changes through time, 12, 13, 76  
     values, 46, 65, 76, 139  
 obliquity signal, recognition of, 134  
 ocean circulation, 10, 111  
 ocean core evidence for temperature changes, 2  
 ocean temperatures, Jurassic model, 119  
 Old Red Sandstone Basin, *see* Munster Basin Devonian sequences  
 Old Red Sandstone (ORS), 19, 22  
 Ordovician, 14  
 organic matter, burial of, 200  
 organic sediment deposition, Kimmeridge Clay, 88  
 Orinoco Delta sediments, 89, 93  
 oxygen isotope records, 12, 199  
 Pacific Ocean, 96, 143, 199  
 Palaeozoic, 201  
   carbonate platforms, 200  
   sediments, 201  
   stage boundaries, 202  
*Paltum to Fallacioscum* Zones, Yorkshire, 72  
*Paltum to Tenuicostatum* Zones, Yorkshire, 69, 70–1  
 palynofacies of Kimmeridgian cycles  
   analytical methods, 78–86  
   causes of cyclicality, 96–7  
   classification, 76–8  
   cycle durations, 76, 97, 99–100  
   depositional models, 88–91  
   orbital interpretation, 98, 100–11  
   origin or particles, 94–5  
   palaeoenvironmental interpretations, 91–6  
   particle abundances, 86–8  
 Pendleian  
   deposits, Scotland, 52  
   marine transgressions, Scotland, 65  
 Pennsylvanian sedimentary cycles, 13  
 perihelion, 2, 10, 117  
 periodic extinctions, 13–14  
 Permian, 14, 201  
   Castile Formation, 201  
   sea level oscillations, 200  
 Phanerozoic  
   climatic cycles, 54  
   periodicities, 1, 139  
 phytoplankton blooms, 88  
 Pic de Bissous, 39, 40, 45  
   Givetian timescale, 37  
   microrhythmicity in the Givetian, 41, 42, 48  
   sediments, 45  
 Piobbico, 137  
 plankton  
   carbonate production, 200  
   productivity, 88, 106, 108, 109, 110, 111

- Pleistocene, 8, 14, 68, 116, 122, 143  
 carbonate production, 200  
 climatic cycles, 54  
 glacial fluctuations, 133  
 marine events, 199  
 sea level oscillations, 200  
 sediments, 203
- Plenus Bank, 191
- Plenus Marls, 177, 191, 193, 194
- Pliensbachian, Yorkshire, 72
- Plio-Pleistocene, 134, 143
- Pliocene  
 pro-delta fan, 200  
 sediments, 54, 116, 127, 143, 200, 202
- pole-equator insolation gradient, 10
- pollen grain sedimentation, 92–3
- pollen, Kimeridge Clay, 78, 81, 86, 87, 89, 90, 92, 93, 102, 105
- Polygnathus hemiansatus*, 46, 47
- Pont-de-Laval, 166
- Porcupine Basin volcanic centres, 72
- power spectral analysis, 54, 56–62, 86, 91
- prasinophytes, Kimeridge Clay, 86, 92, 94, 98, 102
- pre-Cambrian, 6, 7, 8
- pre-Cretaceous, 1
- pre-Pleistocene, 8
- pre-Pliocene, 54, 116
- pre-Quaternary sediments, 143
- precession, 1, 2, 9, 10, 11, 12  
 periodicities, 7  
 changes through time, 12, 13, 76  
 values, 45, 46, 65, 76, 139
- precession frequency calculations, 46
- precession signal, recognition, 134
- precipitation, 25  
 Jurassic model, 121, 125, 126, 127
- precipitation minus evaporation budget, 117
- precipitation–evaporation balance, 201
- preservational conditions, 106
- ‘Primus Event’, 188
- Proterozoic, 7, 8  
 carbonate platforms, 200  
 cycle recognition, 201
- proximate dinocysts, Kimeridge Clay, 78, 86, 87, 92
- Pueblo, 181
- Purple Sandstone Formation, 22, 30
- Quaternary  
 fluvial systems, Munster Basin, 25  
 ice sheets, 199  
 sediments, 88, 116, 199, 202
- Ratray volcanic centre, 72, 73
- Recent, 6, 8
- recurrence interval ( $\tau$ ) of aggradational events, 23–4
- redox cyclicity in sediments, 200
- Reynella Siltstone, 8
- rhythmicity  
 irregular or fine scale, 177  
 loss of, 177
- rhythmites, 2, 4
- Rochers de Combeau, 166, 169, 170, 171
- rock relief, tidal effects on, 3
- Rotalipora brotzeni* Zone, Europe, 181
- Rotalipora cushmani* Zone, Europe, 181
- Rotalipora reicheli* Zone, Europe, 181
- Roundhole Point, Cornwall, 43
- Rouvillei* Zone, Morocco/France correlation, 46, 47
- rugose corals, banding in, 2
- salinity indicators, 92
- Saynoceras verrucosum* Zone, Vocontian Trough, 146
- Scaglia Bianca, 136, 178, 179, 192
- sea level changes, 9, 62, 175, 193, 200  
 causes, 200  
 effects of, 1, 138–9, 194  
 Jurassic model, 125, 130  
 record of, 4–5
- sediment accumulation rates in non-marine basins, 23
- sediment yield in drainage basins, 27, 28
- sedimentary cycles, constraints, of, 133–40
- sedimentary responses, weak, 130
- sedimentary rhythmicity, 1, 11–13
- sedimentation, Milankovitch band cycles and, 9–10
- semidiurnal inequality, 5
- semidiurnal tidal cycles, 3, 4–5, 6
- Sharpeiceras schlueteri* Subzone, Europe, 181, 183
- shells, growth patterns, 2, 5, 6, 7, 181
- Sherkin Sandstone Formation, 22
- shoreline proximity indicators, 92
- Sicilian anhydrites, 9
- Siwaliiks molasse, fluvial sediments, 20
- Slehany Formation, 22, 26
- snow cover, Jurassic model, 125, 127
- solar cycles, 2
- solar day, 3, 5–6, 7
- solar energy, 1
- solar frequency band, 2, 8
- solar radiation changes  
 and climate, 116  
 Jurassic model, 118–19
- solar tides, 3
- solar year, 8
- Southeastern Basin, France, 134, 135
- Southerham, Chalk Marl, 179
- Southern England, position during Kimmeridgian, 106
- Southwest Ireland, 21  
*see also* Munster Basin Devonian sequences
- SPECMAP isotope curve, 199, 202
- spectral analysis of time series, 54–62
- spore sedimentation, 92–3
- spores, Kimeridge Clay, 78, 81, 86, 89, 90, 92, 93, 98, 102, 105
- spring tides, 6
- Stoliczkaia dispar* Zone, 183
- Subalpine Basin, 144
- sulphate reduction index (SRI), 91, 107
- Sun–Earth–Moon system, *see* Earth–Moon–Sun system
- sunspot cycle, 8
- surface soil wetness, Jurassic model, 123, 125, 129
- surface temperatures, Jurassic model, 120, 124
- surface water productivity changes, 127
- T. callidiscus ammonite* Zone, Vocontian Trough, 152
- Tafilalt condensed shelf developments, 47
- Tafilalt Platform, 43
- tasmanitids, Kimeridge Clay, 94
- tectonic band, 2

- tectonic cyclicity  
   Gun Point Formation, 32  
   Limestone Coal Formation, 62  
   Marble Cliffs Cornwall, 45  
   Toarcian of Yorkshire, 72, 73  
 tectonism, sedimentation and, 20  
 temperature changes  
   Jurassic model, 125, 128  
   ocean core evidence for, 2  
*terebratum* Zone, Morocco/France correlation, 47  
 terrestrial debris, Kimmeridge Clay, 78, 86, 93, 94, 95, 102, 107, 108  
 terrestrial palynomorphs, Kimmeridge Clay, 78, 86, 87, 89, 90, 93, 94, 96, 102, 103, 104, 105, 106  
 Tertiary, 1, 7  
 Tethyan ammonite Zone, France, 166  
 Tethyan successions, 134, 178  
 Tethys, 159, 162  
 thermal doming, North Sea, 72, 73  
 thickness-time conversion, 68–9  
 tidal cycles, 2, 3, 8  
   days in lunar month and Earth year and, 5  
   effects of, 3–5, 7, 9  
 tidal nodes, 3  
 time off perihelion, the, 10  
 time series analysis, methods of, 55–8  
 Toarcian depositional cycles, *see* Early Toarcian depositional cycles, Yorkshire  
 Todilto Formation, 7, 8  
 Total Oxygen Content, Kimmeridge Clay, 86, 88, 91, 95, 96, 103, 104, 105, 107, 108, 110  
 Triassic, 7, 117, 169  
   carbonate platforms, 200, 201  
   temperature oscillations, 117  
 Triassic–Jurassic, precipitation–evaporation balance, 201  
 Turonian, 181  
*Turrilites acutus* Subzone, Europe, 181  
*Turrilites costatus* Subzone, Europe, 177, 181  
  
 UKUniversities Global Atmospheric Modelling Programme (UGAMP) model, 115, 117, 118–19  
 Umbria–Marche Basin, 178, 179, 191, 193  
 uncompacted volume of sediment, 27  
  
 Upper Jurassic–Lower Cretaceous succession, Fontcalent, 135, 137, 138  
 Urgonian formations, France, 172, 173, 174  
  
 Valanginian  
   carbonate cycles, Vocontian Trough, 143–4, 158–62  
   analysis, 146, 148–58, 162  
   carbonate productivity, 158  
   durations, 156, 157  
   lithostratigraphy and biostratigraphy, 144–6, 147  
   origin of variations, 146  
   sediments, Angles, 135, 136, 137, 138  
   stage duration, 148  
 Valanginian–Hauterivian interval, France, 143  
 Valentia Slate Formation, 22  
*Varcus* zone, France, 43  
*Varcus/Hermannii* Zone, France, 47  
*Variabilis to Striatulum* Zones, Yorkshire, 69–70, 71  
*Variabilis* Zone, duration, Yorkshire, 68  
 vegetation patterns, 1, 109, 111  
 Vendian, 14  
 Vergons, 183  
 vernal equinox, 7  
 Vocontian Basin, 177, 178, 183, 184, 189, 191, 193, 195  
 Vocontian sediments, 135  
 Vocontian Trough  
   carbonate cycles, *see under* Valanginian  
   platform and pelagic carbonates relationship, 165–75  
   volume of compacted sediment, 27  
  
 Washing Ledge Shales, 76  
 Washing Ledge Stone Band, 76, 99  
 water discharge, power of, 28, 29  
 water temperature indicators, 92  
 water turbulence indicators, 92  
 water vapour in atmosphere, Jurassic model, 119  
*Watnoceras archaeocretacea*, 181  
 weathering processes, alteration of, 9  
 Wessex Basin, 72  
 Western Interior Basin, USA, 133, 134, 181, 193  
 Western Interior Seaway, 200  
 Wood Bay Group, Spitsbergen, 20  
 Wurmian ice age, 174